

PG64

BULLETIN #182@

METALS OPTION PRODUCTS

Tue, Sep 22, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	SEP26	SEP26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27	JUL27	AUG27
COO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31				07/30	08/31
ECG10 OP		09/21	09/22											
ECG11 OP		09/21	09/22											
ECG13 OP		09/21	09/22											
ECG15 OP		09/21	09/22											
ECG16 OP		09/21	09/22											
ECGC OOF		09/21	09/22											
ECHG OOF		09/21	09/22											
ECSI OOF		09/21	09/22											
EHO OPT	09/30			10/30	11/30	12/31								
GMW MON	09/28			10/19										
GWR THU				10/22										
GWT TUE	09/29			10/13										
GWV WED	09/30			10/14										
HMW MON	09/28			10/12										
HRO OPT	09/29			10/27	11/24	12/29	01/26	02/23	03/30	04/27	05/25	06/29	07/27	08/24
HWR THU				10/22										
HWT TUE	09/29			10/06										
HWV WED	09/30			10/14	11/04	12/02	01/06							
HX CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HX PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25		
HXE CALL	09/25			10/09										
HXE PUT	09/25			10/09										
LHO OPT	09/30			10/30	11/30	12/31	01/29	02/26	03/31					
OG CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
OG1 CALL				10/02										
OG1 PUT				10/02										
OG2 CALL				10/09										
OG2 PUT				10/09										
OG3 CALL				10/16										
OG3 PUT				10/16										
OG4 CALL	09/25													
OG4 PUT	09/25													
OMG OPT				09/24	10/27	11/24	12/28					05/19		
PAO CALL				10/21	11/18				02/17					
PAO PUT				10/21	11/18				02/17					
PAW OOF	09/25			10/02										
PLW OOF	09/25			10/02										
PO CALL					10/21	11/18	12/16			03/17			06/16	
PO PUT					10/21	11/18	12/16			03/17			06/16	
RWS THU				10/22										
SMW MON	09/28			10/12										
SO CALL				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	07/27
SO PUT				09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25	06/24	
SO1 CALL				10/02										
SO1 PUT				10/02										
SO2 CALL				10/09										
SO2 PUT				10/09										
SO3 CALL				10/16										
SO3 PUT				10/16										
SO4 CALL	09/25													
SO4 PUT	09/25													
SWW WED	09/30			10/07										
TWS TUE	09/29			10/13										
WMG WED	09/23													

GOLD OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED SEP26														
4300	19.00	19.00		19.00/16.50A	19.00/16.50A	----	----	5.40 - NEW	.1118	----	----	1	----	1 +
4320	----	----	----	----	----	----	----	10.10 - 4.70	.2529	----	----	----	----	1 UNCH
4335	20.20	20.20		20.20/20.20	20.20/20.20	----	----	15.60 - NEW	.4089	----	----	1	----	1 +
TOTAL												2		3 +
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT OCT26														
4000	----	----	----	----	----/864.60A	----	----	0.20 - 0.20	----	----	----	----	----	1 UNCH
4200	----	----	----	----	0.10B/50.00A	----	----	1.40 - 1.40	----	----	----	----	----	1 UNCH
4275	7.20	7.20		7.20/7.20	7.20/7.20	----	----	6.20 - 2.90	----	----	----	1	----	0 -
4400	----	----	----	----	----/880.20A	----	----	8.50 - 6.60	----	----	----	----	----	2 UNCH
4495	----	----	----	----	----	----	----	153.70 + 5.80	----	----	----	----	----	4 UNCH
4600	----	----	----	----	----/867.10A	----	----	0.40 - 0.60	----	----	----	----	----	3 UNCH
4680	----	----	----	----	----/857.60A	----	----	0.20 - 0.40	----	----	----	----	----	1 UNCH
4750	----	----	----	----	----/846.30A	----	----	0.10 - 0.20	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----/841.90A	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5050	----	----	----	----	----/10.00A	----	----	0.10 UNCH	----	----	----	----	----	3 UNCH
TOTAL												1		18 -
NOV26														
3650	----	----	----	----	----	----	----	2.80 - 0.50	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	----	----	7.30 - 0.60	----	----	----	----	----	1 UNCH
4000	----	----	----	----	----	----	----	387.60 - 8.30	----	----	----	----	----	1 UNCH
4005	----	----	----	----	----	----	----	383.00 - 8.30	----	----	----	----	----	1 UNCH
4025	----	----	----	----	----	----	----	14.10 - 0.90	----	----	----	----	----	1 UNCH
4100	----	----	----	----	----	----	----	22.00 - 1.10	----	----	----	----	----	0 UNCH
4185	----	----	----	----	----	----	----	37.40 - 1.00	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	----	----	73.40 UNCH	----	----	----	----	----	1 UNCH
5000	----	----	----	----	----	----	----	5.80 - 1.10	----	----	----	----	----	0 UNCH
5810	----	----	----	----	----	----	----	1.20 - 0.20	----	----	----	----	----	2 UNCH
5850	----	----	----	----	----	----	----	1.10 - 0.20	----	----	----	----	----	3 UNCH
5900	----	----	----	----	----	----	----	1.00 - 0.20	----	----	----	----	----	5 UNCH
6500	----	----	----	----	----	----	----	0.50 - 0.10	----	----	----	----	----	4 UNCH
TOTAL														22
DEC26														
3900	24.00	24.00		24.00/24.00	24.00/24.00	----	----	21.20 - NEW	----	----	----	1	----	1 +
3990	30.00	30.00		30.00/30.00	30.00/30.00	----	----	31.60 - NEW	----	----	----	1	----	1 +
4000	----	----	----	----	----	----	----	33.00 - 0.70	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	----	----	228.20 + 2.30	----	----	----	----	----	3 UNCH
4650	----	----	----	----	----	----	----	63.90 - 4.00	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	----	----	53.80 - 3.80	----	----	----	----	----	10 UNCH
4800	----	----	----	----	----	----	----	38.30 - 3.00	----	----	----	----	----	1 UNCH
5000	19.70	19.70		19.70/19.70	19.70/19.70	----	----	19.90 - NEW	----	----	----	1	----	1 +
TOTAL												3		19 +
JAN27														
4010	----	----	----	----	----	----	----	451.20 - 8.10	----	----	----	----	----	1 UNCH
TOTAL														1
OCT27														
4410	----	----	----	----	----	----	----	494.50 - 5.50	----	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

BULLETIN #182@												METALS OPTION PRODUCTS			Tue, Sep 22, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OMG OPT	MICRO GOLD OPTIONS																		
TOTAL																1	0		
FEB28 4600	----	----		----	----		----		506.00 - 5.30	----	----	----	----	----	1	UNCH			
TOTAL																1	0		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG4 PUT SEP26	GOLD OPTIONS																		
3500	----	----		----	----	/0.30A	----		0.10 UNCH	----	----	----	----	----	4	UNCH			
3700	----	----		----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	16	UNCH			
3750	----	----		----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	2	UNCH			
3800	----	----		----	----	/0.20A	----		0.10 UNCH	----	----	----	3	----	114 -	3			
3900	----	----		----	----	/0.20A	----		0.10 - 0.10 .0000	----	----	----	5	----	30	UNCH			
3925	----	----		----	----	/0.20A	----		0.10 - 0.10 .0001	----	----	----	----	----	1	UNCH			
3950	0.20	0.20		0.20/0.20	0.20/0.20		----		0.10 - 0.30 .0003	----	----	----	6	----	5	UNCH			
3975	----	----		----/0.20A	0.30B/0.20A		----		0.20 - 0.30 .0011	----	----	----	8	----	47 -	8			
4000	0.20	0.20		0.20/0.20	0.40B/0.20		----		0.20 - 0.30 .0012	----	----	----	2	----	62 -	1			
4025	----	----		----/0.30A	0.50B/0.30A		----		0.30 - 0.30 .0019	----	----	----	----	----	121	UNCH			
4050	0.80	0.80		0.80/0.30A	0.80/0.30A		----		0.30 - 0.40 .0021	----	----	----	1	----	38 -	1			
4075	0.70	0.70		0.90B/0.30A	0.90B/0.30A		----		0.40 - 0.50 .0031	----	----	----	4	----	22	UNCH			
4085	0.40	0.40		1.00B/0.40	1.00B/0.40		----		0.50 - 0.40 .0041	----	----	----	5	----	6 +	5			
4100	----	----		----/0.40A	1.10B/0.40A		----		0.60 - 0.50 .0052	----	----	----	----	----	317	UNCH			
4120	----	----		1.40B/0.50A	1.40B/0.50A		----		0.70 - 0.60 .0065	----	----	----	----	----	2	UNCH			
4125	----	----		1.50B/0.50A	1.50B/0.50A		----		0.70 - 0.60 .0067	----	----	----	----	----	24	UNCH			
4150	1.60	1.60		2.10B/0.60A	2.10B/0.60A		----		0.90 - 0.70 .0095	----	----	----	4	----	109	UNCH			
4155	----	----		2.30B/0.60A	2.30B/0.60A		----		1.00 - 0.70 .0107	----	----	----	----	----	100	UNCH			
4160	0.90	0.90		2.40B/0.70A	2.40B/0.70A		----		1.00 NEW .0110	----	----	----	1	----	1 +	1			
4175	1.00	1.00		3.10B/0.80A	3.10B/0.80A		----		1.20 - 0.90 .0140	----	----	----	6	----	76 +	1			
4195	----	----		4.10B/0.90A	4.10B/0.90A		----		1.50 NEW .0190	----	----	----	2	----	2 +	2			
4200	----	----		4.60B/1.00A	4.60B/1.00A		----		1.60 - 1.10 .0207	----	----	----	7	----	336 +	5			
4205	2.90	2.90		5.00B/1.10A	5.00B/1.10A		----		1.70 NEW .0225	----	----	----	2	----	1 +	1			
4210	----	----		5.40B/1.10A	5.40B/1.10A		----		1.80 - 1.20 .0243	----	----	----	1	----	1	UNCH			
4215	1.50	1.50		5.80B/1.20A	5.80B/1.20A		----		2.00 NEW .0275	----	----	----	2	----	2 +	2			
4220	4.20	4.20		6.40B/1.30A	6.40B/1.30A		----		2.10 - 1.30 .0295	----	----	----	1	----	2 +	1			
4225	4.90	4.90		6.90B/1.40A	6.90B/1.40A		----		2.30 - 1.30 .0329	----	----	----	25	----	53 +	19			
4230	2.70	2.70		7.50B/1.50A	7.50B/1.50A		----		2.40 - 1.40 .0351	----	----	----	3	----	4 +	3			
4235	1.60	1.60		8.30B/1.50	8.30B/1.50		----		2.60 - 1.50 .0387	----	----	----	24	----	29 +	22			
4240	1.60	1.60		8.90B/1.60	8.90B/1.60		----		2.80 - 1.60 .0425	----	----	----	12	----	13 +	10			
4245	6.30	6.30		9.70B/1.70	9.70B/1.70		----		3.10 NEW .0477	----	----	----	40	----	39 +	39			
4250	6.40	6.40		10.90/1.90	10.90/1.90		----		3.40 - 1.70 .0531	----	----	----	167	----	229 +	29			
4255	8.50	8.50		11.60B/2.10	11.60B/2.10		----		3.70 - 1.70 .0587	----	----	----	15	----	21 +	11			
4260	5.50	5.50		12.60B/2.30	12.60B/2.30		----		4.00 - 1.90 .0645	----	----	----	24	----	161 +	9			
4265	2.50	2.50		13.80B/2.50	13.80B/2.50		----		4.40 - 1.90 .0718	----	----	----	15	----	30 +	15			
4270	7.00	7.00		14.90B/2.70	14.90B/2.70		----		4.80 - 2.00 .0794	----	----	----	31	----	30 +	26			
4275	10.90	10.90		16.20B/2.90	16.20B/2.90		----		5.20 - 2.20 .0873	----	----	----	114	----	130 +	55			
4280	15.90	15.90		17.60B/3.30	17.60B/3.30		----		5.70 - 2.30 .0967	----	----	----	56	----	37 +	35			
4285	12.00	12.00		19.00B/3.40	19.00B/3.40		----		6.30 - 2.30 .1077	----	----	----	35	----	35 +	27			
4290	7.10	7.10		20.60B/4.00A	20.60B/4.00A		----		6.90 - 2.50 .1189	----	----	----	3	----	5 +	3			
4295	9.60	9.60		22.30B/4.40A	22.30B/4.40A		----		7.60 - 2.50 .1317	----	----	----	4	----	18 +	2			
4300	10.40	10.40		24.20B/4.80A	24.20B/4.80A		----		8.40 - 2.60 .1460	----	----	----	170	----	288 +	21			
4305	----	----		26.10B/5.30A	26.10B/5.30A		----		9.20 - 2.70 .1607	----	----	----	2	----	6 +	2			
4310	18.80	18.80		28.10B/5.80A	28.10B/5.80A		----		10.10 - 2.80 .1768	----	----	----	82	----	32 +	5			
4315	21.20	21.20		30.30B/6.40A	30.30B/6.40A		----		11.20 - 2.80 .1953	----	----	----	49	----	31 +	11			
4320	----	----		32.70B/7.00A	32.70B/7.00A		----		12.30 - 2.80 .2141	----	----	----	----	----	4	UNCH			
4325	12.20	12.20		35.00B/7.90A	35.00B/7.90A		----		13.50 - 2.90 .2341	----	----	----	50	----	126 +	8			
4330	20.80	20.80		37.50B/8.60A	37.50B/8.60A		----		14.80 NEW .2554	----	----	----	12	----	11 +	11			
4335	22.70	22.70		40.20B/9.50A	40.20B/9.50A		----		16.30 NEW .2785	----	----	----	90	----	33 +	33			
4340	13.90	13.90		42.90B/10.50A	42.90B/10.50A		----		17.80 - 2.90 .3019	----	----	----	100	----	35 +	34			
4345	25.60	25.60		45.80B/11.60A	45.80B/11.60A		----		19.50 NEW .3268	----	----	----	20	----	13 +	13			
4350	22.50	22.50		48.80B/12.80A	48.80B/12.80A		----		21.30 - 2.80 .3524	----	----	----	128	----	148 +	6			
4355	29.00	29.00		51.40B/14.10A	51.40B/14.10A		----		23.20 - 2.70 .3787	----	----	----	49	----	26 +	25			
4360	40.20	40.20		54.60B/15.40A	54.60B/15.40A		----		25.30 - 2.60 .4058	----	----	----	81	----	25 +	17			
4365	33.50	33.50		57.90B/17.00A	57.90B/17.00A		----		27.50 - 2.40 .4333	----	----	----	248	----	88 +	85			
4370	39.50	39.50		61.30B/18.60A	61.30B/18.60A		----		29.80 - 2.30 .4610	----	----	----	25	----	23 +	18			
4375	35.70	35.70		64.80B/20.30A	64.80B/20.30A		----		32.30 - 2.10 .4889	----	----	----	104	----	68 +	32			
4380	25.80	25.80		68.40B/22.20A	68.40B/22.20A		----		34.90 - 1.90 .5166	----	----	----	17	----	18 +	15			
4385	35.00	35.00		72.10B/24.10A	72.10B/24.10A		----		37.60 - 1.70 .5443	----	----	----	15	----	3 +	2			
4390	37.90	37.90		76.00B/26.20A	76.00B/26.20A		----		40.40 - 1.50 .5716	----	----	----	3	----	61 +	1			
4395	28.60	28.60		79.80B/28.50A	79.80B/28.50A		----		43.40 - 1.30 .5983	----	----	----	1	----	6 +	1			
4400	35.30	35.30		83.80B/30.70A	83.80B/30.70A		----		46.50 - 1.00 .6244	----	----	----	88	----	96 -	29			
4405	----	----		87.80B/33.20A	87.80B/33.20A		----		49.70 - 0.80 .6499	----	----	----	1	----	1	UNCH			
4415	----	----</																	

BULLETIN #182@				METALS OPTION PRODUCTS										Tue, Sep 22, 2026				PG64				
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG2 CALL	GOLD OPTIONS																					
OCT26																						
4600	14.90	14.90		22.00B/11.80A	22.00B/11.80A	----		14.60 - 3.30	.1371	----	----	4	----	9 +	2							
4625	15.30	15.30		18.50B/10.00A	18.50B/10.00A	----		12.20 - 2.80	.1160	----	----	5	----	29 +	1							
4650	10.50	10.50		15.50B/8.50A	15.50B/8.50A	----		10.10 - 2.50	.0974	----	----	4	----	16 +	3							
4675	8.40	8.40		13.00B/7.30A	13.00B/7.30A	----		8.50 - 2.10	.0825	----	----	11	----	12 +	8							
4700	10.10	10.10		10.80B/6.40A	10.80B/6.40A	----		7.20 - 1.80	.0702	----	----	5	----	22 +	5							
4725	----	----		9.20B/5.40A	9.20B/5.40A	----		6.10 - 1.60	.0596	----	----	----	----	30	UNCH							
4750	8.00	8.00		8.00/4.70A	8.00/4.70A	----		5.20 - 1.40	.0508	----	----	3	----	20	UNCH							
4775	----	----		6.80B/4.10A	6.80B/4.10A	----		4.50 - 1.20	.0438	----	----	----	----	27	UNCH							
4800	----	----		5.70B/3.70A	5.70B/3.70A	----		3.90 - 1.10	.0378	----	----	----	----	5	UNCH							
4900	----	----		3.30B/2.40A	3.30B/2.40A	----		2.30 - 0.80	.0217	----	----	----	----	13	UNCH							
5000	1.80	1.80		2.10B/1.70A	2.10B/1.70A	----		1.60 - 0.50	.0143	----	----	1	----	176 +	1							
5100	----	----		----/1.40A	1.40B/1.40A	----		1.20 - 0.30	.0101	----	----	----	----	96	UNCH							
5200	----	----		----/1.10A	0.90B/1.10A	----		0.90 - 0.30	.0072	----	----	----	----	41	UNCH							
TOTAL																					749+	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG1 PUT	GOLD OPTIONS																					
OCT26																						
3500	----	----		----	----/0.30A	----		0.10 UNCH	.0006	----	----	----	----	1	UNCH							
3700	----	----		----	0.40B/0.50A	----		0.40 UNCH	.0030	----	----	----	----	1	UNCH							
3800	1.10	1.10		1.10/0.60A	1.10/0.60A	----		0.60 - 0.20	.0050	----	----	1	----	2 +	1							
3900	----	----		----/0.90A	1.20B/0.90A	----		1.00 - 0.30	.0093	----	----	----	----	11	UNCH							
3925	----	----		----/1.00A	1.40B/1.00A	----		1.10 - 0.30	.0106	----	----	----	----	6	UNCH							
3950	----	----		1.70B/1.20A	1.70B/1.20A	----		1.20 - 0.40	.0120	----	----	----	----	2	UNCH							
3975	----	----		2.10B/1.30A	2.10B/1.30A	----		1.40 - 0.50	.0144	----	----	----	----	6	UNCH							
4000	2.20	2.20		2.50B/1.50A	2.50B/1.50A	----		1.60 - 0.50	.0170	----	----	1	----	27	UNCH							
4025	----	----		3.10B/1.70A	3.10B/1.70A	----		1.90 - 0.60	.0207	----	----	----	----	3	UNCH							
4050	2.90	2.90		3.70B/2.00A	3.70B/2.00A	----		2.30 - 0.70	.0257	----	----	1	----	2 +	1							
4075	3.60	3.60		4.40B/2.30A	4.40B/2.30A	----		2.80 - 0.70	.0319	----	----	2	----	5 +	1							
4100	5.60	5.60		6.00B/2.80A	6.00B/2.80A	----		3.40 - 0.90	.0396	----	----	12	----	55 +	3							
4125	3.80	3.80		7.60B/3.40A	7.60B/3.40A	----		4.30 - 1.00	.0506	----	----	2	----	72	UNCH							
4150	8.40	8.40		10.20/4.20	10.20/4.20	----		5.40 - 1.10	.0643	----	----	8	----	45 -	2							
4175	----	----		12.90B/5.30A	12.90B/5.30A	----		7.00 - 1.20	.0832	----	----	2	----	20	UNCH							
4200	13.30	13.30		16.90B/6.80A	16.90B/6.80A	----		9.10 - 1.40	.1075	----	----	9	----	95 +	4							
4225	----	----		22.10B/8.90A	22.10B/8.90A	----		11.90 - 1.50	.1386	----	----	4	----	4 +	1							
4250	18.20	18.20		28.70B/11.70A	28.70B/11.70A	----		15.70 - 1.60	.1782	----	----	301	----	397 +	181							
4275	27.50	27.50		36.80B/15.60A	36.80B/15.60A	----		20.80 - 1.50	.2270	----	----	156	----	144 +	97							
4300	30.20	30.20		46.50B/20.60A	46.50B/20.60A	----		27.30 - 1.40	.2840	----	----	66	----	314 +	43							
4325	----	----		58.30B/27.10A	58.30B/27.10A	----		35.50 - 1.10	.3484	----	----	38	----	106 +	35							
4350	----	----		71.60B/35.10A	71.60B/35.10A	----		45.50 - 0.70	.4178	----	----	----	----	203	UNCH							
4375	59.80	59.80		85.90B/45.00A	85.90B/45.00A	----		57.40 - 0.10	.4895	----	----	2	----	157	UNCH							
4400	70.20	70.20		102.80B/56.60A	102.80B/56.60A	----		71.10 + 0.60	.5605	----	----	5	----	180 +	5							
4425	----	----		121.10B/70.00A	121.10B/70.00A	----		86.50 + 1.20	.6285	----	----	----	----	50	UNCH							
4450	----	----		140.80B/85.10A	140.80B/85.10A	----		103.50 + 1.70	.6910	----	----	----	----	13	UNCH							
4475	----	----		161.30B/101.60A	161.30B/101.60A	----		122.10 + 2.40	.7467	----	----	----	----	23	UNCH							
4575	----	----		251.40B/179.30A	251.40B/179.30A	----		207.30 + 4.60	.8953	----	----	----	----	4	UNCH							
4625	----	----		297.30B/223.70A	297.30B/223.70A	----		254.10 NEW	.9327	----	----	2	----	2 +	2							
4675	----	----		334.80B/270.20A	334.80B/270.20A	----		302.10 NEW	.9557	----	----	1	----	1 +	1							
4700	----	----		359.70B/299.70A	359.70B/299.70A	----		326.50 + 6.30	.9642	----	----	----	----	1	UNCH							
TOTAL																					1952+	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG1 CALL	GOLD OPTIONS																					
OCT26																						
4150	----	----		261.20B/189.90A	261.20B/189.90A	----		231.60 - 8.60	.9355	----	----	----	----	2	UNCH							
4200	----	----		219.10B/146.90A	219.10B/146.90A	----		185.30 - 8.90	.8922	----	----	----	----	1	UNCH							
4325	----	----		114.40B/63.50A	114.40B/63.50A	----		86.90 - 8.60	.6513	----	----	----	----	12	UNCH							
4350	66.50	66.50		97.20B/51.80A	97.20B/51.80A	----		71.90 - 8.20	.5818	----	----	8	----	112 +	8							
4375	59.90	59.90		81.60B/42.00A	81.60B/42.00A	----		58.80 - 7.60	.5102	----	----	1	----	182	UNCH							
4400	55.40	55.40		69.10B/33.80A	69.10B/33.80A	----		47.50 - 6.90	.4392	----	----	105	----	266 +	44							
4425	40.40	40.40		56.90B/27.00A	56.90B/27.00A	----		37.90 - 6.40	.3712	----	----	29	----	100 +	27							
4450	27.70	27.70		46.40B/21.50A	46.40B/21.50A	----		30.00 - 5.80	.3086	----	----	6	----	50 +	4							
4475	22.40	22.40		37.80B/17.10A	37.80B/17.10A	----		23.60 - 5.10	.2529	----	----	3	----	62 +	2							
4500	16.50	16.50		30.30B/13.60A	30.30B/13.60A	----		18.40 - 4.50	.2044	----	----	18	----	51 +	7							
4525	----	----		24.10B/10.90A	24.10B/10.90A	----		14.40 - 3.90	.1641	----	----	26	----	47 +	26							
4550	20.00	20.00		20.00/8.80A	20.00/8.80A	----		11.20 - 3.40	.1304	----	----	174	----	204 +	7							
4575	8.70	8.70		15.30B/7.10A	15.30B/7.10A	----		8.90 - 2.90	.1044	----	----	5	----	39 +	3							
4600	11.50	11.50		12.10B/5.80A	12.10B/5.80A	----		7.10 - 2.40	.0836	----	----	11	----	223 +	1							
4625	10.00	10.00		10.00/4.70A	10.00/4.70A	----		5.70 - 2.00	.0670	----	----	3	----	23 +	3							
4650	4.50	4.50		7.90B/3.90A	7.90B/3.90A	----		4.60 - 1.70	.0539	----	----	3	----	76 +	3							
4675	4.90	4.90		6.20B/3.30A	6.20B/3.30A	----		3.80 - 1.40	.0440	----	----	4	----	13	UNCH							
4700	3.50	3.50		5.10B/2.80A	5.10B/2.80A	----		3.10 - 1.30	.0356	----	----	3	----	36 +	3							
4725	2.60	2.60		4.10B/2.40A	4.10B/2.40A	----		2.60 - 1.10	.0294	----	----	3	----	17 +	3							
4750	----	----		3.50B/2.10A	3.50B/2.10A	----		2.20 - 0.90	.0245	----	----	1	----	103 -	1							
4775	----	----		2.90B/1.80A	2.90B/1.80A	----		1.90 - 0.80	.0207	----	----	1	----	21 -	1							
4800	2.50	2.50		2.50/1.60	2.50/1.60	----		1.60 - 0.70	.0172	----	----	4	----	17 -	3							
4850	----	----		----/1.30A	1.80B/1.30A	----		1.30 - 0.50	.0133	----	----	----	----	101	UNCH							
4875	----	----		----/1.20A	1.60B/1.20A	----		1.10 - 0.50	.0111	----	----	----	----	27	UNCH							
4900	----	----		----/1.10A	1.40B/1.10A	----		1.00 - 0.40	.0098	----	----	----	----	4	UNCH							
5000	----	----		----/0.70A	0.80B/0.70A	----		0.60 - 0.40	.0055	----	----	----	----	5	UNCH							
5100	----	----		----/0.60A	0.50B/0.60A	----		0.40 - 0.30	.0034	----	----	----	----	6	UNCH							
5200	----	----		----	0.30B/0.50A	----		0.30 - 0.20	.0023	----	----	----	----	15	UNCH							
TOTAL																					1815+	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT	COMEX GOLD OPTIONS																					
OCT26																						
1000	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	1	UNCH							
1500	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	4	UNCH							
2000	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	90	UNCH							
2100	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	4	UNCH							
2200	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	15	UNCH							
2300	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	4	UNCH							
2400	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	1	UNCH							
2500	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	49	UNCH							
2525	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	1	UNCH							
2550	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	3	UNCH							
2600	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	70	UNCH							
2625	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	3	UNCH							
2650	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	5	UNCH							
2675	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	75	UNCH							
2700	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	51	UNCH							
2710	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	11	UNCH							
2750	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	9	UNCH							
2780	----	----		----	----/0.20A	----		0.10 UNCH	----	----	----	----	----	5	UNCH							
279																						

BULLETIN #182@		METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT	COMEX GOLD OPTIONS													
OCT26														
3100	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	267 UNCH
3105	----	----	----	----	/14.50A	----		0.10 UNCH	----	----	----	----	----	40 UNCH
3115	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	1 UNCH
3125	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	104 UNCH
3130	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	6 UNCH
3145	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	1 UNCH
3150	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	23 UNCH
3155	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	1 UNCH
3160	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	2 UNCH
3165	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	3 UNCH
3175	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	4 UNCH
3180	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	1 UNCH
3185	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	1 UNCH
3190	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	11 UNCH
3195	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	2 UNCH
3200	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	404 UNCH
3205	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	4 UNCH
3215	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	2 UNCH
3220	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	3 UNCH
3225	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	6 UNCH
3230	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	3 UNCH
3235	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	3 UNCH
3240	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	7 UNCH
3245	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	5 UNCH
3250	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	5 UNCH
3255	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	87 UNCH
3260	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	22 UNCH
3265	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	4 UNCH
3275	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	5 UNCH
3280	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	23 UNCH
3285	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	36 UNCH
3290	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	7 UNCH
3295	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	12 UNCH
3300	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	9 UNCH
3305	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	481 UNCH
3310	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	7 UNCH
3315	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	10 UNCH
3320	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	3 UNCH
3325	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	7 UNCH
3330	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	48 UNCH
3335	----	----	----	----	/0.30A	----		0.10 UNCH	----	----	----	----	----	17 UNCH
3340	----	----	----	----	/13.20A	----		0.10 UNCH	----	----	----	----	----	6 UNCH
3345	----	----	----	----	/13.30A	----		0.10 UNCH	----	----	----	----	----	17 UNCH
3350	----	----	----	----	/12.90A	----		0.10 UNCH	----	----	----	----	----	156 UNCH
3355	----	----	----	----	/12.80A	----		0.10 UNCH	----	----	----	----	----	6 UNCH
3360	----	----	----	----	/12.30A	----		0.10 UNCH	----	----	----	----	----	43 UNCH
3365	----	----	----	----	/0.30A	----		0.10 UNCH	----	----	----	----	----	21 UNCH
3370	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	7 UNCH
3375	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	52 UNCH
3380	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	2 UNCH
3385	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	6 UNCH
3390	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	8 UNCH
3395	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	36 UNCH
3400	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	551 UNCH
3405	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	18 UNCH
3410	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	16 UNCH
3415	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	2 UNCH
3420	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	24 UNCH
3425	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	9 UNCH
3430	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	10 UNCH
3435	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	10 UNCH
3440	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	10 UNCH
3445	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	47 UNCH
3450	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	181 UNCH
3455	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	5 UNCH
3460	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	118 UNCH
3465	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	11 UNCH
3470	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	9 UNCH
3475	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	225 UNCH
3480	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	22 UNCH
3485	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	6 UNCH
3490	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	20 UNCH
3495	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	3 UNCH
3500	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	1205 UNCH
3505	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	24 UNCH
3510	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	24 UNCH
3515	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	34 UNCH
3520	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	16 UNCH
3525	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	40 UNCH
3530	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	32 UNCH
3535	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	2 UNCH
3540	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	19 UNCH
3545	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	61 UNCH
3550	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	213 UNCH
3555	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	25 UNCH
3560	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	48 UNCH
3565	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	83 UNCH
3570	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	7 UNCH
3575	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	7 UNCH
3580	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	7 UNCH
3585	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	48 UNCH
3590	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	19 UNCH
3595	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	19 UNCH
3600	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	1051 UNCH
3605	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	8 UNCH
3610	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	115 UNCH
3615	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	259 UNCH
3620	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	63 UNCH
3625	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	25 UNCH
3630	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	19 UNCH
3635	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	3 UNCH
3640	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	57 UNCH
3645	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	56 UNCH
3650	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	413 UNCH
3655	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	13 UNCH
3660	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	42 UNCH
3665	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	85 UNCH
3670	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	36 UNCH
3675	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	60 UNCH
3680	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	72 UNCH
3685	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	61 UNCH
3690	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	39 UNCH
3695	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	1	----	69 UNCH
3700	0.20	0.20	0.20/0.20	0.20	/0.10A	----		0.10 UNCH	----	----	----	----	----	813 UNCH
3705	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	32 UNCH
3710	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	15 UNCH
3715	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	51 UNCH
3720	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	42 UNCH
3725	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	155 UNCH
3730	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	32 UNCH
3735	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	91 UNCH
3740	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	38 UNCH
3745	----	----	----	----	/0.20A	----		0.10 UNCH	----	----	----	----	----	39 UNCH
3750	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----	----	----	574 UNCH
3755	----	----	----	----	/0.10A	----		0.10 UNCH	----	----	----			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
OCT26																
3820	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	85	UNCH
3825	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	76	UNCH
3830	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	16	UNCH
3835	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	19	UNCH
3840	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	38	UNCH
3845	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	35	UNCH
3850	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	906	UNCH
3855	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	34	UNCH
3860	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	92	UNCH
3865	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	47	UNCH
3870	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	23	UNCH
3875	----	----	----	----	----	/0.10A	----	----	0.10	UNCH	----	----	----	----	288	UNCH
3880	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	49	UNCH
3885	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	73	UNCH
3890	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	----	----	----	----	53	UNCH
3895	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	.0000	----	5	----	29	UNCH
3900	0.10	0.10		0.10/0.10		0.10/0.10			0.10	UNCH	.0000	----	25	----	1849 +	25
3905	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	.0000	----	----	----	42	UNCH
3910	0.10	0.10		0.10/0.10		0.10/0.10			0.10	UNCH	.0000	----	11	----	92	UNCH
3915	----	----	----	----	----	/0.20A	----	----	0.10	UNCH	.0000	----	----	----	13	UNCH
3920	----	----	----	----	----	/0.20A	----	----	0.10	-	0.10	.0000	----	----	100	UNCH
3925	----	----	----	----	----	/0.20A	----	----	0.10	-	0.10	.0000	----	----	103	UNCH
3930	----	----	----	/0.10A		0.10B/0.10A			0.10	-	0.10	.0000	----	2	49 -	1
3935	----	----	----	----	----	0.10B/0.20A			0.10	-	0.10	.0000	----	5	56 -	3
3940	0.10	0.10		0.10/0.10		0.10/0.10			0.10	-	0.10	.0000	----	1	115	UNCH
3945	----	----	----	----	----	0.10B/0.20A			0.10	-	0.10	.0000	----	----	66	UNCH
3950	0.10	0.10		0.10/0.10		0.20B/0.10			0.10	-	0.10	.0000	5	----	593	UNCH
3955	----	----	----	/0.20A		0.20B/0.20A			0.10	-	0.20	.0000	----	----	80	UNCH
3960	----	----	----	/0.20A		0.20B/0.20A			0.10	-	0.20	.0001	----	----	502	UNCH
3965	0.30	0.30		0.30/0.20A		0.30/0.20A			0.10	-	0.20	.0001	1	----	71	UNCH
3970	----	----	----	/0.20A		0.20B/0.20A			0.10	-	0.20	.0001	----	----	136	UNCH
3975	0.30	0.30		0.30/0.20A		0.30/0.20A			0.10	-	0.20	.0001	1	----	299 +	1
3980	----	----	----	/0.20A		0.20B/0.20A			0.10	-	0.30	.0002	----	----	55	UNCH
3985	0.30	0.30		0.30/0.20A		0.30/0.20A			0.10	-	0.30	.0002	2	----	51	UNCH
3990	0.30	0.30		0.30/0.20A		0.30/0.20A			0.10	-	0.30	.0003	1	----	80	UNCH
3995	----	----	----	/0.20A		0.30B/0.20A			0.20	-	0.20	.0007	----	----	155	UNCH
4000	0.60	0.60		0.60/0.20A		0.60/0.20A			0.20	-	0.20	.0007	126	----	1959 -	31
4005	----	----	----	/0.20A		0.30B/0.20A			0.20	-	0.20	.0007	----	----	49	UNCH
4010	----	----	----	/0.20A		0.40B/0.20A			0.20	-	0.30	.0007	----	----	71	UNCH
4015	----	----	----	/0.20A		0.40B/0.20A			0.20	-	0.30	.0007	----	----	30	UNCH
4020	----	----	----	/0.20A		0.40B/0.20A			0.20	-	0.30	.0007	----	----	215	UNCH
4025	0.50	0.50		0.50/0.20A		0.50/0.20A			0.20	-	0.30	.0007	29	----	242 -	27
4030	0.50	0.50		0.50/0.20A		0.50/0.20A			0.20	-	0.40	.0008	11	----	231 +	10
4035	----	----	----	/0.20A		0.50B/0.20A			0.20	-	0.40	.0008	----	----	50	UNCH
4040	0.30	0.30		0.30/0.20A		0.50B/0.20A			0.30	-	0.30	.0013	1	----	135	UNCH
4045	----	----	----	/0.20A		0.50B/0.20A			0.30	-	0.30	.0013	----	----	80	UNCH
4050	----	----	----	/0.30A		0.60B/0.30A			0.30	-	0.30	.0014	2	----	1030 -	2
4055	----	----	----	/0.30A		0.60B/0.30A			0.30	-	0.40	.0014	----	----	50	UNCH
4060	0.50	0.50		0.60B/0.30A		0.60B/0.30A			0.30	-	0.40	.0014	3	----	128 +	3
4065	----	----	----	/0.30A		0.70B/0.30A			0.40	-	0.30	.0020	----	----	56	UNCH
4070	----	----	----	/0.30A		0.70B/0.30A			0.40	-	0.40	.0021	1	----	277	UNCH
4075	----	----	----	/0.30A		0.80B/0.30A			0.40	-	0.40	.0021	----	----	489	UNCH
4080	0.80	0.80		0.80/0.30A		0.80/0.30A			0.40	-	0.40	.0022	1	----	96	UNCH
4085	----	----	----	/0.30A		0.90B/0.30A			0.40	-	0.50	.0022	----	----	83	UNCH
4090	----	----	----	1.00B/0.30A		1.00B/0.30A			0.40	-	0.50	.0023	----	----	422	UNCH
4095	----	----	----	1.00B/0.30A		1.00B/0.30A			0.50	-	0.40	.0030	----	----	141	UNCH
4100	1.30	1.30		1.30/0.40		1.30/0.40			0.50	-	0.50	.0031	71	----	2589 -	6
4105	1.00	1.00		1.20B/0.40A		1.20B/0.40A			0.50	-	0.50	.0032	10	----	137 +	10
4110	0.50	0.50		1.20B/0.40A		1.20B/0.40A			0.50	-	0.60	.0033	50	----	152 +	40
4115	----	----	----	1.30B/0.40A		1.30B/0.40A			0.50	-	0.60	.0033	----	----	166	UNCH
4120	----	----	----	1.40B/0.40A		1.40B/0.40A			0.50	-	0.70	.0034	----	----	122	UNCH
4125	----	----	----	1.50B/0.40A		1.50B/0.40A			0.60	-	0.60	.0043	8	----	301	UNCH
4130	----	----	----	1.60B/0.50A		1.60B/0.50A			0.60	-	0.70	.0044	----	----	259	UNCH
4135	----	----	----	1.70B/0.50A		1.70B/0.50A			0.60	-	0.80	.0045	8	----	173	UNCH
4140	1.10	1.10		1.90/0.50A		1.90/0.50A			0.70	-	0.70	.0055	2	----	124	UNCH
4145	1.60	1.60		1.90B/0.50A		1.90B/0.50A			0.70	-	0.80	.0057	4	----	249 +	1
4150	1.70	1.70		2.10B/0.50A		2.10B/0.50A			0.70	-	0.90	.0059	32	----	980 -	18
4155	1.60	1.60		2.30B/0.60A		2.30B/0.60A			0.80	-	0.90	.0070	2	----	119 +	2
4160	----	----	----	2.60B/0.60A		2.60B/0.60A			0.80	-	1.00	.0072	----	6	99	UNCH
4165	1.40	1.40		2.70B/0.60A		2.70B/0.60A			0.90	-	1.00	.0084	6	----	180	UNCH
4170	1.50	1.50		2.90B/0.70A		2.90B/0.70A			0.90	-	1.10	.0086	4	----	95 +	2
4175	1.60	1.60		3.20B/0.70A		3.20B/0.70A			1.00	-	1.10	.0100	45	----	318 +	2
4180	----	----	----	3.40B/0.80A		3.40B/0.80A			1.10	-	1.10	.0114	----	----	184	UNCH
4185	1.40	1.40		3.80B/0.80A		3.80B/0.80A			1.10	-	1.20	.0118	8	----	135 +	5
4190	1.50	1.50		4.20B/0.80A		4.20B/0.80A			1.20	-	1.30	.0133	4	----	114 +	4
4195	3.80	3.80		4.70B/0.90A		4.70B/0.90A			1.30	-	1.30	.0149	5	----	149 -	UNCH
4200	2.50	2.50		5.20B/0.90A		5.20B/0.90A			1.40	-	1.40	.0167	192	----	4519 -	20
4205	----	----	----	5.70B/1.00A		5.70B/1.00A			1.50	-	1.50	.0185	----	----	124	UNCH
4210	1.20	1.20		6.20B/1.10A		6.20B/1.10A			1.70	-	1.50	.0217	4	----	228 +	1
4215	----	----	----	6.90B/1.10A		6.90B/1.10A			1.80	-	1.60	.0238	17	----	214 +	13
4220	5.80	5.80		7.60B/1.10		7.60B/1.10			2.00	-	1.60	.0274	70	----	129 +	26
4225	4.40	4.40		8.30B/1.30A		8.30B/1.30A			2.10	-	1.80	.0299	33	----	261 +	8
4230	5.00	5.00		9.20B/1.30A		9.20B/1.30A			2.30	-	1.90	.0339	155	----	201 +	84
4235	9.10	9.10		10.30B/1.40		10.30B/1.40			2.50	-	2.00	.0381	50	----	117 +	38
4240	10.00	10.00		11.30B/1.50		11.30B/1.50			2.80	-	2.10	.0441	125	----	182 +	70
4245	5.00	5.00		12.50B/1.60A		12.50B/1.60A			3.10	-	2.20	.0504	37	----	202 +	3
4250	4.60	4.60		13.80B/1.80		13.80B/1.80			3.50	-	2.30	.0585	445	----	1408 -	119
4255	10.80	10.80		15.20B/2.00A		15.20B/2.00A			3.90	-	2.40	.0670	21	----	627 -	3
4260	5.90	5.90		16.70B/2.30		16.70B/2.30			4.30	-	2.60	.0761	21	----	161 +	6
4265	10.80	10.80		18.40B/2.40		18.40B/2.40			4.90	-	2.70	.0886	51	----	362 -	UNCH
4270	11.00	11.00		20.20B/2.70		20.20B/2.70			5.50	-	2.80	.1016	45	----	713 -	14
4275	10.60	10.60		22.10B/3.00		22.10B/3.00			6.20	-	2.90	.1167	164	----	504 -	78
4280	13.50	13.50		24.20B/3.50A		24.20B/3.50A			6.90	-	3.00	.1325	16	----	148 +	6
4285	11.50	11.50		26.40B/3.90A		26.40B/3.90A			7.80	-	3.10	.1516	26	----	79 +	8
4290	11.20	11.20		28.70B/4.40A		28.70B/4.40A			8.70	-	3.20	.1715	19	----	130 +	4
4295	9.00	9.00		31.20B/4.90A		31.20B/4.90A			9.80	-	3.20	.1945	36	----		

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG PUT		COMEX GOLD OPTIONS																				
OCT26																						
4505	----	----	----	210.40B/131.30A	210.40B/131.30A	----	163.50	+ 6.00	.9869	----	----	----	----	----	47	UNCH						
4510	----	----	----	215.30B/135.90A	215.30B/135.90A	----	168.40	+ 6.10	.9883	----	----	----	----	----	135	UNCH						
4515	----	----	----	220.20B/140.60A	220.20B/140.60A	----	173.40	+ 6.30	.9887	----	----	----	----	----	76	UNCH						
4520	----	----	----	225.20B/145.30A	225.20B/145.30A	----	178.30	+ 6.30	.9901	----	----	----	----	----	40	UNCH						
4525	----	----	----	230.10B/150.10A	230.10B/150.10A	----	183.20	+ 6.30	.9913	----	----	----	----	----	273	UNCH						
4530	----	----	----	235.10B/154.80A	235.10B/154.80A	----	188.20	+ 6.50	.9916	----	----	----	----	----	22	UNCH						
4535	----	----	----	239.90B/159.60A	239.90B/159.60A	----	193.10	+ 6.50	.9928	----	----	----	2	----	48	+						
4540	----	----	----	245.00B/164.40A	245.00B/164.40A	----	198.10	+ 6.60	.9930	----	----	----	----	----	86	UNCH						
4545	----	----	----	250.00B/169.20A	250.00B/169.20A	----	203.10	+ 6.70	.9931	----	----	----	----	----	41	UNCH						
4550	201.50	----	201.50	254.80B/174.00A	254.80B/174.00A	----	208.00	+ 6.70	.9942	----	----	6	----	----	927	-						
4555	----	----	----	260.00B/178.80A	260.00B/178.80A	----	213.00	+ 6.80	.9944	----	----	----	----	----	299	UNCH						
4560	----	----	----	264.90B/183.70A	264.90B/183.70A	----	218.00	+ 6.80	.9945	----	----	----	----	----	106	UNCH						
4565	----	----	----	269.90B/188.60A	269.90B/188.60A	----	222.90	+ 6.80	.9955	----	----	----	----	----	32	UNCH						
4570	----	----	----	274.90B/193.50A	274.90B/193.50A	----	227.90	+ 6.90	.9956	----	----	----	----	----	74	UNCH						
4575	259.30	----	259.30	279.90B/198.40A	279.90B/198.40A	----	232.80	+ 6.80	.9965	----	----	2	----	----	263	UNCH						
4580	----	----	----	284.70B/203.20A	284.70B/203.20A	----	237.80	+ 6.90	.9965	----	----	----	----	----	731	UNCH						
4585	----	----	----	289.90B/208.20A	289.90B/208.20A	----	242.80	+ 6.90	.9966	----	----	----	----	----	51	UNCH						
4590	----	----	----	294.80B/213.00A	294.80B/213.00A	----	247.70	+ 6.90	.9974	----	----	2	----	----	43	-						
4595	----	----	----	299.80B/218.00A	299.80B/218.00A	----	252.70	+ 6.90	.9975	----	----	2	----	----	33	+						
4600	----	----	----	300.60B/226.00A	300.60B/226.00A	----	257.70	+ 7.00	.9975	----	----	6	----	----	981	-						
4605	----	----	----	302.50B/231.40A	302.50B/231.40A	----	262.70	+ 7.00	.9976	----	----	----	----	----	15	UNCH						
4610	----	----	----	307.50B/235.90A	307.50B/235.90A	----	267.70	+ 7.10	.9976	----	----	----	----	----	127	UNCH						
4615	----	----	----	312.50B/241.30A	312.50B/241.30A	----	272.60	+ 7.00	.9983	----	----	2	----	----	46	UNCH						
4620	----	----	----	317.50B/246.00A	317.50B/246.00A	----	277.60	+ 7.00	.9984	----	----	----	----	----	86	UNCH						
4625	----	----	----	325.40B/251.00A	325.40B/251.00A	----	282.60	+ 7.10	.9984	----	----	----	----	----	119	UNCH						
4630	----	----	----	327.50B/256.30A	327.50B/256.30A	----	287.60	+ 7.10	.9984	----	----	----	----	----	148	UNCH						
4635	----	----	----	332.60B/261.10A	332.60B/261.10A	----	292.60	+ 7.10	.9985	----	----	----	----	----	17	UNCH						
4640	----	----	----	337.60B/265.90A	337.60B/265.90A	----	297.60	+ 7.10	.9985	----	----	----	----	----	153	UNCH						
4645	----	----	----	342.60B/270.80A	342.60B/270.80A	----	302.50	+ 7.10	.9991	----	----	----	----	----	64	UNCH						
4650	280.00	----	280.00	350.40B/275.70A	350.40B/275.70A	----	307.50	+ 7.10	.9991	----	----	2	----	----	419	-						
4655	----	----	----	352.60B/280.90A	352.60B/280.90A	----	312.50	+ 7.10	.9991	----	----	----	----	----	32	UNCH						
4660	----	----	----	357.60B/286.10A	357.60B/286.10A	----	317.50	+ 7.10	.9992	----	----	----	----	----	46	UNCH						
4665	----	----	----	362.60B/291.00A	362.60B/291.00A	----	322.50	+ 7.10	.9992	----	----	----	----	----	30	UNCH						
4670	----	----	----	367.60B/295.80A	367.60B/295.80A	----	327.50	+ 7.20	.9992	----	----	----	----	----	20	UNCH						
4675	----	----	----	372.60B/300.60A	372.60B/300.60A	----	332.50	+ 7.20	.9992	----	----	----	----	----	218	UNCH						
4680	----	----	----	377.60B/305.80A	377.60B/305.80A	----	337.50	+ 7.20	.9992	----	----	----	----	----	706	UNCH						
4685	----	----	----	382.40B/310.90A	382.40B/310.90A	----	342.50	+ 7.20	.9992	----	----	----	----	----	7	UNCH						
4690	----	----	----	387.50B/315.80A	387.50B/315.80A	----	347.50	+ 7.20	.9992	----	----	----	----	----	9	UNCH						
4695	----	----	----	392.50B/320.80A	392.50B/320.80A	----	352.50	+ 7.20	.9993	----	----	----	----	----	28	UNCH						
4700	----	----	----	397.50B/325.50A	397.50B/325.50A	----	357.50	+ 7.30	.9993	----	----	1	----	----	827	-						
4705	----	----	----	402.50B/330.80A	402.50B/330.80A	----	362.40	+ 7.20	.9998	----	----	----	----	----	7	UNCH						
4710	----	----	----	407.50B/335.50A	407.50B/335.50A	----	367.40	+ 7.20	.9998	----	----	----	----	----	52	UNCH						
4715	----	----	----	412.50B/340.70A	412.50B/340.70A	----	372.40	+ 7.20	.9999	----	----	----	----	----	11	UNCH						
4720	----	----	----	417.40B/345.70A	417.40B/345.70A	----	377.40	+ 7.20	.9999	----	----	----	----	----	12	UNCH						
4725	----	----	----	422.40B/347.80A	422.40B/347.80A	----	382.40	+ 7.30	1.0000	----	----	----	----	----	176	UNCH						
4730	----	----	----	427.40B/355.60A	427.40B/355.60A	----	387.40	+ 7.30	1.0000	----	----	----	----	----	7	UNCH						
4735	----	----	----	432.40B/364.60A	432.40B/364.60A	----	392.40	+ 7.30	1.0000	----	----	----	----	----	1	UNCH						
4740	----	----	----	437.40B/365.70A	437.40B/365.70A	----	397.40	+ 7.30	1.0000	----	----	----	----	----	3	UNCH						
4745	----	----	----	442.40B/374.60A	442.40B/374.60A	----	402.40	+ 7.30	1.0000	----	----	----	----	----	1	UNCH						
4750	----	----	----	447.40B/375.30A	447.40B/375.30A	----	407.40	+ 7.40	1.0000	----	----	----	----	----	176	UNCH						
4755	----	----	----	452.40B/380.30A	452.40B/380.30A	----	412.40	+ 7.40	1.0000	----	----	----	----	----	169	UNCH						
4760	----	----	----	457.40B/389.70A	457.40B/389.70A	----	417.40	+ 7.40	1.0000	----	----	----	----	----	1	UNCH						
4765	----	----	----	462.40B/390.60A	462.40B/390.60A	----	422.40	+ 7.40	1.0000	----	----	----	----	----	11	UNCH						
4770	----	----	----	467.40B/395.60A	467.40B/395.60A	----	427.40	+ 7.40	1.0000	----	----	----	----	----	3	UNCH						
4775	----	----	----	472.40B/400.60A	472.40B/400.60A	----	432.40	+ 7.40	1.0000	----	----	----	----	----	39	UNCH						
4780	----	----	----	477.40B/405.50A	477.40B/405.50A	----	437.40	+ 7.40	1.0000	----	----	----	----	----	2	UNCH						
4785	----	----	----	482.40B/414.50A	482.40B/414.50A	----	442.40	+ 7.40	1.0000	----	----	----	----	----	1	UNCH						
4790	----	----	----	487.40B/419.50A	487.40B/419.50A	----	447.40	+ 7.50	1.0000	----	----	----	----	----	1	UNCH						
4800	----	----	----	497.40B/426.00A	497.40B/426.00A	----	457.40	+ 7.50	1.0000	----	----	----	----	----	129	UNCH						
4805	----	----	----	502.40B/430.60A	502.40B/430.60A	----	462.40	+ 7.50	1.0000	----	----	----	----	----	12	UNCH						
4810	----	----	----	507.40B/435.50A	507.40B/435.50A	----	467.40	+ 7.50	1.0000	----	----	----	----	----	19	UNCH						
4815	----	----	----	512.40B/440.60A	512.40B/440.60A	----	472.40	+ 7.50	1.0000	----	----	----	----	----	39	UNCH						
4820	----	----	----	517.40B/445.60A	517.40B/445.60A	----	477.40	+ 7.50	1.0000	----	----	----	----	----	3	UNCH						
4830	----	----	----	527.40B/455.50A	527.40B/455.50A	----	487.40	+ 7.50	1.0000	----	----	----	----	----	10	UNCH						
4835	----	----	----	532.40B/460.60A	532.40B/460.60A	----	492.40	+ 7.50	1.0000	----	----	----	----	----	13	UNCH						
4840	----	----	----	537.40B/465.50A	537.40B/465.50A	----	497															



BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																				
NOV26																						
3175	----	----	----	/0.60A	0.60B/0.60A	----	----	----	0.60 - 0.10	.0031	----	----	----	----	----	10	UNCH					
3180	----	----	----	/0.60A	0.60B/0.60A	----	----	----	0.60 - 0.10	.0031	----	----	----	----	----	11	UNCH					
3185	----	----	----	/0.60A	0.60B/0.60A	----	----	----	0.60 - 0.10	.0032	----	----	----	----	----	2	UNCH					
3190	----	----	----	/0.60A	0.60B/0.60A	----	----	----	0.60 - 0.10	.0032	----	----	----	----	----	4	UNCH					
3195	----	----	----	/0.60A	0.70B/0.60A	----	----	----	0.60 - 0.20	.0032	----	----	----	----	----	1	UNCH					
3200	0.80	0.80	0.80	/0.60A	0.80/0.60A	----	----	----	0.60 - 0.20	.0032	----	----	----	4	----	314	-					
3210	----	----	----	/0.70A	0.70B/0.70A	----	----	----	0.60 - 0.20	.0032	----	----	----	----	----	500	UNCH					
3215	----	----	----	/0.70A	0.70B/0.70A	----	----	----	0.70 - 0.10	.0037	----	----	----	----	----	1	UNCH					
3220	----	----	----	/0.70A	0.70B/0.70A	----	----	----	0.70 - 0.10	.0037	----	----	----	----	----	9	UNCH					
3225	----	----	----	/0.70A	0.70B/0.70A	----	----	----	0.70 - 0.10	.0037	----	----	----	----	----	9	UNCH					
3230	----	----	----	/0.70A	0.80B/0.70A	----	----	----	0.70 - 0.20	.0037	----	----	----	----	----	13	UNCH					
3235	----	----	----	/0.70A	0.80B/0.70A	----	----	----	0.70 - 0.20	.0038	----	----	----	----	----	5	UNCH					
3240	----	----	----	/0.70A	0.80B/0.70A	----	----	----	0.70 - 0.20	.0038	----	----	----	----	----	5	UNCH					
3245	----	----	----	/0.80A	0.80B/0.80A	----	----	----	0.70 - 0.20	.0038	----	----	----	----	----	20	UNCH					
3250	----	----	----	/0.70A	0.80B/0.70A	----	----	----	0.80 - 0.10	.0043	----	----	----	1	----	190	UNCH					
3255	----	----	----	/0.80A	0.80B/0.80A	----	----	----	0.80 - 0.10	.0043	----	----	----	----	----	21	UNCH					
3260	----	----	----	/0.80A	0.80B/0.80A	----	----	----	0.80 - 0.20	.0043	----	----	----	----	----	8	UNCH					
3265	----	----	----	/0.80A	0.90B/0.80A	----	----	----	0.80 - 0.20	.0043	----	----	----	----	----	2	UNCH					
3270	----	----	----	/0.80A	0.90B/0.80A	----	----	----	0.80 - 0.20	.0043	----	----	----	----	----	11	UNCH					
3275	----	----	----	/0.80A	0.90B/0.80A	----	----	----	0.80 - 0.20	.0044	----	----	----	----	----	5	UNCH					
3280	----	----	----	/0.90A	0.90B/0.90A	----	----	----	0.80 - 0.20	.0044	----	----	----	----	----	30	UNCH					
3285	----	----	----	/0.90A	0.90B/0.90A	----	----	----	0.90 - 0.10	.0049	----	----	----	----	----	4	UNCH					
3290	----	----	----	/0.90A	1.00B/0.90A	----	----	----	0.90 - 0.20	.0049	----	----	----	----	----	2	UNCH					
3295	----	----	----	/0.90A	1.00B/0.90A	----	----	----	0.90 - 0.20	.0049	----	----	----	----	----	10	UNCH					
3300	----	----	----	/0.90A	1.00B/0.90A	----	----	----	0.90 - 0.20	.0049	----	----	----	1	----	270	-					
3305	----	----	----	/1.00A	1.00B/1.00A	----	----	----	0.90 - 0.30	.0050	----	----	----	----	----	1	UNCH					
3310	----	----	----	/1.00A	1.10B/1.00A	----	----	----	1.00 - 0.20	.0054	----	----	----	----	----	11	UNCH					
3315	----	----	----	/1.00A	1.10B/1.00	----	----	----	1.00 - 0.20	.0055	----	----	----	5	----	41	+					
3320	1.00	1.00	1.00	/1.00A	1.10B/1.00A	----	----	----	1.00 - 0.20	.0055	----	----	----	----	----	20	UNCH					
3325	----	----	----	/1.00A	1.10B/1.00A	----	----	----	1.00 - 0.30	.0055	----	----	----	----	----	3	UNCH					
3330	----	----	----	/1.00A	1.20B/1.00A	----	----	----	1.00 - 0.30	.0056	----	----	----	----	----	23	UNCH					
3335	----	----	----	/1.10A	1.20B/1.10A	----	----	----	1.10 - 0.20	.0060	----	----	----	----	----	20	UNCH					
3340	----	----	----	/1.10A	1.20B/1.10A	----	----	----	1.10 - 0.20	.0061	----	----	----	----	----	5	UNCH					
3345	----	----	----	/1.00A	1.20B/1.00A	----	----	----	1.10 - 0.30	.0061	----	----	----	----	----	290	UNCH					
3350	----	----	----	/1.10A	1.30B/1.10A	----	----	----	1.10 - 0.30	.0061	----	----	----	----	----	3	UNCH					
3355	----	----	----	/1.10A	1.30B/1.10A	----	----	----	1.10 - 0.30	.0062	----	----	----	----	----	15	UNCH					
3360	----	----	----	/1.10A	1.40B/1.10A	----	----	----	1.20 - 0.30	.0067	----	----	----	----	----	6	UNCH					
3375	----	----	----	/1.20A	1.40B/1.20A	----	----	----	1.20 - 0.30	.0067	----	----	----	----	----	20	UNCH					
3380	----	----	----	/1.20A	1.40B/1.20A	----	----	----	1.20 - 0.30	.0068	----	----	----	----	----	3	UNCH					
3385	----	----	----	/1.20A	1.40B/1.20A	----	----	----	1.20 - 0.40	.0068	----	----	----	----	----	11	UNCH					
3390	----	----	----	/1.20A	1.40B/1.20A	----	----	----	1.20 - 0.40	.0068	----	----	----	----	----	133	UNCH					
3395	----	----	----	/1.20A	1.50B/1.20A	----	----	----	1.30 - 0.30	.0073	----	----	----	72	----	159	+					
3400	1.40	1.40	1.40	/1.20A	1.50B/1.20A	----	----	----	1.30 - 0.30	.0074	----	----	----	----	----	3	UNCH					
3405	----	----	----	/1.20A	1.50B/1.20A	----	----	----	1.30 - 0.30	.0074	----	----	----	----	----	3	UNCH					
3410	----	----	----	/1.20A	1.50B/1.20A	----	----	----	1.30 - 0.40	.0074	----	----	----	----	----	1	UNCH					
3415	----	----	----	/1.30A	1.60B/1.30A	----	----	----	1.30 - 0.40	.0075	----	----	----	10	----	21	+					
3420	1.40	1.40	1.40	/1.30A	1.60B/1.30A	----	----	----	1.30 - 0.40	.0075	----	----	----	----	----	25	UNCH					
3425	----	----	----	/1.30A	1.60B/1.30A	----	----	----	1.40 - 0.30	.0080	----	----	----	----	----	32	UNCH					
3430	----	----	----	/1.40A	1.70B/1.40A	----	----	----	1.40 - 0.40	.0081	----	----	----	----	----	45	UNCH					
3440	1.50	1.50	1.50	/1.40A	1.70B/1.40A	----	----	----	1.40 - 0.40	.0082	----	----	----	10	----	11	+					
3445	----	----	----	/1.40A	1.70B/1.40A	----	----	----	1.40 - 0.40	.0082	----	----	----	----	----	65	UNCH					
3450	----	----	----	/1.40A	1.70B/1.40A	----	----	----	1.50 - 0.40	.0087	----	----	----	----	----	1	UNCH					
3455	----	----	----	/1.40A	1.80B/1.40A	----	----	----	1.50 - 0.40	.0088	----	----	----	----	----	29	UNCH					
3460	----	----	----	/1.50A	1.80B/1.50A	----	----	----	1.50 - 0.40	.0088	----	----	----	----	----	5	UNCH					
3465	1.80	1.80	1.80	/1.50A	1.80/1.50A	----	----	----	1.50 - 0.40	.0088	----	----	----	23	----	26	+					
3470	----	----	----	/1.50A	1.90B/1.50A	----	----	----	1.60 - 0.40	.0094	----	----	----	----	----	19	UNCH					
3475	----	----	----	/1.50A	1.90B/1.50A	----	----	----	1.60 - 0.40	.0094	----	----	----	----	----	57	UNCH					
3480	----	----	----	/1.60A	1.90B/1.60A	----	----	----	1.60 - 0.40	.0095	----	----	----	----	----	3	UNCH					
3485	----	----	----	/1.60A	2.00B/1.60A	----	----	----	1.60 - 0.50	.0095	----	----	----	----	----	12	UNCH					
3490	----	----	----	/1.60A	2.00B/1.60A	----	----	----	1.70 - 0.40	.0100	----	----	----	----	----	8	UNCH					
3495	----	----	----	/1.60A	2.00B/1.60A	----	----	----	1.70 - 0.40	.0101	----	----	1001	----	----	2134	-					
3500	----	----	----	/1.70A	2.10B/1.70A	----	----	----	1.70 - 0.40	.0101	----	----	----	----	----	3	UNCH					
3505	----	----	----	/1.70A	2.10B/1.70A	----	----	----	1.70 - 0.50	.0102	----	----	----	----	----	27	UNCH					
3510	----	----	----	/1.70A	2.10B/1.70A	----	----	----	1.80 - 0.40	.0107	----	----	----	----	----	161	UNCH					
3515	----	----	----	/1.70A	2.10B/1.70A	----	----	----	1.80 - 0.40	.0108	----	----	----	----	----	6	UNCH					
3520	----	----	----	/1.80A	2.20B/1.80A	----	----	----	1.80 - 0.50	.0109	----	----	----	----	----	18	UNCH					
3525	----	----	----	/1.80A	2.20B/1.80A	----	----	----	1.90 - 0.40	.0114	----	----	----	----	----	1	UNCH					
3530	----	----	----	/1.80A	2.20B/1.80A	----	----	----	1.90 - 0.40	.0115	----	----	----	----	----	180	UNCH					
3535	----	----	----	/1.80A	2.30B/1.80A	----	----	----	1.90 - 0.50	.0115	----	----	----	----	----	78	UNCH					
3540	----	----	----	/1.90A	2.30B/1.90A	----	----	----	1.90 - 0.50	.0116	----	----	----	----	----	55	UNCH					
3545	2.10	2.10	2.10	/1.90A	2.30B/1.90A	----	----	----	2.00 - 0.40	.0121	----	----	10	----	----	505	+					
3550	----	----	----	/1.90A	2.40B/1.90A	----	----	----	2.00 - 0.50	.0122	----	----	----	----	----	4	UNCH					
3555	2.10	2.10	2.10	/2.00A	2.40B/2.00A	----	----	----	2.00 - 0.50	.0123	----	----	10	----	----	34	UNCH					
3560	----	----	----	/1.90A	2.50B/1.90A	----	----	----	2.10 - 0.40	.0128	----	----	----	----	----	12	UNCH					
3565	----	----	----	/1.90A	2.50B/1.90A	----	----	----	2.10 - 0.50	.0129	----	----	----	----	----	1	UNCH					
3570	1.90	1.90	1.90	/1.90	2.50B/1.90	----	----	----	2.10 - 0.50	.0130	----	----	1	----	----	176	+					
3575	----	----	----	/2.10A	2.60B/2.10A	----	----	----	2.20 - 0.50	.0136	----	----	----	----	----	7	UNCH					
3585	2.40	2.40	2.40	/2.10A	2.70B/2.10A	----	----	----	2.30 - 0.40	.0142	----	----	10	----	----	10	+					
3590	----	----	----	/2.40/2.20A	2.70B/2.20A	----	----	----	2.30 - 0.50	.0142	----	----	10	----	----	33	+					
3595	2.40	2.40	2.40	/2.40/2.20A	2.70B/2.20A	----	----	----	2.30 - 0.50	.0143	----	----	55	----	----	1723	+					
3600	2.40	2.40	2.40	/2.20A	2.80B/2.20A	----	----	----	2.40 - 0.50	.0149	----	----	----	----	----	3	UNCH					
3605	----	----	----	/2.30A	2.80B/2.30A	----	----	----	2.40 - 0.50	.0150	----	----	----	----	----	1	UNCH					
3610	----	----	----	/2.30A	2.90B/2.30A	----	----	----	2.50 - 0.40	.0156	----	----	----	----	----	7	UNCH					
3615	----	----	----	/2.30A	2.90B/2.30A	----	----	----	2.50 - 0.50	.0156	----	----	----	----	----	2	UNCH					
3620	----	----	----	/2.40A	3.00B/2.40A	----	----	----	2.60 - 0.50	.0163	----	----	----	----	----	5	UNCH					
3625	----	----	----	/2.40A	3.10B/2.40A	----	----	----	2.60 - 0.50	.0164	----	----	----	----	----	10	UNCH					
3630	----	----	----	/2.50A	3.10B/2.50A	----	----	----	2.70 - 0.50	.0170	----	----	----	----	----	12	UNCH					
3635	----	----	----	/2.50A	3.20B/2.50A	----	----	----	2.70 - 0.50	.0171	----	----	----	----	----	17	UNCH					
3640	----	----	----	/2.60A	3.30B/2.60A	----	----	----	2.80 - 0.50	.0178	----	----	----	----	----	212	UNCH					
3645	----	----	----	/2.60A	3.30B/2.60A	----	----	----	2.90 - 0.50	.0184	----	----	----	----	----	37	UNCH					
3650	----	----	----	/2.70A	3.40B/2.70A	----	----	----	3.00 - 0.50	.0191	----	----	----	----	----	109	UNCH					
3655	----																					

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
NOV26	----	----	----	8.60B/6.00A	8.60B/6.00A	----	----	----	6.70 - 0.70	.0464	----	----	----	----	40	UNCH
3885	----	----	----	9.00B/6.10A	9.00B/6.10A	----	----	----	6.90 - 0.60	.0477	----	----	----	----	168	UNCH
3890	----	----	----	9.10B/6.30A	9.10B/6.30A	----	----	----	7.10 - 0.60	.0491	----	----	----	----	25	UNCH
3895	----	----	----	9.40B/6.40A	9.40B/6.40A	----	----	----	7.30 - 0.60	.0504	----	----	115	----	1587 +	3
3900	7.90	7.90	7.90	9.60B/6.60A	9.60B/6.60A	----	----	----	7.40 - 0.70	.0513	----	----	1	----	70 -	1
3905	----	----	----	9.90B/6.70A	9.90B/6.70A	----	----	----	7.60 - 0.70	.0527	----	20	----	123 -	3	UNCH
3910	7.90	7.90	7.90	10.20B/6.90A	10.20B/6.90A	----	----	----	7.80 - 0.70	.0540	----	----	----	----	38	UNCH
3915	----	----	----	10.50B/7.00A	10.50B/7.00A	----	----	----	7.90 - 0.80	.0550	----	1	----	----	213 -	1
3920	----	----	----	10.80B/7.20A	10.80B/7.20A	----	----	----	8.10 - 0.80	.0564	----	61	----	----	158 +	48
3925	----	----	----	11.10B/7.40A	11.10B/7.40A	----	----	----	8.30 - 0.80	.0578	----	9	----	----	184 +	5
3930	----	----	----	11.40B/7.50A	11.40B/7.50A	----	----	----	8.50 - 0.80	.0592	----	----	----	----	50	UNCH
3935	----	----	----	11.70B/7.70A	11.70B/7.70A	----	----	----	8.70 - 0.90	.0606	----	1	----	----	45	UNCH
3940	----	----	----	12.10B/7.90A	12.10B/7.90A	----	----	----	9.00 - 0.80	.0625	----	4	----	----	44 -	1
3945	----	----	----	12.40B/8.10A	12.40B/8.10A	----	----	----	9.20 - 0.90	.0640	----	10	----	----	392	UNCH
3950	12.00	12.00	12.00	12.80B/8.30A	12.80B/8.30A	----	----	----	9.50 - 0.80	.0659	----	5	----	----	132	UNCH
3955	----	----	----	13.20B/8.50A	13.20B/8.50A	----	----	----	9.70 - 0.90	.0674	----	6	----	----	256 -	1
3960	9.50	9.50	9.50	13.50B/8.70A	13.50B/8.70A	----	----	----	10.00 - 0.90	.0694	----	----	----	----	32	UNCH
3965	----	----	----	13.90B/9.00A	13.90B/9.00A	----	----	----	10.30 - 0.90	.0713	----	----	----	----	39	UNCH
3970	----	----	----	14.30B/9.20A	14.30B/9.20A	----	----	----	10.60 - 0.90	.0733	----	----	----	----	151	UNCH
3975	----	----	----	14.80B/9.50A	14.80B/9.50A	----	----	----	10.90 - 0.90	.0753	----	1	----	----	173	UNCH
3980	12.00	12.00	12.00	15.20B/9.70A	15.20B/9.70A	----	----	----	11.20 - 0.90	.0773	----	3	----	----	109 +	1
3985	----	----	----	15.60B/10.00A	15.60B/10.00A	----	----	----	11.60 - 0.80	.0798	----	16	----	----	82 -	9
3990	12.10	12.10	12.10	16.10B/10.20A	16.10B/10.20A	----	----	----	11.90 - 0.90	.0818	----	2	----	----	49	UNCH
3995	12.50	12.50	12.50	16.60B/10.50	16.60B/10.50	----	----	----	12.20 - 0.90	.0839	----	138	400	----	2790 +	379
4000	----	----	----	17.10B/10.80A	17.10B/10.80A	----	----	----	12.60 - 0.90	.0864	----	----	----	----	135	UNCH
4005	----	----	----	17.60B/11.10A	17.60B/11.10A	----	----	----	12.90 - 1.00	.0885	----	2	----	----	36	UNCH
4010	14.30	14.30	14.30	18.20B/11.40A	18.20B/11.40A	----	----	----	13.30 - 0.90	.0910	----	16	----	----	15 -	12
4015	----	----	----	18.70B/11.70A	18.70B/11.70A	----	----	----	13.70 - 0.90	.0935	----	1	----	----	60 +	1
4020	15.90	15.90	15.90	19.30B/12.10A	19.30B/12.10A	----	----	----	14.10 - 0.90	.0961	----	34	----	----	191 -	10
4025	----	----	----	19.80B/12.40A	19.80B/12.40A	----	----	----	14.50 - 1.00	.0987	----	----	----	----	41	UNCH
4030	16.10	16.10	16.10	20.50B/12.80A	20.50B/12.80A	----	----	----	14.90 - 1.00	.1013	----	3	----	----	77 +	3
4035	----	----	----	21.20B/13.20A	21.20B/13.20A	----	----	----	15.30 - 1.10	.1039	----	----	----	----	86	UNCH
4040	----	----	----	21.80B/13.50A	21.80B/13.50A	----	----	----	15.80 - 1.00	.1069	----	1	----	----	24 +	1
4045	14.10	14.10	14.10	22.40B/13.90A	22.40B/13.90A	----	----	----	16.30 - 1.00	.1099	----	281	----	----	883 +	70
4050	----	----	----	23.10B/14.40A	23.10B/14.40A	----	----	----	16.70 - 1.10	.1126	----	35	----	----	81 +	12
4055	----	----	----	24.00B/14.80A	24.00B/14.80A	----	----	----	17.30 - 1.00	.1161	----	----	----	----	40	UNCH
4060	----	----	----	24.70B/15.20A	24.70B/15.20A	----	----	----	17.80 - 1.10	.1192	----	----	----	----	18	UNCH
4065	18.20	18.20	18.20	25.40B/15.70A	25.40B/15.70A	----	----	----	18.30 - 1.10	.1223	----	4	----	----	58 +	4
4070	----	----	----	26.10B/16.20A	26.10B/16.20A	----	----	----	18.90 - 1.10	.1258	----	45	----	----	225 +	13
4075	18.10	18.10	18.10	27.00B/16.70A	27.00B/16.70A	----	----	----	19.50 - 1.10	.1294	----	1	----	----	187	UNCH
4080	19.50	19.50	19.50	27.80B/17.20A	27.80B/17.20A	----	----	----	20.10 - 1.10	.1329	----	1	----	----	91 +	1
4085	----	----	----	28.70B/17.70A	28.70B/17.70A	----	----	----	20.70 - 1.10	.1365	----	9	----	----	104 +	8
4090	20.80	20.80	20.80	29.60B/18.30A	29.60B/18.30A	----	----	----	21.30 - 1.20	.1401	----	----	----	----	23	UNCH
4095	----	----	----	30.50B/18.80A	30.50B/18.80A	----	----	----	22.00 - 1.10	.1440	----	40	----	----	2295 +	12
4100	30.60	30.60	30.60	31.50B/19.40A	31.50B/19.40A	----	----	----	22.70 - 1.10	.1480	----	----	----	----	28	UNCH
4105	26.20	26.20	26.20	32.40B/20.00	32.40B/20.00	----	----	----	23.40 - 1.10	.1520	----	28	----	----	71 +	22
4110	27.10	27.10	27.10	33.40B/20.70A	33.40B/20.70A	----	----	----	24.20 - 1.10	.1564	----	2	----	----	148	UNCH
4115	35.00	35.00	35.00	34.40B/21.30A	34.40B/21.30A	----	----	----	24.90 - 1.20	.1604	----	14	----	----	75 -	8
4120	31.80	31.80	31.80	35.50B/22.00A	35.50B/22.00A	----	----	----	25.70 - 1.10	.1648	----	25	----	----	439 +	4
4125	----	----	----	36.60B/22.70A	36.60B/22.70A	----	----	----	26.60 - 1.10	.1695	----	6	----	----	141 +	1
4130	30.40	30.40	30.40	37.80B/23.40A	37.80B/23.40A	----	----	----	27.40 - 1.10	.1739	----	1	----	----	72	UNCH
4135	31.60	31.60	31.60	38.90B/24.10A	38.90B/24.10A	----	----	----	28.30 - 1.10	.1787	----	3	----	----	155 +	2
4140	29.10	29.10	29.10	40.10B/24.90A	40.10B/24.90A	----	----	----	29.20 - 1.00	.1834	----	61	----	----	223 +	52
4145	39.90	39.90	39.90	41.20B/25.70A	41.20B/25.70A	----	----	----	30.10 - 1.10	.1882	----	344	50	----	1496 +	71
4150	32.60	32.60	32.60	42.50B/26.50A	42.50B/26.50A	----	----	----	31.10 - 1.00	.1933	----	17	----	----	39 +	1
4155	----	----	----	43.70B/27.40A	43.70B/27.40A	----	----	----	32.10 - 1.00	.1984	----	2	----	----	255 +	2
4160	36.50	36.50	36.50	45.20B/28.20A	45.20B/28.20A	----	----	----	33.10 - 1.00	.2035	----	----	----	----	195	UNCH
4165	47.40	47.40	47.40	46.40B/29.10A	46.40B/29.10A	----	----	----	34.10 - 1.00	.2086	----	30	----	----	93 +	28
4170	----	----	----	47.90B/30.00A	47.90B/30.00A	----	----	----	35.20 - 1.00	.2140	----	24	----	----	387 +	1
4175	41.80	41.80	41.80	49.20B/31.00A	49.20B/31.00A	----	----	----	36.30 - 0.90	.2195	----	----	----	----	134	UNCH
4180	36.90	36.90	36.90	50.70B/32.00A	50.70B/32.00A	----	----	----	37.40 - 1.00	.2249	----	----	----	----	93	UNCH
4185	54.00	54.00	54.00	52.30B/33.00A	52.30B/33.00A	----	----	----	38.60 - 0.90	.2306	----	151	----	----	225 +	131
4190	55.00	55.00	55.00	53.70B/34.00A	53.70B/34.00A	----	----	----	39.80 - 0.90	.2363	----	----	----	----	51	UNCH
4195	88.20	88.20	88.20	55.40B/35.00	55.40B/35.00	----	----	----	41.00 - 0.90	.2421	----	401	----	----	1145 +	177
4200	----	----	----	56.90B/36.20A	56.90B/36.20A	----	----	----	42.30 - 0.80	.2481	----	----	----	----	212	UNCH
4205	55.00	55.00	55.00	58.60B/37.30A	58.60B/37.30A	----	----	----	43.60 - 0.80	.2540	----	----	----	----	164	UNCH
4210	53.60	53.60	53.60	60.30B/38.50A	60.30B/38.50A	----	----	----	44.90 - 0.80	.2600	----	----	----	----	178	UNCH
4215	53.90	53.90	53.90	62.00B/39.70A	62.00B/39.70A	----	----	----	46.30 - 0.80	.2663	----	----	----	----	27	UNCH
4220	55.20	55.20	55.20	63.80B/40.90A	63.80B/40.90A	----	----	----	47.70 - 0.70	.2725	----	23	----	----	114 +	6
4225	53.60	53.60	53.60	65.70B/42.20A	65.70B/42.20A	----	----	----	49.20 - 0.70	.2789	----	2	----	----	57 +	2
4230	53.90	53.90	53.90	67.60B/43.50A	67.60B/43.50A	----	----	----	50.60 - 0.70	.2852	----	44	----	----	196 +	28
4235	55.30	55.30	55.30	69.30B/44.80A	69.30B/44.80A	----	----	----	52.20 - 0.60	.2918	----	2	----	----	75 +	1
4240	56.80	56.80	56.80	71.30B/46.20A	71.30B/46.20A	----	----	----	53.70 - 0.60	.2983	----	4	----	----	34 -	2
4245	51.00	51.00	51.00	73.20B/47.60A	73.20B/47.60A	----	----	----	55.30 - 0.50	.3049	----	37	----	----	985 +	4
4250	----	----	----	75.20B/49.00A	75.20B/49.00A	----	----	----	56.90 - 0.50	.3116	----	2	----	----	57	UNCH
4255	60.00	60.00	60.00	77.30B/50.50A	77.30B/50.50A	----	----	----	58.60 - 0.40	.3184	----	18	----	----	221 -	14
4260	63.40	63.40	63.40	79.40B/52.00A	79.40B/52.00A	----	----	----	60.30 - 0.40	.3252	----	2	----	----	169 +	1
4265	54.00	54.00	54.00	81.50B/53.60A	81.50B/53.60A	----	----	----	62.10 - 0.30	.3322	----	2	----	----	55 -	1
4270	----	----	----	83.80B/55.10A	83.80B/55.10A	----	----	----	63.90 - 0.20	.3392	----	----	----	----	405	UNCH
4275	----	----	----	86.00B/56.80A	86.00B/56.80A	----	----	----	65.70 - 0.20	.3461	----	----	----	----	175	UNCH
4280	----	----	----	88.20B/58.40A	88.20B/58.40A	----	----	----	67.60 - 0.10	.3532	----	57	----	----	194	UNCH
4285	123.10	123.10	123.10	90.50B/60.10A	90.50B/60.10A	----	----	----	69.50 UNCH	.3603	----	----	----	----	26	UNCH
4290	125.00	125.00	125.00	92.90B/61.80A	92.90B/61.80A	----	----	----	71.40 UNCH	.3674	----	----	----	----	79	UNCH

BULLETIN #182@				METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
COMEX GOLD OPTIONS																
NOV26																
4570	----	----	274.80B/212.90A	274.80B/212.90A	----	----	236.30 + 2.90	.7413	----	----	----	----	39	UNCH		
4575	----	----	279.00B/216.50A	279.00B/216.50A	----	----	240.20 + 2.90	.7463	----	----	----	----	11	UNCH		
4580	273.40	273.40	283.30B/220.30A	283.30B/220.30A	----	----	244.10 + 3.00	.7516	----	----	4	----	22	UNCH		
4585	----	----	287.30B/224.00A	287.30B/224.00A	----	----	248.00 + 3.00	.7566	----	----	----	----	159	UNCH		
4590	----	----	291.60B/227.80A	291.60B/227.80A	----	----	252.00 + 3.00	.7616	----	----	----	----	87	UNCH		
4595	----	----	295.80B/231.50A	295.80B/231.50A	----	----	256.00 + 3.10	.7666	----	----	----	----	15	UNCH		
4600	----	----	299.90B/235.40A	299.90B/235.40A	----	----	260.00 + 3.10	.7715	----	3	----	----	196 +	2		
4605	----	----	304.30B/239.20A	304.30B/239.20A	----	----	264.10 + 3.20	.7762	----	----	----	----	12	UNCH		
4610	----	----	308.40B/243.10A	308.40B/243.10A	----	----	268.20 + 3.30	.7808	----	----	----	----	8	UNCH		
4615	----	----	312.80B/247.00A	312.80B/247.00A	----	----	272.30 + 3.40	.7855	----	----	----	----	15	UNCH		
4620	----	----	317.10B/250.90A	317.10B/250.90A	----	----	276.40 + 3.40	.7901	----	----	----	----	17	UNCH		
4625	----	----	321.40B/254.80A	321.40B/254.80A	----	----	280.50 + 3.40	.7947	----	----	----	----	23	UNCH		
4630	----	----	325.60B/258.80A	325.60B/258.80A	----	----	284.70 + 3.50	.7990	----	----	----	----	22	UNCH		
4635	----	----	330.10B/262.80A	330.10B/262.80A	----	----	288.80 + 3.50	.8033	----	----	----	----	23	UNCH		
4640	----	----	334.30B/266.80A	334.30B/266.80A	----	----	293.00 + 3.60	.8075	----	----	----	----	91	UNCH		
4645	----	----	338.70B/270.80A	338.70B/270.80A	----	----	297.30 + 3.70	.8115	----	----	----	----	29	UNCH		
4650	----	----	343.10B/274.90A	343.10B/274.90A	----	----	301.50 + 3.70	.8157	----	----	----	----	216	UNCH		
4655	----	----	347.50B/279.00A	347.50B/279.00A	----	----	305.80 + 3.80	.8196	----	----	----	----	55	UNCH		
4660	----	----	352.10B/283.10A	352.10B/283.10A	----	----	310.00 + 3.80	.8235	----	----	----	----	6	UNCH		
4665	----	----	356.50B/287.20A	356.50B/287.20A	----	----	314.30 + 3.90	.8273	----	----	----	----	3	UNCH		
4670	----	----	360.80B/291.40A	360.80B/291.40A	----	----	318.70 + 4.00	.8312	----	----	----	----	15	UNCH		
4675	----	----	365.30B/295.50A	365.30B/295.50A	----	----	323.00 + 4.00	.8347	----	----	----	----	85	UNCH		
4680	----	----	369.90B/299.70A	369.90B/299.70A	----	----	327.30 + 4.10	.8385	----	----	----	----	50	UNCH		
4685	----	----	374.40B/303.90A	374.40B/303.90A	----	----	331.70 + 4.20	.8420	----	----	----	----	12	UNCH		
4690	----	----	378.90B/308.10A	378.90B/308.10A	----	----	336.10 + 4.20	.8454	----	----	----	----	8	UNCH		
4695	381.00	381.00	383.30B/312.40A	383.30B/312.40A	----	----	340.50 + 4.30	.8489	----	----	----	----	10	UNCH		
4700	----	----	388.00B/316.60A	388.00B/316.60A	----	----	344.90 + 4.30	.8519	----	1	----	----	222	UNCH		
4710	----	----	397.10B/325.20A	397.10B/325.20A	----	----	353.80 + 4.50	.8584	----	----	----	----	2	UNCH		
4715	----	----	401.50B/329.50A	401.50B/329.50A	----	----	358.30 + 4.60	.8618	----	----	----	----	2	UNCH		
4720	----	----	406.10B/333.80A	406.10B/333.80A	----	----	362.70 + 4.50	.8648	----	----	----	----	4	UNCH		
4725	388.10	388.10	410.70B/338.20A	410.70B/338.20A	----	----	367.20 + 4.60	.8677	----	2	----	----	12 -	1		
4730	----	----	415.30B/342.50A	415.30B/342.50A	----	----	371.70 + 4.60	.8707	----	----	----	----	10	UNCH		
4735	----	----	420.10B/346.90A	420.10B/346.90A	----	----	376.20 + 4.70	.8733	----	----	----	----	4	UNCH		
4740	----	----	424.70B/351.30A	424.70B/351.30A	----	----	380.80 + 4.80	.8762	----	----	----	----	4	UNCH		
4745	----	----	429.30B/355.70A	429.30B/355.70A	----	----	385.30 + 4.80	.8792	----	----	----	----	9	UNCH		
4750	----	----	434.00B/360.10A	434.00B/360.10A	----	----	389.90 + 4.90	.8817	----	----	----	----	202	UNCH		
4755	----	----	438.60B/364.60A	438.60B/364.60A	----	----	394.40 + 4.80	.8842	----	----	----	----	6	UNCH		
4760	----	----	443.30B/369.00A	443.30B/369.00A	----	----	399.00 + 4.90	.8867	----	----	----	----	10	UNCH		
4770	----	----	452.50B/378.00A	452.50B/378.00A	----	----	408.20 + 5.00	.8917	----	----	----	----	5	UNCH		
4775	----	----	457.10B/382.50A	457.10B/382.50A	----	----	412.80 + 5.00	.8942	----	----	----	----	10	UNCH		
4790	----	----	471.50B/396.00A	471.50B/396.00A	----	----	426.70 + 5.10	.9011	----	----	----	----	11	UNCH		
4800	----	----	480.70B/405.10A	480.70B/405.10A	----	----	436.00 + 5.20	.9051	----	----	----	----	38	UNCH		
4805	----	----	485.70B/409.70A	485.70B/409.70A	----	----	440.70 + 5.20	.9075	----	----	----	----	11	UNCH		
4810	----	----	490.40B/414.30A	490.40B/414.30A	----	----	445.40 + 5.30	.9095	----	----	----	----	1	UNCH		
4820	----	----	499.70B/423.40A	499.70B/423.40A	----	----	454.70 + 5.30	.9134	----	----	----	----	3	UNCH		
4830	----	----	509.50B/432.70A	509.50B/432.70A	----	----	464.20 + 5.50	.9168	----	----	----	----	5	UNCH		
4840	----	----	517.60B/441.90A	517.60B/441.90A	----	----	473.60 + 5.50	.9202	----	----	----	----	4	UNCH		
4845	----	----	521.70B/446.60A	521.70B/446.60A	----	----	478.40 + 5.60	.9221	----	----	----	----	10	UNCH		
4850	----	----	526.50B/451.20A	526.50B/451.20A	----	----	483.10 + 5.60	.9235	----	----	----	----	133	UNCH		
4855	----	----	531.30B/455.90A	531.30B/455.90A	----	----	487.90 + 5.70	.9254	----	----	----	----	3	UNCH		
4860	----	----	536.10B/460.60A	536.10B/460.60A	----	----	492.60 + 5.70	.9268	----	----	----	----	1	UNCH		
4865	----	----	540.90B/465.20A	540.90B/465.20A	----	----	497.40 + 5.70	.9282	----	----	----	----	2	UNCH		
4875	----	----	550.60B/474.60A	550.60B/474.60A	----	----	506.90 + 5.80	.9315	----	----	----	----	3	UNCH		
4885	----	----	560.20B/484.10A	560.20B/484.10A	----	----	516.50 + 5.90	.9343	----	----	----	----	10	UNCH		
4895	----	----	569.90B/493.50A	569.90B/493.50A	----	----	526.10 + 5.90	.9370	----	----	----	----	3	UNCH		
4900	----	----	573.10B/498.20A	573.10B/498.20A	----	----	530.90 + 6.00	.9384	----	----	----	----	2	UNCH		
4915	----	----	584.40B/512.50A	584.40B/512.50A	----	----	545.40 + 6.10	.9419	----	----	----	----	4	UNCH		
4920	----	----	589.10B/517.20A	589.10B/517.20A	----	----	550.20 + 6.10	.9432	----	----	----	----	3	UNCH		
4925	----	----	594.00B/522.00A	594.00B/522.00A	----	----	555.00 + 6.10	.9441	----	----	----	----	4	UNCH		
4930	----	----	598.80B/530.00A	598.80B/530.00A	----	----	559.80 + 6.10	.9454	----	----	----	----	1	UNCH		
4935	----	----	603.70B/534.70A	603.70B/534.70A	----	----	564.70 + 6.20	.9467	----	----	----	----	25	UNCH		
4940	----	----	608.60B/539.60A	608.60B/539.60A	----	----	569.50 + 6.20	.9475	----	----	----	----	1	UNCH		
4950	----	----	618.30B/549.10A	618.30B/549.10A	----	----	579.20 + 6.20	.9496	----	----	----	----	66	UNCH		
4955	----	----	623.20B/554.20A	623.20B/554.20A	----	----	584.10 + 6.30	.9504	----	----	----	----	1	UNCH		
4960	----	----	628.10B/559.00A	628.10B/559.00A	----	----	588.90 + 6.20	.9517	----	----	----	----	4	UNCH		
4965	----	----	633.10B/568.10A	633.10B/568.10A	----	----	593.80 + 6.30	.9525	----	----	----	----	1	UNCH		
4970	----	----	638.00B/572.90A	638.00B/572.90A	----	----	598.70 + 6.40	.9533	----	----	----	----	2	UNCH		
4975	----	----	642.70B/577.80A	642.70B/577.80A	----	----	603.50 + 6.30	.9545	----	----	----	----	1	UNCH		
4995	----	----	662.40B/597.20A	662.40B/597.20A	----	----	623.00 + 6.40	.9576	----	----	----	----	1	UNCH		
5000	----	----	667.30B/602.00A	667.30B/602.00A	----	----	627.90 + 6.40	.9583	----	----	----	----	258	UNCH		
5010	----	----	677.20B/611.70A	677.20B/611.70A	----	----	637.70 + 6.40	.9603	----	----	----	----	1	UNCH		
5015	----	----	682.10B/616.50A	682.10B/616.50A	----	----	642.60 + 6.50	.9611	----	----	----	----	1	UNCH		
5020	----	----	687.00B/621.50A	687.00B/621.50A	----	----	647.50 + 6.50	.9613	----	----	----	----	33	UNCH		
5030	----	----	696.70B/631.20A	696.70B/631.20A	----	----	657.30 + 6.50	.9627	----	----	----	----	5	UNCH		
5055	----	----	721.30B/655.70A	721.30B/655.70A	----	----	681.90 + 6.60	.9663	----	----	----	----	9	UNCH		
5065	----	----	731.20B/665.40A	731.20B/665.40A	----	----	691.70 + 6.60	.9671	----	----	----	----	1	UNCH		
5070	----	----	736.10B/670.30A	736.10B/670.30A	----	----	696.60 + 6.60	.9678	----	----	----	----	5	UNCH		
5075	----	----	741.00B/675.30A	741.00B/675.30A	----	----	701.60 + 6.70	.9685	----	----	----	----	2	UNCH		
5080	----	----	746.00B/680.10A	746.00B/680.10A	----	----	706.50 + 6.70	.9687	----	----	----	----	1	UNCH		
5085	----	----	750.90B/685.10A	750.90B/685.10A	----	----	711.40 + 6.70	.9694	----	----	----	----	2	UNCH		
5090	----	----	756.00B/689.90A	756.00B/689.90A	----	----	716.30 + 6.70	.9700	----	----	----	----	1	UNCH		
5100	----	----	765.80B/699.80A	765.80B/699.80A	----	----	726.20 + 6.70	.9709	----	----	----	----	1	UNCH		
5105	----	----	770.70B/704.70A	770.70B/704.70A	----	----	731.10 + 6.70	.9710	----	----	----	----	2	UNCH		
5110	----	----	775.60B/709.60A	775.60B/709.60A	----	----	736.10 + 6.80	.9717	----	----	----	----	2	UNCH		
5125	----	----	790.60B/724.40A	790.60B/724.40A	----	----	750.90 + 6.80	.9731	----	----	----	----	1	UNCH		
5130	----	----	795.40B/729.30A	795.40B/729.30A	----	----	755.80 + 6.80	.9733	----	----	----	----	2	UNCH		
5140	----	----	805.30B/739.20A	805.30B/739.20A	----	----	765.70 + 6.80	.9741	----	----	----	----	2	UNCH		
5160	----	----	825.20B/758.90A	825.20B/758.90A	----	----	785.50 + 6.80	.9756	----	----	----	----	1	UNCH		
5185	----	----	850.00B/783.60A	850.00B/783.60A	----	----	810.30 + 6.90	.9777	----	----	----	----	1	UNCH		
5190	----	----	854.90B/788.60A	854.90B/788.60A	----	----	815.20 + 6.90	.9778	----	----	----	----	2	UNCH		
5200	----	----	864.90B/798.40A	864.90B/798.40A	----	----	825.20 + 7.00	.9786	----</							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
DEC26																
2250	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	1	UNCH
2260	----	----	----	----	0.10B/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	13	UNCH
2280	----	----	----	----	0.10B/0.40A	----	0.20	- 0.10	.0006	----	----	----	----	----	1	UNCH
2300	----	----	----	----	0.10B/0.40A	----	0.20	- 0.10	.0007	----	----	----	----	----	5	UNCH
2320	----	----	----	----	0.10B/0.40A	----	0.20	- 0.10	.0007	----	----	----	----	----	1	UNCH
2325	----	----	----	----	0.10B/0.40A	----	0.20	- 0.10	.0007	----	----	----	----	----	15	UNCH
2395	----	----	----	----	0.20B/0.30A	----	0.30	UNCH	.0010	----	----	----	----	----	10	UNCH
2400	----	----	----	----	0.20B/0.30A	----	0.30	UNCH	.0010	----	----	----	----	----	15	UNCH
2425	----	----	----	----	0.30B/0.30A	----	0.30	UNCH	.0010	----	----	----	----	----	11	UNCH
2440	----	----	----	----	0.30B/0.40A	----	0.30	UNCH	.0010	----	----	----	----	----	1	UNCH
2450	----	----	----	----	0.30B/0.40A	----	0.30	UNCH	.0010	----	----	----	----	----	24	UNCH
2470	----	----	----	----	0.30B/0.40A	----	0.30	UNCH	.0011	----	----	----	----	----	2	UNCH
2490	----	----	----	----	0.30B/0.40A	----	0.30	UNCH	.0011	----	----	----	----	----	1	UNCH
2500	----	----	----	----	0.30B/0.40A	----	0.40	+ 0.10	.0014	----	----	----	----	----	462	UNCH
2550	----	----	----	----	0.40B/0.50A	----	0.40	UNCH	.0014	----	----	----	----	----	4	UNCH
2560	----	----	----	----	0.40B/0.50A	----	0.40	UNCH	.0015	----	----	----	----	----	20	UNCH
2565	0.40	0.40		0.40/0.40		0.40/0.40	----	0.40	UNCH	.0015	----	----	2	----	32	+
2575	----	----	----	----	0.40B/0.50A	----	0.50	+ 0.10	.0018	----	----	----	----	----	16	UNCH
2580	----	----	----	----	0.40B/0.50A	----	0.50	UNCH	.0018	----	----	----	----	----	5	UNCH
2590	----	----	----	----	0.50B/0.50A	----	0.50	UNCH	.0018	----	----	----	----	----	18	UNCH
2600	----	----	----	----	0.50B/0.50A	----	0.50	UNCH	.0018	----	----	----	----	----	5	UNCH
2605	----	----	----	----	0.50B/0.50A	----	0.50	UNCH	.0018	----	----	----	----	----	1	UNCH
2610	----	----	----	----	0.50B/0.60A	----	0.50	UNCH	.0018	----	----	----	----	----	25	UNCH
2645	----	----	----	----	0.60B/0.60A	----	0.60	UNCH	.0022	----	----	----	----	----	7	UNCH
2650	----	----	----	----	0.60B/0.60A	----	0.60	UNCH	.0022	----	----	----	----	----	1	UNCH
2655	----	----	----	----	0.60B/0.60A	----	0.60	UNCH	.0022	----	----	----	----	----	2	UNCH
2660	----	----	----	----	0.60B/0.60A	----	0.60	UNCH	.0022	----	----	----	----	----	3	UNCH
2675	----	----	----	----	0.60B/0.70A	----	0.70	UNCH	.0025	----	----	----	----	----	4	UNCH
2695	----	----	----	----	0.70B/0.70A	----	0.70	UNCH	.0026	----	----	----	----	----	14	UNCH
2700	----	----	----	----	0.70B/0.70A	----	0.70	UNCH	.0026	----	----	----	----	----	5	UNCH
2705	----	----	----	----	0.70B/0.70A	----	0.70	UNCH	.0026	----	----	----	----	----	10	UNCH
2710	----	----	----	/0.70A	0.70B/0.70A	----	0.70	- 0.10	.0026	----	----	----	----	----	4	UNCH
2735	----	----	----	----	0.80B/0.80A	----	0.80	UNCH	.0030	----	----	----	----	----	4	UNCH
2740	----	----	----	----	0.80B/0.80A	----	0.80	UNCH	.0030	----	----	----	----	----	3	UNCH
2750	----	----	----	/0.80A	0.80B/0.80A	----	0.80	- 0.10	.0030	----	----	----	----	----	49	UNCH
2795	----	----	----	/0.90A	0.90B/0.90A	----	0.90	- 0.10	.0034	----	----	----	----	----	10	UNCH
2800	----	----	----	----	0.90B/1.00A	----	0.90	- 0.10	.0034	----	----	----	----	----	82	UNCH
2850	----	----	----	----	1.10B/1.10A	----	1.00	- 0.10	.0039	----	----	----	----	----	34	UNCH
2875	----	----	----	----	1.20B/1.20A	----	1.10	- 0.10	.0043	----	----	----	----	----	1	UNCH
2900	1.10	1.10		1.10/1.10		1.30B/1.10	1.20	- 0.10	.0047	----	----	----	4	----	75	+
2915	----	----	----	----	1.30B/1.30A	----	1.20	- 0.10	.0047	----	----	----	----	----	1	UNCH
2925	----	----	----	/1.30A	1.30B/1.30A	----	1.30	- 0.10	.0051	----	----	----	----	----	300	UNCH
2945	----	----	----	/1.40A	1.40B/1.40A	----	1.30	- 0.20	.0052	----	----	----	----	----	2	UNCH
2950	----	----	----	/1.40A	1.40B/1.40A	----	1.30	- 0.20	.0052	----	----	----	----	----	56	UNCH
2965	----	----	----	/1.40A	1.50B/1.40A	----	1.40	- 0.20	.0056	----	----	----	----	----	3	UNCH
2975	----	----	----	/1.50A	1.50B/1.50A	----	1.40	- 0.20	.0056	----	----	----	----	----	950	UNCH
3000	1.70	1.70		1.70/1.60A		1.70/1.60A	1.50	- 0.20	.0061	----	----	----	1	----	2176	-
3005	1.70	1.70		1.70/1.60A		1.70/1.60A	1.60	NEW	.0064	----	----	----	4	----	4	+
3010	----	----	----	/1.60A	1.70B/1.60A	----	1.60	- 0.20	.0064	----	----	----	----	----	1	UNCH
3025	----	----	----	/1.70A	1.70B/1.70A	----	1.60	- 0.30	.0065	----	----	----	----	----	2	UNCH
3030	1.80	1.80		1.80/1.70A		1.80/1.70A	1.70	NEW	.0069	----	----	----	1	----	1	+
3035	----	----	----	/1.70A	1.80B/1.70A	----	1.70	- 0.20	.0069	----	----	----	----	----	1	UNCH
3045	----	----	----	/1.70A	1.80B/1.70A	----	1.70	- 0.30	.0069	----	----	----	----	----	3	UNCH
3050	1.90	1.90		1.90/1.80A		1.90/1.80A	1.80	- 0.20	.0073	----	----	----	4	----	13	+
3060	2.00	2.00		2.00/1.80		2.00/1.80	1.80	- 0.20	.0073	----	----	----	2	----	205	-
3075	----	----	----	/1.90A	2.00B/1.90A	----	1.90	- 0.20	.0078	----	----	----	----	----	3	UNCH
3080	----	----	----	/1.90A	2.00B/1.90A	----	1.90	- 0.20	.0078	----	----	----	----	----	1	UNCH
3085	----	----	----	/1.90A	2.00B/1.90A	----	1.90	- 0.30	.0078	----	----	----	----	----	2	UNCH
3100	----	----	----	/2.00A	2.10B/2.00A	----	2.00	- 0.20	.0083	----	----	----	----	----	161	UNCH
3110	----	----	----	/2.00A	2.20B/2.00A	----	2.00	- 0.30	.0083	----	----	----	----	----	1	UNCH
3120	----	----	----	/2.10A	2.20B/2.10A	----	2.10	- 0.20	.0087	----	----	----	----	----	3	UNCH
3125	----	----	----	/2.10A	2.30B/2.10A	----	2.10	- 0.30	.0088	----	----	----	----	----	1	UNCH
3130	----	----	----	/2.10A	2.30B/2.10A	----	2.10	- 0.30	.0088	----	----	----	----	----	11	UNCH
3135	----	----	----	/2.10A	2.30B/2.10A	----	2.20	- 0.20	.0092	----	----	----	----	----	1	UNCH
3140	----	----	----	/2.20A	2.30B/2.20A	----	2.20	- 0.30	.0092	----	----	----	----	----	2	UNCH
3145	----	----	----	/2.20A	2.40B/2.20A	----	2.20	- 0.30	.0092	----	----	----	----	----	2	UNCH
3150	----	----	----	/2.20A	2.40B/2.20A	----	2.20	- 0.30	.0093	----	----	----	----	----	121	UNCH
3155	----	----	----	/2.20A	2.40B/2.20A	----	2.30	- 0.20	.0096	----	----	----	----	----	6	UNCH
3160	----	----	----	/2.30A	2.50B/2.30A	----	2.30	- 0.30	.0097	----	----	----	----	----	4	UNCH
3170	----	----	----	/2.30A	2.50B/2.30A	----	2.30	- 0.30	.0098	----	----	----	----	----	2	UNCH
3175	----	----	----	/2.30A	2.60B/2.30A	----	2.40	- 0.30	.0101	----	----	----	----	----	63	UNCH
3185	----	----	----	/2.40A	2.60B/2.40A	----	2.40	- 0.30	.0102	----	----	----	----	----	2	UNCH
3190	----	----	----	/2.40A	2.70B/2.40A	----	2.50	- 0.20	.0106	----	----	----	----	----	2	UNCH
3195	----	----	----	/2.50A	2.70B/2.50A	----	2.50	- 0.30	.0106	----	----	----	----	----	2	UNCH
3200	2.80	2.80		2.80/2.50A		2.80/2.50A	2.50	- 0.30	.0107	----	----	----	16	----	177	-
3210	----	----	----	/2.50A	2.80B/2.50A	----	2.60	- 0.30	.0111	----	----	----	----	----	1	UNCH
3215	----	----	----	/2.60A	2.80B/2.60A	----	2.60	- 0.30	.0112	----	----	----	----	----	20	UNCH
3225	----	----	----	/2.60A	2.90B/2.60A	----	2.70	- 0.30	.0116	----	----	----	----	----	4	UNCH
3235	----	----	----	/2.70A	3.00B/2.70A	----	2.70	- 0.30	.0117	----	----	----	----	----	12	UNCH
3240	----	----	----	/2.70A	3.00B/2.70A	----	2.80	- 0.30	.0121	----	----	----	----	----	11	UNCH
3245	----	----	----	/2.80A	3.00B/2.80A	----	2.80	- 0.30	.0121	----	----	----	----	----	19	UNCH
3250	----	----	----	/2.80A	3.10B/2.80A	----	2.80	- 0.30	.0122	----	----	----	25	----	560	-
3260	3.10	3.10		3.10/2.90A		3.10/2.90A	2.90	- 0.30	.0126	----	----	----	1	----	1	UNCH
3265	----	----	----	/2.90A	3.20B/2.90A	----	2.90	- 0.30	.0127	----	----	----	----	----	27	UNCH
3270	----	----	----	/2.90A	3.20B/2.90A	----	3.00	- 0.30	.0131	----	----	----	----	----	17	UNCH
3275	----	----	----	/3.00A	3.20B/3.00A	----	3.00	- 0.30	.0131	----	----	----	----	----	10	UNCH
3280	3.10	3.10		3.10/3.00A		3.30B/3.00A	3.00	- 0.30	.0132	----	----	----	1	----	5	+
3285	----	----	----	/3.00A	3.30B/3.00A	----	3.10	- 0.30	.0136	----	----	----	----	----	13	UNCH
3290	----	----	----	/3.10A	3.40B/3.10A	----	3.10	- 0.30	.0136	----	----	----	----	----	7	UNCH
3295	----	----	----	/3.10A	3.40B/3.10A	----	3.20	- 0.30	.0140	----	----	----	----	----	1	UNCH
3300	3.20	3.20		3.20/3.10A		3.40B/3.10A	3.20	- 0.30	.0141	----	----	----	47	----	635	-
3315	----	----	----	/3.20A	3.60B/3.20A	----	3.30	- 0.30	.0146	----	----	----	----	----	11	UNCH
3325	----	----	----	/3.30A	3.70B/3.30A	----	3.40	- 0.30	.0151	----	----	----	----	----	70	UNCH
3330	----	----	----	/3.40A	3.70B/3.40A	----	3.40	- 0.30	.0152	----	----	----	----	----	2	UNCH
3345	----	----	----	/3.50A	3.80B/3.50A	----	3.60	- 0.30	.0161	----	----	----	----	----	3	UNCH
3350	----	----	----	/3.50A	3.90B/3.50A	----	3.60	- 0.30	.0162	----	----	----	----	----	27	UNCH
3360	----	----	----	/3.60A	4.00B/3.60A	----	3.70	- 0.30	.0166	----	----	----	----	----	16	UNCH
3365	----	----	----	/3.60A	4.00B/3.60A	----	3.70	- 0.40	.0167	----	----	----	----	----	7	UNCH
3370	----	----	----	/3.70A	4.10B/3.70A	----	3.80	- 0.30	.0171	----	----	----	----	----	3	UNCH
3375	----															



PG64 BULLETIN #182@				METALS OPTION PRODUCTS							Tue, Sep 22, 2026		PG64		
	GLOBAL OPEN	OPEN OPEN	UTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	UTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN UTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
OG PUT DEC26	COMEX GOLD OPTIONS														
3585	----	----	----	7.50B/6.30A	7.50B/6.30A	----	----	6.60 - 0.60	.0319	----	----	----	----	336	UNCH
3590	----	----	----	7.70B/6.40A	7.70B/6.40A	----	----	6.70 - 0.60	.0324	----	----	----	----	1	UNCH
3595	----	----	----	7.80B/6.50A	7.80B/6.50A	----	----	6.80 - 0.60	.0329	----	----	----	----	111	UNCH
3600	7.90	7.90	----	7.90/6.60A	7.90/6.60A	----	----	6.90 - 0.60	.0335	----	----	7	----	2191 +	6
3605	----	----	----	8.10B/6.70A	8.10B/6.70A	----	----	7.00 - 0.60	.0340	----	----	----	----	37	UNCH
3610	----	----	----	8.20B/6.80A	8.20B/6.80A	----	----	7.10 - 0.70	.0345	----	----	----	----	31	UNCH
3615	----	----	----	8.30B/6.90A	8.30B/6.90A	----	----	7.30 - 0.60	.0354	----	----	----	----	32	UNCH
3620	----	----	----	8.50B/7.00A	8.50B/7.00A	----	----	7.40 - 0.60	.0359	----	----	----	----	6	UNCH
3625	----	----	----	8.60B/7.10A	8.60B/7.10A	----	----	7.50 - 0.60	.0365	----	----	----	----	31	UNCH
3635	----	----	----	8.90B/7.30A	8.90B/7.30A	----	----	7.70 - 0.70	.0376	----	----	----	----	47	UNCH
3640	----	----	----	9.10B/7.50A	9.10B/7.50A	----	----	7.90 - 0.60	.0385	----	----	----	----	11	UNCH
3645	----	----	----	9.20B/7.60A	9.20B/7.60A	----	----	8.00 - 0.60	.0390	----	----	----	----	55	UNCH
3650	----	----	----	9.40B/7.70A	9.40B/7.70A	----	----	8.10 - 0.60	.0396	----	----	----	300	1444	UNCH
3655	----	----	----	9.60B/7.80A	9.60B/7.80A	----	----	8.30 - 0.60	.0405	----	----	----	----	232	UNCH
3660	----	----	----	9.80B/7.90A	9.80B/7.90A	----	----	8.40 - 0.60	.0411	----	----	2	----	39	UNCH
3665	----	----	----	9.90B/8.10A	9.90B/8.10A	----	----	8.50 - 0.70	.0417	----	----	----	----	16	UNCH
3670	----	----	----	10.10B/8.20A	10.10B/8.20A	----	----	8.70 - 0.60	.0426	----	----	----	----	128	UNCH
3675	----	----	----	10.30B/8.30A	10.30B/8.30A	----	----	8.80 - 0.70	.0432	----	----	11	----	157	UNCH
3680	----	----	----	10.50B/8.40A	10.50B/8.40A	----	----	9.00 - 0.60	.0441	----	----	----	----	52	UNCH
3685	----	----	----	10.70B/8.60A	10.70B/8.60A	----	----	9.10 - 0.70	.0447	----	----	----	----	13	UNCH
3690	----	----	----	10.90B/8.70A	10.90B/8.70A	----	----	9.30 - 0.60	.0456	----	----	----	----	14	UNCH
3695	----	----	----	11.10B/8.90A	11.10B/8.90A	----	----	9.50 - 0.60	.0466	----	----	----	----	14	UNCH
3700	----	----	----	11.30B/9.00A	11.30B/9.00A	----	----	9.60 - 0.70	.0472	----	501	----	----	2583 +	108
3705	9.90	9.90	----	11.50B/9.20A	11.50B/9.20A	----	----	9.80 - 0.60	.0481	----	5	----	----	38 -	2
3710	----	----	----	11.70B/9.30A	11.70B/9.30A	----	----	10.00 - 0.60	.0491	----	----	----	----	110	UNCH
3715	9.30	9.30	----	12.00B/9.30	12.00B/9.30	----	----	10.20 - 0.60	.0501	----	1	----	----	167 +	1
3720	10.40	10.40	----	12.20B/9.60A	12.20B/9.60A	----	----	10.30 - 0.70	.0507	----	5	----	----	84 -	3
3725	10.60	10.60	----	12.40B/9.80A	12.40B/9.80A	----	----	10.50 - 0.70	.0517	----	5	----	----	252 -	4
3730	----	----	----	12.70B/9.90A	12.70B/9.90A	----	----	10.70 - 0.70	.0526	----	----	----	----	460	UNCH
3735	----	----	----	12.90B/10.10A	12.90B/10.10A	----	----	10.90 - 0.70	.0536	----	----	----	----	169	UNCH
3740	12.40	12.40	----	13.20B/10.30A	13.20B/10.30A	----	----	11.10 - 0.70	.0546	----	----	18	----	57 +	10
3745	----	----	----	13.50B/10.50A	13.50B/10.50A	----	----	11.30 - 0.70	.0556	----	----	----	----	66	UNCH
3750	13.50	13.50	----	13.80B/10.70A	13.80B/10.70A	----	----	11.60 - 0.60	.0569	----	----	6	----	1826 +	1
3755	----	----	----	14.10B/10.90A	14.10B/10.90A	----	----	11.80 - 0.60	.0579	----	----	----	----	36	UNCH
3760	----	----	----	14.30B/11.10A	14.30B/11.10A	----	----	12.00 - 0.70	.0589	----	----	----	----	196	UNCH
3765	----	----	----	14.70B/11.30A	14.70B/11.30A	----	----	12.20 - 0.70	.0600	----	----	----	----	21	UNCH
3770	13.80	13.80	----	15.00B/11.50A	15.00B/11.50A	----	----	12.50 - 0.60	.0613	----	1	----	----	14	UNCH
3775	----	----	----	15.20B/11.70A	15.20B/11.70A	----	----	12.70 - 0.70	.0623	----	----	----	----	53	UNCH
3780	----	----	----	15.60B/11.90A	15.60B/11.90A	----	----	13.00 - 0.60	.0637	----	1	----	----	31	UNCH
3785	----	----	----	15.90B/12.20A	15.90B/12.20A	----	----	13.20 - 0.70	.0647	----	----	----	----	53	UNCH
3790	----	----	----	16.20B/12.40A	16.20B/12.40A	----	----	13.50 - 0.70	.0661	----	----	----	----	34	UNCH
3795	----	----	----	16.60B/12.60A	16.60B/12.60A	----	----	13.70 - 0.70	.0672	----	----	----	----	42	UNCH
3800	14.80	14.80	----	16.90B/12.80A	16.90B/12.80A	----	----	14.00 - 0.70	.0685	----	----	10	----	1034 -	4
3805	----	----	----	17.30B/13.10A	17.30B/13.10A	----	----	14.30 - 0.70	.0699	----	----	----	----	19	UNCH
3810	----	----	----	17.60B/13.40A	17.60B/13.40A	----	----	14.60 - 0.70	.0713	----	----	----	----	109	UNCH
3815	----	----	----	18.00B/13.60A	18.00B/13.60A	----	----	14.90 - 0.70	.0727	----	----	----	----	68	UNCH
3820	14.90	14.90	----	18.40B/13.90A	18.40B/13.90A	----	----	15.20 - 0.70	.0741	----	1	----	----	19 +	1
3825	14.90	14.90	----	18.80B/14.20A	18.80B/14.20A	----	----	15.50 - 0.70	.0755	----	3	----	----	82 +	1
3830	17.50	17.50	----	19.20B/14.50A	19.20B/14.50A	----	----	15.80 - 0.70	.0770	----	16	----	----	48 +	14
3835	----	----	----	19.70B/14.70A	19.70B/14.70A	----	----	16.10 - 0.80	.0784	----	----	----	----	7	UNCH
3840	----	----	----	20.10B/15.00A	20.10B/15.00A	----	----	16.50 - 0.70	.0801	----	18	----	----	69 +	12
3845	18.10	18.10	----	20.50B/15.30A	20.50B/15.30A	----	----	16.80 - 0.70	.0816	----	3	----	----	10 +	2
3850	18.50	18.50	----	21.00B/15.70A	21.00B/15.70A	----	----	17.20 - 0.70	.0833	----	11	----	----	571	UNCH
3855	----	----	----	21.40B/16.00A	21.40B/16.00A	----	----	17.50 - 0.80	.0848	----	----	----	----	65	UNCH
3860	----	----	----	21.80B/16.30A	21.80B/16.30A	----	----	17.90 - 0.70	.0866	----	----	----	----	29	UNCH
3865	----	----	----	22.30B/16.60A	22.30B/16.60A	----	----	18.30 - 0.70	.0883	----	----	----	----	75	UNCH
3870	----	----	----	22.80B/17.00A	22.80B/17.00A	----	----	18.70 - 0.70	.0901	----	----	----	----	13	UNCH
3875	----	----	----	23.40B/17.30A	23.40B/17.30A	----	----	19.10 - 0.70	.0919	----	----	----	----	95	UNCH
3880	----	----	----	24.00B/17.70A	24.00B/17.70A	----	----	19.50 - 0.70	.0937	----	----	----	----	15	UNCH
3885	21.00	21.00	----	24.40B/18.10A	24.40B/18.10A	----	----	19.90 - 0.80	.0955	----	17	----	----	44	UNCH
3890	----	----	----	24.90B/18.40A	24.90B/18.40A	----	----	20.30 - 0.80	.0973	----	1	----	----	11	UNCH
3895	----	----	----	25.50B/18.80A	25.50B/18.80A	----	----	20.80 - 0.70	.0994	----	----	----	----	238	UNCH
3900	20.40	20.40	----	26.20B/19.20A	26.20B/19.20A	----	----	21.20 - 0.80	.1013	----	22	----	----	3895 +	12
3905	20.00	20.00	----	26.80B/19.60A	26.80B/19.60A	----	----	21.70 - 0.80	.1034	----	7	----	----	25 +	1
3910	21.40	21.40	----	27.30B/20.10A	27.30B/20.10A	----	----	22.20 - 0.70	.1055	----	3	----	----	22 -	2
3915	22.60	22.60	----	27.90B/20.50A	27.90B/20.50A	----	----	22.60 - 0.80	.1074	----	1	----	----	250	UNCH
3920	22.50	22.50	----	28.60B/20.90A	28.60B/20.90A	----	----	23.10 - 0.80	.1095	----	1	----	----	57 -	1
3925	23.60	23.60	----	29.10B/21.40A	29.10B/21.40A	----	----	23.70 - 0.70	.1119	----	4	----	----	467 +	3
3930	----	----	----	29.80B/21.90A	29.80B/21.90A	----	----	24.20 - 0.80	.1141	----	20	----	----	69 +	20
3935	----	----	----	30.50B/22.30A	30.50B/22.30A	----	----	24.70 - 0.80	.1163	----	----	----	----	148	UNCH
3940	----	----	----	31.20B/22.80A	31.20B/22.80A	----	----	25.30 - 0.70	.1187	----	----	----	----	53	UNCH
3945	25.80	25.80	----	31.80B/23.30A	31.80B/23.30A	----	----	25.80 - 0.80	.1209	----	4	----	----	44 +	3
3950	----	----	----	32.70B/23.90A	32.70B/23.90A	----	----	26.40 - 0.80	.1234	----	----	----	----	3221	UNCH
3955	----	----	----	33.40B/24.40A	33.40B/24.40A	----	----	27.00 - 0.80	.1259	----	8	----	----	36 +	8
3960	27.60	27.60	----	34.10B/24.90A	34.10B/24.90A	----	----	27.60 - 0.80	.1283	----	3	----	----	31 +	1
3965	----	----	----	34.90B/25.50A	34.90B/25.50A	----	----	28.20 - 0.80	.1308	----	----	----	----	64	UNCH
3970	----	----	----	35.70B/26.00A	35.70B/26.00A	----	----	28.90 - 0.70	.1336	----	----	----	----	224	UNCH
3975	28.70	28.70	----	36.50B/26.60A	36.50B/26.60A	----	----	29.50 - 0.80	.1361	----	19	----	----	229 +	19
3980	33.60	33.60	----	37.40B/27.20A	37.40B/27.20A	----	----	30.20 - 0.70	.1388	----	1	----	----	207 +	1
3985	----	----	----	38.20B/27.80A	38.20B/27.80A	----	----	30.90 - 0.70	.1416	----	----	----	----	9	UNCH
3990	----	----	----	39.10B/28.50A	39.10B/28.50A	----	----	31.60 - 0.70	.1444	----	----	----	----	19	UNCH
3995	----	----	----	39.90B/29.10A	39.90B/29.10A	----	----	32.30 - 0.70	.1472	----	----	----	----	15	UNCH
4000	31.10	31.10	----	40.80B/29.80A	40.80B/29.80A	----	----	33.00 - 0.70	.1500	----	302	----	----	4043 +	80
4005	----	----	----	41.80B/30.50A	41.80B/30.50A	----	----	33.80 - 0.60	.1530	----	----	----	----	75	UNCH
4010	----	----	----	42.70B/31.10A	42.70B/31.10A	----	----	34.60 - 0.60	.1561	----	1	----	----	34 +	1
4015	39.00	39.00	----	43.70B/31.80A	43.70B/31.80A	----	----	35.40 - 0.60	.1591	----	16	----	----	57 +	15
4020	----	----	----	44.70B/32.50A	44.70B/32.50A	----	----	36.20 - 0.60	.1623	----	----	----	----	52	UNCH
4025	----	----	----	45.60B/33.30A	45.60B/33.30A	----	----	37.00 - 0.60	.1653	----	----	----	----	835	UNCH
4030	----	----	----	46.70B/34.10A	46.70B/34.10A	----	----	37.80 - 0.60	.1683	----	----	----	----	24	UNCH
4035	----	----	----	47.70B/34.80A	47.70B/34.80A	----	----	38.70 - 0.50	.1716	----	----				

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS														
DEC26															
4275	108.50	108.50		127.90B/97.50A	127.90B/97.50A	----		107.40 + 0.70	.3774	----	----	6	----	150	UNCH
4280	----	----		130.20B/99.50A	130.20B/99.50A	----		109.50 + 0.80	.3825	----	----	----	----	167	UNCH
4285	----	----		132.60B/101.40A	132.60B/101.40A	----		111.60 + 0.80	.3875	----	----	----	----	39	UNCH
4290	121.10	121.10		135.00B/103.30A	135.00B/103.30A	----		113.70 + 0.80	.3926	----	----	8	----	189	+
4295	120.10	120.10		137.40B/105.30A	137.40B/105.30A	----		115.90 + 0.90	.3977	----	----	2	----	26	+
4300	132.10	132.10		139.90B/107.30A	139.90B/107.30A	----		118.10 + 0.90	.4028	----	----	346	----	3457	+
4305	----	----		142.40B/109.30A	142.40B/109.30A	----		120.30 + 0.90	.4080	----	----	----	----	19	UNCH
4310	117.00	117.00		144.90B/111.40A	144.90B/111.40A	----		122.60 + 1.00	.4131	----	----	1	----	28	UNCH
4315	----	----		147.40B/113.40A	147.40B/113.40A	----		124.90 + 1.10	.4183	----	----	----	----	42	UNCH
4320	----	----		150.00B/115.50A	150.00B/115.50A	----		127.20 + 1.10	.4234	----	----	----	----	218	UNCH
4325	----	----		152.60B/117.70A	152.60B/117.70A	----		129.50 + 1.10	.4286	----	----	----	----	905	UNCH
4330	----	----		155.20B/119.90A	155.20B/119.90A	----		131.90 + 1.20	.4337	----	----	----	----	47	UNCH
4335	144.90	144.90		157.90B/122.10A	157.90B/122.10A	----		134.30 + 1.20	.4389	----	----	2	----	54	UNCH
4340	145.40	145.40		160.60B/124.30A	160.60B/124.30A	----		136.70 + 1.20	.4441	----	----	1	----	112	UNCH
4345	143.80	143.80		163.30B/126.50A	163.30B/126.50A	----		139.10 + 1.20	.4492	----	----	4	----	22	+
4350	153.10	153.10		166.00B/128.80A	166.00B/128.80A	----		141.60 + 1.30	.4544	----	----	141	----	656	+
4355	153.50	153.50		168.80B/131.00A	168.80B/131.00A	----		144.10 + 1.30	.4596	----	----	4	----	30	+
4360	150.20	150.20		171.50B/133.40A	171.50B/133.40A	----		146.60 + 1.30	.4647	----	----	16	----	89	+
4365	158.30	158.30		174.40B/135.80A	174.40B/135.80A	----		149.20 + 1.40	.4699	----	----	13	----	234	-
4370	151.60	151.60		177.20B/138.10A	177.20B/138.10A	----		151.70 + 1.40	.4751	----	----	38	----	54	+
4375	164.20	164.20		180.10B/140.60A	180.10B/140.60A	----		154.30 + 1.40	.4802	----	----	4	----	193	UNCH
4380	159.20	159.20		183.00B/143.10A	183.00B/143.10A	----		156.90 + 1.40	.4854	----	----	2	----	97	+
4385	171.40	171.40		185.90B/145.50A	185.90B/145.50A	----		159.60 + 1.40	.4905	----	----	2	----	96	UNCH
4390	172.50	172.50		188.80B/148.00A	188.80B/148.00A	----		162.30 + 1.40	.4957	----	----	1	----	211	UNCH
4395	174.70	174.70		191.80B/150.50A	191.80B/150.50A	----		165.00 + 1.40	.5008	----	----	6	----	30	+
4400	175.40	175.40		194.70B/153.10A	194.70B/153.10A	----		167.70 + 1.40	.5059	----	----	72	----	1305	+
4405	158.00	158.00		197.80B/155.60A	197.80B/155.60A	----		170.50 + 1.40	.5110	----	----	12	----	74	+
4410	164.90	164.90		200.80B/158.30A	200.80B/158.30A	----		173.30 + 1.40	.5161	----	----	2	----	91	-
4415	175.90	175.90		204.00B/160.90A	204.00B/160.90A	----		176.10 + 1.40	.5211	----	----	1	----	10	UNCH
4420	----	----		207.00B/163.70A	207.00B/163.70A	----		179.00 + 1.50	.5262	----	----	----	----	49	UNCH
4425	199.60	199.60		210.00B/166.40A	210.00B/166.40A	----		181.90 + 1.60	.5312	----	----	3	----	256	-
4430	----	----		213.20B/168.90A	213.20B/168.90A	----		184.80 + 1.60	.5362	----	----	----	----	171	UNCH
4435	----	----		216.60B/171.70A	216.60B/171.70A	----		187.70 + 1.60	.5413	----	----	----	----	170	UNCH
4440	----	----		219.70B/174.50A	219.70B/174.50A	----		190.70 + 1.70	.5462	----	----	----	----	74	UNCH
4445	----	----		222.70B/177.30A	222.70B/177.30A	----		193.70 + 1.70	.5512	----	----	----	----	197	UNCH
4450	182.20	182.20		225.60B/180.10A	225.60B/180.10A	----		196.70 + 1.80	.5561	----	----	2	----	592	+
4455	----	----		228.90B/182.90A	228.90B/182.90A	----		199.70 + 1.80	.5610	----	----	----	----	51	UNCH
4460	----	----		232.20B/185.80A	232.20B/185.80A	----		202.80 + 1.90	.5659	----	----	----	----	77	UNCH
4465	209.30	209.30		235.50B/188.60A	235.50B/188.60A	----		205.90 + 1.90	.5708	----	----	4	----	81	-
4470	235.30	235.30		238.80B/191.50A	238.80B/191.50A	----		209.00 + 2.00	.5757	----	----	22	----	178	-
4475	----	----		242.20B/194.60A	242.20B/194.60A	----		212.20 + 2.10	.5805	----	----	----	----	222	UNCH
4480	----	----		245.60B/197.40A	245.60B/197.40A	----		215.30 + 2.10	.5853	----	----	----	----	47	UNCH
4485	----	----		249.00B/200.50A	249.00B/200.50A	----		218.50 + 2.10	.5901	----	----	----	----	41	UNCH
4490	212.00	212.00		252.40B/203.40A	252.40B/203.40A	----		221.70 + 2.20	.5949	----	----	1	----	31	+
4495	----	----		255.80B/206.60A	255.80B/206.60A	----		225.00 + 2.30	.5995	----	----	----	----	40	UNCH
4500	----	----		259.30B/209.50A	259.30B/209.50A	----		228.20 + 2.30	.6042	----	----	4	----	1613	+
4505	221.50	221.50		262.80B/212.60A	262.80B/212.60A	----		231.50 + 2.40	.6089	----	----	1	----	17	+
4510	----	----		266.30B/215.70A	266.30B/215.70A	----		234.80 + 2.40	.6135	----	----	----	----	17	UNCH
4515	----	----		269.80B/218.90A	269.80B/218.90A	----		238.20 + 2.50	.6181	----	----	----	----	269	UNCH
4520	----	----		273.30B/222.00A	273.30B/222.00A	----		241.50 + 2.50	.6227	----	----	----	----	46	UNCH
4525	----	----		276.90B/225.20A	276.90B/225.20A	----		244.90 + 2.60	.6273	----	----	----	----	384	UNCH
4530	----	----		280.50B/228.40A	280.50B/228.40A	----		248.30 + 2.60	.6318	----	----	----	----	56	UNCH
4535	----	----		284.10B/231.60A	284.10B/231.60A	----		251.70 + 2.70	.6362	----	----	----	----	108	UNCH
4540	----	----		287.70B/235.10A	287.70B/235.10A	----		255.10 + 2.70	.6408	----	----	----	----	20	UNCH
4545	----	----		291.40B/240.30A	291.40B/240.30A	----		258.60 + 2.70	.6452	----	----	----	----	61	UNCH
4550	----	----		295.10B/243.70A	295.10B/243.70A	----		262.10 + 2.80	.6496	----	----	----	----	320	UNCH
4555	----	----		298.80B/247.00A	298.80B/247.00A	----		265.60 + 2.80	.6539	----	----	----	----	62	UNCH
4560	----	----		302.50B/250.40A	302.50B/250.40A	----		269.10 + 2.80	.6583	----	----	2	----	11	UNCH
4565	----	----		306.20B/253.80A	306.20B/253.80A	----		272.70 + 2.90	.6625	----	----	5	----	5	UNCH
4570	----	----		309.90B/257.20A	309.90B/257.20A	----		276.20 + 2.90	.6668	----	----	----	----	25	UNCH
4575	----	----		313.70B/260.80A	313.70B/260.80A	----		279.80 + 2.90	.6710	----	----	----	----	220	UNCH
4580	----	----		317.50B/264.10A	317.50B/264.10A	----		283.40 + 3.00	.6753	----	----	----	----	179	UNCH
4585	----	----		321.30B/267.60A	321.30B/267.60A	----		287.10 + 3.10	.6794	----	----	----	----	351	UNCH
4590	----	----		325.10B/271.10A	325.10B/271.10A	----		290.70 + 3.10	.6835	----	----	----	----	13	UNCH
4595	----	----		329.00B/274.70A	329.00B/274.70A	----		294.40 + 3.10	.6876	----	----	----	----	31	UNCH
4600	----	----		332.80B/278.20A	332.80B/278.20A	----		298.10 + 3.20	.6916	----	----	----	----	978	UNCH
4605	----	----		336.70B/281.80A	336.70B/281.80A	----		301.80 + 3.20	.6957	----	----	----	----	24	UNCH
4610	----	----		340.60B/285.40A	340.60B/285.40A	----		305.50 + 3.20	.6996	----	----	----	----	22	UNCH
4615	----	----		344.50B/289.00A	344.50B/289.00A	----		309.30 + 3.30	.7037	----	----	----	----	5	UNCH
4620	----	----		348.40B/292.60A	348.40B/292.60A	----		313.00 + 3.20	.7076	----	----	----	----	61	UNCH
4625	----	----		352.30B/296.30A	352.30B/296.30A	----		316.80 + 3.30	.7115	----	----	----	----	59	UNCH
4630	----	----		356.30B/299.90A	356.30B/299.90A	----		320.60 + 3.30	.7152	----	----	----	----	4	UNCH
4635	----	----		360.30B/303.60A	360.30B/303.60A	----		324.40 + 3.30	.7191	----	----	----	----		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
DEC26																	
5200	----	----		854.00B/804.10A	854.00B/804.10A	----			831.60 + 6.30	.9419	----	----	----	----	34	UNCH	
5240	----	----		892.50B/854.80A	892.50B/854.80A	----			870.50 + 6.40	.9475	----	----	----	----	1	UNCH	
5250	----	----		902.20B/864.60A	902.20B/864.60A	----			880.30 + 6.50	.9485	----	----	----	----	126	UNCH	
5290	----	----		941.40B/903.80A	941.40B/903.80A	----			919.30 + 6.50	.9532	----	----	----	----	1	UNCH	
5295	----	----		946.40B/908.80A	946.40B/908.80A	----			924.20 + 6.50	.9537	----	----	----	----	1	UNCH	
5300	----	----		951.30B/913.40A	951.30B/913.40A	----			929.10 + 6.60	.9543	----	----	----	----	4	UNCH	
5350	----	----		1,000.50B/963.0	1000.50B/963.00A	----			978.20 + 6.70	.9590	----	----	----	----	1	UNCH	
5360	----	----		1,010.20B/973.1	1010.20B/973.10A	----			988.00 + 6.70	.9600	----	----	----	----	100	UNCH	
5370	----	----		1,020.20B/982.9	1020.20B/982.90A	----			997.90 + 6.80	.9607	----	----	----	----	22	UNCH	
5375	----	----		1,025.10B/988.0	1025.10B/988.00A	----			1002.80 + 6.80	.9612	----	----	----	----	34	UNCH	
5400	----	----		1,049.80B/1,012	1049.80B/1012.50A	----			1027.40 + 6.80	.9633	----	----	----	----	103	UNCH	
5415	----	----		1,064.60B/1,027	1064.60B/1027.30A	----			1042.20 + 6.90	.9640	----	----	----	----	4	UNCH	
5460	----	----		1,109.20B/1,072	1109.20B/1072.00A	----			1086.60 + 6.90	.9672	----	----	----	----	200	UNCH	
5465	----	----		1,114.10B/1,076	1114.10B/1076.90A	----			1091.60 + 7.00	.9677	----	----	----	----	50	UNCH	
5480	----	----		1,128.90B/1,091	1128.90B/1091.70A	----			1106.40 + 7.00	.9684	----	----	----	----	50	UNCH	
5500	----	----		1,148.80B/1,111	1148.80B/1111.50A	----			1126.20 + 7.00	.9695	----	----	----	----	37	UNCH	
5525	----	----		1,174.10B/1,135	1174.10B/1135.90A	----			1150.90 + 7.00	.9711	----	----	----	----	80	UNCH	
5600	----	----		1,251.60B/1,209	1251.60B/1209.80A	----			1225.30 + 7.10	.9750	----	----	----	----	252	UNCH	
5700	----	----		1,356.30B/1,307	1356.30B/1307.50A	----			1324.60 + 7.20	.9790	----	----	----	----	1	UNCH	
5800	----	----		1,459.80B/1,403	1459.80B/1403.70A	----			1424.20 + 7.30	.9820	----	----	----	----	26	UNCH	
5875	----	----		1,536.50B/1,474	1536.50B/1474.10A	----			1498.90 + 7.30	.9842	----	----	----	----	5	UNCH	
5900	----	----		1,561.90B/1,498	1561.90B/1498.50A	----			1523.90 + 7.30	.9848	----	----	----	----	110	UNCH	
5925	----	----		1,587.30B/1,523	1587.30B/1523.00A	----			1548.80 + 7.30	.9854	----	----	----	----	7	UNCH	
6000	----	----		1,663.30B/1,596	1663.30B/1596.90A	----			1623.70 + 7.40	.9867	----	----	----	----	17	UNCH	
6100	----	----		1,763.80B/1,696	1763.80B/1696.00A	----			1723.60 + 7.40	.9886	----	----	----	----	12	UNCH	
6200	----	----		1,864.20B/1,796	1864.20B/1796.30A	----			1823.60 + 7.50	.9903	----	----	----	----	86066+	505	
TOTAL													2735	750			
JAN27																	
2625	----	----		----	1.40B/1.50A	----			1.40	UNCH	.0044	----	----	----	37	UNCH	
2650	----	----		----	1.40B/1.50A	----			1.50	UNCH	.0047	----	----	----	14	UNCH	
2675	----	----		----	1.50B/1.60A	----			1.60	UNCH	.0050	----	----	----	1	UNCH	
2700	----	----		----	1.60B/1.70A	----			1.60 - 0.10	.0051	----	----	----	----	30	UNCH	
2800	----	----		----/2.00A	2.00B/2.00A	----			2.00 - 0.10	.0066	----	----	3	----	34 +	3	
2850	----	----		----/2.20A	2.20B/2.20A	----			2.10 - 0.20	.0071	----	----	----	----	6	UNCH	
2870	----	----		----/2.30A	2.30B/2.30A	----			2.20 - 0.20	.0074	----	----	----	----	1	UNCH	
2890	----	----		----/2.40A	2.40B/2.40A	----			2.30 - 0.20	.0078	----	----	----	----	2	UNCH	
2900	----	----		----/2.40A	2.40B/2.40A	----			2.30 - 0.30	.0079	----	----	----	----	1	UNCH	
2910	----	----		----/2.50A	2.50B/2.50A	----			2.40 - 0.20	.0082	----	----	----	----	2	UNCH	
2915	----	----		----/2.50A	2.50B/2.50A	----			2.40	NEW	.0082	----	----	1	1 +	1	
2980	----	----		----/2.80A	2.90B/2.80A	----			2.80	NEW	.0097	----	----	1	1 +	1	
3000	----	----		----/2.90A	3.00B/2.90A	----			2.90 - 0.30	.0101	----	----	----	----	58	UNCH	
3010	----	----		----/3.00A	3.10B/3.00A	----			2.90 - 0.30	.0102	----	----	----	----	16	UNCH	
3060	----	----		----/3.40A	3.40B/3.40A	----			3.30 - 0.30	.0117	----	----	----	----	2	UNCH	
3065	----	----		----/3.40A	3.50B/3.40A	----			3.30 - 0.30	.0118	----	----	----	----	3	UNCH	
3070	----	----		----/3.40A	3.50B/3.40A	----			3.40 - 0.30	.0121	----	----	----	----	4	UNCH	
3080	----	----		----/3.50A	3.60B/3.50A	----			3.40 - 0.30	.0122	----	----	----	----	20	UNCH	
3085	----	----		----/3.50A	3.60B/3.50A	----			3.50 - 0.30	.0125	----	----	----	----	10	UNCH	
3090	----	----		----/3.60A	3.70B/3.60A	----			3.50 - 0.30	.0125	----	----	----	----	21	UNCH	
3095	----	----		----/3.60A	3.70B/3.60A	----			3.50 - 0.40	.0126	----	----	----	----	218	UNCH	
3100	3.70	3.70		3.70/3.60	3.70/3.60	----			3.60 - 0.30	.0129	----	----	5	----	39 +	4	
3105	----	----		----/3.70A	3.80B/3.70A	----			3.60 - 0.30	.0130	----	----	----	----	16	UNCH	
3110	----	----		----/3.70A	3.80B/3.70A	----			3.70 - 0.30	.0133	----	----	----	----	4	UNCH	
3125	----	----		----/3.80A	4.00B/3.80A	----			3.80 - 0.30	.0137	----	----	----	----	7	UNCH	
3160	----	----		----/4.10A	4.30B/4.10A	----			4.10 - 0.30	.0149	----	----	----	----	1	UNCH	
3200	----	----		----/4.40A	4.70B/4.40A	----			4.40 - 0.40	.0163	----	----	----	----	1	UNCH	
3240	----	----		----/4.80A	5.10B/4.80A	----			4.80 - 0.40	.0179	----	----	----	----	15	UNCH	
3250	----	----		----/4.90A	5.20B/4.90A	----			5.00 - 0.30	.0186	----	----	----	----	20	UNCH	
3280	----	----		----/5.30A	5.60B/5.30A	----			5.30 - 0.40	.0200	----	----	----	----	1	UNCH	
3285	----	----		----/5.30A	5.70B/5.30A	----			5.40 - 0.30	.0203	----	----	----	----	2	UNCH	
3295	----	----		----/5.50A	5.80B/5.50A	----			5.50 - 0.40	.0208	----	----	----	1	6 +	1	
3300	----	----		----/5.50A	5.90B/5.50A	----			5.60 - 0.30	.0211	----	----	----	1	1	UNCH	
3305	----	----		----/5.60A	6.00B/5.60A	----			5.60 - 0.40	.0212	----	----	----	----	15	UNCH	
3310	----	----		----/5.60A	6.00B/5.60A	----			5.70 - 0.40	.0216	----	----	----	----	2	UNCH	
3350	----	----		6.70B/6.10A	6.70B/6.10A	----			6.30 - 0.30	.0241	----	----	----	----	4	UNCH	
3370	----	----		7.10B/6.40A	7.10B/6.40A	----			6.60 - 0.40	.0253	----	----	----	----	3	UNCH	
3380	----	----		7.30B/6.60A	7.30B/6.60A	----			6.80 - 0.30	.0261	----	----	----	----	56	UNCH	
3385	----	----		7.40B/6.70A	7.40B/6.70A	----			6.90 - 0.30	.0265	----	----	----	----	3	UNCH	
3395	----	----		7.60B/6.80A	7.60B/6.80A	----			7.00	NEW	.0270	----	----	2	2 +	2	
3400	----	----		7.70B/6.90A	7.70B/6.90A	----			7.10 - 0.40	.0274	----	----	1	----	330	UNCH	
3420	----	----		8.10B/7.30A	8.10B/7.30A	----			7.50 - 0.40	.0290	----	----	----	----	6	UNCH	
3425	----	----		8.30B/7.40A	8.30B/7.40A	----			7.60 - 0.40	.0294	----	----	----	----	3	UNCH	
3430	----	----		8.40B/7.40A	8.40B/7.40A	----			7.70 - 0.40	.0298	----	----	----	----	5	UNCH	
3440	----	----		8.60B/7.60A	8.60B/7.60A	----			7.90 - 0.40	.0307	----	----	----	----	1	UNCH	
3445	----	----		8.70B/7.70A	8.70B/7.70A	----			8.00 - 0.40	.0311	----	----	----	----	5	UNCH	
3450	----	----		8.80B/7.80A	8.80B/7.80A	----			8.10 - 0.40	.0315	----	----	6	25 +	6	UNCH	
3455	----	----		9.00B/7.90A	9.00B/7.90A	----			8.30 - 0.30	.0322	----	----	----	----	2	UNCH	
3460	----	----		9.10B/8.00A	9.10B/8.00A	----			8.40 - 0.30	.0326	----	----	----	----	1	UNCH	
3480	----	----		9.70B/8.40A	9.70B/8.40A	----			8.80 - 0.40	.0344	----	----	----	----	2	UNCH	
3495	----	----		10.10B/8.80A	10.10B/8.80A	----			9.20 - 0.40	.0359	----	----	----	----	3	UNCH	
3500	----	----		10.30B/8.90A	10.30B/8.90A	----			9.30 - 0.40	.0364	----	----	4	85 +	2	UNCH	
3510	----	----		10.50B/9.10A	10.50B/9.10A	----			9.60 - 0.40	.0376	----	----	----	----	2	UNCH	
3520	----	----		10.90B/9.40A	10.90B/9.40A	----			9.90 - 0.30	.0387	----	----	----	----	1	UNCH	
3530	----	----		11.20B/9.60A	11.20B/9.60A	----			10.10 - 0.40	.0396	----	----	----	----	18	UNCH	
3545	----	----		11.70B/10.00A	11.70B/10.00A	----			10.60 - 0.40	.0416	----	----	----	----	1	UNCH	
3550	----	----		11.90B/10.20A	11.90B/10.20A	----			10.70 - 0.40	.0421	----	----	----	1140	UNCH		
3560	----	----		12.30B/10.50A	12.30B/10.50A	----			11.00 - 0.50	.0433	----	----	----	----	6	UNCH	
3565	----	----		12.50B/10.60A	12.50B/10.60A	----			11.20 - 0.40	.0440	----	----	----	----	3	UNCH	
3570	----	----		12.70B/10.80A	12.70B/10.80A	----			11.40 - 0.40	.0448	----	----	----	----	5	UNCH	
3575	----	----		12.90B/10.90A	12.90B/10.90A	----			11.50 - 0.50	.0453	----	----	----	29	UNCH		
3580	----	----		13.10B/11.10A	13.10B/11.10A	----			11.70 - 0.50	.0460	----	----	----	8	UNCH		
3585	----	----		13.30B/11.30A	13.30B/11.30A	----			11.90 - 0.40	.0468	----	----	----	215	UNCH		
3595	----	----		13.70B/11.60A	13.70B/11.60A	----			12.20 - 0.50	.0481	----	----	3	10	UNCH		
3600	----	----		14.00B/11.80A	14.00B/11.80A	----			12.40 - 0.50	.0488	----	----	----	194 +	3	UNCH	
3605	----	----		14.20B/11.90A	14.20B/11.90A	----			12.60 - 0.50	.0496	----	----	----	16	UNCH		
3615</																	

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
JAN27																
3895	----	----	----	39.70B/31.10A	39.70B/31.10A	----	----	----	33.60 - 0.70	.1250	----	----	----	----	11	UNCH
3900	35.10	35.10	----	40.40B/31.60A	40.40B/31.60A	----	----	----	34.30 - 0.60	.1272	----	----	9	----	71	+
3905	----	----	----	41.10B/32.20A	41.10B/32.20A	----	----	----	34.90 - 0.60	.1292	----	----	----	----	26	UNCH
3915	----	----	----	42.70B/33.40A	42.70B/33.40A	----	----	----	36.20 - 0.60	.1334	----	----	----	----	65	UNCH
3920	----	----	----	43.40B/34.00A	43.40B/34.00A	----	----	----	36.90 - 0.60	.1356	----	1	----	4	+	1
3925	----	----	----	44.20B/34.60A	44.20B/34.60A	----	----	----	37.50 - 0.60	.1376	----	----	----	----	3	UNCH
3930	----	----	----	45.00B/35.30A	45.00B/35.30A	----	----	----	38.20 - 0.60	.1399	----	----	----	----	1	UNCH
3935	----	----	----	45.90B/35.90A	45.90B/35.90A	----	----	----	39.00 - 0.50	.1423	----	----	----	----	12	UNCH
3940	----	----	----	46.80B/36.60A	46.80B/36.60A	----	----	----	39.70 - 0.60	.1445	----	----	----	----	50	UNCH
3945	----	----	----	47.70B/37.30A	47.70B/37.30A	----	----	----	40.40 - 0.60	.1467	----	----	----	----	50	UNCH
3950	39.20	39.20	----	48.70B/37.90A	48.70B/37.90A	----	----	----	41.20 - 0.50	.1492	----	6	----	521	+	2
3960	----	----	----	50.30B/39.40A	50.30B/39.40A	----	----	----	42.70 - 0.60	.1539	----	1	----	24	+	1
3965	----	----	----	51.20B/40.10A	51.20B/40.10A	----	----	----	43.50 - 0.60	.1563	----	----	----	10	UNCH	
3970	----	----	----	52.30B/40.90A	52.30B/40.90A	----	----	----	44.30 - 0.60	.1588	----	----	----	4	UNCH	
3975	----	----	----	53.20B/41.50A	53.20B/41.50A	----	----	----	45.10 - 0.60	.1612	----	2	----	52	UNCH	
3980	----	----	----	54.20B/42.40A	54.20B/42.40A	----	----	----	46.00 - 0.50	.1638	----	----	----	23	UNCH	
3985	----	----	----	55.20B/43.20A	55.20B/43.20A	----	----	----	46.80 - 0.50	.1663	----	----	----	5	UNCH	
3990	----	----	----	56.30B/44.00A	56.30B/44.00A	----	----	----	47.70 - 0.50	.1690	----	----	----	18	UNCH	
3995	----	----	----	57.30B/44.80A	57.30B/44.80A	----	----	----	48.60 - 0.50	.1716	----	----	----	5	UNCH	
4000	54.20	54.20	----	58.40B/45.60A	58.40B/45.60A	----	----	----	49.50 - 0.50	.1743	----	2	----	511	+	2
4005	----	----	----	59.30B/46.50A	59.30B/46.50A	----	----	----	50.40 - 0.50	.1769	----	----	----	3	UNCH	
4010	----	----	----	60.50B/47.30A	60.50B/47.30A	----	----	----	51.30 - 0.50	.1796	----	----	----	16	UNCH	
4025	----	----	----	63.90B/50.00A	63.90B/50.00A	----	----	----	54.20 - 0.50	.1880	----	----	----	13	UNCH	
4030	----	----	----	65.10B/50.90A	65.10B/50.90A	----	----	----	55.20 - 0.50	.1908	----	----	----	2	UNCH	
4035	----	----	----	66.20B/51.80A	66.20B/51.80A	----	----	----	56.20 - 0.50	.1937	----	----	----	10	UNCH	
4040	----	----	----	67.40B/52.80A	67.40B/52.80A	----	----	----	57.30 - 0.40	.1967	----	1	----	7	UNCH	
4045	----	----	----	68.70B/53.80A	68.70B/53.80A	----	----	----	58.30 - 0.50	.1995	----	----	----	5	UNCH	
4050	----	----	----	69.90B/54.80A	69.90B/54.80A	----	----	----	59.40 - 0.40	.2025	----	5	----	23	+	4
4055	----	----	----	71.10B/55.80A	71.10B/55.80A	----	----	----	60.50 - 0.40	.2056	----	----	----	2	UNCH	
4060	----	----	----	72.40B/56.80A	72.40B/56.80A	----	----	----	61.60 - 0.40	.2086	----	----	----	8	UNCH	
4065	----	----	----	73.70B/57.80A	73.70B/57.80A	----	----	----	62.70 - 0.40	.2116	----	----	----	2	UNCH	
4070	----	----	----	75.00B/58.90A	75.00B/58.90A	----	----	----	63.90 - 0.30	.2148	----	----	----	45	UNCH	
4075	----	----	----	76.40B/59.90A	76.40B/59.90A	----	----	----	65.00 - 0.40	.2178	----	----	----	26	UNCH	
4080	----	----	----	77.80B/61.00A	77.80B/61.00A	----	----	----	66.20 - 0.40	.2210	----	----	----	209	UNCH	
4085	----	----	----	79.10B/62.10A	79.10B/62.10A	----	----	----	67.40 - 0.30	.2242	----	----	----	26	UNCH	
4090	----	----	----	80.50B/63.30A	80.50B/63.30A	----	----	----	68.60 - 0.30	.2274	----	----	----	6	UNCH	
4095	----	----	----	82.00B/64.40A	82.00B/64.40A	----	----	----	69.90 - 0.30	.2307	----	2	----	7	UNCH	
4100	74.50	74.50	----	83.50B/65.60A	83.50B/65.60A	----	----	----	71.10 - 0.30	.2339	----	202	----	397	+	194
4105	----	----	----	84.70B/66.80A	84.70B/66.80A	----	----	----	72.40 - 0.30	.2372	----	----	----	26	UNCH	
4110	----	----	----	86.30B/68.00A	86.30B/68.00A	----	----	----	73.70 - 0.30	.2406	----	2	----	7	+	1
4115	----	----	----	87.80B/69.20A	87.80B/69.20A	----	----	----	75.00 - 0.30	.2439	----	----	----	30	UNCH	
4120	----	----	----	89.30B/70.40A	89.30B/70.40A	----	----	----	76.40 - 0.20	.2474	----	1	----	5	+	1
4125	----	----	----	91.00B/71.60A	91.00B/71.60A	----	----	----	77.70 - 0.20	.2507	----	1	----	374	+	1
4130	80.00	80.00	----	92.50B/73.00A	92.50B/73.00A	----	----	----	79.10 - 0.20	.2542	----	2	----	10	+	2
4135	----	----	----	94.00B/74.30A	94.00B/74.30A	----	----	----	80.50 - 0.20	.2577	----	----	----	43	UNCH	
4140	----	----	----	95.60B/75.60A	95.60B/75.60A	----	----	----	81.90 - 0.20	.2611	----	----	----	60	UNCH	
4145	----	----	----	97.30B/76.90A	97.30B/76.90A	----	----	----	83.40 - 0.10	.2647	----	----	----	43	UNCH	
4150	90.80	90.80	----	98.90B/78.20A	98.90B/78.20A	----	----	----	84.80 - 0.20	.2682	----	26	----	113	+	21
4155	----	----	----	100.60B/79.70A	100.60B/79.70A	----	----	----	86.30 - 0.10	.2718	----	----	----	5	UNCH	
4160	----	----	----	102.40B/81.10A	102.40B/81.10A	----	----	----	87.80 - 0.10	.2754	----	----	----	209	UNCH	
4165	----	----	----	104.10B/82.50A	104.10B/82.50A	----	----	----	89.40 UNCH	.2791	----	----	----	20	UNCH	
4170	----	----	----	105.80B/83.90A	105.80B/83.90A	----	----	----	90.90 UNCH	.2827	----	----	----	3	UNCH	
4175	----	----	----	107.70B/85.40A	107.70B/85.40A	----	----	----	92.50 UNCH	.2864	----	----	----	6	UNCH	
4180	----	----	----	109.40B/86.90A	109.40B/86.90A	----	----	----	94.10 UNCH	.2901	----	----	----	2	UNCH	
4185	----	----	----	111.20B/88.40A	111.20B/88.40A	----	----	----	95.70 + 0.10	.2937	----	----	----	35	UNCH	
4195	----	----	----	115.00B/91.40A	115.00B/91.40A	----	----	----	99.00 + 0.10	.3012	----	----	----	9	UNCH	
4200	----	----	----	116.80B/92.90A	116.80B/92.90A	----	----	----	100.70 + 0.20	.3050	----	2	----	214	+	1
4205	----	----	----	118.70B/94.60A	118.70B/94.60A	----	----	----	102.40 + 0.20	.3088	----	----	----	5	UNCH	
4210	----	----	----	120.60B/96.20A	120.60B/96.20A	----	----	----	104.10 + 0.20	.3126	----	----	----	6	UNCH	
4220	----	----	----	124.30B/99.40A	124.30B/99.40A	----	----	----	107.60 + 0.20	.3203	----	----	----	1	UNCH	
4225	----	----	----	126.40B/101.20A	126.40B/101.20A	----	----	----	109.40 + 0.30	.3242	----	----	----	5	UNCH	
4230	----	----	----	128.60B/102.90A	128.60B/102.90A	----	----	----	111.20 + 0.30	.3280	----	----	----	22	UNCH	
4235	----	----	----	130.70B/104.50A	130.70B/104.50A	----	----	----	113.00 + 0.30	.3319	----	----	----	73	UNCH	
4240	----	----	----	132.80B/106.30A	132.80B/106.30A	----	----	----	114.90 + 0.30	.3359	----	----	----	3	UNCH	
4245	----	----	----	134.80B/108.10A	134.80B/108.10A	----	----	----	116.80 + 0.40	.3398	----	2	----	4	+	2
4250	----	----	----	136.90B/109.80A	136.90B/109.80A	----	----	----	118.70 + 0.40	.3438	----	2	----	91	UNCH	
4255	----	----	----	139.10B/111.70A	139.10B/111.70A	----	----	----	120.60 + 0.40	.3477	----	----	----	13	UNCH	
4260	----	----	----	141.20B/113.50A	141.20B/113.50A	----	----	----	122.60 + 0.50	.3517	----	----	----	1	UNCH	
4265	----	----	----	143.30B/115.30A	143.30B/115.30A	----	----	----	124.50 + 0.40	.3557	----	1	----	16	UNCH	
4270	----	----	----	145.60B/117.20A	145.60B/117.20A	----	----	----	126.50 + 0.50	.3597	----	----	----	24	UNCH	
4275	----	----	----	147.80B/119.10A	147.80B/119.10A	----	----	----	128.60 + 0.60	.3637	----	----	----	85	UNCH	
4280	----	----	----	150.00B/121.00A	150.00B/121.00A	----	----	----	130.60 + 0.60	.3678	----	----	----	6	UNCH	
4285	----	----	----	152.20B/123.00A	152.20B/123.00A	----	----	----	132.70 + 0.60	.3718	----	----	----	1	UNCH	
4290	----	----	----	154.60B/124.90A	154.60B/124.90A	----	----	----	134.70 + 0.60	.3758	----	----	----	2	UNCH	
4295	----	----	----	156.90B/126.90A	156.90B/126.90A	----	----	----	136.90 + 0.70	.3799	----	----	----	31	UNCH	
4300	----	----	----	159.40B/128.90A	159.40B/128.90A	----	----	----	139.00 + 0.70	.3840	----	----	----	199	UNCH	
4310	----	----	----	164.00B/133.00A	164.00B/133.00A	----	----	----	143.30 + 0.70	.3921	----	----	----	50	UNCH	
4315	----	----	----	166.70B/135.00A	166.70B/135.00A	----	----	----	145.50 + 0.70	.3962	----	----	----	5	UNCH	
4320	151.90	151.90	----	168.90B/137.10A	168.90B/137.10A	----	----	----	147.80 + 0.80	.4003	----	3	----	7	+	3
4330	----	----	----	173.80B/141.40A	173.80B/141.40A	----	----	----	152.30 + 0.90	.4086	----	----	----	9	UNCH	
4340	----	----	----	178.90B/145.70A	178.90B/145.70A	----	----	----	156.90 + 0.90	.4168	----	----	----	7	UNCH	
4345	----	----	----	181.40B/147.90A	181.40B/147.90A	----	----	----	159.20 + 0.90	.4209	----	----	----	16	UNCH	
4350	163.00	163.00	----	184.00B/150.10A	184.00B/150.10A	----	----	----	161.60 + 1.00	.4250	----	3	----	32	UNCH	
4355	----	----	----	186.60B/152.20A	186.60B/152.20A	----	----	----	164.00 + 1.00	.4292	----	----	----	5	UNCH	
4360	----	----	----	189.20B/154.70A	189.20B/154.70A	----	----	----	166.40 + 1.00	.4333	----	----	----	2	UNCH	
4365	----	----	----	192.00B/156.70A	192.00B/156.70A	----	----	----	168.80 + 1.00	.4374	----	----	----	2	UNCH	
4370	171.90	171.90	----	194.40B/159.00A	194.40B/159.00A	----	----	----	171.30 + 1.10	.4416	----	2	----	30	+	1
4375	----	----	----	197.20B/161.50A	197.20B/161.50A</											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
JAN27																	
4655	----	----	----	378.00B/326.90A	378.00B/326.90A	----	----	----	345.60 + 2.80	.6609	----	----	----	----	3	UNCH	
4660	----	----	----	381.90B/330.60A	381.90B/330.60A	----	----	----	349.20 + 2.90	.6643	----	----	----	----	4	UNCH	
4665	----	----	----	385.50B/334.10A	385.50B/334.10A	----	----	----	352.90 + 3.00	.6676	----	----	----	----	5	UNCH	
4670	----	----	----	389.40B/337.60A	389.40B/337.60A	----	----	----	356.50 + 3.00	.6708	----	----	----	----	30	UNCH	
4675	----	----	----	393.20B/341.20A	393.20B/341.20A	----	----	----	360.20 + 3.10	.6741	----	----	----	----	1	UNCH	
4685	----	----	----	400.80B/348.30A	400.80B/348.30A	----	----	----	367.50 + 3.10	.6806	----	----	----	----	1	UNCH	
4700	----	----	----	412.30B/359.10A	412.30B/359.10A	----	----	----	378.70 + 3.20	.6901	----	----	----	----	1	UNCH	
4710	----	----	----	420.00B/366.00A	420.00B/366.00A	----	----	----	386.20 + 3.30	.6963	----	----	----	----	4	UNCH	
4750	----	----	----	451.50B/395.80A	451.50B/395.80A	----	----	----	416.80 + 3.50	.7204	----	----	----	----	31	UNCH	
4760	----	----	----	459.50B/403.60A	459.50B/403.60A	----	----	----	424.60 + 3.60	.7262	----	----	----	----	100	UNCH	
4800	----	----	----	489.60B/434.10A	489.60B/434.10A	----	----	----	456.40 + 3.90	.7483	----	----	----	----	5	UNCH	
4805	----	----	----	493.80B/438.10A	493.80B/438.10A	----	----	----	460.40 + 3.90	.7509	----	----	----	----	2	UNCH	
4820	----	----	----	506.20B/449.00A	506.20B/449.00A	----	----	----	472.50 + 4.00	.7589	----	----	----	----	5	UNCH	
4840	----	----	----	522.80B/464.90A	522.80B/464.90A	----	----	----	488.90 + 4.10	.7690	----	----	----	----	44	UNCH	
4845	----	----	----	526.90B/468.90A	526.90B/468.90A	----	----	----	493.00 + 4.10	.7714	----	----	----	----	21	UNCH	
4850	----	----	----	531.10B/472.80A	531.10B/472.80A	----	----	----	497.10 + 4.10	.7740	----	----	----	----	21	UNCH	
4855	----	----	----	535.40B/476.90A	535.40B/476.90A	----	----	----	501.30 + 4.20	.7764	----	----	----	----	42	UNCH	
4860	----	----	----	539.50B/481.00A	539.50B/481.00A	----	----	----	505.40 + 4.20	.7787	----	----	----	----	1	UNCH	
4880	----	----	----	550.00B/499.70A	550.00B/499.70A	----	----	----	522.10 + 4.30	.7882	----	----	----	----	1	UNCH	
4960	----	----	----	611.80B/567.70A	611.80B/567.70A	----	----	----	590.60 + 4.80	.8223	----	----	----	----	42	UNCH	
4980	----	----	----	628.80B/593.10A	628.80B/593.10A	----	----	----	608.10 + 4.90	.8300	----	----	----	----	9	UNCH	
4990	----	----	----	637.40B/603.80A	637.40B/603.80A	----	----	----	616.90 + 4.90	.8336	----	----	----	----	1	UNCH	
5000	----	----	----	645.90B/612.60A	645.90B/612.60A	----	----	----	625.70 + 4.90	.8374	----	----	----	----	2	UNCH	
5050	----	----	----	689.00B/657.70A	689.00B/657.70A	----	----	----	670.30 + 5.10	.8544	----	----	----	----	100	UNCH	
5085	----	----	----	719.40B/689.80A	719.40B/689.80A	----	----	----	702.00 + 5.30	.8650	----	----	----	----	2	UNCH	
5150	----	----	----	776.30B/750.40A	776.30B/750.40A	----	----	----	761.60 + 5.50	.8829	----	----	----	----	2	UNCH	
5235	----	----	----	852.00B/831.20A	852.00B/831.20A	----	----	----	841.00 + 6.00	.9022	----	----	----	----	2	UNCH	
5245	----	----	----	860.90B/840.70A	860.90B/840.70A	----	----	----	850.40 + 6.00	.9044	----	----	----	----	2	UNCH	
5300	----	----	----	909.90B/893.80A	909.90B/893.80A	----	----	----	902.50 + 6.20	.9146	----	----	----	----	45	UNCH	
5950	----	----	----	1,563.60B/1,526	1563.60B/1526.80A	----	----	----	1538.30 + 7.30	.9720	----	----	----	----	1	UNCH	
6000	----	----	----	1,616.70B/1,573	1616.70B/1573.80A	----	----	----	1588.00 + 7.40	.9739	----	----	----	----	6	UNCH	
6500	----	----	----	----	----	----	----	----	2087.00 + 7.70	.9863	----	----	----	----	4	UNCH	
TOTAL													397	11497 +	299		
FEB27																	
2700	2.50	2.50	----	2.50/2.50	2.50/2.50	----	----	----	2.50 - 0.20	.0074	----	----	1	----	8 +	1	
2775	----	----	----	----/3.00A	2.70B/3.00A	----	----	----	2.90 - 0.20	.0087	----	----	----	----	1	UNCH	
2800	----	----	----	----/3.10A	2.90B/3.10A	----	----	----	3.00 - 0.20	.0091	----	----	----	----	42	UNCH	
2900	3.60	3.60	----	3.60/3.60	3.60/3.60	----	----	----	3.60 - 0.20	.0112	----	----	1	----	11	UNCH	
2950	----	----	----	----/4.10A	3.90B/4.10A	----	----	----	4.00 - 0.20	.0126	----	----	----	----	1	UNCH	
2960	----	----	----	----/4.20A	4.00B/4.20A	----	----	----	4.10 - 0.20	.0129	----	----	----	----	1	UNCH	
2980	----	----	----	----/4.30A	4.10B/4.30A	----	----	----	4.20 - 0.30	.0134	----	----	----	----	60	UNCH	
3000	4.30	4.30	----	4.30/4.30	4.30/4.30	----	----	----	4.40 - 0.20	.0140	----	----	3	----	227 +	3	
3005	----	----	----	----/4.50A	4.40B/4.50A	----	----	----	4.40 - 0.30	.0141	----	----	----	----	15	UNCH	
3050	----	----	----	----/4.90A	4.80B/4.90A	----	----	----	4.80 - 0.30	.0156	----	----	----	----	5	UNCH	
3100	----	----	----	----/5.40A	5.40B/5.40A	----	----	----	5.40 - 0.20	.0176	----	----	----	----	8	UNCH	
3110	----	----	----	----/5.50A	5.60B/5.50A	----	----	----	5.50 - 0.30	.0180	----	----	----	----	4	UNCH	
3160	----	----	----	----/6.10A	6.20B/6.10A	----	----	----	6.10 - 0.30	.0202	----	----	----	----	2	UNCH	
3200	----	----	----	----/6.60A	6.90B/6.60A	----	----	----	6.70 - 0.30	.0223	----	----	----	----	211	UNCH	
3225	----	----	----	----/7.00A	7.40B/7.00A	----	----	----	7.00 - 0.40	.0235	----	----	----	----	19	UNCH	
3235	----	----	----	----/7.10A	7.50B/7.10A	----	----	----	7.20 - 0.30	.0242	----	----	----	----	6	UNCH	
3250	----	----	----	7.90B/7.30A	7.90B/7.30A	----	----	----	7.50 - 0.30	.0252	----	----	----	----	200	UNCH	
3300	----	----	----	8.90B/8.20A	8.90B/8.20A	----	----	----	8.40 - 0.30	.0285	----	----	----	----	16	UNCH	
3350	----	----	----	10.00B/9.20A	10.00B/9.20A	----	----	----	9.50 - 0.40	.0324	----	----	----	----	147	UNCH	
3400	11.10	11.10	----	11.50B/10.40A	11.50B/10.40A	----	----	----	10.80 - 0.40	.0370	----	----	1	----	10 +	1	
3425	----	----	----	12.40B/11.10A	12.40B/11.10A	----	----	----	11.50 - 0.40	.0395	----	----	----	----	42	UNCH	
3430	----	----	----	12.50B/11.20A	12.50B/11.20A	----	----	----	11.70 - 0.40	.0402	----	----	----	----	20	UNCH	
3440	----	----	----	12.80B/11.50A	12.80B/11.50A	----	----	----	12.00 - 0.40	.0412	----	----	----	----	5	UNCH	
3445	----	----	----	13.10B/11.70A	13.10B/11.70A	----	----	----	12.20 - 0.40	.0419	----	----	----	----	1	UNCH	
3450	----	----	----	13.30B/11.80A	13.30B/11.80A	----	----	----	12.30 - 0.40	.0423	----	----	1	----	5 +	1	
3475	----	----	----	14.20B/12.60A	14.20B/12.60A	----	----	----	13.20 - 0.40	.0454	----	----	----	----	250	UNCH	
3490	----	----	----	14.80B/13.10A	14.80B/13.10A	----	----	----	13.80 - 0.40	.0474	----	----	----	----	20	UNCH	
3500	----	----	----	15.40B/13.50A	15.40B/13.50A	----	----	----	14.10 - 0.50	.0485	----	----	----	----	220	UNCH	
3515	----	----	----	16.10B/14.10A	16.10B/14.10A	----	----	----	14.70 - 0.50	.0506	----	----	----	----	3	UNCH	
3520	----	----	----	16.30B/14.30A	16.30B/14.30A	----	----	----	15.00 - 0.40	.0515	----	----	----	----	22	UNCH	
3525	----	----	----	16.60B/14.40A	16.60B/14.40A	----	----	----	15.20 - 0.40	.0522	----	----	----	----	6	UNCH	
3540	----	----	----	17.30B/15.10A	17.30B/15.10A	----	----	----	15.80 - 0.50	.0543	----	----	----	----	20	UNCH	
3555	----	----	----	18.10B/15.70A	18.10B/15.70A	----	----	----	16.50 - 0.50	.0567	----	----	----	----	25	UNCH	
3575	----	----	----	19.30B/16.60A	19.30B/16.60A	----	----	----	17.50 - 0.50	.0600	----	----	----	----	205	UNCH	
3585	----	----	----	19.80B/17.00A	19.80B/17.00A	----	----	----	18.00 - 0.60	.0617	----	----	----	----	1	UNCH	
3590	----	----	----	20.30B/17.40A	20.30B/17.40A	----	----	----	18.30 - 0.50	.0626	----	----	----	----	19	UNCH	
3600	----	----	----	21.10B/17.90A	21.10B/17.90A	----	----	----	18.90 - 0.50	.0646	----	----	----	----	1089	UNCH	
3610	----	----	----	21.80B/18.30A	21.80B/18.30A	----	----	----	19.40 - 0.60	.0663	----	----	----	----	2	UNCH	
3625	----	----	----	22.80B/19.10A	22.80B/19.10A	----	----	----	20.30 - 0.60	.0692	----	----	----	----	1	UNCH	
3650	----	----	----	24.70B/20.60A	24.70B/20.60A	----	----	----	21.90 - 0.60	.0744	----	----	----	----	300	UNCH	
3660	----	----	----	25.60B/21.20A	25.60B/21.20A	----	----	----	22.60 - 0.60	.0766	----	----	----	----	2	UNCH	
3695	----	----	----	28.60B/23.60A	28.60B/23.60A	----	----	----	25.20 - 0.60	.0848	----	----	----	----	8	UNCH	
3700	29.00	29.00	----	29.00/24.00A	29.00/24.00A	----	----	----	25.60 - 0.60	.0861	----	----	2	----	1063 -	1	
3725	----	----	----	31.50B/25.90A	31.50B/25.90A	----	----	----	27.70 - 0.60	.0926	----	----	----	----	2	UNCH	
3750	----	----	----	34.20B/28.10A	34.20B/28.10A	----	----	----	30.10 - 0.50	.0997	----	----	----	----	47	UNCH	
3780	----	----	----	37.80B/30.90A	37.80B/30.90A	----	----	----	33.10 - 0.50	.1087	----	----	----	----	1	UNCH	
3790	----	----	----	39.00B/32.00A	39.00B/32.00A	----	----	----	34.20 - 0.50	.1119	----	----	----	----	1	UNCH	
3795	----	----	----	39.60B/32.50A	39.60B/32.50A	----	----	----	34.80 - 0.50	.1136	----	----	----	----	5	UNCH	
3800	36.00	36.00	----	40.30B/33.00A	40.30B/33.00A	----	----	----	35.30 - 0.50	.1152	----	----	6	----	144 -	1	
3805	----	----	----	40.90B/33.50A	40.90B/33.50A	----	----	----	35.90 - 0.50	.1169	----	----	----	----	10	UNCH	
3815	----	----	----	42.30B/34.60A	42.30B/34.60A	----	----	----	37.10 - 0.50	.1203	----	----	----	----	10	UNCH	
3820	----	----	----	43.00B/35.20A	43.00B/35.20A	----	----	----	37.70 - 0.50	.1221	----	----	----	----	3	UNCH	
3835	----	----	----	45.20B/36.90A	45.20B/36.90A	----	----	----	39.60 - 0.50	.1274	----	----	----	----	3	UNCH	
3850	----	----	----	47.60B/38.70A	47.60B/38.70A	----	----	----	41.60 - 0.40	.1330	----	----	----	----	1341	UNCH	
3860	----	----	----	49.10B/40.00A	49.10B/40.00A	----	----	----	43.00 - 0.40	.1369	----	----	----	----	10	UNCH	
3865	----	----	----	49.90B/40.70A	49.90B/40.70A	----	----	----	43.70 - 0.40	.1388	----	----	----	----	1	UNCH	
3875	----	----	----</														

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS															
FEB27																	
4165	----	----	----	127.80B/105.30A	127.80B/105.30A	----	----	----	112.70 + 0.20	.2986	----	----	----	----	20	UNCH	
4170	----	----	----	129.80B/106.90A	129.80B/106.90A	----	----	----	114.40 + 0.30	.3019	----	----	----	----	4	UNCH	
4175	----	----	----	131.70B/108.50A	131.70B/108.50A	----	----	----	116.10 + 0.30	.3052	----	----	----	----	7	UNCH	
4200	----	----	----	141.30B/116.80A	141.30B/116.80A	----	----	----	124.90 + 0.40	.3220	----	----	----	----	475	UNCH	
4205	----	----	----	143.30B/118.50A	143.30B/118.50A	----	----	----	126.70 + 0.40	.3254	----	----	----	----	8	UNCH	
4210	----	----	----	145.30B/120.30A	145.30B/120.30A	----	----	----	128.60 + 0.50	.3289	----	----	----	----	2	UNCH	
4225	----	----	----	151.50B/125.60A	151.50B/125.60A	----	----	----	134.20 + 0.60	.3392	----	----	----	----	15	UNCH	
4230	----	----	----	153.60B/127.40A	153.60B/127.40A	----	----	----	136.10 + 0.60	.3426	----	----	----	----	18	UNCH	
4235	----	----	----	155.70B/129.30A	155.70B/129.30A	----	----	----	138.10 + 0.60	.3461	----	----	----	----	19	UNCH	
4240	----	----	----	157.80B/131.00A	157.80B/131.00A	----	----	----	140.00 + 0.60	.3496	----	----	----	----	2	UNCH	
4250	----	----	----	162.30B/134.80A	162.30B/134.80A	----	----	----	144.00 + 0.70	.3566	----	----	----	----	450	UNCH	
4255	----	----	----	164.40B/136.80A	164.40B/136.80A	----	----	----	146.00 + 0.70	.3601	----	----	----	----	5	UNCH	
4260	----	----	----	166.50B/138.70A	166.50B/138.70A	----	----	----	148.10 + 0.80	.3637	----	----	----	----	2	UNCH	
4265	----	----	----	168.90B/140.60A	168.90B/140.60A	----	----	----	150.10 + 0.80	.3672	----	----	----	----	5	UNCH	
4270	----	----	----	171.20B/142.70A	171.20B/142.70A	----	----	----	152.20 + 0.80	.3707	----	----	----	----	19	UNCH	
4275	----	----	----	173.50B/144.40A	173.50B/144.40A	----	----	----	154.30 + 0.80	.3743	----	----	----	----	43	UNCH	
4290	----	----	----	180.50B/150.80A	180.50B/150.80A	----	----	----	160.70 + 0.90	.3849	----	----	----	----	4	UNCH	
4300	----	----	----	185.20B/154.50A	185.20B/154.50A	----	----	----	165.10 + 1.00	.3921	----	----	----	----	167	UNCH	
4315	173.60	173.60	----	192.60B/161.20A	192.60B/161.20A	----	----	----	171.80 + 1.00	.4029	----	----	21	----	113	+	
4320	----	----	----	195.10B/163.40A	195.10B/163.40A	----	----	----	174.10 + 1.10	.4065	----	----	----	----	50	UNCH	
4325	----	----	----	197.50B/165.60A	197.50B/165.60A	----	----	----	176.30 + 1.00	.4101	----	----	----	----	19	UNCH	
4330	----	----	----	200.10B/167.90A	200.10B/167.90A	----	----	----	178.70 + 1.10	.4137	----	----	----	----	6	UNCH	
4335	----	----	----	202.70B/170.20A	202.70B/170.20A	----	----	----	181.00 + 1.10	.4173	----	----	----	----	136	UNCH	
4340	----	----	----	204.90B/172.30A	204.90B/172.30A	----	----	----	183.30 + 1.00	.4209	----	----	----	----	21	UNCH	
4345	----	----	----	207.70B/174.60A	207.70B/174.60A	----	----	----	185.70 + 1.10	.4245	----	----	----	----	31	UNCH	
4350	----	----	----	210.20B/177.00A	210.20B/177.00A	----	----	----	188.10 + 1.10	.4281	----	----	1	----	25	+	
4355	----	----	----	212.50B/179.20A	212.50B/179.20A	----	----	----	190.50 + 1.10	.4318	----	----	----	----	1	UNCH	
4360	----	----	----	215.60B/181.50A	215.60B/181.50A	----	----	----	192.90 + 1.10	.4354	----	----	----	----	18	UNCH	
4370	----	----	----	221.00B/186.30A	221.00B/186.30A	----	----	----	197.80 + 1.10	.4426	----	----	----	----	37	UNCH	
4375	----	----	----	223.70B/188.60A	223.70B/188.60A	----	----	----	200.30 + 1.10	.4463	----	----	----	----	25	UNCH	
4380	----	----	----	226.20B/191.10A	226.20B/191.10A	----	----	----	202.80 + 1.10	.4499	----	----	----	----	2	UNCH	
4385	----	----	----	229.00B/193.50A	229.00B/193.50A	----	----	----	205.40 + 1.20	.4535	----	----	----	----	14	UNCH	
4390	----	----	----	231.60B/196.00A	231.60B/196.00A	----	----	----	207.90 + 1.10	.4571	----	----	----	----	39	UNCH	
4395	----	----	----	234.20B/198.40A	234.20B/198.40A	----	----	----	210.50 + 1.20	.4607	----	----	----	----	2	UNCH	
4400	----	----	----	237.30B/200.20A	237.30B/200.20A	----	----	----	213.10 + 1.20	.4644	----	----	6	----	546	UNCH	
4405	----	----	----	239.80B/203.20A	239.80B/203.20A	----	----	----	215.70 + 1.20	.4680	----	----	----	----	2	UNCH	
4410	----	----	----	242.60B/205.80A	242.60B/205.80A	----	----	----	218.30 + 1.20	.4716	----	----	----	----	16	UNCH	
4425	----	----	----	251.30B/213.40A	251.30B/213.40A	----	----	----	226.30 + 1.20	.4824	----	----	----	----	10	UNCH	
4430	221.00	221.00	----	253.90B/216.10A	253.90B/216.10A	----	----	----	229.00 + 1.20	.4860	----	----	3	----	255	+	
4435	224.40	224.40	----	257.10B/218.60A	257.10B/218.60A	----	----	----	231.80 + 1.30	.4896	----	----	4	----	5	+	
4440	----	----	----	259.90B/221.30A	259.90B/221.30A	----	----	----	234.50 + 1.30	.4931	----	----	----	----	6	UNCH	
4445	243.20	243.20	----	263.00B/224.00A	263.00B/224.00A	----	----	----	237.30 + 1.30	.4967	----	----	8	----	11	+	
4450	245.80	245.80	----	266.00B/226.00A	266.00B/226.00A	----	----	----	240.10 + 1.30	.5003	----	----	3	----	193	+	
4455	246.20	246.20	----	269.00B/229.30A	269.00B/229.30A	----	----	----	242.90 NEW	.5038	----	----	9	----	9	+	
4460	247.10	247.10	----	272.20B/232.00A	272.20B/232.00A	----	----	----	245.70 + 1.30	.5074	----	----	3	----	74	+	
4465	----	----	----	275.10B/234.60A	275.10B/234.60A	----	----	----	248.60 + 1.40	.5109	----	----	----	----	13	UNCH	
4470	----	----	----	278.10B/236.90A	278.10B/236.90A	----	----	----	251.40 + 1.30	.5145	----	----	----	----	6	UNCH	
4475	----	----	----	281.30B/239.80A	281.30B/239.80A	----	----	----	254.30 + 1.40	.5180	----	----	----	----	25	UNCH	
4480	----	----	----	284.20B/243.10A	284.20B/243.10A	----	----	----	257.20 + 1.40	.5215	----	----	----	----	8	UNCH	
4490	----	----	----	290.40B/248.40A	290.40B/248.40A	----	----	----	263.10 + 1.40	.5285	----	----	----	----	24	UNCH	
4495	----	----	----	293.50B/251.60A	293.50B/251.60A	----	----	----	266.10 + 1.50	.5319	----	----	----	----	29	UNCH	
4500	----	----	----	296.80B/254.30A	296.80B/254.30A	----	----	----	269.10 + 1.50	.5354	----	----	----	----	127	UNCH	
4505	----	----	----	299.80B/257.00A	299.80B/257.00A	----	----	----	272.10 + 1.60	.5389	----	----	----	----	15	UNCH	
4510	----	----	----	303.00B/260.00A	303.00B/260.00A	----	----	----	275.10 + 1.60	.5423	----	----	----	----	5	UNCH	
4515	----	----	----	306.20B/262.90A	306.20B/262.90A	----	----	----	278.20 + 1.70	.5458	----	----	----	----	20	UNCH	
4520	----	----	----	309.50B/266.10A	309.50B/266.10A	----	----	----	281.20 + 1.60	.5492	----	----	----	----	50	UNCH	
4550	311.50	311.50	----	329.20B/284.00A	329.20B/284.00A	----	----	----	300.00 + 1.90	.5695	----	----	2	----	109	-	
4555	----	----	----	332.10B/286.80A	332.10B/286.80A	----	----	----	303.20 + 1.90	.5728	----	----	----	----	1	UNCH	
4570	----	----	----	342.30B/296.20A	342.30B/296.20A	----	----	----	312.90 + 2.00	.5827	----	----	----	----	19	UNCH	
4575	----	----	----	345.60B/299.30A	345.60B/299.30A	----	----	----	316.10 + 2.00	.5860	----	----	----	----	32	UNCH	
4580	----	----	----	349.10B/302.50A	349.10B/302.50A	----	----	----	319.40 + 2.10	.5892	----	----	----	----	3	UNCH	
4585	----	----	----	352.50B/305.70A	352.50B/305.70A	----	----	----	322.70 + 2.10	.5925	----	----	----	----	18	UNCH	
4600	----	----	----	362.90B/315.20A	362.90B/315.20A	----	----	----	332.60 + 2.20	.6021	----	----	----	----	161	UNCH	
4615	----	----	----	370.00B/324.60A	370.00B/324.60A	----	----	----	342.70 + 2.30	.6116	----	----	----	----	1	UNCH	
4625	----	----	----	377.00B/331.40A	377.00B/331.40A	----	----	----	349.60 + 2.40	.6179	----	----	----	----	3	UNCH	
4630	----	----	----	380.40B/334.80A	380.40B/334.80A	----	----	----	353.00 + 2.50	.6210	----	----	----	----	7	UNCH	
4635	----	----	----	384.00B/337.80A	384.00B/337.80A	----	----	----	356.40 + 2.40	.6241	----	----	----	----	2	UNCH	
4640	----	----	----	387.50B/341.20A	387.50B/341.20A	----	----	----	359.90 + 2.50	.6272	----	----	----	----	3	UNCH	
4650	----	----	----	394.60B/348.50A	394.60B/348.50A	----	----	----	366.80 + 2.50	.6333	----	----	----	----	1	UNCH	
4655	----	----	----	398.10B/351.90A	398.10B/351.90A	----	----	----	370.30 + 2.60	.6363	----	----	----	----	1	UNCH	
4660	----	----	----	401.70B/356.50A	401.70B/356.50A	----	----	----	373.90 + 2.70	.6394	----	----	----	----	436	UNCH	
4665	----	----	----	405.30B/359.90A	405.30B/359.90A	----	----	----	377.40 + 2.70	.6424	----	----	----	----	3	UNCH	
4680	----	----	----	416.10B/370.30A	416.10B/370.30A	----	----	----	388.10 + 2.80	.6513	----	----	----	----	3	UNCH	
4690	----	----	----	423.40B/377.30A	423.40B/377.30A	----	----	----	395.20 + 2.80	.6572	----	----	----	----	1	UNCH	
4695	----	----	----	427.10B/380.90A	427.10B/380.90A	----	----	----	398.90 + 2.90	.6600	----	----	----	----	25	UNCH	
4700	----	----	----	430.70B/384.40A	430.70B/384.40A	----	----	----	402.50 + 2.90	.6629	----	----	----	----	133	UNCH	
4705	----	----	----	434.40B/387.90A	434.40B/387.90A	----	----	----	406.10 + 2.90	.6657	----	----	----	----	3	UNCH	
4710	----	----	----	438.10B/391.50A	438.10B/391.50A	----	----	----	409.80 + 3.00	.6686	----	----	----	----	3	UNCH	
4725	----	----	----	449.30B/404.00A	449.30B/404.00A	----	----	----	420.80 + 3.00	.6771	----	----	----	----	10	UNCH	
4730	----	----	----	453.00B/407.60A	453.00B/407.60A	----	----	----	424.50 + 3.10	.6799	----	----	----	----	16	UNCH	
4750	----	----	----	468.10B/422.20A	468.10B/422.20A	----	----	----	439.50 + 3.20	.6908	----	----	----	----	31	UNCH	
4755	----	----	----	471.90B/425.80A	471.90B/425.80A	----	----	----	443.30 + 3.30	.6935	----	----	----	----	1	UNCH	
4775	----	----	----	487.20B/440.70A	487.20B/440.70A	----	----	----	458.50 + 3.40	.7041	----	----	----	----	1	UNCH	
4785	----	----	----	494.90B/448.20A	494.90B/448.20A	----	----	----	466.20 + 3.40	.7093	----	----	----	----	100	UNCH	
4800	485.40	485.40	----	506.60B/459.40A	506.60B/459.40A	----	----	----	477.80 + 3.50	.7169	----	----	2	----	312	UNCH	

PG64		BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																						
MAR27																								
3750	----	----	----	----	42.20B/35.60A	42.20B/35.60A	----	----	----	37.90 - 0.40	.1097	----	----	----	----	----	10	UNCH						
3760	----	----	----	----	43.60B/36.70A	43.60B/36.70A	----	----	----	39.00 - 0.40	.1126	----	----	----	----	----	1	UNCH						
3775	----	----	----	----	45.60B/38.40A	45.60B/38.40A	----	----	----	40.70 - 0.50	.1170	----	----	----	----	----	1	UNCH						
3780	----	----	----	----	46.30B/39.00A	46.30B/39.00A	----	----	----	41.30 - 0.50	.1185	----	----	----	----	----	25	UNCH						
3785	----	----	----	----	46.90B/39.60A	46.90B/39.60A	----	----	----	41.90 - 0.50	.1201	----	----	----	----	----	1	UNCH						
3790	----	----	----	----	47.70B/40.20A	47.70B/40.20A	----	----	----	42.60 - 0.40	.1218	----	----	----	----	----	1	UNCH						
3795	----	----	----	----	48.30B/40.80A	48.30B/40.80A	----	----	----	43.20 - 0.40	.1233	----	----	----	----	----	1	UNCH						
3800	----	----	----	----	49.10B/41.30A	49.10B/41.30A	----	----	----	43.80 - 0.40	.1249	----	----	----	----	----	94	UNCH						
3810	----	----	----	----	50.50B/42.50A	50.50B/42.50A	----	----	----	45.10 - 0.40	.1281	----	----	----	----	----	1	UNCH						
3815	----	----	----	----	51.40B/43.10A	51.40B/43.10A	----	----	----	45.80 - 0.40	.1298	----	----	----	----	----	1	UNCH						
3820	----	----	----	----	52.20B/43.80A	52.20B/43.80A	----	----	----	46.50 - 0.30	.1315	----	----	----	----	----	30	UNCH						
3825	----	----	----	----	52.80B/44.40A	52.80B/44.40A	----	----	----	47.10 - 0.40	.1331	----	----	----	----	----	1	UNCH						
3830	----	----	----	----	53.60B/45.00A	53.60B/45.00A	----	----	----	47.80 - 0.40	.1348	----	----	----	----	----	1	UNCH						
3840	----	----	----	----	55.30B/46.30A	55.30B/46.30A	----	----	----	49.20 - 0.40	.1383	----	----	----	----	----	2	UNCH						
3845	----	----	----	----	56.10B/47.10A	56.10B/47.10A	----	----	----	50.00 - 0.30	.1401	----	----	----	----	----	1	UNCH						
3850	----	----	----	----	57.00B/47.80A	57.00B/47.80A	----	----	----	50.70 - 0.40	.1419	----	----	----	----	----	48	UNCH						
3855	----	----	----	----	57.70B/48.40A	57.70B/48.40A	----	----	----	51.40 - 0.40	.1436	----	----	----	----	----	2	UNCH						
3860	----	----	----	----	58.80B/49.00A	58.80B/49.00A	----	----	----	52.20 - 0.40	.1455	----	----	----	----	----	2	UNCH						
3865	----	----	----	----	59.60B/49.70A	59.60B/49.70A	----	----	----	53.00 - 0.30	.1474	----	----	----	----	----	26	UNCH						
3870	----	----	----	----	60.50B/50.40A	60.50B/50.40A	----	----	----	53.70 - 0.40	.1491	----	----	----	----	----	2	UNCH						
3875	55.80	55.80	----	----	61.30B/51.10A	61.30B/51.10A	----	----	----	54.50 - 0.40	.1510	----	----	1	----	----	12	+	1					
3885	----	----	----	----	63.10B/52.50A	63.10B/52.50A	----	----	----	56.10 - 0.40	.1548	----	----	----	----	----	1	UNCH						
3890	----	----	----	----	64.10B/53.40A	64.10B/53.40A	----	----	----	57.00 - 0.30	.1568	----	----	----	----	----	1	UNCH						
3900	----	----	----	----	66.10B/55.10A	66.10B/55.10A	----	----	----	58.60 - 0.40	.1607	----	----	----	75	----	412	+	75					
3935	----	----	----	----	73.20B/60.90A	73.20B/60.90A	----	----	----	64.90 - 0.40	.1751	----	----	----	----	----	213	UNCH						
3945	----	----	----	----	75.20B/62.70A	75.20B/62.70A	----	----	----	66.80 - 0.40	.1793	----	----	----	----	----	25	UNCH						
3950	----	----	----	----	76.40B/63.60A	76.40B/63.60A	----	----	----	67.80 - 0.40	.1815	----	----	----	----	----	2	UNCH						
3975	----	----	----	----	82.00B/68.50A	82.00B/68.50A	----	----	----	72.80 - 0.40	.1926	----	----	----	----	----	1	UNCH						
4000	----	----	----	----	88.10B/73.60A	88.10B/73.60A	----	----	----	78.20 - 0.50	.2042	----	----	----	----	----	89	UNCH						
4020	----	----	----	----	93.40B/78.00A	93.40B/78.00A	----	----	----	82.80 - 0.50	.2139	----	----	----	----	----	40	UNCH						
4050	----	----	----	----	101.50B/84.90A	101.50B/84.90A	----	----	----	90.10 - 0.50	.2288	----	----	----	----	----	40	UNCH						
4070	----	----	----	----	107.30B/89.90A	107.30B/89.90A	----	----	----	95.30 - 0.50	.2392	----	----	----	----	----	1	UNCH						
4075	----	----	----	----	108.80B/91.10A	108.80B/91.10A	----	----	----	96.70 - 0.40	.2419	----	----	----	----	----	249	UNCH						
4100	----	----	----	----	116.60B/97.70A	116.60B/97.70A	----	----	----	103.60 - 0.40	.2553	----	----	----	----	----	340	UNCH						
4130	----	----	----	----	126.30B/106.20A	126.30B/106.20A	----	----	----	112.50 - 0.30	.2719	----	----	----	----	----	390	UNCH						
4140	----	----	----	----	129.90B/109.10A	129.90B/109.10A	----	----	----	115.70 - 0.10	.2777	----	----	----	----	----	2	UNCH						
4145	----	----	----	----	131.50B/110.50A	131.50B/110.50A	----	----	----	117.30 - 0.10	.2806	----	----	----	----	----	1	UNCH						
4150	----	----	----	----	133.30B/112.10A	133.30B/112.10A	----	----	----	118.90 UNCH	.2834	----	----	----	----	----	10	UNCH						
4155	----	----	----	----	135.10B/113.50A	135.10B/113.50A	----	----	----	120.50 UNCH	.2863	----	----	----	----	----	20	UNCH						
4160	----	----	----	----	136.80B/115.20A	136.80B/115.20A	----	----	----	122.10 UNCH	.2892	----	----	----	----	----	1	UNCH						
4170	----	----	----	----	140.30B/118.40A	140.30B/118.40A	----	----	----	125.50 + 0.10	.2951	----	----	----	----	----	1	UNCH						
4175	----	----	----	----	142.20B/119.90A	142.20B/119.90A	----	----	----	127.20 + 0.20	.2980	----	----	----	----	----	4	UNCH						
4200	----	----	----	----	151.60B/128.20A	151.60B/128.20A	----	----	----	135.90 + 0.40	.3129	----	----	----	----	----	577	UNCH						
4205	----	----	----	----	153.60B/129.70A	153.60B/129.70A	----	----	----	137.70 + 0.40	.3159	----	----	----	----	----	4	UNCH						
4215	----	----	----	----	157.50B/133.30A	157.50B/133.30A	----	----	----	141.40 + 0.60	.3220	----	----	----	----	----	50	UNCH						
4235	----	----	----	----	165.70B/140.20A	165.70B/140.20A	----	----	----	148.90 + 0.80	.3343	----	----	----	----	----	27	UNCH						
4250	156.50	156.50	----	----	172.10B/145.90A	172.10B/145.90A	----	----	----	154.70 + 0.90	.3435	----	----	16	----	----	18	+	14					
4260	----	----	----	----	176.20B/149.60A	176.20B/149.60A	----	----	----	158.70 + 1.00	.3498	----	----	----	----	----	3	UNCH						
4265	----	----	----	----	178.40B/151.40A	178.40B/151.40A	----	----	----	160.70 + 1.10	.3529	----	----	----	----	----	1	UNCH						
4270	----	----	----	----	180.60B/153.40A	180.60B/153.40A	----	----	----	162.70 + 1.10	.3560	----	----	----	----	----	35	UNCH						
4285	----	----	----	----	187.20B/159.20A	187.20B/159.20A	----	----	----	168.80 + 1.10	.3654	----	----	----	----	----	100	UNCH						
4300	----	----	----	----	194.20B/165.40A	194.20B/165.40A	----	----	----	175.10 + 1.20	.3749	----	----	1	----	----	202	+	1					
4320	----	----	----	----	203.50B/173.70A	203.50B/173.70A	----	----	----	183.70 + 1.20	.3876	----	----	----	----	----	2	UNCH						
4325	----	----	----	----	206.00B/176.00A	206.00B/176.00A	----	----	----	185.90 + 1.20	.3908	----	----	----</										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
OG PUT																
APR27																
3925	----	----	----	87.90B/74.80A	87.90B/74.80A	----	----	----	79.20 + 0.20	.1891	----	----	----	----	2	UNCH
3930	----	----	----	89.00B/75.80A	89.00B/75.80A	----	----	----	80.30 + 0.30	.1913	----	----	----	----	20	UNCH
3935	----	----	----	90.20B/76.80A	90.20B/76.80A	----	----	----	81.30 + 0.20	.1933	----	----	----	----	6	UNCH
3950	----	----	----	93.90B/80.00A	93.90B/80.00A	----	----	----	84.60 + 0.30	.1996	----	----	----	----	4	UNCH
3960	----	----	----	96.30B/82.00A	96.30B/82.00A	----	----	----	86.90 + 0.30	.2040	----	----	----	----	2	UNCH
3970	----	----	----	98.80B/84.30A	98.80B/84.30A	----	----	----	89.20 + 0.40	.2084	----	----	----	----	13	UNCH
3980	----	----	----	101.60B/86.50A	101.60B/86.50A	----	----	----	91.50 + 0.30	.2127	----	----	----	----	1	UNCH
4000	----	----	----	106.90B/91.20A	106.90B/91.20A	----	----	----	96.40 + 0.40	.2218	----	----	25	----	271	-
4050	----	----	----	121.30B/103.60A	121.30B/103.60A	----	----	----	109.60 + 0.30	.2454	----	----	----	----	5	UNCH
4060	----	----	----	124.30B/106.30A	124.30B/106.30A	----	----	----	112.40 + 0.30	.2503	----	----	----	----	1	UNCH
4065	----	----	----	126.00B/107.80A	126.00B/107.80A	----	----	----	113.80 + 0.20	.2528	----	----	----	----	26	UNCH
4080	----	----	----	130.50B/112.00A	130.50B/112.00A	----	----	----	118.20 + 0.20	.2602	----	----	----	----	1	UNCH
4095	129.70	129.70	----	135.60B/116.20A	135.60B/116.20A	----	----	----	122.70 + 0.20	.2678	----	----	4	----	5	+
4100	----	----	----	137.20B/117.70A	137.20B/117.70A	----	----	----	124.20 + 0.20	.2704	----	----	30	----	818	UNCH
4125	----	----	----	146.00B/125.20A	146.00B/125.20A	----	----	----	132.10 + 0.20	.2833	----	----	----	----	353	UNCH
4145	----	----	----	153.10B/131.50A	153.10B/131.50A	----	----	----	138.70 + 0.30	.2939	----	----	----	----	1	UNCH
4150	----	----	----	155.00B/133.10A	155.00B/133.10A	----	----	----	140.40 + 0.30	.2966	----	----	----	----	139	UNCH
4160	----	----	----	158.70B/136.30A	158.70B/136.30A	----	----	----	143.80 + 0.30	.3019	----	----	----	----	30	UNCH
4200	----	----	----	174.10B/150.10A	174.10B/150.10A	----	----	----	158.10 + 0.60	.3237	----	----	----	----	137	UNCH
4210	----	----	----	178.20B/153.70A	178.20B/153.70A	----	----	----	161.90 + 0.70	.3293	----	----	----	----	6	UNCH
4230	----	----	----	186.50B/161.10A	186.50B/161.10A	----	----	----	169.50 + 0.80	.3405	----	----	----	----	105	UNCH
4250	179.40	179.40	----	195.00B/168.70A	195.00B/168.70A	----	----	----	177.50 + 1.00	.3518	----	----	4	----	120	UNCH
4275	----	----	----	205.90B/178.50A	205.90B/178.50A	----	----	----	187.80 + 1.20	.3661	----	----	----	----	20	UNCH
4285	----	----	----	210.60B/182.60A	210.60B/182.60A	----	----	----	192.00 + 1.20	.3718	----	----	----	----	50	UNCH
4290	----	----	----	212.70B/184.70A	212.70B/184.70A	----	----	----	194.20 + 1.30	.3747	----	----	----	----	1	UNCH
4300	----	----	----	217.50B/188.90A	217.50B/188.90A	----	----	----	198.50 + 1.30	.3805	----	----	----	----	256	UNCH
4330	----	----	----	231.60B/201.70A	231.60B/201.70A	----	----	----	212.00 + 1.60	.3979	----	----	----	----	5	UNCH
4345	----	----	----	238.80B/208.30A	238.80B/208.30A	----	----	----	218.90 + 1.60	.4067	----	----	----	----	6	UNCH
4350	----	----	----	241.60B/210.60A	241.60B/210.60A	----	----	----	221.30 + 1.60	.4096	----	----	----	----	83	UNCH
4365	----	----	----	249.00B/217.60A	249.00B/217.60A	----	----	----	228.40 + 1.60	.4184	----	----	----	----	1	UNCH
4370	----	----	----	251.60B/219.80A	251.60B/219.80A	----	----	----	230.80 + 1.60	.4213	----	----	----	----	1	UNCH
4375	232.00	232.00	----	253.90B/222.10A	253.90B/222.10A	----	----	----	233.30 NEW	.4242	----	----	8	----	8	+
4385	----	----	----	258.90B/227.00A	258.90B/227.00A	----	----	----	238.20 + 1.70	.4301	----	----	----	----	3	UNCH
4395	239.40	239.40	----	264.50B/231.60A	264.50B/231.60A	----	----	----	243.10 + 1.70	.4360	----	----	2	----	2	+
4400	----	----	----	267.20B/234.20A	267.20B/234.20A	----	----	----	245.60 + 1.70	.4389	----	----	----	----	28	UNCH
4405	----	----	----	269.80B/236.70A	269.80B/236.70A	----	----	----	248.20 + 1.70	.4418	----	----	----	----	1	UNCH
4410	----	----	----	272.50B/239.10A	272.50B/239.10A	----	----	----	250.70 + 1.70	.4448	----	----	----	----	1	UNCH
4425	270.50	270.50	----	280.50B/246.30A	280.50B/246.30A	----	----	----	258.40 NEW	.4535	----	----	5	----	5	+
4430	273.10	273.10	----	283.10B/249.00A	283.10B/249.00A	----	----	----	260.90 NEW	.4565	----	----	1	----	1	+
4435	----	----	----	286.10B/251.30A	286.10B/251.30A	----	----	----	263.50 + 1.50	.4594	----	----	----	----	13	UNCH
4440	----	----	----	288.80B/253.80A	288.80B/253.80A	----	----	----	266.20 + 1.60	.4623	----	----	----	----	50	UNCH
4450	----	----	----	294.40B/258.90A	294.40B/258.90A	----	----	----	271.40 + 1.50	.4682	----	----	100	----	138	-
4455	----	----	----	297.00B/261.70A	297.00B/261.70A	----	----	----	274.10 + 1.50	.4711	----	----	----	----	2	UNCH
4460	----	----	----	300.10B/264.30A	300.10B/264.30A	----	----	----	276.70 + 1.40	.4740	----	----	----	----	2	UNCH
4465	269.80	269.80	----	302.80B/267.10A	302.80B/267.10A	----	----	----	279.40 + 1.40	.4769	----	----	1	----	3	+
4470	281.40	281.40	----	305.80B/269.30A	305.80B/269.30A	----	----	----	282.10 + 1.30	.4798	----	----	2	----	4	+
4475	----	----	----	308.50B/272.30A	308.50B/272.30A	----	----	----	284.80 + 1.30	.4827	----	----	----	----	2	UNCH
4480	----	----	----	311.40B/274.60A	311.40B/274.60A	----	----	----	287.60 + 1.40	.4856	----	----	----	----	1	UNCH
4490	----	----	----	317.50B/280.10A	317.50B/280.10A	----	----	----	293.10 + 1.30	.4914	----	----	----	----	31	UNCH
4495	----	----	----	320.20B/282.80A	320.20B/282.80A	----	----	----	295.90 + 1.40	.4943	----	----	----	----	11	UNCH
4500	----	----	----	323.10B/285.70A	323.10B/285.70A	----	----	----	298.70 + 1.40	.4971	----	----	----	----	258	UNCH
4510	----	----	----	329.30B/291.10A	329.30B/291.10A	----	----	----	304.40 + 1.50	.5029	----	----	----	----	1	UNCH
4515	----	----	----	332.20B/293.60A	332.20B/293.60A	----	----	----	307.20 + 1.60	.5057	----	----	----	----	1	UNCH
4535	----	----	----	344.90B/305.10A	344.90B/305.10A	----	----	----	318.90 + 2.00	.5171	----	----	----	----	13	UNCH
4540	----	----	----	347.80B/308.40A	347.80B/308.40A	----	----	----	321.80 + 2.00	.5199	----	----	----	----	100	UNCH
4545	----	----	----	350.40B/311.00A	350.40B/311.00A	----	----	----	324.80 + 2.20	.5227	----	----	----	----	1	UNCH
4550	----	----	----	353.60B/313.70A	353.60B/313.70A	----	----	----	327.80 NEW	.5255	----	----	100	----	100	+
4565	----	----	----	362.40B/322.50A	362.40B/322.50A	----	----	----	336.90 + 2.50	.5339	----	----	----	----	10	UNCH
4575	----	----	----	368.70B/328.40A	368.70B/328.40A	----	----	----	343.00 + 2.60	.5394	----	----	----	----	50	UNCH
4590	----	----	----	378.30B/337.60A	378.30B/337.60A	----	----	----	352.20 + 2.60	.5476	----	----	----	----	4	UNCH
4600	----	----	----	384.80B/343.40A	384.80B/343.40A	----	----	----	358.50 + 2.60	.5531	----	----	----	----	229	UNCH
4610	----	----	----	391.40B/349.40A	391.40B/349.40A	----	----	----	364.80 + 2.60	.5585	----	----	----	----	4	UNCH
4620	----	----	----	398.10B/356.50A	398.10B/356.50A	----	----	----	371.10 + 2.40	.5639	----	----	----	----	1	UNCH
4650	----	----	----	418.10B/375.60A	418.10B/375.60A	----	----	----	390.50 + 2.40	.5799	----	----	----	----	3	UNCH
4695	----	----	----	449.30B/404.90A	449.30B/404.90A	----	----	----	420.40 + 2.60	.6032	----	----	----	----	1	UNCH
4700	----	----	----	452.60B/408.20A	452.60B/408.20A	----	----	----	423.80 + 2.70	.6057	----	----	----	----	14	UNCH
4705	----	----	----	455.50B/411.60A	455.50B/411.60A	----	----	----	427.20 + 2.70	.6082	----	----	----	----	2	UNCH
4720	----	----	----	458.70B/421.50A	458.70B/421.50A	----	----	----	437.50 + 2.80	.6157	----	----	----	----	9	UNCH
4725	----	----	----	458.70B/425.00A	458.70B/425.00A	----	----	----	441.00 + 2.90	.6182	----	----	----	----	5	UNCH
4730	----	----	----	460.90B/428.30A	460.90B/428.30A	----	----	----	444.50 + 3.00	.6207	----	----	----	----	4	UNCH
4750	----	----	----	470.30B/442.20A	470.30B/442.20A	----	----	----	458.50 + 3.10	.6305	----	----	----	----	1	UNCH
4790	----	----	----	499.30B/470.30A	499.30B/470.30A	----	----	----	487.10 + 3.40	.6494	----	----	----	----	6	UNCH
4800	----	----	----	506.70B/479.70A	506.70B/479.70A	----	----	----	494.40 + 3.50	.6540	----	----	----	----	15	UNCH
4825	----	----	----	525.20B/497.70A	525.20B/497.70A	----	----	----	512.80 + 3.70	.6654	----	----	----	----	4	UNCH
4835	----	----	----	532.70B/504.90A	532.70B/504.90A	----	----	----	520.20 + 3.80	.6698	----	----	----	----	1	UNCH
4900	----	----	----	582.60B/552.80A	582.60B/552.80A	----	----	----	569.50 + 4.20	.6977	----	----	----	----	2	UNCH
4905	----	----	----	586.60B/556.70A	586.60B/556.70A	----	----	----	573.40 + 4.30	.6998	----	----	----	----	2	UNCH
5000	----	----	----	662.50B/630.20A	662.50B/630.20A	----	----	----	648.40 + 4.60	.7369	----	----	----	----	134	UNCH
5005	----	----	----	666.60B/634.20A	666.60B/634.20A	----	----	----	652.40 + 4.50	.7387	----	----	----	----	1	UNCH
5050	----	----	----	703.70B/670.30A	703.70B/670.30A	----	----	----	689.10 NEW	.7548	----	----	100	----	100	+
5060	----	----	----	712.00B/678.40A	712.00B/678.40A	----	----	----	697.30 + 4.50	.7583	----	----	----	----	25	UNCH
5150	----	----	----	788.20B/752.60A	788.20B/752.60A	----	----	----	773.10 + 5.00	.7869	----	----	----	----	1	UNCH
5200	----	----	----	826.30B/794.90A	826.30B/794.90A	----	----	----	816.10 + 5.20	.8013	----	----	----	----	15	UNCH
5205	----	----	----	827.20B/799.10A	827.20B/799.10A	----	----	----	820.50 + 5.30	.8027	----	----	----	----	1	UNCH
5400	----	----	----	----	903.90B/1079.20A	----	----	----	993.10 + 5.40	.8507	----	----	----	----	1	UNCH
5500	----	----	----	----	995.50B/1171.80A	----	----	----	1084.90 + 5.9							

BULLETIN #182@				METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS																
MAY27	----	----	----	772.00B/740.20A	772.00B/740.20A	----	----	----	758.60 + 4.60	.7505	----	----	99	----	339	UNCH	
5150													242		1758 +	4	
TOTAL																	
JUN27																	
2000	----	----	----	----	1.70B/2.60A	----	----	----	2.20 - 0.10	.0042	----	----	----	----	2	UNCH	
2100	----	----	----	----	2.10B/3.00A	----	----	----	2.60 - 0.10	.0051	----	----	----	----	1	UNCH	
2800	----	----	----	----	8.30B/9.10A	----	----	----	8.80 - 0.20	.0197	----	----	----	----	200	UNCH	
2900	----	----	----	----	10.10B/10.80A	----	----	----	10.60 - 0.20	.0241	----	----	----	----	1	UNCH	
3000	----	----	----	-----/12.80A	12.40B/12.80A	----	----	----	12.80 - 0.30	.0294	----	----	----	----	126	UNCH	
3300	----	----	----	-----/23.40A	24.10B/23.40A	----	----	----	24.00 - 0.50	.0553	----	----	----	----	110	UNCH	
3500	----	----	----	39.70B/36.50A	39.70B/36.50A	----	----	----	37.80 - 0.60	.0851	----	----	220	----	542 +	120	
3575				47.80B/43.40A	47.80B/43.40A	----	----	----	45.10 - 0.60	.1000	----	----			1	UNCH	
3600	50.20	50.20		50.80B/46.10A	50.80B/46.10A	----	----	----	47.80 - 0.60	.1055	----	----	1	----	63 +	1	
3625	----	----	----	54.00B/48.90A	54.00B/48.90A	----	----	----	50.70 - 0.60	.1112	----	----	----	----	453	UNCH	
3650	----	----	----	57.40B/51.80A	57.40B/51.80A	----	----	----	53.80 - 0.50	.1172	----	----	----	----	3	UNCH	
3675	----	----	----	61.00B/55.00A	61.00B/55.00A	----	----	----	57.10 - 0.50	.1235	----	----	----	----	4	UNCH	
3700	----	----	----	64.90B/58.30A	64.90B/58.30A	----	----	----	60.60 - 0.40	.1301	----	----	----	----	2384	UNCH	
3725	----	----	----	68.90B/61.80A	68.90B/61.80A	----	----	----	64.30 - 0.40	.1370	----	----	----	----	6	UNCH	
3750	----	----	----	73.20B/65.60A	73.20B/65.60A	----	----	----	68.30 - 0.20	.1442	----	----	----	----	140	UNCH	
3775	----	----	----	77.70B/69.30A	77.70B/69.30A	----	----	----	72.40 - 0.20	.1516	----	----	----	----	13	UNCH	
3785	----	----	----	79.60B/71.00A	79.60B/71.00A	----	----	----	74.10 - 0.20	.1547	----	----	----	----	2	UNCH	
3800	----	----	----	82.70B/73.30A	82.70B/73.30A	----	----	----	76.80 - 0.10	.1594	----	----	----	----	574	UNCH	
3805	----	----	----	83.50B/74.40A	83.50B/74.40A	----	----	----	77.70 - 0.10	.1610	----	----	----	----	1	UNCH	
3850	----	----	----	93.10B/82.40A	93.10B/82.40A	----	----	----	86.30 + 0.10	.1758	----	----	----	----	150	UNCH	
3875	----	----	----	98.40B/87.50A	98.40B/87.50A	----	----	----	91.50 + 0.20	.1845	----	----	----	----	1	UNCH	
3900	----	----	----	104.40B/92.60A	104.40B/92.60A	----	----	----	96.90 + 0.30	.1934	----	----	----	----	550	UNCH	
3925	----	----	----	110.70B/98.10A	110.70B/98.10A	----	----	----	102.60 + 0.40	.2026	----	----	----	----	150	UNCH	
3950	----	----	----	117.20B/103.80A	117.20B/103.80A	----	----	----	108.60 + 0.50	.2121	----	----	----	----	651	UNCH	
3970	----	----	----	122.40B/108.70A	122.40B/108.70A	----	----	----	113.60 + 0.60	.2199	----	----	----	----	260	UNCH	
4000	----	----	----	130.90B/116.20A	130.90B/116.20A	----	----	----	121.50 + 0.70	.2319	----	----	----	220	1482 +	220	
4025	----	----	----	138.20B/122.80A	138.20B/122.80A	----	----	----	128.50 + 0.90	.2422	----	----	----	----	1	UNCH	
4050	----	----	----	146.10B/129.60A	146.10B/129.60A	----	----	----	135.70 + 1.00	.2527	----	----	----	----	600	UNCH	
4075	----	----	----	154.10B/136.90A	154.10B/136.90A	----	----	----	143.30 + 1.10	.2635	----	----	----	----	325	UNCH	
4100	----	----	----	162.60B/144.40A	162.60B/144.40A	----	----	----	151.10 + 1.20	.2745	----	----	----	----	1	UNCH	
4110	----	----	----	166.00B/147.50A	166.00B/147.50A	----	----	----	154.40 + 1.30	.2789	----	----	----	----	44	UNCH	
4130	----	----	----	172.80B/153.90A	172.80B/153.90A	----	----	----	161.00 + 1.30	.2879	----	----	----	----	20	UNCH	
4140	----	----	----	176.90B/157.20A	176.90B/157.20A	----	----	----	164.40 + 1.30	.2925	----	----	----	----	1	UNCH	
4185	----	----	----	194.00B/172.40A	194.00B/172.40A	----	----	----	180.40 + 1.50	.3133	----	----	----	----	55	UNCH	
4190	----	----	----	195.90B/174.20A	195.90B/174.20A	----	----	----	182.20 + 1.50	.3156	----	----	----	----	1	UNCH	
4195	----	----	----	197.90B/176.00A	197.90B/176.00A	----	----	----	184.10 + 1.50	.3180	----	----	----	----	20	UNCH	
4200	----	----	----	200.10B/177.80A	200.10B/177.80A	----	----	----	185.90 + 1.50	.3203	----	----	----	----	301	UNCH	
4205	----	----	----	202.00B/179.60A	202.00B/179.60A	----	----	----	187.80 + 1.50	.3227	----	----	----	----	2	UNCH	
4230	----	----	----	212.30B/188.80A	212.30B/188.80A	----	----	----	197.40 + 1.60	.3346	----	----	----	----	44	UNCH	
4240	----	----	----	216.60B/192.60A	216.60B/192.60A	----	----	----	201.30 + 1.50	.3393	----	----	----	----	1	UNCH	
4285	----	----	----	235.80B/210.40A	235.80B/210.40A	----	----	----	219.70 + 1.60	.3612	----	----	----	----	100	UNCH	
4300	----	----	----	243.00B/216.40A	243.00B/216.40A	----	----	----	226.00 + 1.60	.3685	----	----	----	----	163	UNCH	
4325	----	----	----	254.50B/227.10A	254.50B/227.10A	----	----	----	236.80 + 1.50	.3808	----	----	----	----	50	UNCH	
4350				266.30B/237.90A	266.30B/237.90A	----	----	----	248.00 NEW	.3932	----	----	4	----	4 +	4	
4360	251.10	251.10		271.10B/242.40A	271.10B/242.40A	----	----	----	252.50 + 1.40	.3981	----	----	2	----	1 -	1	
4365	----	----	----	273.60B/244.60A	273.60B/244.60A	----	----	----	254.80 + 1.40	.4006	----	----	----	----	1	UNCH	
4370	----	----	----	276.10B/246.90A	276.10B/246.90A	----	----	----	257.10 + 1.40	.4031	----	----	----	----	1	UNCH	
4375	----	----	----	278.70B/249.00A	278.70B/249.00A	----	----	----	259.50 + 1.50	.4056	----	----	----	----	34	UNCH	
4380	----	----	----	281.10B/251.40A	281.10B/251.40A	----	----	----	261.80 + 1.40	.4081	----	----	----	----	3	UNCH	
4385	----	----	----	283.70B/253.90A	283.70B/253.90A	----	----	----	264.10 + 1.40	.4106	----	----	----	----	1	UNCH	
4390	----	----	----	286.10B/256.00A	286.10B/256.00A	----	----	----	266.50 + 1.40	.4131	----	----	----	----	1	UNCH	
4400	----	----	----	291.30B/260.70A	291.30B/260.70A	----	----	----	271.20 + 1.40	.4181	----	----	3	----	29 +	3	
4405	----	----	----	293.70B/263.10A	293.70B/263.10A	----	----	----	273.60 + 1.40	.4206	----	----	----	----	1	UNCH	
4410	----	----	----	296.30B/265.40A	296.30B/265.40A	----	----	----	276.00 + 1.30	.4231	----	----	----	----	3	UNCH	
4415	----	----	----	298.90B/267.90A	298.90B/267.90A	----	----	----	278.50 + 1.40	.4256	----	----	----	----	2	UNCH	
4420	----	----	----	301.50B/270.20A	301.50B/270.20A	----	----	----	280.90 + 1.40	.4281	----	----	----	----	4	UNCH	
4430	----	----	----	306.70B/275.10A	306.70B/275.10A	----	----	----	285.80 + 1.40	.4331	----	----	----	----	1	UNCH	
4450	----	----	----	317.40B/284.80A	317.40B/284.80A	----	----	----	295.80 + 1.40	.4431	----	----	----	----	10	UNCH	
4460	----	----	----	322.80B/289.80A	322.80B/289.80A	----	----	----	300.90 + 1.40	.4482	----	----	----	----	2	UNCH	
4470	----	----	----	328.30B/295.00A	328.30B/295.00A	----	----	----	306.10 + 1.40	.4532	----	----	----	----	1	UNCH	
4490	----	----	----	339.40B/305.40A	339.40B/305.40A	----	----	----	316.60 + 1.40	.4632	----	----	----	----	3	UNCH	
4495	----	----	----	342.20B/308.10A	342.20B/308.10A	----	----	----	319.30 + 1.50	.4657	----	----	----	----	1	UNCH	
4500	----	----	----	345.10B/310.80A	345.10B/310.80A	----	----	----	322.00 + 1.50	.4682	----	----	3	----	1288 +	3	
4505	----	----	----	347.00B/313.20A	347.00B/313.20A	----	----	----	324.70 + 1.50	.4707	----	----	----	----	1	UNCH	
4545	----	----	----	369.90B/335.10A	369.90B/335.10A	----	----	----	347.10 + 1.80	.4903	----	----	----	----	1	UNCH	
4550	----	----	----	372.90B/337.50A	372.90B/337.50A	----	----	----	349.90 + 1.70	.4928	----	----	4	----	92 +	4	
4600	----	----	----	403.20B/367.00A	403.20B/367.00A	----	----	----	379.40 + 1.20	.5169	----	----	----	----	1	UNCH	
4605	----	----	----	406.30B/370.10A	406.30B/370.10A	----	----	----	382.40 + 1.20	.5192	----	----	----	----	1	UNCH	
4620	----	----	----	415.60B/378.60A	415.60B/378.60A	----	----	----	391.50 + 1.30	.5263	----	----	----	----	1	UNCH	
4625	----	----	----	418.80B/381.60A	418.80B/381.60A	----	----	----	394.60 + 1.30	.5287	----	----	----	----	38	UNCH	
4650	----	----	----	434.70B/397.00A	434.70B/397.00A	----	----	----	410.10 + 1.50	.5404	----	----	----	----	250	UNCH	
4655	----	----	----	437.90B/399.60A	437.90B/399.60A	----	----	----	413.20 + 1.50	.5427	----	----	----	----	5	UNCH	
4680	----	----	----	454.20B/415.10A	454.20B/415.10A	----	----	----	429.00 + 1.60	.5541	----	----	----	----	1	UNCH	
4700	----	----	----	467.40B/427.70A	467.40B/427.70A	----	----	----	441.90 + 1.80	.5632	----	----	----	----	75	UNCH	
4760	----	----	----	508.20B/466.60A	508.20B/466.60A	----	----	----	481.60 + 1.10	.5897	----	----	----	----	15	UNCH	
4790	----	----	----	529.20B/486.20A	529.20B/486.20A	----	----	----	502.10 + 1.40	.6026	----	----	----	----	30	UNCH	
4850	----	----	----	553.60B/527.20A	553.60B/527.20A	----	----	----	544.00 + 1.60	.6274	----	----	----	----	59	UNCH	
4865	----	----	----	564.40B/537.90A	564.40B/537.90A	----	----	----	554.70 + 1.60	.6334	----	----	----	----	75	UNCH	
4900	----	----	----	590.30B/565.30A	590.30B/565.30A	----	----	----	580.10 + 1.90	.6473	----	----	----	----	1	UNCH	
4905	----	----	----	594.00B/569.40A	594.00B/569.40A	----	----	----	583.70 + 1.80	.6492	----	----	----	----	1	UNCH	
5000	----	----	----	666.10B/639.20A	666.10B/639.20A	----	----	----	654.90 + 1.20	.6844	----	----	----	----	3	UNCH	
5085	----	----	----	733.00B/704.50A	733.00B/704.50A	----	----	----	721.10 + 1.50	.7133	----	----	----	----	150	UNCH	
TOTAL													237	220	11790 +	354	
JUL27																	
3300	----	----	----	----	43.30B/41.80A	43.30B/41.80A											

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG PUT	COMEX GOLD OPTIONS																							
TOTAL																	11							
APR28	----	----		----	----	----	----		384.10	NEW	.3545	----	----	10	----	10 +	10							
4400	----	----		----	----	----	----						10	----	10 +	10								
TOTAL																								
MAY28	----	----		----	----	----	----		424.90	NEW	.3734	----	----	20	----	20 +	20							
4500	----	----		----	----	----	----						20	----	20 +	20								
TOTAL																								
JUL28	----	----		----	----	----	----		444.20	NEW	.3635	----	----	15	----	15 +	15							
4500	----	----		----	----	----	----						15	----	15 +	15								
TOTAL																								
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG CALL	COMEX GOLD OPTIONS																							
OCT26																								
3800	----	----		570.50B/502.70A	570.50B/502.70A	----	----		542.80	- 7.40	1.0000	1	----	----	0 -	1								
3870	----	----		500.50B/432.70A	500.50B/432.70A	----	----		472.80	- 7.40	1.0000	4	----	----	0 -	4								
3900	----	----		474.10B/402.80A	474.10B/402.80A	----	----		442.80	- 7.40	1.0000	2	----	----	119 -	2								
3910	----	----		460.60B/392.90A	460.60B/392.90A	----	----		432.80	- 7.40	1.0000	----	----	----	1	UNCH								
3935	----	----		439.40B/367.80A	439.40B/367.80A	----	----		407.80	- 7.50	1.0000	----	----	----	13	UNCH								
3940	----	----		430.60B/362.80A	430.60B/362.80A	----	----		402.80	- 7.50	1.0000	----	----	----	1	UNCH								
3945	----	----		429.40B/357.90A	429.40B/357.90A	----	----		397.80	- 7.60	1.0000	----	----	----	2	UNCH								
3950	----	----		424.40B/348.30A	424.40B/348.30A	----	----		392.80	- 7.60	1.0000	----	----	----	36	UNCH								
3955	----	----		415.60B/348.00A	415.60B/348.00A	----	----		387.80	- 7.60	1.0000	----	----	----	1	UNCH								
3960	----	----		414.40B/343.00A	414.40B/343.00A	----	----		382.80	- 7.60	1.0000	----	----	----	24	UNCH								
3965	----	----		405.60B/337.90A	405.60B/337.90A	----	----		377.80	- 7.60	1.0000	----	----	----	1	UNCH								
3975	----	----		399.50B/327.90A	399.50B/327.90A	----	----		367.80	- 7.70	.9999	----	----	----	3	UNCH								
3980	----	----		394.40B/323.00A	394.40B/323.00A	----	----		362.80	- 7.70	.9999	----	----	----	11	UNCH								
3985	----	----		385.70B/318.10A	385.70B/318.10A	----	----		357.80	- 7.70	.9998	----	----	----	1	UNCH								
3990	----	----		380.70B/313.10A	380.70B/313.10A	----	----		352.80	- 7.70	.9998	----	----	----	1	UNCH								
4000	----	----		374.20B/300.20A	374.20B/300.20A	----	----		342.90	- 7.70	.9993	----	----	----	116	UNCH								
4005	----	----		369.50B/298.20A	369.50B/298.20A	----	----		337.90	- 7.70	.9993	----	----	----	3	UNCH								
4015	----	----		359.50B/288.10A	359.50B/288.10A	----	----		327.90	- 7.70	.9993	----	----	----	7	UNCH								
4020	----	----		354.40B/283.20A	354.40B/283.20A	----	----		322.90	- 7.70	.9992	----	----	----	25	UNCH								
4025	300.00	300.00		349.60B/275.40A	349.60B/275.40A	----	----		317.90	- 7.80	.9992	----	1	----	86 +	1								
4030	----	----		344.80B/273.20A	344.80B/273.20A	----	----		312.90	- 7.80	.9992	----	----	----	84	UNCH								
4035	----	----		339.50B/268.40A	339.50B/268.40A	----	----		307.90	- 7.80	.9992	----	----	----	40	UNCH								
4040	----	----		334.50B/263.40A	334.50B/263.40A	----	----		303.00	- 7.70	.9986	----	----	----	6	UNCH								
4045	----	----		329.50B/258.30A	329.50B/258.30A	----	----		298.00	- 7.80	.9986	----	----	----	13	UNCH								
4050	----	----		324.80B/250.60A	324.80B/250.60A	----	----		293.00	- 7.80	.9986	----	----	----	95	UNCH								
4055	----	----		319.50B/248.50A	319.50B/248.50A	----	----		288.00	- 7.80	.9986	----	----	----	11	UNCH								
4060	----	----		314.40B/243.40A	314.40B/243.40A	----	----		283.00	- 7.80	.9985	----	----	----	111	UNCH								
4065	----	----		309.50B/238.60A	309.50B/238.60A	----	----		278.10	- 7.80	.9979	----	----	----	24	UNCH								
4070	----	----		304.60B/233.50A	304.60B/233.50A	----	----		273.10	- 7.80	.9978	----	----	----	29	UNCH								
4075	----	----		299.90B/225.70A	299.90B/225.70A	----	----		268.10	- 7.80	.9978	----	----	----	32	UNCH								
4080	----	----		294.60B/223.60A	294.60B/223.60A	----	----		263.10	- 7.90	.9977	----	----	----	33	UNCH								
4085	----	----		289.60B/218.80A	289.60B/218.80A	----	----		258.10	- 7.90	.9977	----	----	----	5	UNCH								
4090	----	----		285.10B/213.90A	285.10B/213.90A	----	----		253.10	- 7.90	.9976	----	----	----	120	UNCH								
4095	----	----		279.60B/208.80A	279.60B/208.80A	----	----		248.20	- 7.90	.9969	----	----	----	6	UNCH								
4100	225.50	225.50		275.10B/202.20A	275.10B/202.20A	----	----		243.20	- 7.90	.9968	----	8	----	934 -	1								
4105	----	----		269.40B/199.10A	269.40B/199.10A	----	----		238.20	- 8.00	.9967	----	----	----	158	UNCH								
4110	----	----		264.70B/194.10A	264.70B/194.10A	----	----		233.20	- 8.00	.9967	----	----	----	16	UNCH								
4115	----	----		259.70B/189.30A	259.70B/189.30A	----	----		228.20	- 8.10	.9966	----	----	----	9	UNCH								
4120	----	----		254.80B/184.20A	254.80B/184.20A	----	----		223.20	- 8.10	.9965	----	----	----	26	UNCH								
4125	----	----		254.40B/172.30A	254.40B/172.30A	----	----		218.30	- 8.10	.9956	----	----	----	25	UNCH								
4130	----	----		249.50B/167.40A	249.50B/167.40A	----	----		213.30	- 8.10	.9955	----	----	----	29	UNCH								
4135	----	----		244.30B/162.40A	244.30B/162.40A	----	----		208.30	- 8.20	.9954	----	----	----	169	UNCH								
4140	----	----		239.50B/157.50A	239.50B/157.50A	----	----		203.40	- 8.20	.9944	----	----	----	11	UNCH								
4145	----	----		234.40B/152.80A	234.40B/152.80A	----	----		198.40	- 8.30	.9942	----	----	----	8	UNCH								
4150	175.60	175.60		229.50B/147.80A	229.50B/147.80A	----	----		193.40	- 8.30	.9941	----	1	----	367	UNCH								
4155	----	----		224.70B/143.00A	224.70B/143.00A	----	----		188.50	- 8.30	.9929	----	----	----	41	UNCH								
4160	----	----		219.80B/138.20A	219.80B/138.20A	----	----		183.50	- 8.40	.9927	----	----	----	79	UNCH								
4165	----	----		214.70B/133.60A	214.70B/133.60A	----	----		178.60	- 8.40	.9915	----	----	----	51	UNCH								
4170	----	----		209.70B/128.70A	209.70B/128.70A	----	----		173.60	- 8.50	.9912	----	----	----	20	UNCH								
4175	----	----		204.80B/124.10A	204.80B/124.10A	----	----		168.70	- 8.50	.9899	----	----	----	94	UNCH								
4180	----	----		200.00B/119.30A	200.00B/119.30A	----	----		163.80	- 8.60	.9885	----	----	----	85	UNCH								
4185	----	----		195.10B/114.60A	195.10B/114.60A	----	----		158.80	- 8.70	.9881	----	----	----	30	UNCH								
4190	----	----		190.20B/110.00A	190.20B/110.00A	----	----		153.90	- 8.70	.9866	----	----	----	22	UNCH								
4195	----	----		185.30B/105.60A	185.30B/105.60A	----	----		149.00	- 8.80	.9850	----	----	----	18	UNCH								
4200	141.80	141.80		180.40B/101.20A	180.40B/101.20A	----	----		144.10	- 8.90	.9832	----	91	----	1352 -									
4205	----	----		175.40B/96.60A	175.40B/96.60A	----	----		139.20	- 8.90	.9814	----	----	----	63	UNCH								
4210	----	----		170.60B/92.30A	170.60B/92.30A	----	----		134.40	- 8.90	.9782	----	----	----	35	UNCH								
4215	----	----		165.70B/87.80A	165.70B/87.80A	----	----		129.50	- 9.10	.9760	----	----	----	68	UNCH								
4220	128.00	128.00		160.90B/83.60A	160.90B/83.60A	----	----		124.70	- 9.10	.9725	----	3	----	67 -	3								
4225	----	----		156.00B/79.40A	156.00B/79.40A	----	----		119.80	- 9.30	.9700	----	----	----	100	UNCH								
4230	----	----		151.30B/75.30A	151.30B/75.30A	----	----		115.00	- 9.40	.9660	----	----	----	52	UNCH								
4235	----	----		146.40B/71.20A	146.40B/71.20A	----	----		110.20	- 9.50	.9617	----	----	----	43	UNCH								
4240	107.20	107.20		141.70B/67.30A	141.70B/67.30A	----	----		105.50	- 9.60	.9558	----	2	----	29	UNCH								
4245	97.70	97.70		137.00B/63.60A	137.00B/63.60A	----	----		100.80	- 9.70	.9495	----	2	----	87 -	1								
4250	----	----		132.20B/59.80A	132.20B/59.80A	----	----		96.20	- 9.70	.9414	----	----	----	432	UNCH								
4255	----	----		127.60B/56.30A	127.60B/56.30A	----	----		91.60	- 9.90	.9328	----	----	----	56	UNCH								
4260	----	----		122.80B/52.90A	122.80B/52.90A	----	----		87.00	- 10.10	.9237	----	----	----	78	UNCH								
4265	83.70	83.70		118.30B/49.50A	118.30B/49.50A	----	----		82.60	- 10.20	.9113	----	2	----	148	UNCH								
4270	----	----		113.70B/46.20A	113.70B/46.20A	----	----		78.20	- 10.30	.8983	----	----	----	370	UNCH								
4275	66.50	66.50		109.10B/43.20A	109.10B/43.20A	----	----		73.90	- 10.40	.8832	----	1	----	137 -	1								
4280	96.20	96.20		104.70B/40.20A	104.70B/40.20A	----	----		69.60	- 10.50	.8674	----	1	----	81 +	1								
4285	61.70	61.70		100.20B/37.40A	100.20B/37.40A	----	----		65.50	- 10.60	.8483	----	1	----	80	UNCH								
4290	41.40	41.40		95.80B/34.70A	95.80B/34.70A	----	----		61.40	- 10.70	.8284	----	14	----	101 -	5								
4295	55.50	55.50		91.50B/32.20A	91.50B/32.20A	----	----		57.50	- 10.70	.8054	----	1	----	94	UNCH								
4300	47.40	47.40		87.30B/29.80A	87.30B/29.80A	----	----		53.70	- 10.70	.7805	----	183	----	1359 -	116								
4305	41.40	41.40		83.20B/27.50A	83.20B/27.50A	----	----		50.00	- 10.70	.7538	----	13	----	52 -	10								
4310	----	----		79.10B/25.40A	79.10B/25.40A	----	----		46.50	- 10.70</														

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL	COMEX GOLD OPTIONS																					
OCT26																						
4520	1.20	1.20		3.50B/0.90A	3.50B/0.90A	----	1.00	- 1.20	.0098	----	----	----	3	----	201	+						
4525	1.60	1.60		3.30B/0.90A	3.30B/0.90A	----	0.90	- 1.20	.0086	----	----	----	10	----	506	+						
4530	1.10	1.10		3.00B/0.80A	3.00B/0.80A	----	0.90	- 1.10	.0083	----	----	----	6	----	121	+						
4535	0.70	0.70		2.80B/0.70	2.80B/0.70	----	0.80	- 1.10	.0071	----	----	----	1	----	119	-						
4540	----	----		2.70B/0.60A	2.70B/0.60A	----	0.80	- 1.00	.0069	----	----	----	----	----	236	UNCH						
4545	----	----		2.50B/0.60A	2.50B/0.60A	----	0.80	- 0.90	.0068	----	----	----	----	----	120	UNCH						
4550	0.50	0.50		2.30B/0.50	2.30B/0.50	----	0.70	- 0.90	.0057	----	----	----	112	----	2286	-						
4555	----	----		2.10B/0.50A	2.10B/0.50A	----	0.70	- 0.80	.0055	----	----	----	10	----	258	-						
4560	0.80	0.80		2.00B/0.60A	2.00B/0.60A	----	0.70	- 0.70	.0054	----	----	----	71	----	177	+						
4565	----	----		1.90B/0.50A	1.90B/0.50A	----	0.60	- 0.80	.0045	----	----	----	----	----	276	UNCH						
4570	----	----		1.70B/0.50A	1.70B/0.50A	----	0.60	- 0.70	.0043	----	----	----	----	----	247	UNCH						
4575	----	----		1.70B/0.50A	1.70B/0.50A	----	0.50	- 0.70	.0035	----	----	----	----	----	924	UNCH						
4580	----	----		1.50B/0.50A	1.50B/0.50A	----	0.50	- 0.70	.0034	----	----	----	----	----	796	UNCH						
4585	0.40	0.40		1.40B/0.40	1.40B/0.40	----	0.50	- 0.60	.0033	----	----	----	1	----	145	UNCH						
4590	0.60	0.60		1.40B/0.40	1.40B/0.40	----	0.40	- 0.70	.0025	----	----	----	22	----	243	+						
4595	----	----		1.30B/0.40A	1.30B/0.40A	----	0.40	- 0.60	.0024	----	----	----	----	----	176	UNCH						
4600	0.80	0.80		1.20B/0.30	1.20B/0.30	----	0.40	- 0.60	.0024	----	----	----	350	----	3896	-						
4605	----	----		1.10B/0.50A	1.10B/0.50A	----	0.40	- 0.50	.0023	----	----	----	----	----	80	UNCH						
4610	----	----		1.10B/0.40A	1.10B/0.40A	----	0.40	- 0.50	.0023	----	----	----	----	----	394	UNCH						
4615	----	----		1.00B/0.40A	1.00B/0.40A	----	0.30	- 0.60	.0016	----	----	----	----	----	141	UNCH						
4620	0.30	0.30		1.00B/0.30	1.00B/0.30	----	0.30	- 0.50	.0016	----	----	----	3	----	100	+						
4625	0.20	0.20		0.90B/0.20	0.90B/0.20	----	0.30	- 0.50	.0015	----	----	----	3	----	445	-						
4630	0.40	0.40		0.90B/0.30A	0.90B/0.30A	----	0.30	- 0.50	.0015	----	----	----	60	----	308	-						
4635	0.50	0.50		0.60/0.40A	0.80B/0.40A	----	0.30	- 0.50	.0015	----	----	----	2	----	301	+						
4640	----	----		0.80B/0.40A	0.80B/0.40A	----	0.30	- 0.40	.0014	----	----	----	----	----	773	UNCH						
4645	----	----		0.80B/0.30A	0.80B/0.30A	----	0.20	- 0.50	.0009	----	----	----	----	----	454	UNCH						
4650	0.70	0.70		0.70/0.30	0.70/0.30	----	0.20	- 0.50	.0008	----	----	----	22	----	2434	-						
4655	0.40	0.40		0.40/0.30A	0.70B/0.30A	----	0.20	- 0.50	.0008	----	----	----	6	----	75	+						
4660	----	----		----/0.30A	0.60B/0.30A	----	0.20	- 0.40	.0008	----	----	----	20	----	154	+						
4665	----	----		----/0.30A	0.60B/0.30A	----	0.20	- 0.40	.0008	----	----	----	----	----	182	UNCH						
4670	----	----		----/0.30A	0.60B/0.30A	----	0.20	- 0.40	.0008	----	----	----	----	----	234	UNCH						
4675	0.30	0.30		0.30/0.30	0.60B/0.30	----	0.20	- 0.40	.0008	----	----	----	1	----	581	+						
4680	----	----		----/0.30A	0.50B/0.30A	----	0.20	- 0.40	.0008	----	----	----	----	----	526	UNCH						
4685	----	----		----/0.30A	0.50B/0.30A	----	0.20	- 0.40	.0007	----	----	----	----	----	429	UNCH						
4690	----	----		----/0.30A	0.40B/0.30A	----	0.20	- 0.30	.0007	----	----	----	----	----	79	UNCH						
4695	----	----		----/0.20A	0.50B/0.20A	----	0.20	- 0.30	.0007	----	----	----	----	----	124	UNCH						
4700	0.30	0.30		0.30/0.20A	0.40B/0.20A	----	0.20	- 0.30	.0007	----	----	----	101	----	9722	-						
4705	----	----		----/0.20A	0.40B/0.20A	----	0.10	- 0.40	.0003	----	----	----	----	----	149	UNCH						
4710	----	----		----/0.20A	0.40B/0.20A	----	0.10	- 0.40	.0002	----	----	----	----	----	112	UNCH						
4715	----	----		----/0.20A	0.40B/0.20A	----	0.10	- 0.40	.0002	----	----	----	----	----	63	UNCH						
4720	0.20	0.20		0.20/0.20	0.30B/0.20	----	0.10	- 0.30	.0001	----	----	----	2	----	140	+						
4725	----	----		----/0.20A	0.30B/0.20A	----	0.10	- 0.30	.0001	----	----	----	----	----	977	UNCH						
4730	----	----		----/0.20A	0.30B/0.20A	----	0.10	- 0.30	.0001	----	----	----	----	----	106	UNCH						
4735	----	----		----/0.20A	0.30B/0.20A	----	0.10	- 0.30	.0001	----	----	----	----	----	46	UNCH						
4740	----	----		----/0.20A	0.30B/0.20A	----	0.10	- 0.30	.0001	----	----	----	----	----	411	UNCH						
4745	----	----		----/0.20A	0.30B/0.20A	----	0.10	- 0.20	.0000	----	----	----	----	----	152	UNCH						
4750	----	----		----/0.20A	0.30B/0.20A	----	0.10	- 0.20	.0000	----	----	----	----	----	3438	UNCH						
4755	----	----		----/0.20A	0.30B/0.20A	----	0.10	- 0.20	.0000	----	----	----	----	----	189	UNCH						
4760	----	----		----/0.20A	0.20B/0.20A	----	0.10	- 0.20	.0000	----	----	----	----	----	55	UNCH						
4765	----	----		----/0.20A	0.20B/0.20A	----	0.10	- 0.20	.0000	----	----	----	----	----	68	UNCH						
4770	----	----		----/0.20A	0.20B/0.20A	----	0.10	- 0.20	.0000	----	----	----	----	----	89	UNCH						
4775	----	----		----/0.20A	0.20B/0.20A	----	0.10	- 0.20	.0000	----	----	----	----	----	377	UNCH						
4780	----	----		----	0.20B/0.20A	----	0.10	- 0.10	.0000	----	----	----	----	----	306	UNCH						
4785	----	----		----	0.10B/0.20A	----	0.10	- 0.10	.0000	----	----	----	----	----	58	UNCH						
4790	----	----		----	0.10B/0.20A	----	0.10	- 0.10	.0000	----	----	----	----	----	64	UNCH						
4795	----	----		----/0.20A	----	----	0.10	- 0.10	.0000	----	----	----	----	----	68	UNCH						
4800	0.10	0.10		0.10/0.10	0.10/0.10	----	0.10	- 0.10	.0000	----	----	----	93	----	4648	-						
4805	----	----		----/0.20A	----	----	0.10	- 0.10	.0000	----	----	----	----	----	412	UNCH						
4810	----	----		----/0.20A	----	----	0.10	- 0.10	.0000	----	----	----	----	----	96	UNCH						
4815	----	----		----/0.20A	----	----	0.10	- 0.10	.0000	----	----	----	----	----	72	UNCH						
4820	----	----		----/0.20A	----	----	0.10	- 0.10	.0000	----	----	----	----	----	89	UNCH						
4825	----	----		----/0.20A	----	----	0.10	- 0.10	.0000	----	----	----	----	----	720	UNCH						
4830	----	----		----/0.20A	----	----	0.10	- 0.10	.0000	----	----	----	----	----	191	UNCH						
4835	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	27	UNCH						
4840	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	124	UNCH						
4845	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	45	UNCH						
4850	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	1	----	1453	-						
4855	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	14	UNCH						
4860	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	273	UNCH						
4865	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	35	UNCH						
4870	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	61	UNCH						
4875	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	15	----	120	UNCH						
4880	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	52	UNCH						
4885	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	84	UNCH						
4890	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	140	UNCH						
4895	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	47	UNCH						
4900	0.10	0.10		0.10/0.10	0.10/0.10	----	0.10	UNCH	----	----	----	----	42	----	11779	-						
4905	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	234	UNCH						
4910	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	65	UNCH						
4915	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	5	----	48	-						
4920	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	217	UNCH						
4925	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	165	UNCH						
4930	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	79	UNCH						
4935	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	34	UNCH						
4940	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	16	UNCH						
4945	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	39	UNCH						
4950	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	5	----	2496	-						
4955	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	42	UNCH						
4960	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	166	UNCH						
4965	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	26	UNCH						
4970	----	----		----/0.20A	----	----	0.10	UNCH	----	----	----	----	----	----	50	UNCH						
4975	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	421	UNCH						
4980	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	44	UNCH						
4985	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	77	UNCH						
4990	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	143	UNCH						
4995	----	----		----/0.10A	----	----	0.10	UNCH	----	----	----	----	----	----	253	UNCH						
5000	0.10	0.10		0.10/0.10	0.10/0.10	----	0.10	UNCH	----</													

BULLETIN #182@				METALS OPTION PRODUCTS								Tue, Sep 22, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																
OCT26																	
5205	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----		206 UNCH		
5210	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		110 UNCH		
5215	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----		513 UNCH		
5220	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		26 UNCH		
5225	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		27 UNCH		
5230	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		12 UNCH		
5235	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		13 UNCH		
5240	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		6 UNCH		
5245	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		28 UNCH		
5250	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	1635	UNCH		
5255	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		12 UNCH		
5260	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		21 UNCH		
5265	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		21 UNCH		
5270	0.10	0.10		0.10/0.10	0.10/0.10			0.10 UNCH	----	----	----	2	----		14 UNCH		
5275	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		54 UNCH		
5280	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		5 UNCH		
5285	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		1 UNCH		
5290	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----		8 UNCH		
5295	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		20 UNCH		
5300	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	1337	UNCH		
5305	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		11 UNCH		
5310	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----		6 UNCH		
5315	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		34 UNCH		
5320	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		20 UNCH		
5325	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		19 UNCH		
5330	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----		19 UNCH		
5335	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		16 UNCH		
5340	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		20 UNCH		
5345	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		177 UNCH		
5350	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		186 UNCH		
5355	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		60 UNCH		
5360	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		3 UNCH		
5365	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		26 UNCH		
5370	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		10 UNCH		
5375	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		4 UNCH		
5380	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		23 UNCH		
5385	----	----	----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		9 UNCH		
5390	----	----	----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		30 UNCH		
5395	----	----	----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		28 UNCH		
5400	----	----	----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----	1694	UNCH		
5405	----	----	----	----	----/0.40A	----		0.10 UNCH	----	----	----	----	----		20 UNCH		
5410	----	----	----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		3 UNCH		
5415	----	----	----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		42 UNCH		
5420	----	----	----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		5 UNCH		
5425	----	----	----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		2 UNCH		
5430	----	----	----	----	----/0.30A	----		0.10 UNCH	----	----	----	----	----		13 UNCH		
5435	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		232 UNCH		
5440	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		14 UNCH		
5445	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		22 UNCH		
5450	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		75 UNCH		
5455	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		184 UNCH		
5460	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		6 UNCH		
5470	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		37 UNCH		
5475	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		70 UNCH		
5480	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		7 UNCH		
5485	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		26 UNCH		
5490	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		2 UNCH		
5495	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		6 UNCH		
5500	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	3783	UNCH		
5505	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		7 UNCH		
5510	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		26 UNCH		
5515	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		1 UNCH		
5520	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		13 UNCH		
5525	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		15 UNCH		
5530	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		2 UNCH		
5535	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		4 UNCH		
5540	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		36 UNCH		
5545	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		15 UNCH		
5550	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----		299 UNCH		
5555	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		2 UNCH		
5560	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		29 UNCH		
5565	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		2 UNCH		
5570	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		5 UNCH		
5575	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		12 UNCH		
5585	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		7 UNCH		
5590	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		9 UNCH		
5600	----	----	----	----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	306	UNCH		
5605	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		1 UNCH		
5610	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		1 UNCH		
5615	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		5 UNCH		
5620	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		33 UNCH		
5625	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		5 UNCH		
5630	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		10 UNCH		
5640	----	----	----	----	----/0.20A	----		0.10 UNCH	----	----	----	----	----		2 UNCH		
5650	----	----	----	----	----/0.20A	----		0.10									

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
GLOBEX OPEN		OPEN	OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS																				
NOV26																						
3600	----	----	----	----	804.40B/737.70A	804.40B/737.70A	----	----	777.40	- 7.80	.9857	----	----	----	----	----	----	----	3	UNCH		
3700	----	----	----	----	705.20B/638.90A	705.20B/638.90A	----	----	678.30	- 7.90	.9784	----	----	----	----	----	----	----	3	UNCH		
3765	----	----	----	----	641.00B/575.00A	641.00B/575.00A	----	----	614.20	- 7.90	.9723	----	----	----	----	----	----	----	1	UNCH		
3780	----	----	----	----	626.20B/560.30A	626.20B/560.30A	----	----	599.40	- 8.00	.9702	----	----	----	----	----	----	----	1	UNCH		
3800	----	----	----	----	606.50B/540.60A	606.50B/540.60A	----	----	579.80	- 7.90	.9679	----	----	----	----	----	----	3	UNCH			
3830	----	----	----	----	577.20B/511.50A	577.20B/511.50A	----	----	550.40	- 8.00	.9639	----	----	----	----	----	----	1	UNCH			
3840	----	----	----	----	567.30B/501.90A	567.30B/501.90A	----	----	540.60	- 8.00	.9619	----	----	----	----	----	----	3	UNCH			
3850	----	----	----	----	557.60B/492.20A	557.60B/492.20A	----	----	530.80	- 8.10	.9603	----	----	----	----	----	----	2	UNCH			
3865	----	----	----	----	542.90B/477.80A	542.90B/477.80A	----	----	516.30	- 8.00	.9574	----	----	----	----	----	----	4	UNCH			
3870	----	----	----	----	538.10B/472.90A	538.10B/472.90A	----	----	511.40	- 8.10	.9566	----	----	----	----	----	----	1	UNCH			
3875	----	----	----	----	533.20B/468.20A	533.20B/468.20A	----	----	506.60	- 8.10	.9553	----	----	----	----	----	----	1	UNCH			
3885	----	----	----	----	523.50B/458.60A	523.50B/458.60A	----	----	496.90	- 8.10	.9531	----	----	----	----	----	----	1	UNCH			
3900	----	----	----	----	508.90B/444.30A	508.90B/444.30A	----	----	482.50	- 8.10	.9490	----	----	----	----	----	----	4	UNCH			
3905	----	----	----	----	504.10B/439.60A	504.10B/439.60A	----	----	477.60	- 8.10	.9482	----	----	----	----	----	----	1	UNCH			
3910	----	----	----	----	499.30B/432.10A	499.30B/432.10A	----	----	472.80	- 8.10	.9468	----	----	----	----	----	----	1	UNCH			
3915	----	----	----	----	494.40B/423.10A	494.40B/423.10A	----	----	468.00	- 8.10	.9454	----	----	----	----	----	----	1	UNCH			
3920	----	----	----	----	489.60B/418.40A	489.60B/418.40A	----	----	463.20	- 8.20	.9445	----	----	----	----	----	----	5	UNCH			
3925	----	----	----	----	484.90B/413.70A	484.90B/413.70A	----	----	458.40	- 8.20	.9431	----	----	----	----	----	----	1	UNCH			
3930	----	----	----	----	480.00B/409.00A	480.00B/409.00A	----	----	453.60	- 8.20	.9416	----	----	----	----	----	----	2	UNCH			
3935	----	----	----	----	475.20B/404.60A	475.20B/404.60A	----	----	448.80	- 8.20	.9402	----	----	----	----	----	----	2	UNCH			
3940	----	----	----	----	470.40B/399.70A	470.40B/399.70A	----	----	444.00	- 8.30	.9388	----	----	----	----	----	----	14	UNCH			
3945	----	----	----	----	465.60B/395.00A	465.60B/395.00A	----	----	439.20	- 8.30	.9368	----	----	----	----	----	----	1	UNCH			
3950	----	----	----	----	460.90B/390.40A	460.90B/390.40A	----	----	434.50	- 8.30	.9354	----	----	----	----	----	----	1	UNCH			
3955	----	----	----	----	456.10B/386.00A	456.10B/386.00A	----	----	429.80	- 8.30	.9334	----	----	----	----	----	----	1	UNCH			
3960	----	----	----	----	451.30B/381.40A	451.30B/381.40A	----	----	425.00	- 8.30	.9319	----	----	----	----	----	----	2	UNCH			
3985	368.40	368.40	----	----	436.80B/358.40A	436.80B/358.40A	----	----	401.60	- 8.30	.9220	----	----	----	----	----	1	----	1	UNCH		
3990	359.90	359.90	----	----	432.00B/353.70A	432.00B/353.70A	----	----	396.90	- 8.30	.9195	----	----	----	----	----	2	----	3	+		
3995	----	----	----	----	427.30B/349.20A	427.30B/349.20A	----	----	392.30	- 8.30	.9175	----	----	----	----	----	----	1	UNCH			
4000	----	----	----	----	422.60B/344.70A	422.60B/344.70A	----	----	387.60	- 8.30	.9154	----	----	----	----	----	----	40	UNCH			
4005	----	----	----	----	417.90B/340.20A	417.90B/340.20A	----	----	383.00	- 8.30	.9129	----	----	----	----	----	----	2	UNCH			
4010	----	----	----	----	413.20B/335.90A	413.20B/335.90A	----	----	378.30	- 8.40	.9108	----	----	----	----	----	----	4	UNCH			
4015	----	----	----	----	408.60B/331.30A	408.60B/331.30A	----	----	373.70	- 8.40	.9083	----	----	----	----	----	----	2	UNCH			
4020	----	----	----	----	403.90B/327.00A	403.90B/327.00A	----	----	369.10	- 8.40	.9057	----	----	----	----	----	----	2	UNCH			
4030	327.90	327.90	----	----	394.60B/318.20A	394.60B/318.20A	----	----	359.90	- 8.40	.9006	----	----	----	----	----	1	175	+			
4035	----	----	----	----	390.20B/313.70A	390.20B/313.70A	----	----	355.40	- 8.40	.8980	----	----	----	----	----	----	2	UNCH			
4040	----	----	----	----	385.50B/309.30A	385.50B/309.30A	----	----	350.80	- 8.50	.8954	----	----	----	----	----	----	4	UNCH			
4045	----	----	----	----	380.80B/305.00A	380.80B/305.00A	----	----	346.30	- 8.40	.8924	----	----	----	----	----	----	1	UNCH			
4050	----	----	----	----	376.20B/300.70A	376.20B/300.70A	----	----	341.70	- 8.50	.8893	----	----	----	----	----	----	369	UNCH			
4065	----	----	----	----	362.70B/288.10A	362.70B/288.10A	----	----	328.30	- 8.50	.8800	----	----	----	----	----	----	15	UNCH			
4070	----	----	----	----	358.20B/283.80A	358.20B/283.80A	----	----	323.80	- 8.60	.8769	----	----	----	----	----	----	5	UNCH			
4075	----	----	----	----	353.60B/279.60A	353.60B/279.60A	----	----	319.40	- 8.60	.8734	----	----	----	----	----	----	7	UNCH			
4080	----	----	----	----	349.20B/275.40A	349.20B/275.40A	----	----	315.00	- 8.60	.8699	----	----	----	----	----	----	39	UNCH			
4085	----	----	----	----	344.60B/271.10A	344.60B/271.10A	----	----	310.60	- 8.60	.8663	----	----	----	----	----	----	89	UNCH			
4090	----	----	----	----	340.30B/267.00A	340.30B/267.00A	----	----	306.30	- 8.50	.8627	----	----	----	----	----	----	11	UNCH			
4095	----	----	----	----	335.70B/262.90A	335.70B/262.90A	----	----	301.90	- 8.60	.8591	----	----	----	----	----	----	16	UNCH			
4100	----	----	----	----	331.30B/259.00A	331.30B/259.00A	----	----	297.60	- 8.60	.8552	----	----	----	----	----	----	330	UNCH			
4105	----	----	----	----	326.90B/254.80A	326.90B/254.80A	----	----	293.30	- 8.60	.8512	----	----	----	----	----	----	16	UNCH			
4110	----	----	----	----	322.70B/250.90A	322.70B/250.90A	----	----	289.10	- 8.50	.8472	----	----	----	----	----	----	27	UNCH			
4115	----	----	----	----	318.30B/246.80A	318.30B/246.80A	----	----	284.80	- 8.60	.8428	----	----	----	----	----	----	20	UNCH			
4120	----	----	----	----	314.00B/243.00A	314.00B/243.00A	----	----	280.60	- 8.60	.8388	----	----	----	----	----	----	21	UNCH			
4125	----	----	----	----	309.70B/238.90A	309.70B/238.90A	----	----	276.40	- 8.60	.8344	----	----	----	----	56	----	109	UNCH			
4130	----	----	----	----	305.40B/235.20A	305.40B/235.20A	----	----	272.20	- 8.60	.8297	----	----	----	----	----	----	16	UNCH			
4135	----	----	----	----	301.00B/231.30A	301.00B/231.30A	----	----	268.10	- 8.50	.8252	----	----	----	----	----	----	63	UNCH			
4140	----	----	----	----	296.90B/227.50A	296.90B/227.50A	----	----	264.00	- 8.50	.8205	----	----	----	----	----	----	15	UNCH			
4145	----	----	----	----	292.60B/223.70A	292.60B/223.70A	----	----	259.90	- 8.50	.8157	----	----	----	----	----	----	12	UNCH			
4150	----	----	----	----	288.40B/219.90A	288.40B/219.90A	----	----	255.80	- 8.50	.8109	----	----	----	----	----	----	550	UNCH			
4155	----	----	----	----	284.30B/216.20A	284.30B/216.20A	----	----	251.80	- 8.50	.8059	----	----	----	----	----	----	47	UNCH			
4160	----	----	----	----	280.10B/212.50A	280.10B/212.50A	----	----	247.80	- 8.50	.8008	----	----	----	----	----	----	14	UNCH			
4165	----	----	----	----	275.90B/208.70A	275.90B/208.70A	----	----	243.80	- 8.50	.7956	----	----	----	----	----	----	17	UNCH			
4170	----	----	----	----																		

BULLETIN #182@															METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
GLOBEX OPEN		OPEN	OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN	OUTCRY HIGH/LOW	OPEN		OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL		COMEX GOLD OPTIONS																									
NOV26																											
4560	----	----	----	----	58.308/36.90A	58.308/36.90A	----	----	45.50	-	4.70	.2687	----	----	----	----	----	----	----	58	UNCH						
4565	----	----	----	----	56.908/36.00A	56.908/36.00A	----	----	44.30	-	4.70	.2631	----	----	----	----	----	----	----	46	UNCH						
4570	40.20	40.20	40.20	40.20	55.608/35.10A	55.608/35.10A	----	----	43.20	-	4.70	.2578	----	----	----	----	----	7	----	36	+	4					
4575	42.10	42.10	42.10	42.10	54.308/34.20A	54.308/34.20A	----	----	42.20	-	4.50	.2528	----	----	----	----	----	154	----	187	+	72					
4580	----	----	----	----	53.108/33.40A	53.108/33.40A	----	----	41.10	-	4.50	.2475	----	----	----	----	----	----	----	94	UNCH						
4585	----	----	----	----	51.808/32.50A	51.808/32.50A	----	----	40.10	-	4.50	.2425	----	----	----	----	----	----	----	163	UNCH						
4590	----	----	----	----	50.508/31.70A	50.508/31.70A	----	----	39.10	-	4.40	.2375	----	----	----	----	----	----	----	185	UNCH						
4595	----	----	----	----	49.408/30.90A	49.408/30.90A	----	----	38.10	-	4.40	.2326	----	----	----	----	----	----	----	85	UNCH						
4600	39.60	39.60	39.60	39.60	48.108/30.20A	48.108/30.20A	----	----	37.10	-	4.30	.2276	----	----	----	----	134	----	----	4186	+	21					
4605	----	----	----	----	47.108/29.40A	47.108/29.40A	----	----	36.20	-	4.30	.2229	----	----	----	----	----	----	----	129	UNCH						
4610	----	----	----	----	45.908/28.70A	45.908/28.70A	----	----	35.30	-	4.20	.2183	----	----	----	----	----	----	----	137	UNCH						
4615	----	----	----	----	44.808/28.00A	44.808/28.00A	----	----	34.40	-	4.10	.2137	----	----	----	----	----	----	2	----	126	UNCH					
4620	----	----	----	----	43.808/27.30A	43.808/27.30A	----	----	33.50	-	4.10	.2090	----	----	----	----	----	2	----	222	+	2					
4625	----	----	----	----	42.708/26.60A	42.708/26.60A	----	----	32.60	-	4.10	.2044	----	----	----	----	11	----	----	71	+	7					
4630	----	----	----	----	41.508/25.90A	41.508/25.90A	----	----	31.80	-	4.00	.2001	----	----	----	----	----	----	1	67	UNCH						
4635	----	----	----	----	40.808/25.30A	40.808/25.30A	----	----	31.00	-	4.00	.1959	----	----	----	----	1	----	----	90	+	1					
4640	----	----	----	----	39.808/24.70A	39.808/24.70A	----	----	30.20	-	3.90	.1916	----	----	----	----	----	3	----	210	UNCH						
4645	----	----	----	----	38.608/24.10A	38.608/24.10A	----	----	29.50	-	3.80	.1877	----	----	----	----	----	----	1	137	+	1					
4650	28.80	28.80	28.80	28.80	37.908/23.50A	37.908/23.50A	----	----	28.70	-	3.80	.1835	----	----	----	----	198	----	----	1480	+	84					
4655	----	----	----	----	36.808/22.90A	36.808/22.90A	----	----	28.00	-	3.70	.1796	----	----	----	----	----	----	----	138	UNCH						
4660	25.80	25.80	25.80	25.80	36.108/22.30A	36.108/22.30A	----	----	27.30	-	3.60	.1757	----	----	----	----	26	----	----	75	+	18					
4665	----	----	----	----	34.908/21.80A	34.908/21.80A	----	----	26.60	-	3.60	.1718	----	----	----	----	1	----	----	185	UNCH						
4670	----	----	----	----	34.508/21.20A	34.508/21.20A	----	----	25.90	-	3.60	.1680	----	----	----	----	----	----	1	55	UNCH						
4675	----	----	----	----	33.508/20.70A	33.508/20.70A	----	----	25.30	-	3.40	.1645	----	----	----	----	11	----	----	735	+	1					
4680	----	----	----	----	32.808/20.20A	32.808/20.20A	----	----	24.60	-	3.40	.1607	----	----	----	----	3	----	----	119	-	1					
4685	29.70	29.70	29.70	29.70	32.008/19.70A	32.008/19.70A	----	----	24.00	-	3.30	.1572	----	----	----	----	1	----	----	79	UNCH						
4690	----	----	----	----	31.308/19.20A	31.308/19.20A	----	----	23.40	-	3.30	.1538	----	----	----	----	----	----	----	189	UNCH						
4695	----	----	----	----	30.608/18.80A	30.608/18.80A	----	----	22.80	-	3.20	.1503	----	----	----	----	----	----	----	42	UNCH						
4700	27.90	27.90	27.90	27.90	29.708/18.40A	29.708/18.40A	----	----	22.30	-	3.10	.1473	----	----	----	----	170	----	----	3121	+	26					
4705	26.00	26.00	26.00	26.00	29.008/17.90A	29.008/17.90A	----	----	21.70	-	3.10	.1439	----	----	----	----	17	----	----	34	+	7					
4710	20.80	20.80	20.80	20.80	28.308/17.50A	28.308/17.50A	----	----	21.20	-	3.00	.1409	----	----	----	----	52	----	----	108	+	41					
4715	----	----	----	----	27.708/17.10A	27.708/17.10A	----	----	20.60	-	3.00	.1375	----	----	----	----	4	----	----	47	+	3					
4720	26.30	26.30	26.30	26.30	27.008/16.70A	27.008/16.70A	----	----	20.10	-	3.00	.1345	----	----	----	----	----	4	----	27	+	2					
4725	----	----	----	----	26.208/16.30A	26.208/16.30A	----	----	19.60	-	2.90	.1315	----	----	----	----	42	----	----	257	+	40					
4730	19.20	19.20	19.20	19.20	25.708/15.90A	25.708/15.90A	----	----	19.10	-	2.90	.1285	----	----	----	----	7	----	----	136	-	7					
4735	22.60	22.60	22.60	22.60	25.108/15.50A	25.108/15.50A	----	----	18.70	-	2.80	.1260	----	----	----	----	3	----	----	115	+	1					
4740	----	----	----	----	24.508/15.10A	24.508/15.10A	----	----	18.20	-	2.80	.1230	----	----	----	----	----	----	----	119	UNCH						
4745	----	----	----	----	24.008/14.80A	24.008/14.80A	----	----	17.70	-	2.80	.1201	----	----	----	----	----	289	----	19	UNCH						
4750	22.30	22.30	22.30	22.30	23.308/14.40A	23.308/14.40A	----	----	17.30	-	2.70	.1175	----	----	----	----	----	----	----	155	UNCH						
4755	----	----	----	----	22.808/14.10A	22.808/14.10A	----	----	16.90	-	2.60	.1150	----	----	----	----	8	----	----	118	UNCH						
4760	21.30	21.30	21.30	21.30	22.208/13.80A	22.208/13.80A	----	----	16.50	-	2.60	.1125	----	----	----	----	----	8	----	55	-	2					
4765	20.80	20.80	20.80	20.80	21.808/13.50A	21.808/13.50A	----	----	16.10	-	2.60	.1101	----	----	----	----	3	----	----	15	-	3					
4770	----	----	----	----	21.308/13.20A	21.308/13.20A	----	----	15.70	-	2.50	.1076	----	----	----	----	----	----	----	63	UNCH						
4775	15.00	15.00	15.00	15.00	20.708/12.90A	20.708/12.90A	----	----	15.30	-	2.50	.1051	----	----	----	----	14	----	----	277	+	7					
4780	15.80	15.80	15.80	15.80	20.308/12.60A	20.308/12.60A	----	----	14.90	-	2.50	.1027	----	----	----	----	1	----	----	109	UNCH						
4785	----	----	----	----	19.708/12.30A	19.708/12.30A	----	----	14.60	-	2.40	.1007	----	----	----	----	1	----	----	61	UNCH						
4790	----	----	----	----	19.208/12.00A	19.208/12.00A	----	----	14.20	-	2.40	.0982	----	----	----	----	----	----	----	40	UNCH						
4795	15.20	15.20	15.20	15.20	18.908/11.70A	18.908/11.70A	----	----	13.90	-	2.40	.0962	----	----	----	----	13	----	----	114	UNCH						
4800	16.60	16.60	16.60	16.60	18.40/11.50A	18.40/11.50A	----	----	13.60	-	2.30	.0942	----	----	----	----	342	----	----	4016	+	136					
4805	----	----	----	----	17.908/11.20A	17.908/11.20A	----	----	13.20	-	2.30	.0918	----	----	----	----	----	----	----	83	UNCH						
4810	15.40	15.40	15.40	15.40	17.508/11.00A	17.508/11.00A	----	----	12.90	-	2.30	.0899	----	----	----	----	13	----	----	91	-	1					
4815	----	----	----	----	17.108/10.80A	17.108/10.80A	----	----	12.60	-	2.30	.0879	----	----	----	----	----	----	----	57	UNCH						
4820	12.90	12.90	12.90	12.90	16.608/10.50A	16.608/10.50A	----	----	12.30	-	2.20	.0860	----	----	----	----	12	----	----	473	+	6					
4825	----	----	----	----	16.308/10.30A	16.308/10.30A	----	----</																			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
NOV26																	
5245	2.80	2.80		3.40B/2.80	3.40B/2.80	----			2.80 - 0.50	.0191	----	----	1	----		9	UNCH
5250	----	----		3.40B/2.70A	3.40B/2.70A	----			2.70 - 0.60	.0185	----	----	28	----		737	UNCH
5255	----	----		3.30B/2.70A	3.30B/2.70A	----			2.70 - 0.50	.0184	----	----	----	----		4	UNCH
5260	----	----		3.30B/2.60A	3.30B/2.60A	----			2.70 - 0.50	.0183	----	----	----	----		11	UNCH
5265	----	----		----/2.60A	3.20B/2.60A	----			2.60 - 0.60	.0177	----	----	----	----		11	UNCH
5270	----	----		3.20B/2.60A	3.20B/2.60A	----			2.60 - 0.50	.0176	----	----	----	----		15	UNCH
5275	----	----		----/2.50A	3.10B/2.50A	----			2.60 - 0.50	.0176	----	----	----	----		206	UNCH
5280	----	----		3.10B/2.60A	3.10B/2.60A	----			2.50 - 0.50	.0170	----	----	----	----		40	UNCH
5285	3.10	3.10		3.10/2.50A	3.10/2.50A	----			2.50 - 0.50	.0169	----	----	4	----		22	+
5290	----	----		----/2.50A	3.00B/2.50A	----			2.50 - 0.50	.0169	----	----	----	----		21	UNCH
5295	----	----		3.00B/2.50A	3.00B/2.50A	----			2.50 - 0.40	.0168	----	----	----	----		10	UNCH
5300	2.80	2.80		3.10/2.40A	3.10/2.40A	----			2.40 - 0.50	.0162	----	----	51	----		1339	+
5305	----	----		----/2.40A	2.90B/2.40A	----			2.40 - 0.50	.0161	----	----	----	----		31	UNCH
5310	----	----		2.90B/2.40A	2.90B/2.40A	----			2.40 - 0.40	.0161	----	----	----	----		10	UNCH
5315	----	----		----/2.40A	2.80B/2.40A	----			2.40 - 0.40	.0160	----	----	----	----		6	UNCH
5320	----	----		----/2.40A	2.80B/2.40A	----			2.30 - 0.50	.0154	----	----	----	----		19	UNCH
5325	----	----		2.80B/2.40A	2.80B/2.40A	----			2.30 - 0.40	.0154	----	----	----	----		23	UNCH
5330	----	----		----/2.30A	2.70B/2.30A	----			2.30 - 0.40	.0153	----	----	----	----		13	UNCH
5335	----	----		----/2.30A	2.70B/2.30A	----			2.30 - 0.40	.0153	----	----	----	----		39	UNCH
5340	----	----		----/2.30A	2.70B/2.30A	----			2.30 - 0.40	.0152	----	----	----	----		6	UNCH
5345	----	----		----/2.30A	2.60B/2.30A	----			2.20 - 0.40	.0146	----	----	----	----		12	UNCH
5350	----	----		----/2.20A	2.60B/2.20A	----			2.20 - 0.40	.0146	----	----	----	----		120	UNCH
5355	----	----		----/2.20A	2.60B/2.20A	----			2.20 - 0.40	.0145	----	----	----	----		21	UNCH
5360	----	----		----/2.20A	2.50B/2.20A	----			2.20 - 0.40	.0145	----	----	----	----		13	UNCH
5365	----	----		----/2.20A	2.50B/2.20A	----			2.20 - 0.30	.0144	----	----	----	----		9	UNCH
5370	----	----		----/2.20A	2.50B/2.20A	----			2.10 - 0.40	.0138	----	----	----	----		13	UNCH
5375	----	----		----/2.10A	2.50B/2.10A	----			2.10 - 0.40	.0138	----	----	----	----		41	UNCH
5380	----	----		----/2.10A	2.40B/2.10A	----			2.10 - 0.40	.0137	----	----	----	----		33	UNCH
5385	----	----		----/2.10A	2.40B/2.10A	----			2.10 - 0.40	.0137	----	----	----	----		32	UNCH
5390	----	----		----/2.10A	2.40B/2.10A	----			2.10 - 0.30	.0137	----	----	----	----		10	UNCH
5395	----	----		----/2.10A	2.40B/2.10A	----			2.10 - 0.30	.0136	----	----	----	----		31	UNCH
5400	2.30	2.30		2.30/2.00A	2.40B/2.00A	----			2.00 - 0.40	.0130	----	----	14	----		782	UNCH
5405	----	----		----/2.00A	2.30B/2.00A	----			2.00 - 0.40	.0130	----	----	----	----		55	UNCH
5410	----	----		----/2.00A	2.40B/2.00A	----			2.00 - 0.40	.0130	----	----	----	----		6	UNCH
5415	----	----		----/2.00A	2.30B/2.00A	----			2.00 - 0.30	.0129	----	----	----	----		26	UNCH
5420	----	----		----/2.00A	2.20B/2.00A	----			2.00 - 0.30	.0129	----	----	----	----		36	UNCH
5425	----	----		----/1.90A	2.20B/1.90A	----			1.90 - 0.40	.0123	----	----	----	----		4	UNCH
5430	----	----		----/2.00A	2.20B/2.00A	----			1.90 - 0.40	.0123	----	----	----	----		10	UNCH
5435	----	----		----/1.90A	2.20B/1.90A	----			1.90 - 0.40	.0122	----	----	----	----		6	UNCH
5440	----	----		----/1.90A	2.20B/1.90A	----			1.90 - 0.40	.0122	----	----	----	----		3	UNCH
5445	----	----		----/1.90A	2.20B/1.90A	----			1.90 - 0.30	.0121	----	----	----	----		33	UNCH
5450	----	----		----/1.90A	2.20B/1.90A	----			1.90 - 0.30	.0121	----	----	----	----		571	UNCH
5455	----	----		----/1.90A	2.10B/1.90A	----			1.80 - 0.40	.0116	----	----	----	----		43	UNCH
5460	----	----		----/1.80A	2.10B/1.80A	----			1.80 - 0.40	.0115	----	----	----	----		20	UNCH
5465	----	----		----/1.80A	2.10B/1.80A	----			1.80 - 0.40	.0115	----	----	----	----		6	UNCH
5470	----	----		----/1.80A	2.10B/1.80A	----			1.80 - 0.30	.0114	----	----	----	----		8	UNCH
5475	----	----		----/1.80A	2.10B/1.80A	----			1.80 - 0.30	.0114	----	----	----	----		297	UNCH
5480	----	----		----/1.80A	2.00B/1.80A	----			1.80 - 0.30	.0114	----	----	----	----		111	UNCH
5485	----	----		----/1.80A	2.00B/1.80A	----			1.80 - 0.30	.0113	----	----	----	----		30	UNCH
5490	----	----		----/1.80A	2.00B/1.80A	----			1.70 - 0.40	.0108	----	----	----	----		29	UNCH
5495	----	----		----/1.80A	2.00B/1.80A	----			1.70 - 0.40	.0108	----	----	----	----		3	UNCH
5500	1.70	1.70		2.10/1.70	2.10/1.70	----			1.70 - 0.30	.0107	----	----	9	----		2395	-
5505	----	----		----/1.70A	1.90B/1.70A	----			1.70 - 0.30	.0107	----	----	----	----		28	UNCH
5510	----	----		----/1.70A	1.90B/1.70A	----			1.70 - 0.30	.0107	----	----	----	----		10	UNCH
5515	----	----		----/1.70A	1.90B/1.70A	----			1.70 - 0.30	.0106	----	----	----	----		17	UNCH
5520	1.90	1.90		1.90/1.70A	1.90/1.70A	----			1.70 - 0.30	.0106	----	----	1	----		29	UNCH
5525	----	----		----/1.70A	1.90B/1.70A	----			1.70 - 0.30	.0106	----	----	----	----		27	UNCH
5530	----	----		----/1.70A	1.90B/1.70A	----			1.70 - 0.30	.0105	----	----	----	----		4	UNCH
5535	1.70	1.70		1.80/1.70	1.90B/1.70	----			1.60 - 0.40	.0100	----	----	5	----		28	+
5540	----	----		----/1.70A	1.80B/1.70A	----			1.60 - 0.40	.0100	----	----	----	----		21	UNCH
5545	----	----		----/1.60A	1.80B/1.60A	----			1.60 - 0.30	.0099	----	----	----	----		31	UNCH
5550	1.60	1.60		1.60/1.60	1.80B/1.60	----			1.60 - 0.30	.0099	----	----	1	----		55	UNCH
5555	2.00	2.00		2.00/1.60A	2.00/1.60A	----			1.60 - 0.30	.0099	----	----	1	----		8	UNCH
5560	----	----		----/1.60A	1.80B/1.60A	----			1.60 - 0.30	.0098	----	----	----	----		13	UNCH
5565	----	----		----/1.60A	1.80B/1.60A	----			1.60 - 0.30	.0098	----	----	----	----		12	UNCH
5570	----	----		----/1.60A	1.80B/1.60A	----			1.60 - 0.30	.0098	----	----	----	----		33	UNCH
5575	1.60	1.60		1.60/1.60	1.70B/1.60	----			1.50 - 0.40	.0093	----	----	7	----		67	+
5580	1.60	1.60		1.60/1.60	1.70B/1.60	----			1.50 - 0.40	.0092	----	----	1	----		49	UNCH
5585	----	----		----/1.50A	1.70B/1.50A	----			1.50 - 0.40	.0092	----	----	----	----		19	UNCH
5590	----	----		----/1.50A	1.70B/1.50A	----			1.50 - 0.40	.0092	----	----	----	----		17	UNCH
5595	----	----		----/1.50A	1.70B/1.50A	----			1.50 - 0.40	.0091	----	----	----	----		26	UNCH
5600	----	----		----/1.50A	1.70B/1.50A	----			1.50 - 0.40	.0091							

PG64 BULLETIN #182@														METALS OPTION PRODUCTS												Tue, Sep 22, 2026 PG64															
GLOBEX OPEN		OPEN OPEN		OUTCRY RANGE		GLOBEX HIGH/LOW		OPEN HIGH/LOW		OUTCRY HIGH/LOW		OPEN CLOSE		OUTCRY RANGE		SETT.PRICE & PT.CHGE.		DELTA		EXER CISES		OPEN OUTCRY VOLUME		GLOBEX® VOLUME		PNT VOLUME		OPEN INTEREST													
OG CALL				COMEX GOLD OPTIONS																																					
DEC26																																									
3450	----	----			944.40B/899.90A	944.40B/899.90A	----									928.20	- 7.70	.9785	----	----	----	----	----	----	----	----	1	UNCH													
3500	----	----			894.20B/851.00A	894.20B/851.00A	----									878.80	- 7.80	.9752	----	----	----	----	----	----	----	13	UNCH														
3550	----	----			844.80B/801.40A	844.80B/801.40A	----									829.50	- 8.00	.9709	----	----	----	----	----	----	----	2	UNCH														
3570	----	----			825.20B/781.70A	825.20B/781.70A	----									809.90	- 8.00	.9692	----	----	----	----	----	----	----	1	UNCH														
3600	----	----			795.90B/752.00A	795.90B/752.00A	----									780.50	- 8.00	.9660	----	----	----	----	----	----	----	2	UNCH														
3700	----	----			699.40B/653.50A	699.40B/653.50A	----									683.30	- 8.00	.9521	----	----	----	----	----	----	----	51	UNCH														
3800	----	----			605.70B/556.70A	605.70B/556.70A	----									587.90	- 8.10	.9305	----	----	----	----	----	----	----	23	UNCH														
3840	----	----			579.50B/518.90A	579.50B/518.90A	----									550.40	- 8.20	.9188	----	----	----	----	----	----	----	1	UNCH														
3860	----	----			560.90B/500.10A	560.90B/500.10A	----									531.90	- 8.20	.9123	----	----	----	----	----	----	----	1	UNCH														
3900	----	----			524.10B/463.60A	524.10B/463.60A	----									495.40	- 8.20	.8976	----	----	----	----	----	----	----	41	UNCH														
3935	----	----			492.40B/432.40A	492.40B/432.40A	----									464.00	- 8.20	.8825	----	----	----	----	----	----	----	11	UNCH														
3950	----	----			479.20B/419.30A	479.20B/419.30A	----									450.70	- 8.20	.8753	----	----	----	----	----	----	----	1	UNCH														
3955	----	----			474.60B/414.90A	474.60B/414.90A	----									446.30	- 8.20	.8729	----	----	----	----	----	----	----	1	UNCH														
3960	----	----			470.10B/410.70A	470.10B/410.70A	----									442.00	- 8.10	.8704	----	----	----	----	----	----	----	1	UNCH														
3985	----	----			448.40B/389.30A	448.40B/389.30A	----									420.30	- 8.20	.8571	----	----	----	----	----	----	----	12	UNCH														
3995	----	----			439.60B/380.90A	439.60B/380.90A	----									411.80	- 8.10	.8515	----	----	----	----	----	----	----	4	UNCH														
4000	----	----			435.50B/376.90A	435.50B/376.90A	----									407.50	- 8.10	.8487	----	----	----	----	----	----	----	245	UNCH														
4005	----	----			431.00B/372.70A	431.00B/372.70A	----									403.30	- 8.10	.8456	----	----	----	----	----	----	----	1	UNCH														
4025	----	----			414.00B/356.40A	414.00B/356.40A	----									386.60	- 8.00	.8334	----	----	----	----	----	----	----	2	UNCH														
4030	----	----			409.90B/352.40A	409.90B/352.40A	----									382.50	- 8.00	.8303	----	----	----	----	----	----	----	13	UNCH														
4040	----	----			401.60B/337.00A	401.60B/337.00A	----									374.30	- 7.90	.8237	----	----	----	----	----	----	----	2	UNCH														
4045	----	----			397.30B/333.10A	397.30B/333.10A	----									370.20	- 7.90	.8203	----	----	----	----	----	----	----	2	UNCH														
4050	----	----			393.30B/329.20A	393.30B/329.20A	----									366.10	- 7.90	.8170	----	----	----	----	----	----	----	973	UNCH														
4060	----	----			385.10B/321.60A	385.10B/321.60A	----									358.10	- 7.80	.8101	----	----	----	----	----	----	----	105	UNCH														
4065	----	----			380.90B/317.80A	380.90B/317.80A	----									354.10	- 7.80	.8065	----	----	----	----	----	----	----	15	UNCH														
4070	----	----			376.80B/314.00A	376.80B/314.00A	----									350.10	- 7.80	.8030	----	----	----	----	----	----	----	38	UNCH														
4075	----	----			372.80B/310.30A	372.80B/310.30A	----									346.20	- 7.70	.7994	----	----	----	----	----	----	----	24	UNCH														
4080	----	----			368.90B/306.50A	368.90B/306.50A	----									342.20	- 7.80	.7956	----	----	----	----	----	----	----	136	UNCH														
4085	----	----			364.90B/302.80A	364.90B/302.80A	----									338.30	- 7.80	.7920	----	----	----	----	----	----	----	8	UNCH														
4090	357.90	357.90			360.70B/299.20A	360.70B/299.20A	----									334.40	- 7.70	.7883	----	----	----	----	1	----	----	41 +	1	UNCH													
4095	----	----			356.80B/295.50A	356.80B/295.50A	----									330.60	- 7.70	.7845	----	----	----	----	----	----	----	9	UNCH														
4100	326.30	326.30			352.80B/291.90A	352.80B/291.90A	----									326.70	- 7.70	.7805	----	----	----	----	1	----	----	1246 +	1	UNCH													
4105	----	----			349.10B/288.30A	349.10B/288.30A	----									322.90	- 7.60	.7767	----	----	----	----	----	----	----	15	UNCH														
4110	----	----			345.10B/284.70A	345.10B/284.70A	----									319.10	- 7.60	.7727	----	----	----	----	----	----	----	170	UNCH														
4115	----	----			341.20B/281.20A	341.20B/281.20A	----									315.30	- 7.60	.7687	----	----	----	----	----	----	----	18	UNCH														
4120	----	----			337.30B/277.70A	337.30B/277.70A	----									311.60	- 7.60	.7647	----	----	----	----	----	----	----	35	UNCH														
4125	----	----			333.50B/274.20A	333.50B/274.20A	----									307.80	- 7.60	.7606	----	----	----	----	----	----	----	21	UNCH														
4130	----	----			329.70B/270.70A	329.70B/270.70A	----									304.10	- 7.60	.7565	----	----	----	----	----	----	----	701	UNCH														
4135	----	----			325.90B/267.30A	325.90B/267.30A	----									300.50	- 7.50	.7524	----	----	----	----	----	----	----	49	UNCH														
4140	----	----			322.20B/263.90A	322.20B/263.90A	----									296.80	- 7.50	.7480	----	----	----	----	----	----	----	69	UNCH														
4145	----	----			318.40B/260.50A	318.40B/260.50A	----									293.20	- 7.50	.7439	----	----	----	----	----	----	----	38	UNCH														
4150	----	----			314.70B/257.10A	314.70B/257.10A	----									289.60	- 7.40	.7395	----	----	----	----	----	----	----	224	UNCH														
4155	----	----			311.00B/253.80A	311.00B/253.80A	----									286.00	- 7.40	.7352	----	----	----	----	----	----	----	17	UNCH														
4160	----	----			307.40B/250.50A	307.40B/250.50A	----									282.40	- 7.40	.7308	----	----	----	----	----	----	----	120	UNCH														
4165	----	----			303.70B/247.20A	303.70B/247.20A	----									278.90	- 7.40	.7265	----	----	----	----	----	----	----	43	UNCH														
4170	----	----			300.10B/244.00A	300.10B/244.00A	----									275.40	- 7.40	.7220	----	----	----	----	----	----	----	68	UNCH														
4175	----	----			296.50B/240.80A	296.50B/240.80A	----									271.90	- 7.40	.7175	----	----	----	----	----	----	----	826	UNCH														
4180	----	----			293.00B/237.60A	293.00B/237.60A	----									268.50	- 7.30	.7130	----	----	----	----	----	----	----	10	UNCH														
4185	----	----			289.40B/234.40A	289.40B/234.40A	----									265.00	- 7.40	.7084	----	----	----	----	----	----	----	11	UNCH														
4190	----	----			285.80B/231.30A	285.80B/231.30A	----									261.70	- 7.20	.7037	----	----	----	----	----	----	----	440	UNCH														
4195	----	----			282.30B/228.20A	282.30B/228.20A	----									258.30	- 7.20	.6991	----	----	----	----	----	----	----	1	UNCH														
4200	----	----			278.90B/225.10A	278.90B/225.10A	----									254.90	- 7.30	.6945	----	----	----	----	15	----	----	851 -	10	UNCH													
4205	----	----			275.40B/222.10A	275.40B/222.10A	----									251.60	- 7.20	.6897	----	----	----	----	----	----	----	14	UNCH														
4210	----	----			272.00B/218.90A	272.00B/218.90A	----									248.30	- 7.20	.6851	----	----	----	----	----	----	----	20	UNCH														
4220	----	----			265.40B/213.00A	265.40B/213.00A	----									241.90	- 7.10	.6755	----	----	----	----	----	----	----	191	UNCH														
4225	----	----			262.00B/210.10A	262.00B/210.10A	----									238.70	- 7.10	.6706	----	----	----	----	----	----	----	327	UNCH														
4230	----	----			258.70B/206.80A	258.70B/206.80A	----									235.50	- 7.00	.6658	----	----	----	----	----	----	----	19	UNCH														
4235	----	----			255.40B/203.90A	255.40B/203.90A	----									232.30	- 7.10	.6609	----	----	----	----	----	----	----	10	UNCH														
4240	----	----			252.10B/201.10A	252.10B/201.10A	----									229.20	- 7.00	.6560	----	----	----	----	----	----	----	27	UNCH														
4245	----	----			249.00B/198.30A	249.00B/198.30A	----									226.10	- 7.00	.6511	----	----	----	----	----	----	----	216	UNCH														
4250	----	----			245.70B/195.50A	245.70B/195.50A	----									223.10	- 6.90	.6461	----	----	----	----	----	----	----	1033	UNCH														
4255	----	----			242.60B/192.70A	242.60B/192.70A	----									220.10	- 6.80	.6412	----	----	----	----	----	----	----	78	UNCH														
4260	----	----			239.40B/190.00A	239.40B/190.00A	----									217.10	- 6.80	.6362	----	----	----	----	----	----	----	157	UNCH														
4265	----	----			236.30B/187.30A	236.30B/187.30A	----																																		

PG64	BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME									OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS																						
DEC26																							
4635	----	----		79.508/57.50A	79.508/57.50A	----		67.20 - 4.10	.2794	----	----	----	----								16	UNCH	
4640	65.30	65.30		78.208/56.60A	78.208/56.60A	----		66.10 - 4.10	.2757	----	----	4	----								133 +	2	
4645	----			76.908/55.60A	76.908/55.60A	----		65.00 - 4.00	.2720	----	----	----	----								12	UNCH	
4650	65.50	65.50		75.508/54.70A	75.508/54.70A	----		63.90 - 4.00	.2683	----	----	7	----								1444 +	1	
4655	----			74.408/53.80A	74.408/53.80A	----		62.80 - 4.00	.2647	----	----	----	----								29	UNCH	
4660	----			73.308/52.90A	73.308/52.90A	----		61.70 - 4.00	.2610	----	----	----	----								138	UNCH	
4665	57.70	57.70		72.108/52.00A	72.108/52.00A	----		60.70 - 3.90	.2575	----	4	----	----								88 -	1	
4670	----			70.908/51.10A	70.908/51.10A	----		59.60 - 4.00	.2538	----	----	----	----								103	UNCH	
4675	63.30	63.30		69.508/50.20A	69.508/50.20A	----		58.60 - 3.90	.2503	----	4	----	----								116 +	2	
4680	58.80	58.80		68.508/49.40A	68.508/49.40A	----		57.60 - 3.90	.2469	----	7	----	----								192 +	2	
4685	----			67.408/48.60A	67.408/48.60A	----		56.70 - 3.80	.2436	----	----	----	----								24	UNCH	
4690	----			66.308/47.80A	66.308/47.80A	----		55.70 - 3.80	.2402	----	----	----	----								272	UNCH	
4695	----			65.208/47.00A	65.208/47.00A	----		54.70 - 3.80	.2367	----	4	----	----								324 +	4	
4700	61.80	61.80		64.108/46.20A	64.108/46.20A	----		53.80 - 3.80	.2335	----	119	----	----								4976 +	66	
4705	----			63.108/45.40A	63.108/45.40A	----		52.90 - 3.70	.2302	----	----	----	----								155	UNCH	
4710	----			62.108/44.60A	62.108/44.60A	----		52.00 - 3.70	.2270	----	----	----	----								57	UNCH	
4715	52.40	52.40		61.108/43.90A	61.108/43.90A	----		51.10 - 3.70	.2238	----	3	----	----								119 +	2	
4720	51.50	51.50		60.008/43.20A	60.008/43.20A	----		50.30 - 3.60	.2207	----	2	----	----								137 +	2	
4725	48.00	48.00		59.108/42.50A	59.108/42.50A	----		49.40 - 3.60	.2175	----	2	----	----								9601	UNCH	
4730	52.70	52.70		58.108/41.80A	58.108/41.80A	----		48.60 - 3.50	.2145	----	2	----	----								73 +	1	
4735	----			57.208/41.10A	57.208/41.10A	----		47.70 - 3.50	.2113	----	----	----	----								48	UNCH	
4740	----			56.208/40.40A	56.208/40.40A	----		46.90 - 3.50	.2083	----	----	----	----								38	UNCH	
4745	----			55.308/39.70A	55.308/39.70A	----		46.10 - 3.50	.2054	----	----	----	----								65	UNCH	
4750	----			54.408/39.00A	54.408/39.00A	----		45.40 - 3.30	.2026	----	78	----	----								3768 +	1	
4755	42.10	42.10		53.508/38.40A	53.508/38.40A	----		44.60 - 3.30	.1997	----	6	----	----								35	UNCH	
4760	43.50	43.50		52.308/37.80A	52.308/37.80A	----		43.80 - 3.40	.1967	----	29	----	----								161 +	28	
4765	----			51.708/37.10A	51.708/37.10A	----		43.10 - 3.30	.1940	----	----	----	----								77	UNCH	
4770	48.30	48.30		50.908/36.50A	50.908/36.50A	----		42.40 - 3.20	.1913	----	10	----	----								41 +	10	
4775	----			50.008/35.90A	50.008/35.90A	----		41.70 - 3.20	.1886	----	----	----	----								217	UNCH	
4780	40.30	40.30		49.308/35.30A	49.308/35.30A	----		41.00 - 3.10	.1859	----	11	----	----								38 -	7	
4785	----			48.508/34.80A	48.508/34.80A	----		40.30 - 3.10	.1832	----	----	----	----								63	UNCH	
4790	45.40	45.40		47.708/34.10A	47.708/34.10A	----		39.60 - 3.10	.1805	----	10	----	----								308 -	10	
4795	----			46.908/33.60A	46.908/33.60A	----		38.90 - 3.10	.1778	----	----	----	----								142	UNCH	
4800	38.90	38.90		46.108/33.00A	46.108/33.00A	----		38.30 - 3.00	.1753	----	210	----	----								7499 +	73	
4805	----			45.408/32.50A	45.408/32.50A	----		37.60 - 3.00	.1727	----	----	----	----								47	UNCH	
4810	35.60	35.60		44.608/32.00A	44.608/32.00A	----		37.00 - 2.90	.1703	----	1	----	----								85	UNCH	
4815	----			43.908/31.50A	43.908/31.50A	----		36.40 - 2.90	.1678	----	----	----	----								31	UNCH	
4820	35.50	35.50		43.208/31.00A	43.208/31.00A	----		35.80 - 2.80	.1654	----	6	----	----								121 +	4	
4825	34.20	34.20		42.408/30.40A	42.408/30.40A	----		35.20 - 2.80	.1630	----	7	----	----								265 -	2	
4830	----			41.808/30.00A	41.808/30.00A	----		34.60 - 2.80	.1606	----	----	----	----								28	UNCH	
4835	34.00	34.00		41.108/29.50A	41.108/29.50A	----		34.00 - 2.80	.1582	----	14	----	----								170 -	1	
4840	33.60	33.60		40.408/29.00A	40.408/29.00A	----		33.40 - 2.80	.1559	----	1	----	----								152	UNCH	
4845	----			39.808/28.50A	39.808/28.50A	----		32.90 - 2.70	.1537	----	----	----	----								24	UNCH	
4850	31.00	31.00		39.00/28.10A	39.00/28.10A	----		32.30 - 2.70	.1514	----	36	----	----								2521 +	2	
4855	----			38.408/27.70A	38.408/27.70A	----		31.80 - 2.60	.1492	----	----	----	----								103	UNCH	
4860	----			37.808/27.20A	37.808/27.20A	----		31.20 - 2.70	.1469	----	----	----	----								44	UNCH	
4865	30.50	30.50		37.208/26.80A	37.208/26.80A	----		30.70 - 2.60	.1448	----	4	----	----								55 +	1	
4870	----			36.708/26.40A	36.708/26.40A	----		30.20 - 2.60	.1427	----	1	----	----								61 +	1	
4875	----			36.008/25.90A	36.008/25.90A	----		29.70 - 2.60	.1406	----	1	----	----								203 +	1	
4880	----			35.508/25.50A	35.508/25.50A	----		29.20 - 2.50	.1385	----	----	----	----								272	UNCH	
4885	----			34.808/25.10A	34.808/25.10A	----		28.70 - 2.50	.1365	----	----	----	----								54	UNCH	
4890	27.50	27.50		34.408/24.70A	34.408/24.70A	----		28.30 - 2.40	.1347	----	1	----	----								26	UNCH	
4895	----			33.708/24.30A	33.708/24.30A	----		27.80 - 2.40	.1326	----	----	----	----								219	UNCH	
4900	30.20	30.20		33.208/23.90A	33.208/23.90A	----		27.40 - 2.40	.1308	----	141	----	----						</				

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL	COMEX GOLD OPTIONS																					
DEC26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----						
5320	----	----	----	10.20B/8.10A	10.20B/8.10A	10.20B/8.10A	----	----	8.60 - 1.00	.0433	----	----	----	----	----	6 UNCH						
5325	----	----	----	10.10B/8.00A	10.10B/8.00A	10.10B/8.00A	----	----	8.50 - 1.00	.0428	----	----	----	----	----	30 UNCH						
5330	----	----	----	10.00B/8.00A	10.00B/8.00A	10.00B/8.00A	----	----	8.40 - 1.00	.0423	----	----	----	----	----	48 UNCH						
5335	----	----	----	9.90B/7.90A	9.90B/7.90A	9.90B/7.90A	----	----	8.30 - 1.00	.0418	----	----	----	----	----	46 UNCH						
5340	----	----	----	9.80B/7.80A	9.80B/7.80A	9.80B/7.80A	----	----	8.30 - 0.90	.0417	----	----	----	----	----	11 UNCH						
5345	----	----	----	9.70B/7.70A	9.70B/7.70A	9.70B/7.70A	----	----	8.20 - 0.90	.0412	----	----	----	----	----	38 UNCH						
5350	----	----	----	9.60B/7.60A	9.60B/7.60A	9.60B/7.60A	----	----	8.10 - 0.90	.0407	----	----	----	----	----	859 UNCH						
5355	----	----	----	9.50B/7.60A	9.50B/7.60A	9.50B/7.60A	----	----	8.00 - 0.90	.0402	----	----	----	----	----	21 UNCH						
5360	----	----	----	9.40B/7.50A	9.40B/7.50A	9.40B/7.50A	----	----	7.90 - 0.90	.0397	----	----	----	----	----	119 UNCH						
5365	----	----	----	9.30B/7.40A	9.30B/7.40A	9.30B/7.40A	----	----	7.90 - 0.80	.0396	----	----	----	----	----	23 UNCH						
5370	----	----	----	9.20B/7.40A	9.20B/7.40A	9.20B/7.40A	----	----	7.80 - 0.80	.0391	----	----	----	----	----	43 UNCH						
5375	----	----	----	9.10B/7.30A	9.10B/7.30A	9.10B/7.30A	----	----	7.70 - 0.80	.0386	----	----	----	----	----	90 UNCH						
5380	----	----	----	9.00B/7.20A	9.00B/7.20A	9.00B/7.20A	----	----	7.60 - 0.80	.0381	----	----	----	----	----	45 UNCH						
5385	----	----	----	8.90B/7.20A	8.90B/7.20A	8.90B/7.20A	----	----	7.60 - 0.70	.0380	----	----	----	----	----	44 UNCH						
5390	----	----	----	8.80B/7.10A	8.80B/7.10A	8.80B/7.10A	----	----	7.50 - 0.80	.0375	----	----	----	----	----	214 UNCH						
5395	----	----	----	8.70B/7.10A	8.70B/7.10A	8.70B/7.10A	----	----	7.40 - 0.80	.0370	----	----	----	----	----	7 UNCH						
5400	8.10	8.10	----	8.60B/7.00A	8.60B/7.00A	8.60B/7.00A	----	----	7.30 - 0.80	.0365	----	----	5	----	----	3693 UNCH						
5405	----	----	----	8.50B/6.90A	8.50B/6.90A	8.50B/6.90A	----	----	7.30 - 0.70	.0364	----	----	----	----	----	54 UNCH						
5410	----	----	----	8.40B/6.90A	8.40B/6.90A	8.40B/6.90A	----	----	7.20 - 0.70	.0360	----	----	----	----	----	25 UNCH						
5415	----	----	----	8.30B/6.80A	8.30B/6.80A	8.30B/6.80A	----	----	7.20 - 0.70	.0358	----	----	----	----	----	4 UNCH						
5420	----	----	----	8.30B/6.70A	8.30B/6.70A	8.30B/6.70A	----	----	7.10 - 0.70	.0354	----	----	----	----	----	11 UNCH						
5425	----	----	----	8.20B/6.70A	8.20B/6.70A	8.20B/6.70A	----	----	7.00 - 0.70	.0349	----	----	----	----	----	209 UNCH						
5430	----	----	----	8.10B/6.60A	8.10B/6.60A	8.10B/6.60A	----	----	7.00 - 0.70	.0348	----	----	----	----	----	16 UNCH						
5435	----	----	----	8.00B/6.60A	8.00B/6.60A	8.00B/6.60A	----	----	6.90 - 0.70	.0343	----	----	----	----	----	3 UNCH						
5440	----	----	----	7.90B/6.50A	7.90B/6.50A	7.90B/6.50A	----	----	6.80 - 0.70	.0339	----	----	----	----	----	12 UNCH						
5445	----	----	----	7.90B/6.50A	7.90B/6.50A	7.90B/6.50A	----	----	6.80 - 0.60	.0338	----	----	----	----	----	45 UNCH						
5450	6.90	6.90	----	7.80B/6.40A	7.80B/6.40A	7.80B/6.40A	----	----	6.70 - 0.70	.0333	----	----	2	----	----	468 + 2						
5455	----	----	----	7.70B/6.30A	7.70B/6.30A	7.70B/6.30A	----	----	6.70 - 0.60	.0332	----	----	----	----	----	28 UNCH						
5460	----	----	----	7.60B/6.30A	7.60B/6.30A	7.60B/6.30A	----	----	6.60 - 0.60	.0327	----	----	----	----	----	48 UNCH						
5465	----	----	----	7.60B/6.30A	7.60B/6.30A	7.60B/6.30A	----	----	6.50 - 0.70	.0323	----	----	----	----	----	66 UNCH						
5470	----	----	----	7.50B/6.20A	7.50B/6.20A	7.50B/6.20A	----	----	6.50 - 0.60	.0322	----	----	----	----	----	18 UNCH						
5475	----	----	----	7.40B/6.10A	7.40B/6.10A	7.40B/6.10A	----	----	6.40 - 0.70	.0317	----	----	----	----	----	588 UNCH						
5480	----	----	----	7.40B/6.10A	7.40B/6.10A	7.40B/6.10A	----	----	6.40 - 0.60	.0316	----	----	----	----	----	106 UNCH						
5485	----	----	----	7.30B/6.00A	7.30B/6.00A	7.30B/6.00A	----	----	6.30 - 0.60	.0312	----	----	----	----	----	7 UNCH						
5490	----	----	----	7.20B/6.00A	7.20B/6.00A	7.20B/6.00A	----	----	6.30 - 0.60	.0311	----	----	----	----	----	25 UNCH						
5495	----	----	----	7.20B/6.00A	7.20B/6.00A	7.20B/6.00A	----	----	6.20 - 0.60	.0306	----	----	----	----	----	33 UNCH						
5500	6.90	6.90	----	7.10B/5.90A	7.10B/5.90A	7.10B/5.90A	----	----	6.20 - 0.60	.0305	----	----	309	----	11009	- 70						
5505	----	----	----	7.00B/5.90A	7.00B/5.90A	7.00B/5.90A	----	----	6.10 - 0.60	.0301	----	----	----	----	----	15 UNCH						
5510	----	----	----	7.00B/5.80A	7.00B/5.80A	7.00B/5.80A	----	----	6.00 - 0.70	.0296	----	----	----	----	----	37 UNCH						
5515	----	----	----	6.90B/5.80A	6.90B/5.80A	6.90B/5.80A	----	----	6.00 - 0.60	.0295	----	----	----	----	----	13 UNCH						
5520	----	----	----	6.80B/5.70A	6.80B/5.70A	6.80B/5.70A	----	----	5.90 - 0.60	.0291	----	----	----	----	----	26 UNCH						
5525	5.80	5.80	----	6.80B/5.70	6.80B/5.70	6.80B/5.70	----	----	5.90 - 0.60	.0290	----	----	15	----	----	124 UNCH						
5530	----	----	----	6.70B/5.60A	6.70B/5.60A	6.70B/5.60A	----	----	5.80 - 0.60	.0286	----	----	----	----	----	3 UNCH						
5535	----	----	----	6.70B/5.60A	6.70B/5.60A	6.70B/5.60A	----	----	5.80 - 0.60	.0285	----	----	----	----	----	6 UNCH						
5540	----	----	----	6.60B/5.60A	6.60B/5.60A	6.60B/5.60A	----	----	5.80 - 0.50	.0284	----	----	----	----	----	33 UNCH						
5545	----	----	----	6.50B/5.50A	6.50B/5.50A	6.50B/5.50A	----	----	5.70 - 0.60	.0280	----	----	----	----	----	6 UNCH						
5550	5.60	5.60	----	6.50B/5.50A	6.50B/5.50A	6.50B/5.50A	----	----	5.70 - 0.50	.0279	----	----	1	----	446	9						
5555	----	----	----	6.40B/5.40A	6.40B/5.40A	6.40B/5.40A	----	----	5.60 - 0.60	.0274	----	----	----	----	----	9 UNCH						
5560	----	----	----	6.40B/5.40A	6.40B/5.40A	6.40B/5.40A	----	----	5.60 - 0.50	.0274	----	----	----	----	----	23 UNCH						
5565	----	----	----	6.30B/5.40A	6.30B/5.40A	6.30B/5.40A	----	----	5.50 - 0.60	.0269	----	----	----	----	----	27 UNCH						
5570	5.80	5.80	----	6.30B/5.30A	6.30B/5.30A	6.30B/5.30A	----	----	5.50 - 0.50	.0269	----	----	2	----	258	- 2						
5575	----	----	----	6.20B/5.30A	6.20B/5.30A	6.20B/5.30A	----	----	5.40 - 0.60	.0264	----	----	----	----	----	17 UNCH						
5580	5.80	5.80	----	6.20B/5.20A	6.20B/5.20A	6.20B/5.20A	----	----	5.40 - 0.50	.0263	----	----	1	----	7	+ 1						
5585	5.30	5.30	----	6.10B/5.20A	6.10B/5.20A	6.10B/5.20A	----	----	5.40 - 0.50	.0263	----	----	2	----	9	+ 2						
5590	----	----	----	6.10B/5.20A	6.10B/5.20A	6.10B/5.20A	----	----	5.30 - 0.50	.0258	----	----	----	----	----	8 UNCH						
5595	----	----	----	6.00B/5.10A	6.00B/5.10A	6.00B/5.10A	----	----	5.30 - 0.50	.0258	----	----	----	----	----	10 UNCH						
5600	5.30	5.30	----	6.00B/5.10A	6.00B/5.10A	6.00B/5.10A	----	----	5.20 - 0.60	.0253	----	----	23	----	3193	- 23						
5605	----	----	----	5.90B/5.10A	5.90B/5.10A	5.90B/5.10A	----	----	5.20 - 0.50	.0253	----	----	----	----	----	31 UNCH						
5610	----	----	----	5.90B/5.00A	5.90B/5.00A	5.90B/5.00A	----	----	5.20 - 0.50	.0252	----	----	----	----	----	8 UNCH						
5615	----	----	----	5.80B/5.00A	5.80B/5.00A	5.80B/5.00A	----	----	5.10 - 0.50	.0248	----	----	----	----	----	34 UNCH						
5620	----	----	----	5.80B/5.00A	5.80B/5.00A	5.80B/5.00A	----	----	5.10 - 0.50	.0247	----	----	----	----	----	8 UNCH						
5625	----	----	----	5.70B/4.90A	5.70B/4.90A	5.70B/4.90A	----	----	5.00 - 0.50	.0243	----	----	----	----	----	4 UNCH						
5																						

BULLETIN #182@															METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG CALL	COMEX GOLD OPTIONS																										
DEC26																											
11000	0.40	0.40		0.40/0.10	0.40/0.10	----	0.20	UNCH	.0006	----	----	----	20	----	809	-											
13000	----	----		----	----/0.20A	----	0.20	UNCH	.0005	----	----	----	----	----	698												
15000	0.10	0.10		0.20/0.10	0.20/0.10	----	0.10	UNCH	.0002	----	----	----	52	----	36587	+											
17000	----	----		----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	----	52	UNCH											
19000	----	----		----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	----	350	UNCH											
20000	----	----		----	----/0.10A	----	0.10	UNCH	.0000	----	----	----	----	----	38018	UNCH											
21000	----	----		----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	----	5	UNCH											
23000	----	----		----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	----	167	UNCH											
24000	----	----		----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	----	300943	+											
TOTAL													4655	100													
JAN27																											
3100	----	----		1,340.10B/1.275	1340.10B/1275.40A	----	1313.00	NEW	.9880	11	----	11	----	----	0	UNCH											
3150	----	----		1,289.60B/1.227	1289.60B/1227.40A	----	1263.20	NEW	.9861	25	----	25	----	----	0	UNCH											
3200	----	----		1,238.60B/1.180	1238.60B/1180.90A	----	1213.40	NEW	.9842	----	----	11	----	----	11	+											
3250	----	----		1,186.70B/1.135	1186.70B/1135.70A	----	1163.70	NEW	.9816	25	----	25	----	----	25	+											
3300	----	----		1,130.40B/1.092	1130.40B/1092.00A	----	1114.10	-	7.90	.9790	----	----	----	----	4	UNCH											
3500	----	----		----/902.80A	921.30B/902.80A	----	917.60	-	7.90	.9630	----	----	----	----	1	UNCH											
4000	----	----		477.50B/421.90A	477.50B/421.90A	----	459.30	-	8.10	.8237	----	----	----	----	368	UNCH											
4010	----	----		469.50B/414.00A	469.50B/414.00A	----	451.20	-	8.10	.8184	----	----	----	----	1	UNCH											
4070	----	----		428.30B/368.90A	428.30B/368.90A	----	404.20	-	8.00	.7831	----	----	----	----	1	UNCH											
4100	----	----		405.10B/347.50A	405.10B/347.50A	----	381.60	-	8.00	.7639	----	----	----	----	105	UNCH											
4110	----	----		398.60B/340.50A	398.60B/340.50A	----	374.30	-	7.90	.7572	----	----	----	----	1	UNCH											
4125	----	----		388.60B/330.40A	388.60B/330.40A	----	363.40	-	7.90	.7471	----	----	----	----	2	UNCH											
4130	----	----		385.20B/327.00A	385.20B/327.00A	----	359.80	-	7.90	.7436	----	----	----	----	1	UNCH											
4140	----	----		377.80B/320.30A	377.80B/320.30A	----	352.70	-	7.80	.7367	----	----	----	----	1	UNCH											
4150	----	----		370.60B/313.50A	370.60B/313.50A	----	345.70	-	7.80	.7296	----	----	----	----	6	UNCH											
4160	----	----		363.30B/307.00A	363.30B/307.00A	----	338.80	-	7.70	.7224	----	----	----	----	213	UNCH											
4165	----	----		359.90B/303.90A	359.90B/303.90A	----	335.40	-	7.60	.7187	----	----	----	----	1	UNCH											
4170	----	----		356.50B/300.70A	356.50B/300.70A	----	331.90	-	7.70	.7151	----	----	----	----	3	UNCH											
4180	----	----		349.60B/294.20A	349.60B/294.20A	----	325.20	-	7.60	.7077	----	----	----	----	9	UNCH											
4190	----	----		342.60B/288.10A	342.60B/288.10A	----	318.50	-	7.60	.7003	----	----	----	----	1	UNCH											
4200	----	----		335.80B/281.80A	335.80B/281.80A	----	311.90	-	7.50	.6927	----	----	----	----	57	UNCH											
4220	----	----		322.60B/269.70A	322.60B/269.70A	----	299.00	-	7.40	.6774	----	----	----	----	1	UNCH											
4230	----	----		316.00B/263.80A	316.00B/263.80A	----	292.70	-	7.40	.6697	----	----	----	----	1	UNCH											
4250	----	----		303.20B/251.90A	303.20B/251.90A	----	280.30	-	7.30	.6539	----	----	----	----	600	UNCH											
4260	----	----		297.10B/246.30A	297.10B/246.30A	----	274.30	-	7.20	.6460	----	----	----	----	4	UNCH											
4270	----	----		290.60B/240.80A	290.60B/240.80A	----	268.40	-	7.10	.6380	----	1	----	----	1	-											
4280	----	----		284.60B/235.40A	284.60B/235.40A	----	262.50	-	7.10	.6299	----	----	----	----	2	UNCH											
4290	----	----		278.30B/229.90A	278.30B/229.90A	----	256.70	-	7.10	.6218	----	----	----	----	1	UNCH											
4300	----	----		272.40B/224.80A	272.40B/224.80A	----	251.10	-	6.90	.6137	----	----	----	----	61	UNCH											
4305	----	----		269.60B/222.30A	269.60B/222.30A	----	248.30	-	6.90	.6096	----	1	----	----	9	-											
4310	----	----		266.70B/219.70A	266.70B/219.70A	----	245.50	-	6.90	.6055	----	----	----	----	3	UNCH											
4335	----	----		252.50B/207.20A	252.50B/207.20A	----	231.90	-	6.80	.5850	----	----	----	----	3	UNCH											
4350	----	----		244.20B/200.00A	244.20B/200.00A	----	224.10	-	6.70	.5726	----	----	----	----	53	UNCH											
4360	----	----		240.40B/195.30A	240.40B/195.30A	----	218.90	-	6.70	.5643	----	----	----	----	3	UNCH											
4365	----	----		238.00B/193.00A	238.00B/193.00A	----	216.40	-	6.60	.5602	----	----	----	----	192	UNCH											
4370	----	----		235.40B/190.70A	235.40B/190.70A	----	213.90	-	6.60	.5561	----	----	----	----	27	UNCH											
4375	----	----		233.80B/188.40A	233.80B/188.40A	----	211.40	-	6.60	.5519	----	----	----	----	7	UNCH											
4385	----	----		228.60B/184.00A	228.60B/184.00A	----	206.50	-	6.50	.5437	----	----	----	----	23	UNCH											
4390	192.90	192.90		226.10B/181.80A	226.10B/181.80A	----	204.10	-	6.50	.5395	----	2	----	----	9	+											
4395	----	----		223.50B/179.60A	223.50B/179.60A	----	201.70	-	6.50	.5354	----	----	----	----	4	UNCH											
4400	221.00	221.00		221.10B/177.40A	221.10B/177.40A	----	199.30	-	6.50	.5313	----	22	----	----	192	+											
4405	----	----		218.50B/175.20A	218.50B/175.20A	----	197.00	-	6.40	.5272	----	----	----	----	5	UNCH											
4410	----	----		216.10B/173.00A	216.10B/173.00A	----	194.70	-	6.30	.5230	----	7	----	----	19	+											
4415	----	----		213.60B/170.90A	213.60B/170.90A	----	192.40	-	6.30	.5189	----	----	----	----	1	UNCH											
4420	188.30	188.30		211.20B/169.00A	211.20B/169.00A	----	190.10	-	6.30	.5148	----	14	----	----	20	+											
4425	----	----		208.80B/166.90A	208.80B/166.90A	----	187.80	-	6.30	.5107	----	----	----	----	59	UNCH											
4430	----	----		206.40B/164.80A	206.40B/164.80A	----	185.60	-	6.20	.5066	----	----	----	----	9	UNCH											
4435	197.70	197.70		204.00B/162.80A	204.00B/162.80A	----	183.40	-	6.20	.5025	----	1	----	----	8	+											
4440	197.50	197.50		201.70B/160.80A	201.70B/160.80A	----	181.20	-	6.20	.4985	----	1	----	----	61	+											
4445	----	----		199.40B/158.80A	199.40B/158.80A	----	179.00	-	6.20	.4944	----	----	----	----	2	UNCH											
4450	----	----		197.00B/157.00A	197.00B/157.00A	----	176.80	-	6.20	.4903	----	----	----	----	249	UNCH											
4455	----	----		194.80B/155.10A	194.80B/155.10A	----	174.70	-	6.10	.4863	----	----	----	----	9	UNCH											
4460	----	----		192.50B/153.10A	192.50B/153.10A	----	172.60	-	6.10	.4823	----	----	----	----	10	UNCH											
4465	----	----		190.20B/151.20A	190.20B/151.20A	----	170.50	-	6.10	.4782	----	----	----	----	14	UNCH											
4470	166.70	166.70		188.00B/149.30A	188.00B/149.30A	----	168.40	-	6.10	.4742	----	3	----	----	8	+											
4475	----	----		185.80B/147.60A	185.80B/147.60A	----	166.40	-	6.00	.4702	----	66	----	----	86	+											
4480	----	----		183.60B/145.60A	183.60B/145.60A	----	164.30	-	6.00	.4662	----	----	----	----	113	UNCH											
4485	----	----		181.30B/143.80A	181.30B/143.80A	----	162.30	-	6.00	.4622	----	----	----	----	4	UNCH											
4490	----	----		179.30B/142.10A	179.30B/142.10A	----	160.40	-	5.90	.4583	----	----	----	----	10	UNCH											
4495	----	----		177.50B/140.30A	177.50B/140.30A	----	158.40	-	5.90	.4543	----	----	----	----	3	UNCH											
4500	148.30	148.30		175.30B/138.60A	175.30B/138.60A	----	156.40	-	5.90	.4504	----	2	----	----	1121	+											
4510	----	----		170.90B/135.20A	170.90B/135.20A	----	152.60	-	5.80	.4425	----	----	----	----	191	UNCH											
4515	----	----		168.80B/133.40A	168.80B/133.40A	----	150.70	-	5.80	.4386	----	----	----	----	4	UNCH											
4520	----	----		167.00B/131.80A	167.00B/131.80A	----	148.90	-	5.70	.4348	----	----	----	----	100	UNCH											
4525	----	----		165.10B/130.10A	165.10B/130.10A	----	147.00	-	5.70	.4309	----	----	----	----	2	UNCH											
4530	----	----		163.10B/128.50A	163.10B/128.50A	----	145.20	-	5.70	.4271	----	----	----	----	4	UNCH											
4540	----	----		159.00B/125.30A	159.00B/125.30A	----	141.60	-	5.60	.4194	----	----	----	----	7	UNCH											
4550	131.00	131.00		155.40B/122.20A	155.40B/122.20A	----	138.10	-	5.50	.4118	----	2	----	----	84	-											
4555	----	----		153.40B/120.60A	153.40B/120.60A	----	136.30	-	5.60	.4080	----	----	----	----	25	UNCH											
4565	----	----		149.50B/117.60A	149.50B/117.60A	----	132.90	-	5.50	.4005	----	----	----	----	2	UNCH											
4570	----	----		147.70B/116.10A	147.70B/116.10A	----	131.30	-	5.40	.3969	----	----	----	----	18	UNCH											
4575	----	----		146.00B/114.60A	146.00B/114.60A	----	129.60	-	5.40	.3932	----	----	----	----	2	UNCH											
4580	----	----																									

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
OG CALL		COMEX GOLD OPTIONS																				
JAN27																						
4870	----	----	----	69.50B/53.20A	69.50B/53.20A	----	----	----	60.30 - 3.40	.2145	----	----	----	----	210	UNCH						
4875	----	----	----	68.60B/52.50A	68.60B/52.50A	----	----	----	59.50 - 3.40	.2121	----	----	----	----	6	UNCH						
4880	----	----	----	67.60B/51.90A	67.60B/51.90A	----	----	----	58.70 - 3.40	.2098	----	----	----	----	18	UNCH						
4885	----	----	----	66.60B/51.20A	66.60B/51.20A	----	----	----	58.00 - 3.30	.2076	----	----	----	----	36	UNCH						
4890	----	----	----	65.90B/50.50A	65.90B/50.50A	----	----	----	57.20 - 3.30	.2052	----	----	----	----	3	UNCH						
4895	56.10	56.10	----	65.20B/49.90A	65.20B/49.90A	----	----	----	56.50 - NEW	.2031	----	----	8	----	8 +	8						
4900	64.20	64.20	----	64.40B/49.30A	64.40B/49.30A	----	----	----	55.70 - 3.30	.2007	----	10	----	----	717 +	8						
4905	----	----	----	63.30B/48.60A	63.30B/48.60A	----	----	----	55.00 - 3.20	.1985	----	----	----	----	10	UNCH						
4910	----	----	----	62.60B/48.00A	62.60B/48.00A	----	----	----	54.30 - 3.20	.1964	----	1	----	----	21 +	1						
4915	----	----	----	61.80B/47.40A	61.80B/47.40A	----	----	----	53.60 - 3.10	.1942	----	----	----	----	95	UNCH						
4920	----	----	----	61.00B/46.80A	61.00B/46.80A	----	----	----	52.90 - 3.10	.1921	----	----	----	----	2	UNCH						
4925	----	----	----	60.10B/46.20A	60.10B/46.20A	----	----	----	52.20 - 3.10	.1899	----	----	----	----	2	UNCH						
4930	----	----	----	59.50B/45.70A	59.50B/45.70A	----	----	----	51.50 - 3.10	.1878	----	----	----	----	2	UNCH						
4935	----	----	----	58.90B/45.10A	58.90B/45.10A	----	----	----	50.90 - 3.00	.1859	----	----	----	----	1	UNCH						
4940	----	----	----	58.10B/44.50A	58.10B/44.50A	----	----	----	50.20 - 3.10	.1837	----	----	----	----	3	UNCH						
4945	----	----	----	57.20B/43.90A	57.20B/43.90A	----	----	----	49.60 - 3.00	.1818	----	----	----	----	5	UNCH						
4950	----	----	----	56.70B/43.40A	56.70B/43.40A	----	----	----	48.90 - 3.00	.1797	----	----	----	255	UNCH							
4955	47.90	47.90	----	55.80B/42.90A	55.80B/42.90A	----	----	----	48.30 - 3.00	.1777	----	1	----	----	2 +	1						
4960	47.70	47.70	----	55.10B/42.30A	55.10B/42.30A	----	----	----	47.70 - 2.90	.1758	----	1	----	----	4 -	1						
4970	----	----	----	53.90B/41.30A	53.90B/41.30A	----	----	----	46.50 - 2.90	.1720	----	1	----	----	3 +	1						
4975	----	----	----	53.10B/40.70A	53.10B/40.70A	----	----	----	45.90 - 2.90	.1701	----	----	----	----	5	UNCH						
4985	44.60	44.60	----	51.70B/39.70A	51.70B/39.70A	----	----	----	44.70 - 2.80	.1662	----	15	----	----	16 +	14						
4990	----	----	----	51.20B/39.20A	51.20B/39.20A	----	----	----	44.20 - 2.80	.1646	----	----	----	----	21	UNCH						
4995	----	----	----	50.60B/38.80A	50.60B/38.80A	----	----	----	43.60 - 2.80	.1627	----	----	----	----	6	UNCH						
5000	47.00	47.00	----	50.00B/38.30A	50.00B/38.30A	----	----	----	43.00 - 2.80	.1608	----	131	----	----	1160 -	23						
5005	----	----	----	49.30B/37.80A	49.30B/37.80A	----	----	----	42.50 - 2.70	.1591	----	----	----	----	14	UNCH						
5010	----	----	----	48.70B/37.30A	48.70B/37.30A	----	----	----	42.00 - 2.70	.1574	----	----	----	----	73	UNCH						
5015	----	----	----	48.10B/36.90A	48.10B/36.90A	----	----	----	41.40 - 2.70	.1555	----	----	----	----	3	UNCH						
5020	----	----	----	47.50B/36.40A	47.50B/36.40A	----	----	----	40.90 - 2.70	.1538	----	----	----	----	2	UNCH						
5025	----	----	----	46.90B/36.00A	46.90B/36.00A	----	----	----	40.40 - 2.60	.1522	----	----	----	----	9	UNCH						
5030	40.10	40.10	----	46.10B/35.60A	46.10B/35.60A	----	----	----	39.90 - 2.60	.1505	----	7	----	----	5 -	4						
5035	----	----	----	45.60B/35.10A	45.60B/35.10A	----	----	----	39.40 - 2.60	.1488	----	----	----	----	30	UNCH						
5040	----	----	----	45.20B/34.70A	45.20B/34.70A	----	----	----	38.90 - 2.60	.1472	----	----	----	----	13	UNCH						
5045	----	----	----	44.40B/34.20A	44.40B/34.20A	----	----	----	38.40 - 2.60	.1455	----	----	----	----	2	UNCH						
5050	----	----	----	44.10B/33.90A	44.10B/33.90A	----	----	----	37.90 - 2.60	.1439	----	----	----	131	UNCH							
5055	----	----	----	43.30B/33.50A	43.30B/33.50A	----	----	----	37.50 - 2.50	.1425	----	----	----	----	2	UNCH						
5060	----	----	----	42.80B/33.00A	42.80B/33.00A	----	----	----	37.00 - 2.50	.1408	----	----	----	----	40	UNCH						
5065	----	----	----	42.40B/32.70A	42.40B/32.70A	----	----	----	36.50 - 2.50	.1392	----	----	----	----	2	UNCH						
5070	----	----	----	41.90B/32.30A	41.90B/32.30A	----	----	----	36.10 - 2.50	.1378	----	----	----	----	8	UNCH						
5075	----	----	----	41.40B/31.90A	41.40B/31.90A	----	----	----	35.60 - 2.50	.1361	----	1	----	----	4	UNCH						
5080	----	----	----	40.90B/31.50A	40.90B/31.50A	----	----	----	35.20 - 2.40	.1347	----	----	----	----	6	UNCH						
5085	----	----	----	40.40B/31.10A	40.40B/31.10A	----	----	----	34.80 - 2.40	.1333	----	----	----	----	33	UNCH						
5090	----	----	----	39.90B/30.70A	39.90B/30.70A	----	----	----	34.30 - 2.40	.1317	----	----	----	----	3	UNCH						
5095	----	----	----	39.40B/30.40A	39.40B/30.40A	----	----	----	33.90 - 2.40	.1303	----	----	----	----	3	UNCH						
5100	32.60	32.60	----	38.90B/30.00A	38.90B/30.00A	----	----	----	33.50 - 2.40	.1289	----	2	----	----	215 -	1						
5105	----	----	----	38.50B/29.70A	38.50B/29.70A	----	----	----	33.10 - 2.30	.1275	----	----	----	----	25	UNCH						
5115	----	----	----	37.50B/29.00A	37.50B/29.00A	----	----	----	32.30 - 2.30	.1247	----	----	----	----	5	UNCH						
5120	----	----	----	37.00B/28.60A	37.00B/28.60A	----	----	----	31.90 - 2.30	.1234	----	1	----	----	3 +	1						
5125	----	----	----	36.50B/28.30A	36.50B/28.30A	----	----	----	31.50 - 2.30	.1220	----	----	----	----	44	UNCH						
5130	----	----	----	36.20B/28.00A	36.20B/28.00A	----	----	----	31.10 - 2.30	.1206	----	----	----	----	19	UNCH						
5135	----	----	----	35.70B/27.70A	35.70B/27.70A	----	----	----	30.80 - 2.20	.1195	----	----	----	----	47	UNCH						
5140	----	----	----	35.30B/27.30A	35.30B/27.30A	----	----	----	30.40 - 2.20	.1181	----	----	----	----	5	UNCH						
5150	----	----	----	34.40B/26.70A	34.40B/26.70A	----	----	----	29.70 - 2.20	.1156	----	----	20	----	230 +	20						
5155	29.40	29.40	----	34.10B/26.40A	34.10B/26.40A	----	----	----	29.30 - 2.20	.1142	----	15	----	----	27 +	15						
5160	----	----	----	33.60B/26.10A	33.60B/26.10A	----	----	----	29.00 - 2.10	.1131	----	----	----	----	5	UNCH						
5165	----	----	----	33.20B/25.80A	33.20B/25.80A	----	----	----	28.70 - 2.10	.1120	----	----	----	----	7	UNCH						
5170	----	----	----	32.90B/25.50A	32.90B/25.50A	----	----	----	28.30 - 2.10	.1106	----	----	----	----	9	UNCH						
5175	31.10	31.10	----	32.40B/25.20A	32.40B/25.20A	----	----	----	28.00 - 2.10	.1095	----	9	----	----	235 -	9						
5180	----	----	----	32.00B/24.90A	32.00B/24.90A	----	----	----	27.70 - 2.00	.1084	----	----	----	----	11	UNCH						
5185	----	----	----	31.60B/24.70A	31.60B/24.70A	----	----	----	27.30 - 2.10	.1071	----	----	----	----	9	UNCH						
5190	----	----	----	31.30B/24.40A	31.30B/24.40A	----	----	----	27.00 - 2.00	.1060	----	----	----	----	2	UNCH						
5195	----	----	----	30.90B/24.10A	30.90B/24.10A	----	----	----	26.70 - 2.00	.1049	----	----	----	----	5	UNCH						
5200	----	----	----	30.60B/23.90A	30.60B/23.90A	----	----	----	26.40 - 2.00	.1038	----	1	----	----	817 -	1						
5205	----	----	----	30.30B/23.70A	30.30B/23.70A	----	----	----	26.10 - 1.90	.1027	----	----	----	----	2	UNCH						
5210	----	----	----	29.90B/23.30A	29.90B/23.30A	----	----	----	25.80 - 1.90	.1016	----	----	----	----	16	UNCH						
5215	----	----	----	29.50B/23.10A	29.50B/23.10A	----	----	----	25.50 - 1.90	.1005	----	----	----	----	20	UNCH						
5225																						

BULLETIN #182@				METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS															
JAN27																
5750	----	----	10.70B/9.20A	10.70B/9.20A	----	9.50 - 0.70	.0381	----	----	----	----	8	UNCH			
5760	----	----	10.50B/9.10A	10.50B/9.10A	----	9.30 - 0.80	.0373	----	----	----	----	2	UNCH			
5770	----	----	10.40B/9.00A	10.40B/9.00A	----	9.20 - 0.80	.0369	----	----	----	----	10	UNCH			
5775	----	----	10.30B/8.90A	10.30B/8.90A	----	9.10 - 0.80	.0365	----	----	----	----	215	UNCH			
5800	----	----	9.90B/8.60A	9.90B/8.60A	----	8.80 - 0.80	.0352	----	----	----	----	310	UNCH			
5820	----	----	9.60B/8.40A	9.60B/8.40A	----	8.60 - 0.70	.0343	----	----	----	----	7	UNCH			
5850	----	----	9.20B/8.10A	9.20B/8.10A	----	8.30 - 0.70	.0330	----	----	----	----	4	UNCH			
5875	----	----	8.90B/7.90A	8.90B/7.90A	----	8.00 - 0.70	.0318	----	----	----	----	5	UNCH			
5900	----	----	8.60B/7.70A	8.60B/7.70A	----	7.80 - 0.60	.0309	----	----	----	----	217	UNCH			
5925	----	----	8.30B/7.50A	8.30B/7.50A	----	7.50 - 0.70	.0297	----	----	----	----	2	UNCH			
5950	----	----	8.10B/7.30A	8.10B/7.30A	----	7.30 - 0.60	.0288	----	----	----	----	1	UNCH			
5975	----	----	7.80B/7.10A	7.80B/7.10A	----	7.10 - 0.60	.0279	----	----	----	----	14	UNCH			
6000	8.30	8.30	8.30/6.80	8.30/6.80	----	6.90 - 0.60	.0271	----	----	55	----	912	- 51			
6025	----	----	7.40B/6.70A	7.40B/6.70A	----	6.70 - 0.60	.0262	----	----	----	----	239	UNCH			
6250	----	----	----/5.50A	5.80B/5.50A	----	5.40 - 0.40	.0205	----	----	----	----	70	UNCH			
6300	----	----	----/5.30A	5.60B/5.30A	----	5.20 - 0.40	.0196	----	----	1	----	562	+			
6400	4.90	4.90	4.90/4.90	5.10B/4.90	----	4.80 NEW	.0179	----	----	13	----	13	+			
6500	4.30	4.30	4.60/4.30	4.70B/4.30	----	4.40 - 0.40	.0162	----	----	18	----	1304	+			
6600	----	----	----/4.20A	4.40B/4.20A	----	4.10 - 0.40	.0149	----	----	----	----	1	UNCH			
7000	3.10	3.10	3.10/3.10	3.30B/3.10	----	3.20 NEW	.0111	----	----	132	----	132	+			
7900	----	----	----	2.00B/2.10A	----	1.90 - 0.20	.0061	----	----	----	----	12	UNCH			
8000	----	----	----	1.90B/2.00A	----	1.80 - 0.20	.0057	----	----	----	----	1	UNCH			
9000	1.30	1.30	1.30/1.30	1.30/1.30	----	1.10 - 0.20	.0033	----	----	2	----	61	UNCH			
10000	1.00	1.00	1.00/0.90	1.00/0.90	----	0.80 - 0.10	.0022	----	----	40	----	189	+			
20000	----	----	----	----/0.30A	----	0.20 UNCH	.0004	----	----	36	----	238	UNCH			
TOTAL										1174		26679	+			
FEB27																
3500	----	----	----	921.30B/937.30A	----	920.70 - 8.00	.9504	----	----	----	----	2	UNCH			
3950	----	----	----	507.80B/481.60A	----	516.10 - 7.90	.8219	----	----	----	----	1	UNCH			
4000	----	----	491.90B/443.00A	491.90B/443.00A	----	476.60 - 7.80	.7968	----	----	----	----	8	UNCH			
4010	----	----	492.00B/435.50A	492.00B/435.50A	----	468.90 - 7.70	.7915	----	----	----	----	1	UNCH			
4100	----	----	424.20B/371.40A	424.20B/371.40A	----	402.40 - 7.60	.7399	----	----	----	----	211	UNCH			
4140	----	----	395.90B/345.00A	395.90B/345.00A	----	374.80 - 7.40	.7148	----	----	----	----	2	UNCH			
4150	----	----	389.00B/338.60A	389.00B/338.60A	----	368.10 - 7.40	.7083	----	----	----	----	102	UNCH			
4165	----	----	378.80B/329.30A	378.80B/329.30A	----	358.10 - 7.40	.6985	----	----	----	----	2	UNCH			
4170	----	----	375.40B/326.20A	375.40B/326.20A	----	354.90 - 7.30	.6952	----	----	----	----	20	UNCH			
4175	----	----	372.10B/323.00A	372.10B/323.00A	----	351.60 - 7.30	.6919	----	----	----	----	1	UNCH			
4200	----	----	355.60B/307.90A	355.60B/307.90A	----	335.70 - 7.20	.6751	----	----	----	----	280	UNCH			
4205	----	----	352.50B/304.90A	352.50B/304.90A	----	332.50 - 7.20	.6717	----	----	----	----	9	UNCH			
4220	----	----	342.90B/295.00A	342.90B/295.00A	----	323.30 - 7.10	.6614	----	----	----	----	8	UNCH			
4225	----	----	339.70B/292.10A	339.70B/292.10A	----	320.20 - 7.10	.6579	----	----	----	----	12	UNCH			
4250	----	----	326.30B/278.00A	326.30B/278.00A	----	305.30 - 6.90	.6405	----	----	----	----	132	UNCH			
4255	----	----	323.30B/275.30A	323.30B/275.30A	----	302.40 - 6.80	.6370	----	----	----	----	110	UNCH			
4260	----	----	320.30B/272.70A	320.30B/272.70A	----	299.50 - 6.80	.6334	----	----	----	----	10	UNCH			
4265	----	----	317.30B/270.00A	317.30B/270.00A	----	296.60 - 6.80	.6299	----	----	----	----	65	UNCH			
4270	----	----	314.30B/267.40A	314.30B/267.40A	----	293.70 - 6.80	.6263	----	----	----	----	10	UNCH			
4285	----	----	305.50B/259.20A	305.50B/259.20A	----	285.20 - 6.70	.6157	----	----	----	----	50	UNCH			
4300	----	----	297.40B/251.10A	297.40B/251.10A	----	276.90 - 6.70	.6049	----	----	----	----	338	UNCH			
4325	254.40	254.40	283.40B/238.80A	283.40B/238.80A	----	263.40 - 6.60	.5870	----	----	50	----	51	+			
4335	----	----	278.10B/233.90A	278.10B/233.90A	----	258.20 - 6.50	.5797	----	----	----	----	19	UNCH			
4340	----	----	275.40B/231.20A	275.40B/231.20A	----	255.60 - 6.50	.5761	----	----	----	----	19	UNCH			
4350	----	----	270.10B/226.60A	270.10B/226.60A	----	250.40 - 6.60	.5689	----	----	13	----	15	+			
4370	----	----	261.80B/217.30A	261.80B/217.30A	----	240.40 - 6.50	.5544	----	----	----	----	15	UNCH			
4385	----	----	254.10B/210.70A	254.10B/210.70A	----	233.10 - 6.40	.5435	----	----	----	----	19	UNCH			
4390	----	----	251.70B/208.70A	251.70B/208.70A	----	230.70 - 6.40	.5399	----	----	----	----	1	UNCH			
4395	----	----	249.00B/206.40A	249.00B/206.40A	----	228.30 - 6.50	.5363	----	----	----	----	4	UNCH			
4400	239.50	239.50	247.20B/204.10A	247.20B/204.10A	----	225.90 - 6.50	.5327	----	----	20	----	205	+			
4405	----	----	244.00B/202.00A	244.00B/202.00A	----	223.60 - 6.40	.5290	----	----	----	----	4	UNCH			
4410	----	----	242.00B/200.00A	242.00B/200.00A	----	221.30 - 6.40	.5254	----	----	----	----	17	UNCH			
4415	----	----	239.40B/198.00A	239.40B/198.00A	----	219.00 - 6.40	.5218	----	----	----	----	244	UNCH			
4420	----	----	236.70B/195.90A	236.70B/195.90A	----	216.70 - 6.40	.5182	----	----	----	----	4	UNCH			
4425	208.90	208.90	234.60B/193.90A	234.60B/193.90A	----	214.40 - 6.40	.5146	----	----	6	----	30	+			
4430	207.90	207.90	232.50B/191.60A	232.50B/191.60A	----	212.20 - 6.40	.5110	----	----	7	----	263	+			
4435	208.20	208.20	229.90B/189.80A	229.90B/189.80A	----	210.00 - 6.40	.5074	----	----	10	----	14	+			
4440	207.80	207.80	227.60B/187.80A	227.60B/187.80A	----	207.80 - 6.40	.5039	----	----	3	----	10	+			
4445	223.90	223.90	225.20B/185.80A	225.20B/185.80A	----	205.60 - 6.40	.5003	----	----	5	----	19	+			
4450	----	----	223.40B/183.70A	223.40B/183.70A	----	203.50 - 6.30	.4967	----	----	----	----	183	UNCH			
4455	----	----	220.50B/181.80A	220.50B/181.80A	----	201.30 - 6.30	.4932	----	----	----	----	9	UNCH			
4460	----	----	218.50B/179.90A	218.50B/179.90A	----	199.20 - 6.30	.4896	----	----	----	----	6	UNCH			
4465	----	----	216.30B/178.10A	216.30B/178.10A	----	197.10 - 6.30	.4861	----	----	----	----	4	UNCH			
4470	----	----	214.10B/176.20A	214.10B/176.20A	----	195.00 - 6.30	.4826	----	----	----	----	11	UNCH			
4475	----	----	212.30B/174.30A	212.30B/174.30A	----	193.00 - 6.20	.4791	----	----	----	----	52	UNCH			
4480	----	----	209.80B/172.20A	209.80B/172.20A	----	191.00 - 6.20	.4756	----	----	----	----	13	UNCH			
4485	196.30	196.30	208.10B/170.60A	208.10B/170.60A	----	188.90 - 6.20	.4720	----	----	1	----	11	UNCH			
4490	----	----	205.60B/168.70A	205.60B/168.70A	----	186.90 - 6.20	.4685	----	----	----	----	50	UNCH			
4500	183.00	183.00	202.10B/165.10A	202.10B/165.10A	----	183.00 - 6.10	.4616	----	----	233	----	735	+			
4505	----	----	199.60B/163.40A	199.60B/163.40A	----	181.10 - 6.00	.4582	----	----	----	----	1	UNCH			
4510	176.80	176.80	197.60B/161.60A	197.60B/161.60A	----	179.10 - 6.10	.4547	----	----	3	----	3	+			
4515	174.50	174.50	195.50B/159.80A	195.50B/159.80A	----	177.20 - 6.10	.4513	----	----	2	----	4	+			
4520	----	----	193.40B/158.00A	193.40B/158.00A	----	175.40 - 5.90	.4479	----	----	----	----	52	UNCH			
4525	----	----	191.40B/156.40A	191.40B/156.40A	----	173.50 - 5.90	.4445	----	----	----	----	25	UNCH			
4535	----	----	187.80B/153.20A	187.80B/153.20A	----	169.80 - 5.90	.4377	----	----	----	----	1	UNCH			
4540	----	----	185.50B/151.30A	185.50B/151.30A	----	168.00 - 5.90	.4343	----	----	----	----	100	UNCH			
4545	----	----	183.90B/149.70A	183.90B/149.70A	----	166.20 - 5.80	.4309	----	----	----	----	1	UNCH			
4550	----	----	182.20B/148.20A	182.20B/148.20A	----	164.40 - 5.80	.4276	----	----	5	----	206	+			
4555	----	----	180.00B/146.60A	180.00B/146.60A	----	162.70 - 5.70	.4243	----	----	----	----	5	UNCH			
4560	----	----	177.90B/144.90A	177.90B/144.90A	----	160.90 - 5.70	.4209	----	----	----	----	18	UNCH			
4565	----	----	176.10B/143.40A	176.10B/143.40A	----	159.20 - 5.70	.4177	----	----	----	----	1	UNCH			
4570	----	----	174.30B/141.80A	174.30B/141.80A	----	157.50 - 5.60	.4144	----	----	----	----	19	UNCH			
4575	----	----	172.50B/140.30A	172.50B/140.30A	----	155.80 - 5.60	.4111	----	----	----	----	19	UNCH			
4590	----	----	167.10B/135.70A	167.10B/135.70A	----	150.80 NEW	.4013	----	----	19	----	19	+			
4600	154.00	154.00	163.90B/132.80A	163.90B/132.80A	----	147.60 - 5.40	.3950	----	----	2	----	1816	UNCH			
4605	----	----	161.80B/131.30A	161.80B/131.30A	----	146.00 - 5.40	.3918	----	----	----	----	67	UNCH			
4610	----	----	160.20B/129.90A	160.20B/129.90A	----	144.40 - 5.40	.3886	----	----	----	----	30	UNCH			
4615	----	----	158.50B/128.40A	158.50B/128.40A	----	142.90 - 5.30	.3855	----	----	----	----	121	UNCH			
4625	----	----	155.70B/125.60A	155.70B/125.60A	----	139.80 - 5.20	.3792	----	----	----	----	70	UNCH			
4630	----	----	153.50B/124.30A	153.50B/124.30A	----	138.30 - 5.20	.3761	----	----	----	----	19	UNCH			
4640	----															

PG64		BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64	
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																							
FEB27																									
4945	----	----			77.40B/61.90A	77.40B/61.90A	----				68.70 - 3.20	.2150	----	----	----	----			18	UNCH					
4950	67.50	67.50			76.60B/61.20A	76.60B/61.20A	----				67.90 - 3.30	.2130	----	----	3	----			7 +	3					
4955	----	----			75.70B/60.50A	75.70B/60.50A	----				67.20 - 3.20	.2111	----	----	----	----			2	UNCH					
4960	----	----			74.80B/59.90A	74.80B/59.90A	----				66.40 - 3.20	.2090	----	----	----	----			7	UNCH					
4975	----	----			72.60B/57.90A	72.60B/57.90A	----				64.30 - 3.10	.2034	----	----	----	----			3	UNCH					
4995	----	----			69.50B/55.40A	69.50B/55.40A	----				61.50 - 3.00	.1958	----	----	----	----			20	UNCH					
5000	----	----			68.50B/54.80A	68.50B/54.80A	----				60.90 - 2.90	.1941	----	----	79	----			2972 +	65					
5005	----	----			67.90B/54.30A	67.90B/54.30A	----				60.20 - 2.90	.1923	----	----	----	----			23	UNCH					
5010	----	----			67.20B/53.70A	67.20B/53.70A	----				59.50 - 3.00	.1904	----	----	----	----			7	UNCH					
5020	----	----			65.80B/52.50A	65.80B/52.50A	----				58.30 - 2.80	.1870	----	----	----	----			5	UNCH					
5025	----	----			65.20B/52.00A	65.20B/52.00A	----				57.60 - 2.90	.1852	----	----	----	----			30	UNCH					
5030	----	----			64.30B/51.40A	64.30B/51.40A	----				57.00 - 2.80	.1835	----	----	----	----			6	UNCH					
5040	----	----			62.90B/50.30A	62.90B/50.30A	----				55.80 - 2.80	.1801	----	----	----	----			1	UNCH					
5045	----	----			62.30B/49.80A	62.30B/49.80A	----				55.20 - 2.70	.1784	----	----	----	----			50	UNCH					
5050	----	----			61.70B/49.20A	61.70B/49.20A	----				54.60 - 2.70	.1768	----	----	----	----			116	UNCH					
5060	----	----			60.40B/48.20A	60.40B/48.20A	----				53.40 - 2.70	.1734	----	----	----	----			1	UNCH					
5075	----	----			58.50B/46.70A	58.50B/46.70A	----				51.70 - 2.60	.1686	----	----	----	----			157	UNCH					
5090	----	----			56.60B/45.30A	56.60B/45.30A	----				50.10 - 2.50	.1640	----	----	----	----			2	UNCH					
5095	----	----			56.10B/44.80A	56.10B/44.80A	----				49.60 - 2.50	.1626	----	----	----	----			9	UNCH					
5100	----	----			55.40B/44.30A	55.40B/44.30A	----				49.00 - 2.50	.1609	----	----	250	----			636 -	29					
5105	----	----			54.90B/43.90A	54.90B/43.90A	----				48.50 - 2.50	.1595	----	----	----	----			40	UNCH					
5110	----	----			54.20B/43.40A	54.20B/43.40A	----				48.00 - 2.50	.1580	----	----	----	----			43	UNCH					
5115	46.60	46.60			53.70B/42.90A	53.70B/42.90A	----				47.50 - 2.40	.1565	----	5	----	----			65 +	5					
5120	----	----			53.10B/42.50A	53.10B/42.50A	----				47.00 - 2.40	.1551	----	----	----	----			2	UNCH					
5125	----	----			52.50B/42.10A	52.50B/42.10A	----				46.50 - 2.40	.1536	----	----	----	----			6	UNCH					
5130	----	----			52.00B/41.70A	52.00B/41.70A	----				46.00 - 2.40	.1522	----	----	----	----			2	UNCH					
5135	----	----			51.50B/41.20A	51.50B/41.20A	----				45.50 - 2.40	.1508	----	----	----	----			1	UNCH					
5140	----	----			51.00B/40.80A	51.00B/40.80A	----				45.00 - 2.40	.1493	----	----	----	----			2	UNCH					
5145	----	----			50.40B/40.40A	50.40B/40.40A	----				44.60 - 2.30	.1481	----	----	----	----			4	UNCH					
5150	----	----			49.90B/39.90A	49.90B/39.90A	----				44.10 - 2.30	.1466	----	----	----	----			39	UNCH					
5155	----	----			49.30B/39.60A	49.30B/39.60A	----				43.60 - 2.30	.1452	----	----	----	----			4	UNCH					
5160	----	----			48.80B/39.20A	48.80B/39.20A	----				43.20 - 2.30	.1440	----	----	----	----			4	UNCH					
5165	----	----			48.30B/38.70A	48.30B/38.70A	----				42.70 - 2.30	.1425	----	----	----	----			5	UNCH					
5170	----	----			47.90B/38.40A	47.90B/38.40A	----				42.30 - 2.20	.1413	----	----	----	----			5	UNCH					
5175	----	----			47.30B/37.90A	47.30B/37.90A	----				41.90 - 2.20	.1401	----	----	----	----			127	UNCH					
5180	----	----			46.80B/37.60A	46.80B/37.60A	----				41.40 - 2.20	.1386	----	----	----	----			1	UNCH					
5185	----	----			46.20B/37.30A	46.20B/37.30A	----				41.00 - 2.20	.1374	----	----	----	----			125	UNCH					
5190	----	----			45.90B/36.90A	45.90B/36.90A	----				40.60 - 2.10	.1362	----	----	----	----			3	UNCH					
5200	42.40	42.40			44.80B/36.10A	44.80B/36.10A	----				39.70 - 2.20	.1336	----	2	----	----			3069 -	2					
5210	----	----			44.00B/35.40A	44.00B/35.40A	----				38.90 - 2.10	.1311	----	----	----	----			1	UNCH					
5220	----	----			43.00B/35.00A	43.00B/35.00A	----				38.20 - 2.00	.1289	----	----	----	----			27	UNCH					
5230	----	----			42.30B/34.20A	42.30B/34.20A	----				37.40 - 2.00	.1265	----	----	----	----			13	UNCH					
5235	----	----			41.70B/34.00A	41.70B/34.00A	----				37.00 - 2.00	.1253	----	----	----	----			1	UNCH					
5240	----	----			41.40B/33.70A	41.40B/33.70A	----				36.60 - 2.00	.1241	----	----	----	----			4	UNCH					
5245	----	----			41.00B/33.40A	41.00B/33.40A	----				36.30 - 2.00	.1231	----	----	----	----			9	UNCH					
5250	----	----			40.60B/33.00A	40.60B/33.00A	----				35.90 - 2.00	.1219	----	----	----	----			470	UNCH					
5255	----	----			40.20B/32.70A	40.20B/32.70A	----				35.50 - 2.00	.1207	----	----	----	----			1	UNCH					
5260	----	----			39.80B/32.40A	39.80B/32.40A	----				35.20 - 1.90	.1198	----	----	----	----			3	UNCH					
5265	34.90	34.90			39.40B/32.10A	39.40B/32.10A	----				34.80 - 2.00	.1186	----	3	----	----			10 +	3					
5270	----	----			39.00B/31.80A	39.00B/31.80A	----				34.50 - 1.90	.1176	----	----	----	----			14	UNCH					
5275	----	----			38.60B/31.50A	38.60B/31.50A	----				34.20 - 1.90	.1166	----	----	----	----			16	UNCH					
5280	----	----			38.20B/31.20A	38.20B/31.20A	----				33.80 - 1.90	.1154	----	----	----	----			20	UNCH					
5285	----	----			37.60B/30.90A	37.60B/30.90A	----				33.50 - 1.90	.1145	----	----	----	----			4	UNCH					
5290	----	----			37.50B/30.60A	37.50B/30.60A	----				33.20 - 1.80	.1135	----	----	----	----			4	UNCH					
5295	----	----			37.10B/30.30A	37.10B/30.30A	----				32.80 - 1.90	.1123	----	----	----	----			35	UNCH					
5300	----	----			36.80B/29.90A	36.80B/29.90A	----				32.50 - 1.80	.1114	----	----	----	----			849	UNCH					
5305	----	----			36.40B/29.70A	36.40B/29.70A	----				32.20 - 1.80	.1104	----	----	----	----			14	UNCH					
5315	----	----			35.60B/29.20A	35.60B/29.20A	----				31.60 - 1.80	.1085	----	----	----	----			2	UNCH					
5320	----	----			35.30B/28.90A	35.30B/28.90A	----				31.30 - 1.80	.1075	----	----	----	----			8	UNCH					
5330	----	----			34.40B/28.30A	34.40B/28.30A	----				30.70 - 1.70	.1056	----	----	----	----			1	UNCH					
5335	----	----			34.10B/28.20A	34.10B/28.20A	----				30.40 - 1.70	.1047	----	----	----	----			13	UNCH					
5340	----	----			33.80B/27.90A	33.80B/27.90A	----				30.10 - 1.70	.1037	----	----	----	----			5	UNCH					
5345	----	----			33.40B/27.60A	33.40B/27.60A	----				29.80 - 1.70	.1028	----	----	----	----			1	UNCH					
5350	----	----			33.10B/27.40A	33.10B/27.40A	----				29.50 - 1.70	.1019	----	138	----	----			401 +	130					
5355	----	----			32.80B/27.10A	32.80																			



GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	OPEN		OUTCRY	SETT.PRICE		DELTA	EXER	OPEN	GLOBEX®	PNT	OPEN
OPEN	OPEN	RANGE	HIGH/LOW	HIGH/LOW	CLOSE	RANGE	& PT.CHGE.	CLOSE	RANGE	PT.CHGE.	VOLUME	VOLUME						
OG CALL COMEX GOLD OPTIONS																		
MAR27																		
4225	----	----	384.90B/354.00A	384.90B/354.00A	----	----	366.40	- 7.20	.6684	----	----	----	----	----	2	UNCH		
4300	----	----	339.50B/299.30A	339.50B/299.30A	----	----	322.20	- 6.80	.6216	----	----	----	----	----	216	UNCH		
4345	----	----	316.90B/274.00A	316.90B/274.00A	----	----	297.60	- 6.70	.5928	----	----	----	----	----	1	UNCH		
4350	----	----	314.20B/271.60A	314.20B/271.60A	----	----	295.00	- 6.70	.5896	----	----	----	----	----	20	UNCH		
4370	----	----	303.50B/261.50A	303.50B/261.50A	----	----	284.70	- 6.60	.5767	----	----	----	----	----	270	UNCH		
4400	----	----	291.30B/247.70A	291.30B/247.70A	----	----	269.80	- 6.50	.5574	----	50	----	----	----	578	+	28	
4420	----	----	281.50B/238.60A	281.50B/238.60A	----	----	260.10	- 6.50	.5445	----	----	----	----	----	1	UNCH		
4440	----	----	271.50B/230.10A	271.50B/230.10A	----	----	250.50	- 6.60	.5316	----	----	----	----	----	1	UNCH		
4450	----	----	267.30B/225.70A	267.30B/225.70A	----	----	245.90	- 6.50	.5251	----	----	----	----	----	234	UNCH		
4460	----	----	262.20B/221.60A	262.20B/221.60A	----	----	241.30	- 6.60	.5187	----	----	----	----	----	5	UNCH		
4465	----	----	259.50B/219.40A	259.50B/219.40A	----	----	239.10	- 6.50	.5155	----	----	----	----	----	120	UNCH		
4470	----	----	257.80B/217.60A	257.80B/217.60A	----	----	237.00	- 6.40	.5123	----	----	----	----	----	6	UNCH		
4475	----	----	255.60B/215.30A	255.60B/215.30A	----	----	234.80	- 6.40	.5091	----	----	----	----	----	2	UNCH		
4480	----	----	253.30B/213.50A	253.30B/213.50A	----	----	232.70	- 6.40	.5060	----	----	----	----	----	50	UNCH		
4495	----	----	246.50B/207.50A	246.50B/207.50A	----	----	226.40	- 6.20	.4965	----	----	----	----	----	1	UNCH		
4500	----	----	244.30B/205.40A	244.30B/205.40A	----	----	224.40	- 6.10	.4934	----	----	----	----	----	515	UNCH		
4525	----	----	233.50B/196.00A	233.50B/196.00A	----	----	214.20	- 6.00	.4777	----	----	----	----	----	2	UNCH		
4535	----	----	227.40B/192.40A	227.40B/192.40A	----	----	210.30	- 5.80	.4715	----	----	----	----	----	20	UNCH		
4550	----	----	222.80B/186.90A	222.80B/186.90A	----	----	204.50	- 5.70	.4623	----	----	----	----	----	241	UNCH		
4555	----	----	219.10B/185.20A	219.10B/185.20A	----	----	202.50	- 5.80	.4592	----	----	----	----	----	20	UNCH		
4580	----	----	209.80B/176.70A	209.80B/176.70A	----	----	193.10	- 5.70	.4440	----	----	----	----	----	29	UNCH		
4590	----	----	206.10B/173.30A	206.10B/173.30A	----	----	189.50	- 5.60	.4380	----	----	----	----	----	20	UNCH		
4600	----	----	203.60B/170.00A	203.60B/170.00A	----	----	185.90	- 5.50	.4321	----	----	----	----	----	201	UNCH		
4605	----	----	199.90B/168.30A	199.90B/168.30A	----	----	184.10	- 5.50	.4291	----	----	----	----	----	33	UNCH		
4610	----	----	198.50B/166.80A	198.50B/166.80A	----	----	182.30	- 5.50	.4261	----	----	----	----	----	302	UNCH		
4615	----	----	196.30B/165.20A	196.30B/165.20A	----	----	180.60	- 5.50	.4232	----	----	----	----	----	20	UNCH		
4640	----	----	187.70B/157.30A	187.70B/157.30A	----	----	172.00	- 5.40	.4085	----	----	----	----	----	10	UNCH		
4645	----	----	185.80B/156.00A	185.80B/156.00A	----	----	170.40	- 5.40	.4057	----	----	----	----	----	2370	UNCH		
4650	----	----	184.50B/154.50A	184.50B/154.50A	----	----	168.70	- 5.40	.4028	----	----	----	----	----	21	UNCH		
4660	----	----	180.40B/151.40A	180.40B/151.40A	----	----	165.50	- 5.30	.3971	----	----	----	----	----	2	UNCH		
4670	----	----	177.70B/148.60A	177.70B/148.60A	----	----	162.30	- 5.30	.3914	----	----	----	----	----	4	UNCH		
4675	----	----	175.50B/147.20A	175.50B/147.20A	----	----	160.70	- 5.30	.3886	----	----	----	----	----	2	UNCH		
4680	----	----	173.80B/145.70A	173.80B/145.70A	----	----	159.20	- 5.20	.3858	----	----	----	----	----	2	UNCH		
4685	----	----	172.20B/144.30A	172.20B/144.30A	----	----	157.60	- 5.20	.3830	----	----	----	----	----	1	UNCH		
4690	----	----	170.70B/143.00A	170.70B/143.00A	----	----	156.10	- 5.20	.3802	----	----	----	----	----	10	UNCH		
4700	----	----	168.80B/140.20A	168.80B/140.20A	----	----	153.10	- 5.10	.3747	----	----	----	----	----	1508	UNCH		
4705	----	----	166.00B/139.00A	166.00B/139.00A	----	----	151.60	- 5.10	.3719	----	----	----	----	----	119	UNCH		
4710	----	----	164.60B/137.60A	164.60B/137.60A	----	----	150.10	- 5.10	.3692	----	----	----	----	----	21	UNCH		
4725	----	----	160.70B/133.50A	160.70B/133.50A	----	----	145.80	- 5.00	.3611	----	----	----	----	----	29	UNCH		
4735	----	----	156.80B/131.10A	156.80B/131.10A	----	----	143.00	- 4.90	.3558	----	----	----	----	----	4	UNCH		
4745	----	----	153.70B/128.50A	153.70B/128.50A	----	----	140.20	- 4.90	.3505	----	----	----	----	----	1	UNCH		
4750	----	----	153.10B/127.30A	153.10B/127.30A	----	----	138.80	- 4.90	.3479	----	----	----	----	----	205	UNCH		
4755	----	----	150.90B/126.00A	150.90B/126.00A	----	----	137.50	- 4.90	.3453	----	----	----	----	----	2372	UNCH		
4760	----	----	149.60B/124.90A	149.60B/124.90A	----	----	136.20	- 4.80	.3428	----	----	----	----	----	51	UNCH		
4765	----	----	147.80B/123.70A	147.80B/123.70A	----	----	134.80	- 4.80	.3401	----	----	----	----	----	52	UNCH		
4770	----	----	147.10B/122.30A	147.10B/122.30A	----	----	133.50	- 4.80	.3376	----	----	----	----	----	50	UNCH		
4775	----	----	145.40B/121.20A	145.40B/121.20A	----	----	132.20	- 4.80	.3350	----	----	----	----	----	1	UNCH		
4785	123.40	123.40	143.30B/118.90A	143.30B/118.90A	----	----	129.70	- 4.70	.3300	----	----	----	----	----	3	UNCH		
4800	----	----	139.70B/115.50A	139.70B/115.50A	----	----	126.00	- 4.60	.3226	----	7	----	----	----	226	-	6	
4810	----	----	136.10B/113.30A	136.10B/113.30A	----	----	123.50	- 4.60	.3176	----	----	----	----	----	16	UNCH		
4820	----	----	133.70B/111.10A	133.70B/111.10A	----	----	121.10	- 4.50	.3128	----	----	----	----	----	20	UNCH		
4830	----	----	130.70B/108.90A	130.70B/108.90A	----	----	118.80	- 4.40	.3080	----	----	----	----	----	20	UNCH		
4850	----	----	126.50B/104.80A	126.50B/104.80A	----	----	114.30	- 4.30	.2987	----	----	----	----	----	5	UNCH		
4855	----	----	124.70B/103.80A	124.70B/103.80A	----	----	113.20	- 4.30	.2964	----	----	----	----	----	20	UNCH		
4880	----	----	119.00B/98.80A	119.00B/98.80A	----	----	107.80	- 4.20	.2850	----	----	----	----	----	7	UNCH		
4890	----	----	116.80B/97.00A	116.80B/97.00A	----	----	105.70	- 4.20	.2806	----	----	----	----	----	10	UNCH		
4895	----	----	116.10B/96.00A	116.10B/96.00A	----	----	104.70	- 4.10	.2784	----	----	----	----	----	10	UNCH		
4900	----	----	114.70B/95.10A	114.70B/95.10A	----	----	103.70	- 4.10	.2762	----	----	----	----	----	11	UNCH		
4920	----	----	109.90B/91.30A	109.90B/91.30A	----	----	99.80	- 3.90	.2677	----	----	----	----	----	4	UNCH		
4925	----	----	109.00B/90.50A	109.00B/90.50A	----	----	98.80	- 4.00	.2656	----	----	----	----	----	16	UNCH		
4950	----	----	104.60B/86.40A	104.60B/86.40A	----	----	94.10	- 3.90	.2552	----	----	----	----	----	251	UNCH		
4980	----	----	98.00B/81.60A	98.00B/81.60A	----	----	88.80	- 3.70	.2433	----	----	----	----	----	2	UNCH		
4995	----	----	95.20B/79.20A	95.20B/79.20A	----	----	86.30	- 3.60	.2375	----	1	----	----	----	72	UNCH		
5000	----	----	95.40B/78.50A	95.40B/78.50A	----	----	85.50	- 3.60	.2357	----	1	----	----	----	4023	UNCH		
5010	----	----	92.90B/77.00A	92.90B/77.00A	----	----	83.80	- 3.60	.2318	----	1	----	----	----	11	+	1	
5015	----	----	91.90B/76.30A	91.90B/76.30A	----	----	83.00	- 3.60	.2300	----	----	----	----	----	1	UNCH		
5060	----	----	84.60B/70.00A	84.60B/70.00A	----	----	76.10	- 3.30	.2138	----	----	----	----	----	1	UNCH		
5100	----	----	78.80B/64.90A	78.80B/64.90A	----	----	70.50	- 3.10	.2004	----	----	----	----	----	378	UNCH		
5105	----	----	77.70B/64.40A	77.70B/64.40A	----	----	69.90	- 3.00	.1989	----	----	----	----	----	5	UNCH		
5125	----	----	74.80B/62.10A	74.80B/62.10A	----	----	67.20	- 3.00	.1924	----	----	----	----	----	21	UNCH		
5145	----	----	72.00B/59.90A	72.00B/59.90A	----	----	64.70	- 2.90	.1862	----	----	----	----	----	38	UNCH		
5150	----	----	71.60B/59.20A	71.60B/59.20A	----	----	64.10	- 2.90	.1847	----	----	----	----	----	41	UNCH		
5155	----	----	70.70B/58.70A	70.70B/58.70A	----	----	63.50	- 2.90	.1832	----	----	----	----	----	25	UNCH		
5160	----	----	69.90B/58.20A	69.90B/58.20A	----	----	62.90	- 2.80	.1817	----	----	----	----	----	13	UNCH		
5165	----	----	69.60B/57.70A	69.60B/57.70A	----	----	62.30	- 2.80	.1803	----	----	----	----	----	101	UNCH		
5175	----	----	68.00B/56.60A	68.00B/56.60A	----	----	61.20	- 2.70	.1774	----	----	----	----	----	2	UNCH		
5180	----	----	67.50B/56.20A	67.50B/56.20A	----	----	60.60	- 2.70	.1760	----	----	----	----	----	2	UNCH		
5185	----	----	66.90B/55.70A	66.90B/55.70A	----	----	60.00	- 2.70	.1745	----	----	----	----	----	1	UNCH		
5190	----	----	66.10B/55.20A	66.10B/55.20A	----	----	59.50	- 2.70	.1732	----	----	----	----	----	362	UNCH		
5195	----	----	65.50B/54.70A	65.50B/54.70A	----	----	58.90	- 2.70	.1717	----	----	----	----	----	2	UNCH		
5200	----	----	65.40B/54.00A	65.40B/54.00A	----	----	58.40	- 2.60	.1704	----	----	----	----	----	272	UNCH		
5205	----	----	64.40B/53.60A	64.40B/53.60A	----	----	57.80	- 2.70	.1689	----	----	----	----	----	2	UNCH		

BULLETIN #182@											METALS OPTION PRODUCTS											Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
OG CALL	COMEX GOLD OPTIONS																									
MAR27																										
6000	18.70	18.70	18.70/17.00A	18.70/17.00A	----	17.00 - 1.10	.0536	----	----	1	----	34 +	1													
6025	----	----	17.80B/16.70A	17.80B/16.70A	----	16.60 - 1.00	.0522	----	----	----	----	1	UNCH													
6100	----	----	----/15.40A	16.10B/15.40A	----	15.30 - 1.00	.0480	----	----	----	----	192	UNCH													
6200	----	----	----/13.90A	14.50B/13.90A	----	13.80 - 0.90	.0431	----	----	----	----	25	UNCH													
6250	----	----	----/13.40A	13.80B/13.40A	----	13.10 - 0.90	.0409	----	----	----	----	10	UNCH													
6300	----	----	----/12.80A	13.10B/12.80A	----	12.60 - 0.80	.0391	----	----	----	----	490	UNCH													
6400	----	----	----/11.80A	12.00B/11.80A	----	11.50 - 0.80	.0355	----	----	----	----	1	UNCH													
6500	----	----	----/10.90A	10.90B/10.90A	----	10.60 - 0.70	.0325	----	----	----	----	743	UNCH													
TOTAL										63		20356+	22													
APR27																										
3000	----	----	----	955.80B/990.00A	----	1449.30 - 8.00	.9789	----	----	----	----	2	UNCH													
3500	----	----	----	720.20/720.10A	----	964.20 - 8.40	.9290	----	----	----	----	7	UNCH													
3800	720.20	720.20	720.20/720.20	720.20/720.10A	----	697.20 - NEW	.8542	----	----	1	----	1 +	1													
3950	580.20	580.20	597.00B/560.00A	597.00B/560.00A	----	576.70 - NEW	.7967	----	----	101	----	101 +	101													
4000	----	----	559.90B/523.10A	559.90B/523.10A	----	539.10 - 7.50	.7744	----	----	----	----	7	UNCH													
4060	----	----	515.80B/480.80A	515.80B/480.80A	----	495.80 - 7.60	.7458	----	----	----	----	1	UNCH													
4110	480.00	480.00	480.80B/447.20A	480.80B/447.20A	----	461.50 - 7.60	.7205	----	----	2	----	4 +	2													
4125	----	----	470.40B/437.40A	470.40B/437.40A	----	451.40 - 7.70	.7127	----	----	----	----	92	UNCH													
4150	----	----	453.60B/421.50A	453.60B/421.50A	----	435.10 - 7.50	.6994	----	----	----	----	1	UNCH													
4170	----	----	440.60B/409.00A	440.60B/409.00A	----	422.20 - 7.50	.6886	----	----	----	----	1	UNCH													
4175	----	----	437.40B/405.90A	437.40B/405.90A	----	419.10 - 7.40	.6859	----	----	----	----	1	UNCH													
4200	----	----	421.40B/390.80A	421.40B/390.80A	----	403.50 - 7.30	.6722	----	----	----	----	100	UNCH													
4210	----	----	415.30B/384.80A	415.30B/384.80A	----	397.40 - 7.20	.6666	----	----	----	----	6	UNCH													
4225	----	----	405.80B/363.90A	405.80B/363.90A	----	388.30 - 7.10	.6582	----	----	----	----	24	UNCH													
4230	----	----	402.90B/361.10A	402.90B/361.10A	----	385.30 - 7.10	.6554	----	----	----	----	100	UNCH													
4250	----	----	390.70B/347.70A	390.70B/347.70A	----	373.60 - 6.90	.6441	----	----	----	----	121	UNCH													
4260	----	----	384.80B/344.50A	384.80B/344.50A	----	367.80 - 6.80	.6384	----	----	----	----	2	UNCH													
4270	----	----	379.00B/339.00A	379.00B/339.00A	----	362.10 - 6.70	.6326	----	----	----	----	1	UNCH													
4300	----	----	364.50B/320.20A	364.50B/320.20A	----	345.40 - 6.50	.6153	----	----	----	----	305	UNCH													
4350	----	----	337.20B/295.10A	337.20B/295.10A	----	318.90 - 6.20	.5862	----	----	----	----	104	UNCH													
4360	----	----	332.00B/290.50A	332.00B/290.50A	----	313.80 - 6.20	.5804	----	----	----	----	2	UNCH													
4365	----	----	329.30B/288.20A	329.30B/288.20A	----	311.30 - 6.20	.5774	----	----	----	----	2	UNCH													
4370	300.00	300.00	326.70B/285.60A	326.70B/285.60A	----	308.70 - 6.20	.5745	----	----	1	----	1	UNCH													
4375	----	----	324.10B/283.20A	324.10B/283.20A	----	306.30 - 6.10	.5716	----	----	----	----	40	UNCH													
4395	----	----	317.80B/273.90A	317.80B/273.90A	----	296.40 - 6.20	.5598	----	----	----	----	1	UNCH													
4400	----	----	315.10B/271.80A	315.10B/271.80A	----	294.00 - 6.20	.5569	----	----	----	----	6	UNCH													
4410	----	----	310.10B/267.30A	310.10B/267.30A	----	289.20 - 6.20	.5510	----	----	----	----	1	UNCH													
4415	----	----	307.60B/265.00A	307.60B/265.00A	----	286.80 - 6.20	.5481	----	----	----	----	1	UNCH													
4420	----	----	305.40B/263.00A	305.40B/263.00A	----	284.40 - 6.30	.5452	----	----	----	----	31	UNCH													
4425	272.30	272.30	302.10B/260.80A	302.10B/260.80A	----	282.10 - NEW	.5422	----	----	3	----	3 +	3													
4440	----	----	295.50B/254.10A	295.50B/254.10A	----	275.10 - 6.40	.5335	----	----	----	----	50	UNCH													
4445	----	----	293.30B/252.00A	293.30B/252.00A	----	272.80 - 6.40	.5305	----	----	----	----	3	UNCH													
4450	----	----	290.70B/250.00A	290.70B/250.00A	----	270.50 - 6.40	.5276	----	----	200	----	227 +	26													
4455	----	----	288.10B/248.00A	288.10B/248.00A	----	268.30 - 6.40	.5247	----	----	----	----	1	UNCH													
4460	----	----	285.90B/246.10A	285.90B/246.10A	----	266.00 - 6.50	.5218	----	----	----	----	1	UNCH													
4465	----	----	284.20B/243.50A	284.20B/243.50A	----	263.80 - 6.50	.5189	----	----	----	----	4	UNCH													
4470	----	----	281.90B/241.70A	281.90B/241.70A	----	261.50 - 6.60	.5160	----	----	----	----	1	UNCH													
4475	----	----	279.60B/239.70A	279.60B/239.70A	----	259.30 - 6.60	.5131	----	----	----	----	1	UNCH													
4480	----	----	277.30B/237.50A	277.30B/237.50A	----	257.10 - 6.60	.5102	----	----	----	----	20	UNCH													
4485	----	----	274.80B/235.90A	274.80B/235.90A	----	255.00 - 6.50	.5073	----	----	----	----	1	UNCH													
4500	245.80	245.80	267.90B/229.80A	267.90B/229.80A	----	248.60 - 6.40	.4987	----	----	3	----	49	UNCH													
4505	----	----	266.30B/227.90A	266.30B/227.90A	----	246.50 - 6.40	.4958	----	----	----	----	2	UNCH													
4515	----	----	261.20B/223.90A	261.20B/223.90A	----	242.30 - 6.30	.4901	----	----	----	----	31	UNCH													
4520	----	----	259.80B/222.10A	259.80B/222.10A	----	240.30 - 6.20	.4872	----	----	----	----	1	UNCH													
4525	235.70	235.70	256.90B/220.30A	256.90B/220.30A	----	238.30 - 6.10	.4844	----	----	2	----	20	UNCH													
4540	----	----	250.50B/214.90A	250.50B/214.90A	----	232.30 - 5.80	.4759	----	----	----	----	100	UNCH													
4550	228.10	228.10	245.90B/211.10A	245.90B/211.10A	----	228.40 - 5.70	.4703	----	----	2	----	109 +	1													
4555	----	----	244.00B/209.20A	244.00B/209.20A	----	226.50 - 5.50	.4675	----	----	----	----	5	UNCH													
4565	----	----	239.80B/205.80A	239.80B/205.80A	----	222.70 - 5.40	.4620	----	----	----	----	21	UNCH													
4575	218.40	218.40	236.50B/202.20A	236.50B/202.20A	----	219.00 - 5.30	.4564	----	----	7	----	59 +	7													
4590	----	----	230.60B/197.00A	230.60B/197.00A	----	213.50 - 5.20	.4482	----	----	----	----	32	UNCH													
4595	----	----	228.50B/195.60A	228.50B/195.60A	----	211.70 - 5.20	.4455	----	----	----	----	21	UNCH													
4600	221.00	221.00	226.90B/193.80A	226.90B/193.80A	----	209.90 - 5.30	.4428	----	----	2	----	203	UNCH													
4605	----	----	224.70B/192.20A	224.70B/192.20A	----	208.10 - 5.30	.4400	----	----	----	----	20	UNCH													
4615	----	----	221.30B/188.80A	221.30B/188.80A	----	204.50 - 5.40	.4346	----	----	----	----	50	UNCH													
4620	----	----	218.80B/187.20A	218.80B/187.20A	----	202.80 - 5.40	.4319	----	----	----	----	26	UNCH													
4625	----	----	216.80B/185.50A	216.80B/185.50A	----	201.10 - 5.40	.4293	----	----	----	----	10	UNCH													
4640	----	----	211.40B/180.90A	211.40B/180.90A	----	195.90 - 5.60	.4213	----	----	----	----	13	UNCH													
4650	----	----	207.90B/177.80A	207.90B/177.80A	----	192.60 - 5.60	.4160	----	----	----	----	289	UNCH													
4665	----	----	203.00B/173.20A	203.00B/173.20A	----	187.70 - 5.50	.4082	----	----	----	----	20	UNCH													
4670	----	----	201.10B/171.90A	201.10B/171.90A	----	186.10 - 5.4																				

BULLETIN #182@				METALS OPTION PRODUCTS								Tue, Sep 22, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS																	
APR27																		
5495	----	----		51.40B/44.10A	51.40B/44.10A	----	----		46.90 - 2.20	.1288	----	----	----	----	----		4	UNCH
5500	49.40	49.40		51.10B/43.80A	51.10B/43.80A	----	----		46.60 - 2.20	.1280	----	----	----	2	----		2814	UNCH
5510	----	----		50.20B/43.20A	50.20B/43.20A	----	----		45.90 - 2.10	.1262	----	----	----	----	----		1	UNCH
5540	----	----		48.00B/41.30A	48.00B/41.30A	----	----		43.90 - 2.00	.1212	----	----	----	----	----		6	UNCH
5550	----	----		47.20B/40.70A	47.20B/40.70A	----	----		43.30 - 2.00	.1196	----	----	----	----	----		1	UNCH
5570	----	----		45.90B/39.70A	45.90B/39.70A	----	----		42.00 - 2.00	.1164	----	----	----	----	----		1	UNCH
5575	----	----		45.70B/39.40A	45.70B/39.40A	----	----		41.70 - 1.90	.1156	----	----	----	----	----		2	UNCH
5600	----	----		43.90B/38.00A	43.90B/38.00A	----	----		40.20 - 1.90	.1118	----	----	----	----	----		2315	UNCH
5620	----	----		42.50B/37.00A	42.50B/37.00A	----	----		39.10 - 1.80	.1089	----	----	----	----	----		4	UNCH
5625	----	----		42.20B/36.70A	42.20B/36.70A	----	----		38.80 - 1.80	.1081	----	----	----	----	----		2	UNCH
5650	----	----		40.70B/35.50A	40.70B/35.50A	----	----		37.40 - 1.80	.1046	----	----	----	----	----		5	UNCH
5680	----	----		39.00B/34.10A	39.00B/34.10A	----	----		35.90 - 1.60	.1006	----	----	----	----	----		5	UNCH
5700	----	----		37.90B/33.20A	37.90B/33.20A	----	----		34.90 - 1.60	.0980	----	----	----	----	----		7	UNCH
5750	----	----		35.40B/31.10A	35.40B/31.10A	----	----		32.60 - 1.50	.0919	----	----	----	----	----		505	UNCH
5800	----	----		33.00B/29.20A	33.00B/29.20A	----	----		30.50 - 1.40	.0863	----	----	----	----	----		70	UNCH
5820	----	----		32.30B/28.60A	32.30B/28.60A	----	----		29.70 - 1.40	.0841	----	----	----	----	----		1	UNCH
5900	----	----		29.00B/25.90A	29.00B/25.90A	----	----		26.90 - 1.30	.0764	----	----	----	----	----		3	UNCH
5925	----	----		28.20B/25.80A	28.20B/25.80A	----	----		26.10 - 1.20	.0742	----	----	----	----	----		194	UNCH
5950	----	----		27.30B/25.20A	27.30B/25.20A	----	----		25.30 - 1.30	.0720	----	----	----	----	----		1	UNCH
5975	----	----		26.50B/24.50A	26.50B/24.50A	----	----		24.60 - 1.20	.0701	----	----	----	----	----		1	UNCH
6000	----	----		25.70B/23.80A	25.70B/23.80A	----	----		23.90 - 1.20	.0681	----	----	----	----	----		644	UNCH
6025	----	----		24.90B/23.20A	24.90B/23.20A	----	----		23.20 - 1.20	.0662	----	----	----	----	----		100	UNCH
6050	----	----		24.10B/22.70A	24.10B/22.70A	----	----		22.50 - 1.30	.0642	----	----	----	----	----		52	UNCH
6100	----	----		22.90B/21.40A	22.90B/21.40A	----	----		21.30 - 1.20	.0608	----	----	----	----	----		162	UNCH
6200	----	----		20.40B/19.40A	20.40B/19.40A	----	----		19.10 - 1.20	.0546	----	----	----	----	----		2	UNCH
6250	----	----		----/18.50A	19.30B/18.50A	----	----		18.20 - 1.10	.0519	----	----	----	----	----		31	UNCH
6400	----	----		----/16.40A	16.60B/16.40A	----	----		15.90 - 1.00	.0451	----	----	----	----	----		1	UNCH
6500	----	----		----/15.10A	15.30B/15.10A	----	----		14.70 - 0.90	.0415	----	----	----	----	----		103	UNCH
TOTAL														437			15741+	248
MAY27																		
4000	----	----		606.40B/570.70A	606.40B/570.70A	----	----		586.70 - 8.30	.7745	----	----	----	----	----		1	UNCH
4050	----	----		569.70B/535.40A	569.70B/535.40A	----	----		550.70 - 8.10	.7528	----	----	----	99	----		101	UNCH
4250	413.60	413.60		437.10B/408.50A	437.10B/408.50A	----	----		420.90 - 6.70	.6564	----	----	----	10	----		8 - 6	UNCH
4400	----	----		356.50B/315.80A	356.50B/315.80A	----	----		339.20 - 6.50	.5775	----	----	----	----	----		6	UNCH
4470	297.90	297.90		326.40B/284.40A	326.40B/284.40A	----	----		305.30 - NEW	.5401	----	----	----	1	----		1 + 1	UNCH
4500	----	----		311.60B/271.80A	311.60B/271.80A	----	----		291.60 - 6.40	.5242	----	----	----	----	----		1	UNCH
4505	----	----		309.40B/269.90A	309.40B/269.90A	----	----		289.40 - 6.40	.5215	----	----	----	----	----		18	UNCH
4510	----	----		307.00B/267.90A	307.00B/267.90A	----	----		287.20 - 6.40	.5189	----	----	----	----	----		3	UNCH
4520	----	----		302.60B/263.80A	302.60B/263.80A	----	----		282.80 - 6.40	.5136	----	----	----	----	----		1	UNCH
4550	269.00	269.00		289.70B/251.90A	289.70B/251.90A	----	----		270.20 - 6.30	.4979	----	----	----	114	----		140 - 20	UNCH
4555	----	----		287.20B/250.10A	287.20B/250.10A	----	----		268.20 - 6.20	.4953	----	----	----	----	----		18	UNCH
4600	247.40	247.40		268.90B/233.40A	268.90B/233.40A	----	----		250.60 - 5.90	.4723	----	----	----	2	----		9	UNCH
4650	----	----		249.10B/216.20A	249.10B/216.20A	----	----		232.40 - 5.50	.4473	----	----	----	----	----		10	UNCH
4665	----	----		243.20B/211.30A	243.20B/211.30A	----	----		227.10 - 5.50	.4399	----	----	----	----	----		1	UNCH
4700	----	----		230.70B/200.20A	230.70B/200.20A	----	----		215.20 - 5.40	.4230	----	----	----	----	----		31	UNCH
4785	----	----		202.50B/176.00A	202.50B/176.00A	----	----		188.70 - 5.00	.3836	----	----	----	----	----		20	UNCH
4800	----	----		198.30B/171.90A	198.30B/171.90A	----	----		184.40 - 5.00	.3769	----	----	----	----	----		72	UNCH
4810	----	----		195.10B/169.40A	195.10B/169.40A	----	----		181.50 - 5.00	.3724	----	----	----	----	----		1	UNCH
4850	----	----		183.20B/159.50A	183.20B/159.50A	----	----		170.60 - 4.90	.3551	----	----	----	----	----		5	UNCH
4855	----	----		182.20B/158.20A	182.20B/158.20A	----	----		169.30 - 4.90	.3530	----	----	----	----	----		2	UNCH
4860	----	----		180.50B/156.90A	180.50B/156.90A	----	----		168.00 - 4.80	.3509	----	----	----	----	----		20	UNCH
4900	----	----		169.90B/147.60A	169.90B/147.60A	----	----		157.90 - 4.80	.3344	----	----	----	----	----		115	UNCH
4920	----	----		164.70B/143.50A	164.70B/143.50A	----	----		153.20 - 4.60	.3264	----	----	----	----	----		2	UNCH
4945	----	----		158.60B/138.10A	158.60B/138.10A	----	----		147.40 - 4.50	.3166	----	----	----	----	----		9	UNCH
4950	----	----		157.40B/137.20A	157.40B/137.20A	----	----		146.30 - 4.50	.3147	----	----	----	----	----		2	UNCH
4955	----	----		156.20B/136.00A	156.20B/136.00A	----	----		145.20 - 4.40	.3128	----	----	----	----	----		9	UNCH
4970	----	----		152.60B/133.00A	152.60B/133.00A	----	----		141.90 - 4.30	.3071	----	----	----	----	----		9	UNCH
5000	----	----		145.80B/127.30A	145.80B/127.30A	----	----		135.50 - 4.20	.2959	----	----	----	----	----		34	UNCH
5040	----	----		137.30B/119.90A	137.30B/119.90A	----	----		127.50 - 3.90	.2816	----	----	----	----	----		1	UNCH
5070	----	----		131.30B/114.70A	131.30B/114.70A	----	----		121.70 - 3.80	.2712	----	----	----	----	----		37	UNCH
5100	----	----		125.50B/109.70A	125.50B/109.70A	----	----		116.30 - 3.60	.2613	----							

PG64	BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST							
OG CALL	COMEX GOLD OPTIONS																						
JUN27	----	----	----	229.70B/202.50A	229.70B/202.50A	----	----	----	215.30 - 4.90	.4049	----	----	----	----	----	15	UNCH						
4760	----	----	----	220.20B/194.20A	220.20B/194.20A	----	----	----	206.30 - 4.70	.3921	----	----	----	----	----	30	UNCH						
4790	----	----	----	217.60B/191.40A	217.60B/191.40A	----	----	----	203.40 - 4.70	.3879	----	----	----	----	----	130	UNCH						
4800	----	----	----	214.40B/188.60A	214.40B/188.60A	----	----	----	200.50 - 4.60	.3837	----	----	----	----	----	1	UNCH						
4810	----	----	----	202.30B/178.40A	202.30B/178.40A	----	----	----	189.40 - 4.40	.3673	----	----	----	----	----	2	UNCH						
4850	----	----	----	198.30B/174.90A	198.30B/174.90A	----	----	----	185.40 - 4.40	.3613	----	----	----	----	----	75	UNCH						
4865	----	----	----	188.50B/166.40A	188.50B/166.40A	----	----	----	176.30 - 4.30	.3475	----	----	----	----	----	104	UNCH						
4900	----	----	----	163.80B/145.00A	163.80B/145.00A	----	----	----	152.90 - 3.90	.3106	----	----	5	----	----	1796	UNCH						
5000	----	----	----	161.30B/142.90A	161.30B/142.90A	----	----	----	150.80 - 3.80	.3071	----	----	----	----	----	1	UNCH						
5010	----	----	----	159.20B/141.20A	159.20B/141.20A	----	----	----	148.70 - 3.80	.3036	----	----	----	----	----	2	UNCH						
5020	----	----	----	158.00B/140.10A	158.00B/140.10A	----	----	----	147.60 - 3.80	.3019	----	----	----	----	----	200	UNCH						
5025	----	----	----	152.70B/135.40A	152.70B/135.40A	----	----	----	142.50 - 3.70	.2934	----	----	----	----	----	500	UNCH						
5050	----	----	----	148.30B/131.80A	148.30B/131.80A	----	----	----	138.50 - 3.70	.2867	----	----	----	----	----	2	UNCH						
5070	----	----	----	145.30B/129.20A	145.30B/129.20A	----	----	----	135.60 - 3.60	.2818	----	----	----	----	----	150	UNCH						
5085	----	----	----	142.40B/126.50A	142.40B/126.50A	----	----	----	132.80 - 3.50	.2770	----	----	----	----	----	103	UNCH						
5100	----	----	----	132.90B/118.20A	132.90B/118.20A	----	----	----	123.80 - 3.40	.2615	----	----	----	----	----	650	UNCH						
5150	----	----	----	129.20B/115.20A	129.20B/115.20A	----	----	----	120.30 - 3.40	.2554	----	----	----	----	----	260	UNCH						
5170	----	----	----	127.40B/113.70A	127.40B/113.70A	----	----	----	118.70 - 3.30	.2525	----	----	----	----	----	3	UNCH						
5180	----	----	----	124.00B/110.50A	124.00B/110.50A	----	----	----	115.40 - 3.30	.2467	----	----	----	----	----	584	UNCH						
5200	----	----	----	122.20B/109.20A	122.20B/109.20A	----	----	----	113.80 - 3.30	.2439	----	----	----	----	----	3	UNCH						
5210	----	----	----	115.80B/103.60A	115.80B/103.60A	----	----	----	107.70 - 3.20	.2328	----	----	----	----	----	11	UNCH						
5250	----	----	----	108.20B/97.00A	108.20B/97.00A	----	----	----	100.50 - 3.10	.2196	----	----	----	----	----	4	UNCH						
5300	----	----	----	101.10B/90.90A	101.10B/90.90A	----	----	----	93.90 - 3.00	.2072	----	----	----	----	----	3	UNCH						
5350	----	----	----	99.80B/89.80A	99.80B/89.80A	----	----	----	92.60 - 3.00	.2048	----	----	----	----	----	325	UNCH						
5360	----	----	----	94.60B/85.20A	94.60B/85.20A	----	----	----	87.80 - 2.90	.1956	----	----	----	----	----	701	UNCH						
5400	----	----	----	88.60B/80.10A	88.60B/80.10A	----	----	----	82.10 - 2.80	.1845	----	----	----	----	----	7	UNCH						
5450	----	----	----	86.30B/78.10A	86.30B/78.10A	----	----	----	80.00 - 2.70	.1804	----	----	----	----	----	1	UNCH						
5470	----	----	----	83.10B/75.10A	83.10B/75.10A	----	----	----	76.90 - 2.70	.1742	----	----	13	----	----	1022	-						
5500	----	----	----	79.30B/71.80A	79.30B/71.80A	----	----	----	73.50 - 2.60	.1674	----	----	----	----	----	1	UNCH						
5535	----	----	----	78.30B/70.90A	78.30B/70.90A	----	----	----	72.50 - 2.60	.1654	----	----	----	----	----	8	UNCH						
5545	----	----	----	73.10B/66.20A	73.10B/66.20A	----	----	----	67.60 - 2.50	.1554	----	----	----	----	----	104	UNCH						
5600	----	----	----	64.40B/58.60A	64.40B/58.60A	----	----	----	59.60 - 2.30	.1389	----	----	----	----	----	1	UNCH						
5700	----	----	----	57.10B/52.20A	57.10B/52.20A	----	----	----	52.80 - 2.10	.1244	----	----	----	----	----	1	UNCH						
5800	----	----	----	54.40B/49.80A	54.40B/49.80A	----	----	----	50.40 - 2.00	.1191	----	----	----	----	----	2	UNCH						
5840	----	----	----	52.30B/48.10A	52.30B/48.10A	----	----	----	48.40 - 1.90	.1148	----	----	----	----	----	84	UNCH						
5875	----	----	----	50.80B/46.80A	50.80B/46.80A	----	----	----	47.00 - 1.90	.1117	----	----	----	----	----	26	UNCH						
5900	----	----	----	46.60B/43.00A	46.60B/43.00A	----	----	----	43.20 - 1.70	.1033	----	----	----	----	----	21	UNCH						
5975	----	----	----	45.30B/41.90A	45.30B/41.90A	----	----	----	42.00 - 1.70	.1006	----	----	----	----	----	746	UNCH						
6000	----	----	----	44.10B/40.90A	44.10B/40.90A	----	----	----	40.90 - 1.60	.0981	----	----	----	----	----	125	UNCH						
6025	----	----	----	42.90B/39.80A	42.90B/39.80A	----	----	----	39.80 - 1.60	.0956	----	----	----	----	----	3	UNCH						
6050	----	----	----	40.60B/37.90A	40.60B/37.90A	----	----	----	37.80 - 1.40	.0910	----	----	220	----	----	370	+						
6100	----	----	----	34.80B/32.80A	34.80B/32.80A	----	----	----	32.50 - 1.20	.0787	----	----	----	----	----	254	UNCH						
6250	----	----	----	27.30B/26.40A	27.30B/26.40A	----	----	----	25.90 - 0.90	.0630	----	----	----	----	----	812	UNCH						
7000	----	----	----	----	18.40B/18.80A	----	----	----	18.10 - 0.60	.0435	----	----	----	----	----	392	UNCH						
7500	----	----	----	----	13.80B/14.90A	----	----	----	14.00 - 0.50	.0327	----	----	----	----	----	528	UNCH						
8000	11.80	11.80		11.80/11.80	11.80/11.80	----	----	----	11.40 - 0.20	.0259	----	----	1	----	----	396	+						
8500	----	----	----	----	9.20B/10.80A	----	----	----	9.80 - 0.30	.0215	----	----	----	----	----	144	UNCH						
9000	----	----	----	----	7.90B/9.50A	----	----	----	8.40 - 1.10	.0180	----	----	----	----	----	75	UNCH						
9500	----	----	----	----	6.70B/8.30A	----	----	----	7.30 - 0.80	.0153	----	----	----	----	----	72	UNCH						
10000	----	----	----	----	6.00B/7.40A	----	----	----	6.50 + 0.10	.0133	----	----	----	----	----	29	UNCH						
TOTAL													297			12707	+						
JUL27																							
4500	342.00		342.00	365.10B/329.70A	365.10B/329.70A	----	----	----	351.60 - NEW	.5472	----	----	5	----	----	5	+						
4535	----	----	----	349.10B/315.10A	349.10B/315.10A	----	----	----	336.00 - 4.90	.5309	----	----	----	----	----	38							
4540	344.00		344.00	348.00B/313.10A	348.00B/313.10A	----	----	----	333.80 - 4.90	.5286	----	----	1	----	----	3	+						
4565	----	----	----	342.10B/303.00A	342.10B/303.00A	----	----	----	323.10 - 4.90	.5171	----	----	----	----	----	1	UNCH						
5200	----	----	----	149.70B/133.50A	149.70B/133.50A	----	----	----	140.40 - 4.00	.2749	----	----	----	----	----	1	UNCH						
5225	----	----	----	145.00B/129.40A	145.00B/129.40A	----	----	----	136.00 - 3.90	.2678	----	----	----	----	----	2	UNCH						
TOTAL													6			50	+						
AUG27																							
4370	----	----	----	439.90B/427.60A	439.90B/427.60A	----	----	----	433.10 - 5.40	.6057	----	----	----	----	----	150	UNCH						
4535	----	----	----	359.70B/349.30A	359.70B/349.30A	----	----	----	354.60 - 4.90	.5328	----	----	----	----	----	3	UNCH						
5000	----	----	----	210.40B/196.30A	210.40B/196.30A	----	----	----	200.20 - 5.40	.3505	----	----	----	----	----	3							



PG64 BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
GLOBEX OPEN		OPEN	OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
GWW WED SEP26		GOLD WEEKLY WEDNESDAY OPTION WEEK5																				
3500	----	----	----	----	----	----	/0.40A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH				
3700	----	----	----	----	----	----	/0.30A	----	----	----	0.10 UNCH	.0003	----	----	----	----	33	UNCH				
3750	----	----	----	----	----	----	/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH				
3800	----	----	----	----	----	----	0.20B/0.40A	----	----	----	0.20 - 0.10	.0017	----	----	----	----	2	UNCH				
3900	----	----	----	----	----	----	/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	22	UNCH				
3900	----	----	----	----	----	----	/0.50A	0.60B/0.50A	----	----	0.60 - 0.20	.0056	----	----	----	----	2	UNCH				
3925	----	----	----	----	----	----	/0.60A	0.80B/0.60A	----	----	0.60 - 0.30	.0059	----	----	----	----	1	UNCH				
3975	----	----	----	----	----	----	/0.80A	1.10B/0.80A	----	----	0.80 - 0.40	.0084	----	----	----	----	1	UNCH				
3975	----	----	----	----	----	----	/0.20A	----	----	----	0.10 UNCH	----	----	----	2	----	5	UNCH				
4000	----	----	----	----	----	----	/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	23	UNCH				
4000	----	----	----	----	----	----	/0.90A	1.40B/0.90A	----	----	0.90 - 0.50	.0099	----	----	----	----	54	UNCH				
4025	----	----	----	----	1.70B/1.00A	----	1.70B/1.00A	----	----	----	1.10 - 0.50	.0125	----	----	----	----	5	UNCH				
4025	----	----	----	----	----	----	/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	5	UNCH				
4050	----	----	----	----	----	----	/0.10A	0.10B/0.10A	----	----	0.10 - 0.10	----	----	----	----	----	21	UNCH				
4050	----	----	----	----	2.10B/1.10A	----	2.10B/1.10A	----	----	----	1.30 - 0.60	.0153	----	----	----	----	5	UNCH				
4070	0.20	0.20	0.20	0.10A	0.20/0.10A	----	0.20/0.10A	----	----	----	0.10 NEW	----	----	----	2	----	2	+				
4075	----	----	----	----	----	----	/0.10A	0.20B/0.10A	----	----	0.10 - 0.20	----	----	----	----	----	8	UNCH				
4075	----	----	----	----	2.70B/1.30A	----	2.70B/1.30A	----	----	----	1.60 - 0.60	.0195	----	1	----	----	2	UNCH				
4090	----	----	----	----	----	----	/0.10A	0.30B/0.10A	----	----	0.10 - 0.20	----	----	----	----	----	1	UNCH				
4100	2.20	2.20	2.20	1.60A	3.30B/1.60A	----	3.30B/1.60A	----	----	----	1.90 - 0.70	.0241	----	10	----	----	35	-				
4100	0.30	0.30	0.30	0.10A	0.30/0.10A	----	0.30/0.10A	----	----	----	0.10 - 0.30	----	----	1	----	----	45	+				
4110	0.50	0.50	0.50	0.10A	0.50/0.10A	----	0.50/0.10A	----	----	----	0.10 NEW	----	----	2	----	----	2	+				
4120	----	----	----	----	----	----	/0.10A	0.50B/0.10A	----	----	0.10 - 0.40	.0000	----	----	----	----	8	UNCH				
4125	----	----	----	----	4.60B/1.90A	----	4.60B/1.90A	----	----	----	2.40 - 0.80	.0313	----	2	----	----	21	+				
4125	0.30	0.30	0.30	0.10A	0.60B/0.10A	----	0.60B/0.10A	----	----	----	0.10 - 0.50	.0000	----	2	----	----	25	+				
4135	0.50	0.50	0.50	0.20A	0.70B/0.20A	----	0.70B/0.20A	----	----	----	0.10 - 0.50	.0000	----	2	----	----	12	+				
4140	0.50	0.50	0.50	0.10A	0.70B/0.10A	----	0.70B/0.10A	----	----	----	0.10 NEW	.0000	----	4	----	----	3	+				
4145	0.40	0.40	0.40	0.20A	0.80B/0.20A	----	0.80B/0.20A	----	----	----	0.10 NEW	.0000	----	1	----	----	1	+				
4150	----	----	----	----	224.80B/156.00A	----	224.80B/156.00A	----	----	----	192.80 - 8.10	1.0000	----	----	----	----	2	UNCH				
4150	----	----	----	----	6.20B/2.40A	----	6.20B/2.40A	----	----	----	3.10 - 0.90	.0415	----	----	----	----	26	UNCH				
4150	0.60	0.60	0.60	0.10A	0.90B/0.10A	----	0.90B/0.10A	----	----	----	0.10 - 0.70	.0000	----	4	----	----	61	+				
4155	0.30	0.30	0.30	0.20A	0.90B/0.20A	----	0.90B/0.20A	----	----	----	0.10 NEW	.0001	----	14	----	----	14	+				
4160	0.50	0.50	0.50	0.20A	1.00B/0.20A	----	1.00B/0.20A	----	----	----	0.20 NEW	.0003	----	5	----	----	5	+				
4165	0.40	0.40	0.40	0.20A	1.10B/0.20A	----	1.10B/0.20A	----	----	----	0.20 NEW	.0003	----	2	----	----	2	+				
4175	----	----	----	----	203.90B/122.50A	----	203.90B/122.50A	----	----	----	167.90 - 8.30	.9996	----	----	----	----	2	UNCH				
4175	----	----	----	----	8.30B/2.90A	----	8.30B/2.90A	----	----	----	4.00 - 1.00	.0548	----	2	----	----	34	+				
4175	----	----	----	----	229.90B/163.20A	----	229.90B/163.20A	----	----	----	205.30 - 8.50	.9450	----	----	----	----	1	UNCH				
4175	0.50	0.50	0.50	0.20A	1.40B/0.20A	----	1.40B/0.20A	----	----	----	0.20 - 0.80	.0003	----	2	----	----	15	+				
4180	0.90	0.90	0.90	0.20A	1.50B/0.20A	----	1.50B/0.20A	----	----	----	0.30 - 0.80	.0007	----	4	----	----	5	+				
4185	0.20	0.20	0.20	0.20	1.70B/0.20	----	1.70B/0.20	----	----	----	0.30 - 0.90	.0007	----	15	----	----	18	+				
4190	0.30	0.30	0.30	0.20A	1.90B/0.20A	----	1.90B/0.20A	----	----	----	0.30 - 0.90	.0007	----	16	----	----	17	+				
4195	1.90	1.90	1.90	0.20A	2.00B/0.20A	----	2.00B/0.20A	----	----	----	0.40 NEW	.0012	----	6	----	----	5	+				
4200	1.40	1.40	1.40	0.20	2.50/0.20	----	2.50/0.20	----	----	----	0.40 - 1.00	.0012	----	246	----	----	650	+				
4200	----	----	----	----	216.50B/141.10A	----	216.50B/141.10A	----	----	----	181.60 - 8.70	.9262	----	----	----	----	1	UNCH				
4200	----	----	----	----	179.10B/98.60A	----	179.10B/98.60A	----	----	----	143.10 - 8.50	.9987	----	----	----	----	1	UNCH				
4200	6.00	6.00	6.00	3.90A	11.30B/3.90A	----	11.30B/3.90A	----	----	----	5.30 - 1.20	.0736	----	2	----	----	57	+				
4205	1.60	1.60	1.60	0.20A	2.60B/0.20A	----	2.60B/0.20A	----	----	----	0.50 - 1.00	.0018	----	3	----	----	14	+				
4210	----	----	----	----	169.30B/89.20A	----	169.30B/89.20A	----	----	----	133.20 - 8.60	.9980	----	----	----	----	1	UNCH				
4210	----	----	----	----	3.00B/0.20A	----	3.00B/0.20A	----	----	----	0.50 - 1.10	.0019	----	1	----	----	8	+				
4215	0.90	0.90	0.90	0.20	3.40B/0.20	----	3.40B/0.20	----	----	----	0.60 - 1.20	.0026	----	3	----	----	5	+				
4220	0.40	0.40	0.40	0.20A	3.80B/0.20A	----	3.80B/0.20A	----	----	----	0.60 - 1.30	.0028	----	2	----	----	6	+				
4220	86.30	86.30	86.30	80.10A	159.30B/80.10A	----	159.30B/80.10A	----	----	----	123.30 - NEW	.9972	----	2	----	----	1	+				
4225	1.40	1.40	1.40	0.20A	4.40B/0.20A	----	4.40B/0.20A	----	----	----	0.70 - 1.40	.0036	----	39	----	----	75	+				
4225	10.90	10.90	10.90	5.10A	15.50B/5.10A	----	15.50B/5.10A	----	----	----	7.20 - 1.40	.1001	----	6	----	----	42	+				
4230	1.20	1.20	1.20	0.30A	5.00B/0.30A	----	5.00B/0.30A	----	----	----	0.80 NEW	.0046	----	24	----	----	21	+				
4230	119.50	119.50	119.50	71.30A	149.50B/71.30A	----	149.50B/71.30A	----	----	----	113.40 - NEW	.9953	----	2	----	----	0	UNCH				
4235	1.10	1.10	1.10	0.30A	5.50B/0.30A	----	5.50B/0.30A	----	----	----	0.80 NEW	.0049	----	9	----	----	4	+				
4240	122.00	122.00	122.00	63.00A	139.80B/63.00A	----	139.80B/63.00A	----	----	----	103.60 - 9.30	.9938	----	3	----	----	3	+				
4240	1.30	1.30	1.30	0.30A	6.40B/0.30A	----	6.40B/0.30A	----	----	----	0.90 - 1.80	.0061	----	18	----	----	17	+				
4245	2.00	2.00	2.00	0.40A	7.30B/0.40A	----	7.30B/0.40A	----	----	----	1.10 NEW	.0084	----	17	----	----	15	+				
4250	90.00	90.00	90.00	54.90A	130.20B/54.90A	----	130.20B/54.90A	----	----	----	93.90 - 9.60	.9898	----	2	----	----	5	+				
4250	4.80	4.80	4.80	0.30	8.70/0.30	----	8.70/0.30	----	----	----	1.20 - 2.10	.0101	----	139	----	----	439	+				
4250	12.80	12.80	12.80	6.90A	21.00B/6.90A	----	21.00B/6.90A	----	----	----	9.90 - 1.70	.1363	----	4	----	----	28	+				
4255	3.10	3.10	3.10	0.50A	9.50B/0.50A	----	9.50B/0.50A	----	----	----	1.40 - 2.20	.0131	----	6	----	----	5	+				
4260	3.70	3.70	3.70	0.50A	10.80B/0.50A	----	10.80B/0.50A	----	----	----	1.60 - 2.40	.0165	----	3	----	----	7	+				
4260	101.60	101.60	101.60	47.30A	120.60B/47.30A	----	120.60B/47.30A	----	----	----	84.20 - NEW	.9834	----	20	----	----	10	+				
4265	5.60	5.60	5.60	0.60A	12.20B/0.60A	----	12.20B/0.60A	----	----	----	1.80 - 2.60	.0204	----	12	----	----	13	+				
4270	4.90	4.90	4.90	0.70A	13.80B/0.70A	----	13.80B/0.70A	----	----	----	2.10 - 2.80	.0263	----	11	----	----	11	+				
4275	18.00	18.00	18.00	9.50A	28.30B/9.50A	----	28.30B/9.50A	----	----	----	13.80 - 1.80	.1848	----	30	----	----	46	+				
4275	5.90	5.90	5.90	0.80	15.60B/0.80	----	15.60B/0.80	----	----	----	2.40 - 3.10	.0331	----	55	----	----	45	+				
4280	1.80	1.80	1.80	1.00A	17.60B/1.00A	----	17.60B/1.00A	----	----	----	2.80 - 3.30	.0423	----	16	----</							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY WEDNESDAY OPTION WEEK4																
4440	1.30	1.30		8.40B/1.20A	8.40B/1.20A	----			1.40 - 3.00	.0118	----	----	13	----		11 +
4445	6.00	6.00		7.60B/1.10A	7.60B/1.10A	----			1.30 - 2.70	.0101	----	----	25	----		35 +
4450	----	----		155.00B/78.50A	155.00B/78.50A	----			108.50 + 5.10	.9913	----	----	----	----		13 UNCH
4450	1.70	1.70		6.90B/1.00	6.90B/1.00	----			1.20 - 2.40	.0086	----	----	111	----		144 +
4450	22.10	22.10		37.00B/14.80A	37.00B/14.80A	----			21.30 - 5.90	.2696	----	----	39	----		162 +
4450	----	----		134.20B/74.90A	134.20B/74.90A	----			94.80 + 1.60	.7301	----	----	1	----		3 +
4455	1.50	1.50		6.10B/1.00A	6.10B/1.00A	----			1.10 - 2.20	.0072	----	----	5	----		7 +
4460	1.30	1.30		5.50B/0.90A	5.50B/0.90A	----			1.00 - 2.00	.0060	----	----	7	----		18 +
4465	4.40	4.40		5.20B/0.90A	5.20B/0.90A	----			0.90 - 1.90	.0050	----	----	104	----		101 +
4470	1.00	1.00		4.80B/0.80A	4.80B/0.80A	----			0.80 - 1.80	.0040	----	----	28	----		29 +
4475	----	----		179.70B/101.40A	179.70B/101.40A	----			133.10 + 5.90	.9961	----	----	----	----		3 UNCH
4475	1.70	1.70		4.30B/0.70A	4.30B/0.70A	----			0.80 - 1.60	.0038	----	----	10	----		69 +
4475	21.10	21.10		28.90B/11.40A	28.90B/11.40A	----			15.80 - 5.00	.2082	----	----	2	----		56 +
4475	----	----		155.70B/92.20A	155.70B/92.20A	----			114.30 + 2.50	.7915	----	----	----	----		1 UNCH
4480	4.60	4.60		4.60/0.70A	4.60/0.70A	----			0.70 - 1.50	.0030	----	----	3	----		2 UNCH
4485	1.00	1.00		3.50B/0.70A	3.50B/0.70A	----			0.70 - 1.40	.0029	----	----	6	----		11 +
4490	1.00	1.00		3.30B/0.60A	3.30B/0.60A	----			0.60 - 1.30	.0022	----	----	5	----		7 +
4490	----	----		194.50B/115.30A	194.50B/115.30A	----			147.90 NEW	.9977	----	----	1	----		1 +
4495	1.00	1.00		3.00B/0.60A	3.00B/0.60A	----			0.60 - 1.20	.0021	----	----	17	----		16 +
4500	2.80	2.80		2.80/0.60A	2.80/0.60A	----			0.60 - 1.10	.0020	----	----	189	----		1410 UNCH
4500	186.50	186.50		204.40B/124.90A	204.40B/124.90A	----			157.80 + 6.40	.9979	----	----	2	----		68 UNCH
4500	19.60	19.60		22.40B/8.80A	22.40B/8.80A	----			11.70 - 4.20	.1585	----	----	150	----		122 +
4505	0.40	0.40		2.60B/0.40	2.60B/0.40	----			0.50 NEW	.0015	----	----	6	----		6 +
4510	0.70	0.70		2.30B/0.40A	2.30B/0.40A	----			0.50 - 1.00	.0014	----	----	1	----		4 +
4515	1.10	1.10		2.10B/0.40A	2.10B/0.40A	----			0.40 NEW	.0010	----	----	19	----		19 +
4520	1.20	1.20		2.00B/0.40A	2.00B/0.40A	----			0.40 - 0.90	.0009	----	----	12	----		14 +
4525	----	----		1.80B/0.40A	1.80B/0.40A	----			0.40 - 0.80	.0009	----	----	2	----		29 +
4525	----	----		229.40B/148.90A	229.40B/148.90A	----			182.70 + 6.70	.9990	----	----	----	----		2 UNCH
4525	9.30	9.30		16.90B/6.80A	16.90B/6.80A	----			8.70 - 3.50	.1197	----	----	11	----		30 +
4525	----	----		201.20B/130.60A	201.20B/130.60A	----			157.20 NEW	.8800	----	----	1	----		1 +
4530	0.50	0.50		1.70B/0.40A	1.70B/0.40A	----			0.30 NEW	.0005	----	----	22	----		22 +
4530	----	----		234.40B/153.60A	234.40B/153.60A	----			187.60 NEW	.9994	----	----	1	----		1 +
4535	----	----		1.60B/0.40A	1.60B/0.40A	----			0.30 - 0.80	.0005	----	----	----	----		3 UNCH
4540	----	----		1.40B/0.40A	1.40B/0.40A	----			0.30 - 0.70	.0005	----	----	7	----		6 UNCH
4550	0.40	0.40		1.30B/0.40	1.30B/0.40	----			0.20 - 0.70	.0002	----	----	----	----		72 +
4550	6.70	6.70		13.20B/5.30A	13.20B/5.30A	----			6.60 - 2.80	.0910	----	----	6	----		90 +
4560	1.10	1.10		1.10/0.30A	1.10/0.30A	----			0.20 NEW	.0002	----	----	3	----		2 +
4575	0.40	0.40		0.90B/0.30A	0.90B/0.30A	----			0.10 - 0.60	.0000	----	----	60	----		98 +
4575	5.40	5.40		9.80B/4.20A	9.80B/4.20A	----			5.00 - 2.30	.0688	----	----	47	----		56 +
4580	----	----		0.80B/0.30A	0.80B/0.30A	----			0.10 - 0.50	.0000	----	----	----	----		3 UNCH
4590	0.30	0.30		0.70B/0.30	0.70B/0.30	----			0.10 NEW	.0000	----	----	1	----		1 +
4595	----	----		0.70B/0.20A	0.70B/0.20A	----			0.10 - 0.40	.0000	----	----	----	----		1 UNCH
4600	0.60	0.60		0.70B/0.20	0.70B/0.20	----			0.10 - 0.40	.0000	----	----	57	----		84 +
4600	5.10	5.10		7.60B/3.40A	7.60B/3.40A	----			3.80 - 1.90	.0519	----	----	50	----		96 +
4600	----	----		295.00B/225.60A	295.00B/225.60A	----			257.40 + 7.10	1.0000	----	----	----	----		2 UNCH
4620	----	----		0.50B/0.20A	0.50B/0.20A	----			0.10 - 0.30	----	----	----	----	----		2 UNCH
4625	5.00	5.00		5.80B/2.70A	5.80B/2.70A	----			3.00 - 1.60	.0403	----	----	13	----		38 +
4625	0.50	0.50		0.50/0.10	0.50/0.10	----			0.10 - 0.30	----	----	----	52	----		220 -
4630	0.30	0.30		0.50B/0.20A	0.50B/0.20A	----			0.10 NEW	----	----	----	4	----		4 +
4650	0.20	0.20		0.40B/0.20	0.40B/0.20	----			0.10 - 0.20	----	----	----	15	----		73 +
4650	----	----		4.40B/2.20A	4.40B/2.20A	----			2.40 - 1.30	.0315	----	----	----	----		36 UNCH
4675	----	----		----/0.20A	0.30B/0.20A	----			0.10 - 0.20	----	----	----	----	----		28 UNCH
4675	----	----		370.10B/300.40A	370.10B/300.40A	----			332.40 + 7.40	1.0000	----	----	----	----		1 UNCH
4675	----	----		3.50B/1.90A	3.50B/1.90A	----			1.90 - 1.10	.0245	----	----	----	----		1 UNCH
4700	0.10	0.10		0.20/0.10	0.20/0.10	----			0.10 - 0.10	----	----	76	----	----		1919 -
4700	----	----		2.70B/1.60A	2.70B/1.60A	----			1.60 - 0.90	.0200	----	----	11	----		11 UNCH
4725	----	----		----/0.10A	----/0.10A	----			0.10 - 0.10	----	----	----	----	----		609 UNCH
4725	----	----		2.30B/1.40A	2.30B/1.40A	----			1.30 - 0.80	.0159	----	----	----	----		7 UNCH
4735	----	----		----/0.20A	----/0.20A	----			0.10 - 0.10	----	----	----	----	----		11 UNCH
4745	----	----		----/0.20A	----/0.20A	----			0.10 - 0.10	----	----	----	----	----		10 UNCH
4750	----	----		----/0.20A	----/0.20A	----			0.10 - 0.10	----	----	----	----	----		55 UNCH
4750	----	----		445.20B/375.20A	445.20B/375.20A	----			407.40 + 7.50	1.0000	----	----	----	----		11 UNCH
4750	----	----		1.90B/1.20A	1.90B/1.20A	----			1.10 - 0.70	.0130	----	----	----	----		23 UNCH
4770	----	----		----/0.20A	----/0.20A	----			0.10 - 0.10	----	----	----	----	----		10 UNCH
4775	----	----		----/0.20A	----/0.20A	----			0.10 - 0.10	----	----	----	----	----		15 UNCH
4775	----	----		470.00B/400.20A	470.00B/400.20A	----			432.40 + 7.50	1.0000	----	----	----	----		10 UNCH
4775	----	----		----/1.00A	1.50B/1.00A	----			0.90 - 0.60	.0104	----	----	----	----		6 UNCH
4800	----	----		----/0.20A	----/0.20A	----			0.10 - 0.10	----	----	----	----	----		52 UNCH
4825	----	----		----/0.20A	----/0.20A	----			0.10 - 0.10	----	----	----	----	----		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GOLD WEEKLY WEDNESDAY OPTION WEEK1																	
4475	----	----	----	47.00B/24.30A	47.00B/24.30A	----	----	32.30 - 5.30	.2900	----	----	----	----	9	UNCH		
4500	28.00	28.00	----	53.80B/31.60A	53.80B/31.60A	----	----	40.50 - 4.70	.2937	----	----	102	----	15	UNCH		
4500	----	----	----	38.60B/20.00A	38.60B/20.00A	----	----	26.30 - NEW	.2451	----	----	----	----	101 +	101		
4525	27.90	27.90	----	46.40B/26.90A	46.40B/26.90A	----	----	34.30 - 4.50	.2573	----	----	----	----	26	UNCH		
4525	----	----	----	32.30B/16.40A	32.30B/16.40A	----	----	21.40 - 4.30	.2057	----	----	2	----	5 +	2		
4550	----	----	----	40.10B/22.90A	40.10B/22.90A	----	----	29.10 - 4.10	.2246	----	----	----	----	3	UNCH		
4550	----	----	----	26.90B/13.40A	26.90B/13.40A	----	----	17.40 - 3.80	.1717	----	----	----	----	2	UNCH		
4575	21.60	21.60	----	34.40B/19.70A	34.40B/19.70A	----	----	24.60 - 3.80	.1950	----	----	4	----	4	UNCH		
4575	----	----	----	22.10B/11.20A	22.10B/11.20A	----	----	14.10 - 3.40	.1424	----	----	----	----	19 +	3		
4600	25.00	25.00	----	29.30B/17.00A	29.30B/17.00A	----	----	20.90 - 3.40	.1692	----	----	10	----	14 +	10		
4600	10.30	10.30	----	18.20B/9.40A	18.20B/9.40A	----	----	11.60 - 2.90	.1187	----	----	201	----	204 +	201		
4625	12.60	12.60	----	25.00B/14.60A	25.00B/14.60A	----	----	17.70 - 3.10	.1462	----	----	----	----	6	UNCH		
4625	----	----	----	14.90B/7.80A	14.90B/7.80A	----	----	9.50 - 2.50	.0984	----	----	250	----	250 +	245		
4650	22.00	22.00	----	22.00/12.50A	22.00/12.50A	----	----	15.00 - 2.80	.1261	----	----	3	----	34 +	2		
4650	----	----	----	12.30B/6.80A	12.30B/6.80A	----	----	7.90 - 2.10	.0822	----	----	----	----	3	UNCH		
4675	8.20	8.20	----	18.10B/10.80A	18.10B/10.80A	----	----	12.80 - 2.50	.1090	----	----	----	----	6	UNCH		
4675	----	----	----	10.20B/5.70A	10.20B/5.70A	----	----	6.60 - 1.80	.0689	----	----	5	----	21 +	5		
4700	10.10	10.10	----	15.80B/9.40A	15.80B/9.40A	----	----	11.00 - 2.20	.0945	----	----	7	----	17 +	2		
4700	8.00	8.00	----	8.60B/4.80A	8.60B/4.80A	----	----	5.50 - 1.50	.0575	----	----	20	----	36 +	18		
4725	8.70	8.70	----	13.50B/8.20A	13.50B/8.20A	----	----	9.40 - 2.10	.0816	----	----	5	----	5 +	3		
4725	----	----	----	7.10B/4.20A	7.10B/4.20A	----	----	4.60 - 1.40	.0481	----	----	----	----	2	UNCH		
4750	----	----	----	5.90B/3.60A	5.90B/3.60A	----	----	3.90 - 1.20	.0406	----	----	1	----	1	UNCH		
4775	----	----	----	10.00B/6.30A	10.00B/6.30A	----	----	7.00 - 1.70	.0614	----	----	----	----	2	UNCH		
4825	4.80	4.80	----	3.70B/2.50A	3.70B/2.50A	----	----	2.50 - 0.80	.0254	----	----	4	----	1 -	3		
4850	----	----	----	6.50B/4.50A	6.50B/4.50A	----	----	4.80 - NEW	.0419	----	----	1	----	1 +	1		
4850	----	----	----	3.20B/2.30A	3.20B/2.30A	----	----	2.20 - 0.70	.0221	----	----	5	----	5	UNCH		
4900	4.50	4.50	----	5.00B/3.80A	5.00B/3.80A	----	----	3.80 - NEW	.0329	----	----	1	----	1 +	1		
5100	----	----	----	----/1.10A	1.00B/1.10A	----	----	0.90 - 0.30	.0077	----	----	5	----	8	UNCH		
TOTAL														947	100	1969 +	971
GOLD WEEKLY TUESDAY OPTION Week4																	
3600	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1		
3700	----	----	----	----	----/0.20A	----	----	0.10 - UNCH	.0002	----	----	----	----	53	UNCH		
3750	----	----	----	----	----/0.30A	----	----	0.10 - 0.10	.0007	----	----	----	----	10	UNCH		
3800	----	----	----	----	----/0.40A	----	----	0.20 - 0.10	.0016	----	----	----	----	3	UNCH		
3800	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1		
3900	----	----	----	----/0.40A	0.40B/0.40A	----	----	0.40 - 0.20	.0036	----	----	1	----	16 +	4		
3900	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	4		
3925	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2		
3950	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	5		
3975	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1		
3975	----	----	----	----/0.50A	0.80B/0.50A	----	----	0.60 - 0.30	.0062	----	----	----	----	1	UNCH		
4000	----	----	----	----/0.60A	0.90B/0.60A	----	----	0.70 - 0.30	.0076	----	----	----	----	18	UNCH		
4000	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	9		
4005	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1		
4025	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	8		
4050	----	----	----	1.60B/0.80A	1.60B/0.80A	----	----	0.90 - 0.50	.0107	----	----	----	----	1	UNCH		
4050	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	5		
4075	1.40	1.40	----	2.00B/1.00A	2.00B/1.00A	----	----	1.10 - NEW	.0137	----	----	3	----	2 +	2		
4075	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	10		
4100	1.70	1.70	----	2.50B/1.10	2.50B/1.10	----	----	1.30 - 0.70	.0170	----	----	2	----	19 -	1		
4100	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	311		
4110	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2		
4120	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	6		
4125	----	----	----	3.30B/1.40A	3.30B/1.40A	----	----	1.60 - 0.80	.0219	----	----	1	----	4 +	1		
4125	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	46		
4130	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	6		
4135	----	----	----	----	----/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2		
4140	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1		
4145	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3		
4150	4.00	4.00	----	4.80B/1.70A	4.80B/1.70A	----	----	2.10 - 0.90	.0298	----	----	2	----	13 +	2		
4150	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	13		
4165	----	----	----	----	----/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	0 -	5		
4175	----	----	----	6.50B/2.20A	6.50B/2.20A	----	----	2.80 - 1.10	.0409	----	----	5	----	11 +	5		
4175	----	----	----	----/0.10A	----/0.10A	----	----	0.00 - 0.20	----	----	----	1	----	0 -	97		
4180	----	----	----	----/0.10A	----/0.10A	----	----	0.00 - 0.20	----	----	----	----	----	0 -	1		
4185	----	----	----	----/0.10A	----/0.10A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	20		
4195	----	----	----	----/0.20A	----/0.20A	----	----	0.00 - 0.30	----	----	----	----	----	0 -	5		
4200	7.20	7.20	----	9.20B/2.80A	9.20B/2.80A	----	----	3.80 - 1.40	.0569	----	----	2	----	23 +	1		
4200	----	----	----	----/0.10A	0.10B/0.10A	----	----	0.00 - 0.40	----	----	----	----	----	0 -	56		
4205	----	----	----	----/0.10A	0.10B/0.10A	----	----	0.00 - 0.40	----	----	----	----	----	0 -	6		
4210	----	----	----	----/0.10A	0.10B/0.10A	----	----	0.00 - 0.50	----	----	----	----	----	0 -	2		
4215	----	----	----	----/0.10A	0.20B/0.10A	----	----	0.00 - 0.50	----	----	----	----	----	0 -	11		
4220	0.70	0.70	----	0.70/0.10A	0.70/0.10A	----	----	0.00 - 0.60	----	----	----	4	----	0 -	5		
4225	----	----	----	12.80B/3.80A	12.80B/3.80A	----	----	5.30 - 1.60	.0803	----	----	8	----	17 +	4		
4225	0.50	0.50	----	0.50/0.10A	0.50/0.10A	----	----	0.00 - 0.60	----	----	----	1	----	0 -	104		
4230	0.10	0.10	----	0.10/0.10	0.50B/0.10	----	----	0.00 - 0.70	----	----	----	3	----	0 -	3		
4235	0.50	0.50	----	0.60B/0.10A	0.60B/0.10A	----	----	0.00 - 0.80	----	----	----	2					

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION weeks5																
SEP26	----	----	----	73.20B/30.50A	73.20B/30.50A	----	----	----	42.90 - 1.10	.4897	----	----	----	----	1	UNCH
4375	10.60	10.60	----	19.60B/0.10	19.60B/0.10	----	----	----	0.00 - 9.30	----	----	----	44	----	0 -	41
4375	----	----	----	79.70B/17.10A	79.70B/17.10A	----	----	----	32.30 - 1.80	----	3	----	2	----	0 -	5
4380	18.00	18.00	----	84.60B/19.40A	84.60B/19.40A	----	----	----	37.30 - 0.50	----	5	----	1	----	0 -	2
4380	----	----	----	18.00/0.10	18.00/0.10	----	----	----	0.00 - 8.00	----	----	99	----	----	0 -	53
4385	10.50	10.50	----	89.50B/22.30A	89.50B/22.30A	----	----	----	42.30 + 0.70	----	1	----	----	----	0 -	1
4385	----	----	----	14.80/0.10	14.80/0.10	----	----	----	0.00 - 6.80	----	----	18	----	----	0 -	8
4390	9.50	9.50	----	12.70B/0.10	12.70B/0.10	----	----	----	0.00 - 5.90	----	----	79	----	----	0 -	49
4390	----	----	----	94.40B/25.30A	94.40B/25.30A	----	----	----	47.30 + 1.60	----	3	----	2	----	0 -	3
4395	1.20	1.20	----	10.90B/0.10	10.90B/0.10	----	----	----	0.00 - 5.00	----	----	11	----	----	0 -	44
4395	----	----	----	99.30B/29.00A	99.30B/29.00A	----	----	----	52.30 + 2.50	----	10	----	----	----	0 -	10
4400	37.30	37.30	----	91.20B/41.50A	91.20B/41.50A	----	----	----	56.80 - 0.30	.5858	----	1	----	----	3 +	1
4400	68.20	68.20	----	54.80B/21.80A	54.80B/21.80A	----	----	----	33.20 - 7.80	.4140	----	2	----	----	4 +	2
4400	5.60	5.60	----	104.30B/32.50A	104.30B/32.50A	----	----	----	57.30 + 3.20	----	27	4	----	----	0 -	28
4405	4.90	4.90	----	9.20B/0.10A	9.20B/0.10A	----	----	----	0.00 - 4.30	----	----	241	----	----	0 -	85
4405	40.00	40.00	----	7.30B/0.10	7.30B/0.10	----	----	----	0.00 - 3.70	----	----	58	----	----	0 -	7
4410	3.40	3.40	----	109.30B/36.00A	109.30B/36.00A	----	----	----	62.30 - NEW	----	1	1	----	----	0	UNCH
4410	83.70	83.70	----	6.60B/0.10	6.60B/0.10	----	----	----	0.00 - 3.20	----	----	12	----	----	0 -	13
4415	5.80	5.80	----	114.40B/39.70A	114.40B/39.70A	----	----	----	67.30 + 4.30	----	1	3	----	----	0 -	3
4415	80.50	80.50	----	5.80/0.10	5.80/0.10	----	----	----	0.00 - 2.80	----	----	46	----	----	0 -	21
4420	0.50	0.50	----	119.30B/43.80A	119.30B/43.80A	----	----	----	72.30 - NEW	----	1	4	----	----	0	UNCH
4425	21.20	21.20	----	4.50B/0.10A	4.50B/0.10A	----	----	----	0.00 - 2.40	----	----	13	----	----	0 -	21
4425	----	----	----	42.90B/16.30A	42.90B/16.30A	----	----	----	24.40 - NEW	.3250	----	7	----	----	7 +	7
4425	0.20	0.20	----	110.60B/55.00A	110.60B/55.00A	----	----	----	73.00 + 0.60	.6747	----	----	----	----	2	UNCH
4425	----	----	----	4.00B/0.10A	4.00B/0.10A	----	----	----	0.00 - 2.10	----	----	25	----	----	0 -	119
4430	----	----	----	129.30B/52.00A	129.30B/52.00A	----	----	----	82.30 + 5.40	----	3	----	----	----	0 -	3
4430	3.60	3.60	----	134.20B/56.30A	134.20B/56.30A	----	----	----	87.30 + 5.70	----	1	----	----	----	0 -	1
4435	1.00	1.00	----	3.60/0.10A	3.60/0.10A	----	----	----	0.00 - 1.80	----	----	5	----	----	0 -	31
4440	0.10	0.10	----	2.90B/0.10A	2.90B/0.10A	----	----	----	0.00 - 1.60	----	----	3	----	----	0 -	3
4445	----	----	----	2.50B/0.10	2.50B/0.10	----	----	----	0.00 - 1.40	----	----	6	----	----	0 -	5
4450	114.50	114.50	----	2.00B/0.10A	2.00B/0.10A	----	----	----	0.00 - 1.20	----	----	3	----	----	0 -	31
4450	20.60	20.60	----	131.60B/70.60A	131.60B/70.60A	----	----	----	91.20 + 1.60	.7518	----	1	----	----	8 +	1
4450	----	----	----	33.00B/12.20A	33.00B/12.20A	----	----	----	17.70 - 5.80	.2479	----	9	----	----	14 +	8
4450	1.60	1.60	----	154.20B/74.40A	154.20B/74.40A	----	----	----	107.30 + 6.40	----	2	----	----	----	0 -	2
4455	1.00	1.00	----	1.90B/0.10A	1.90B/0.10A	----	----	----	0.00 - 1.10	----	----	7	----	----	0 -	59
4460	0.20	0.20	----	1.70B/0.10A	1.70B/0.10A	----	----	----	0.00 - 1.00	----	----	3	----	----	0 -	26
4465	----	----	----	1.40B/0.10A	1.40B/0.10A	----	----	----	0.00 - 0.90	----	----	2	----	----	0 -	10
4470	----	----	----	1.20B/0.10A	1.20B/0.10A	----	----	----	0.00 - 0.80	----	----	1	----	----	0 -	15
4475	----	----	----	1.10B/0.10A	1.10B/0.10A	----	----	----	0.00 - 0.70	----	----	----	----	----	0 -	26
4475	----	----	----	24.90B/9.20A	24.90B/9.20A	----	----	----	12.70 - 4.90	.1845	----	2	----	----	18 +	1
4475	----	----	----	179.20B/98.30A	179.20B/98.30A	----	----	----	132.30 + 6.90	----	9	----	----	----	0 -	9
4480	----	----	----	1.00B/0.10A	1.00B/0.10A	----	----	----	0.00 - 0.60	----	----	----	----	----	0 -	38
4485	----	----	----	0.90B/0.10A	0.90B/0.10A	----	----	----	0.00 - 0.60	----	----	----	----	----	0 -	17
4490	----	----	----	0.80B/0.10A	0.80B/0.10A	----	----	----	0.00 - 0.50	----	----	1	----	----	0 -	3
4490	----	----	----	194.20B/112.90A	194.20B/112.90A	----	----	----	147.30 + 7.10	----	1	1	----	----	0 -	1
4495	----	----	----	0.70B/0.10A	0.70B/0.10A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 -	20
4500	8.90	8.90	----	0.60B/0.10A	0.60B/0.10A	----	----	----	0.00 - 0.40	----	----	3	----	----	0 -	3
4500	----	----	----	176.40B/107.60A	176.40B/107.60A	----	----	----	132.70 + 3.60	.8637	----	----	----	----	9	UNCH
4500	----	----	----	19.10B/6.90A	19.10B/6.90A	----	----	----	9.20 - 3.90	.1360	----	53	----	----	73 +	51
4510	----	----	----	0.60B/0.10A	0.60B/0.10A	----	----	----	0.00 - 0.40	----	----	----	----	----	0 -	63
4515	----	----	----	0.50B/0.10A	0.50B/0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 -	9
4520	----	----	----	0.40B/0.10A	0.40B/0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 -	4
4520	10.20	10.20	----	224.20B/142.40A	224.20B/142.40A	----	----	----	177.30 + 7.20	----	1	----	----	----	0 -	1
4525	----	----	----	0.40B/0.10A	0.40B/0.10A	----	----	----	0.00 - 0.30	----	----	1	----	----	0 -	3
4525	----	----	----	14.30B/5.30A	14.30B/5.30A	----	----	----	6.70 - 3.20	.0996	----	3	----	----	39 +	3
4525	----	----	----	199.80B/128.00A	199.80B/128.00A	----	----	----	155.20 + 4.30	.9001	----	----	----	----	2	UNCH
4530	0.40	0.40	----	0.40B/0.10A	0.40B/0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 -	35
4530	----	----	----	0.40/0.10A	0.40/0.10A	----	----	----	0.00 - 0.30	----	----	1	----	----	0 -	1
4540	----	----	----	234.20B/152.40A	234.20B/152.40A	----	----	----	187.30 + 7.30	----	1	1	----	----	0 -	1
4540	----	----	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.30	----	----	----	----	----	0 -	1
4540	----	----	----	244.10B/162.30A	244.10B/162.30A	----	----	----	197.30 + 7.30	----	2	2	----	----	0 -	2
4545	11.00	11.00	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 -	2
4550	----	----	----	11.00/4.10A	11.00/4.10A	----	----	----	4.90 - 2.60	.0726	----	11	----	----	16 +	10
4550	----	----	----	222.60B/149.40A	222.60B/149.40A	----	----	----	178.40 + 4.90	.9271	----	----	----	----	2	UNCH
4550	----	----	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0 -	35
4550	----	----	----	254.10B/172.30A	254.10B/172.30A	----	----	----	207.30 + 7.30	----	2	----	----	----	0 -	2
4570	5.80	5.80	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2
4575	----	----	----	7.90B/3.20A	7.90B/3.20A	----	----	----	3.70 - 2.00	.0540	----	22	----	----	31 +	21
4575	----	----	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	27
4580	3.20	3.20	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
4600	268.00	268.00	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
4600	----	----	----	5.90B/2.50A	5.90B/2.50A	----	----	----	2.80 - 1.60	.0401	----	48	----	----	41 +	34
4605	----	----	----	304.10B/222.10A	304.10B/222.10A	----	----	----	257.30 + 7.40	----	2	4	----	----	0 -	5
4610	----	----	----	0.10B/0.10A	0.10B/0.10A	----	----	----	0.00 - 0.10	----	----	1	----	----	0 -	67
4615	----	----	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
4625	----	----	----	0.10B/0.10A	0.10B/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
4625	----	----	----	---/0.20A	---/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	6
4625	----	----	----	4.40B/2.00A	4.40B/2.00A	----	----	----	2.20 - 1.30	.0306	----	----	----	----	22	UNCH
4635	----	----	----	---/0.20A	---/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	28
4650	----	----	----	---/0.20A	---/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	1
4650	----	----	----	3.40B/1.70A	3.40B/1.70A	----	----	----	1.70 - 1.10	.0231	----	4	----	----	21 +	4
4650	----	----	----	354.10B/272.00A	354.10B/272.00A	----	----	----	307.30 + 7.40	----	1	----	----	----	0 -	1
4675	----	----	----	---/0.20A	---/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	13
4675	----	----	----	2.60B/1.40A	2.60B/1.40A	----	----	----	1.40 - NEW	.0183	----	22	----	----	10 +	10
4675	----	----	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	3
4685	----	----	----	379.10B/296.90A	379.10B/296.90A	----	----	----	332.30 + 7.40	----	----	----	----	----	0	UNCH
4700	----	----	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	9
4700	----	----	----	2.10B/1.20A	2.10B/1.20A	----	----	----	1.10 - 0.70	.0140	----	----	----	----	30	UNCH
4700	----	----	----	404.10B/321.80A	404.10B/321.80A	----	----	----	357.30 + 7.40	----	1	1	----	----	0 -	1
4705	----	----	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0 -	2
4725	----	----	----	---/0.10A	---/0.10A	----	----	----	0.00 - 0							

BULLETIN #182@				METALS OPTION PRODUCTS										Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
GWT TUE	GOLD WEEKLY TUESDAY OPTION week2																	
OCT26																		
4225				39.308/21.30A	39.308/21.30A	----		26.20 - 1.10	.2135	----	----	----	----	2	UNCH			
4225	21.90	21.90		27.508/12.50A	27.508/12.50A	----		16.10 - 1.30	.1667	----	----	4	----	8	-	4		
4250				47.508/26.20A	47.508/26.20A	----		32.10 - 0.90	.2517	----	----	----	----	47	UNCH			
4275	37.50	37.50		43.208/20.60A	43.208/20.60A	----		26.50 - 1.10	.2537	----	----	2	----	4	+	2		
4275				57.108/32.10A	57.108/32.10A	----		39.20 - 0.70	.2941	----	----	----	----	22	UNCH			
4300	39.60	39.60		67.708/39.10A	67.708/39.10A	----		47.40 - 0.50	.3395	----	----	24	----	27	+	24		
4300	30.10	30.10		53.408/26.40A	53.408/26.40A	----		33.70 - 0.90	.3068	----	----	26	----	15	UNCH			
4325				79.808/47.40A	79.808/47.40A	----		56.90 - 0.20	.3876	----	----	----	----	3	UNCH			
4325	88.00	88.00		117.408/71.20A	117.408/71.20A	----		93.70 - 8.20	.6349	----	----	2	----	182	+	2		
4325				131.108/86.10A	131.108/86.10A	----		108.20 - 7.70	.6118	----	----	----	----	1	UNCH			
4350				78.408/42.30A	78.408/42.30A	----		52.60 NEW	.4261	----	----	1	----	1	+	1		
4350				100.908/59.50A	100.908/59.50A	----		79.00 - 8.00	.5735	----	----	----	----	105	UNCH			
4350				93.208/56.90A	93.208/56.90A	----		67.70 UNCH	.4374	----	----	----	----	17	UNCH			
4375				92.608/52.50A	92.608/52.50A	----		64.70 UNCH	.4890	----	----	1	----	4	UNCH			
4375				89.408/49.30A	89.408/49.30A	----		66.10 - 7.50	.5105	----	----	----	----	2	UNCH			
4375	87.60	87.60		107.808/67.70A	107.808/67.70A	----		79.90 NEW	.4879	----	----	5	----	5	+	5		
4375				103.408/63.70A	103.408/63.70A	----		81.30 - 7.10	.5115	----	----	----	----	9	UNCH			
4400				90.308/54.50A	90.308/54.50A	----		69.90 - 6.60	.4614	----	----	----	----	11	UNCH			
4400				122.708/79.70A	122.708/79.70A	----		93.50 + 1.00	.5380	----	----	2	----	54	UNCH			
4400	58.20	58.20		76.008/40.90A	76.008/40.90A	----		54.80 - 6.90	.4482	----	----	141	----	49	+	46		
4425				139.708/93.10A	139.708/93.10A	----		108.30 + 1.40	.5866	----	----	2	----	2	+	1		
4450				67.608/39.50A	67.608/39.50A	----		50.90 NEW	.3662	----	----	1	----	1	+	1		
4450				53.008/27.10A	53.008/27.10A	----		36.60 NEW	.3317	----	----	1	----	1	+	1		
4475				44.408/22.20A	44.408/22.20A	----		29.60 - 5.30	.2802	----	----	----	----	3	UNCH			
4475				58.408/33.50A	58.408/33.50A	----		43.10 - 5.20	.3224	----	----	1	----	5	+	1		
4500				49.808/28.30A	49.808/28.30A	----		36.30 - 4.80	.2817	----	----	----	----	4	UNCH			
4500	27.00	27.00		36.108/18.10A	36.108/18.10A	----		23.90 NEW	.2345	----	----	4	----	4	+	4		
4525	23.30	23.30		29.608/14.70A	29.608/14.70A	----		19.20 - 4.10	.1944	----	----	2	----	4	+	2		
4525				42.608/23.80A	42.608/23.80A	----		30.60 - 4.40	.2449	----	----	----	----	36	UNCH			
4550				36.208/20.10A	36.208/20.10A	----		25.60 - 4.10	.2112	----	----	----	----	21	UNCH			
4550	15.50	15.50		24.508/12.00A	24.508/12.00A	----		15.40 - 3.70	.1601	----	----	4	----	7	+	4		
4575				30.808/17.20A	30.808/17.20A	----		21.50 - 3.70	.1818	----	----	----	----	4	UNCH			
4575				20.108/9.90A	20.108/9.90A	----		12.40 - 3.20	.1315	----	----	----	----	2	UNCH			
4600				16.508/8.20A	16.508/8.20A	----		10.10 - 2.70	.1084	----	----	1	----	8	+	1		
4600				26.208/14.60A	26.208/14.60A	----		18.00 - 3.40	.1558	----	----	----	----	10	UNCH			
4625				13.308/6.90A	13.308/6.90A	----		8.20 - 2.40	.0890	----	----	----	----	1	UNCH			
4625				22.308/12.40A	22.308/12.40A	----		15.20 - 2.90	.1337	----	----	----	----	10	UNCH			
4650				18.908/10.70A	18.908/10.70A	----		12.80 - 2.60	.1143	----	----	----	----	5	UNCH			
4650	7.30	7.30		10.908/5.80A	10.908/5.80A	----		6.70 - 2.00	.0731	----	----	9	----	19	+	4		
4675				15.908/9.10A	15.908/9.10A	----		10.80 - 2.40	.0977	----	----	----	----	4	UNCH			
4675				9.108/5.00A	9.108/5.00A	----		5.50 - 1.80	.0602	----	----	----	----	3	UNCH			
4700				7.508/4.20A	7.508/4.20A	----		4.60 - 1.50	.0502	----	----	4	----	11	+	4		
4700				13.708/7.90A	13.708/7.90A	----		9.20 - 2.10	.0839	----	----	2	----	5	+	2		
4725				11.408/7.00A	11.408/7.00A	----		7.90 - 1.90	.0724	----	----	----	----	20	UNCH			
4725				6.208/3.60A	6.208/3.60A	----		3.90 - 1.30	.0423	----	----	----	----	2	UNCH			
4750				5.108/3.20A	5.108/3.20A	----		3.30 - 1.10	.0355	----	----	----	----	2	UNCH			
4750				9.808/6.10A	9.808/6.10A	----		6.80 - 1.70	.0625	----	----	----	----	20	UNCH			
4775				4.308/2.80A	4.308/2.80A	----		2.80 - 1.00	.0299	----	----	----	----	2	UNCH			
4775				8.608/5.40A	8.608/5.40A	----		5.90 NEW	.0543	----	----	2	----	2	+	2		
4850				2.708/2.00A	2.708/2.00A	----		1.90 - 0.70	.0195	----	----	----	----	1	UNCH			
4900				4.108/3.20A	4.108/3.20A	----		3.10 - 0.90	.0280	----	----	----	----	6	UNCH			
4900				2.108/1.60A	2.108/1.60A	----		1.50 - 0.50	.0149	----	----	----	----	2	UNCH			
5000				----/2.20A	2.608/2.20A	----		1.90 - 0.70	.0169	----	----	----	----	6	UNCH			
5100				----	1.608/1.80A	----		1.20 - 0.60	.0104	----	----	----	----	7	UNCH			
5100				----/0.90A	0.808/0.90A	----		0.70 - 0.30	.0061	----	----	----	----	25	UNCH			
5200				----/0.70A	0.508/0.70A	----		0.60 - 0.20	.0049	----	----	1	----	6	+	1		
TOTAL												262		929	+	120		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
GWR THU	GOLD WEEKLY THURSDAY OPTION week3																	
OCT26																		
3600	1.10	1.10		1.10/1.10	1.10/1.10	----		0.70 - 0.40	.0052	----	----	77	----	84	+	76		
3700				----/0.90A	0.808/0.90A	----		0.20 - 0.10	.0015	----	----	----	----	56	UNCH			
3700				----/1.60A	1.408/1.60A	----		0.90 - 0.20	.0069	----	----	1	----	1	UNCH			
3700				----/0.40A	0.208/0.40A	----		1.30 - 0.60	.0099	----	----	1	----	4	UNCH			
3750				----/1.10A	1.108/1.10A	----		0.30 - 0.20	.0024	----	----	----	----	10	UNCH			
3750				----/1.90A	1.908/1.90A	----		1.10 - 0.20	.0088	----	----	----	----	8	UNCH			
3750				----/0.50A	0.408/0.50A	----		1.60 - 0.70	.0125	----	----	20	----	13	+	10		
3800				----/1.30A	1.408/1.30A	----		0.40 - 0.20	.0034	----	----	----	----	1	UNCH			
3800				----/2.30A	2.708/2.30A	----		1.40 - 0.20	.0115	----	----	----	----	6	UNCH			
3800				----/0.70A	0.808/0.70A	----		2.30 - 0.50	.0180	----	----	----	----	10	UNCH			
3900					0.808/0.70A	----		0.70 - 0.30	.0067	----	----	----	----	12	UNCH			
3900				4.808/3.50A	4.808/3.50A	----		3.70 - 0.60	.0302	----	----	----	----	12	UNCH			
3900				2.508/2.00A	2.508/2.00A	----		2.00 - 0.30	.0181									

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
GWR THU		GOLD WEEKLY THURSDAY OPTION week3																				
OCT26																						
4275	----	----		63.80B/38.10A	63.80B/38.10A	----	----	45.40 - 0.70	.3082	----	----	----	----	----	----		59	UNCH				
4300	----	----		129.60B/70.90A	129.60B/70.90A	----	----	98.70 - 9.20	.7370	----	----	----	----	----	----		1	UNCH				
4300	----	----		165.80B/118.40A	165.80B/118.40A	----	----	142.10 - 7.90	.6325	----	----	----	----	----	----		2	UNCH				
4300	47.10	47.10		59.30B/31.50A	59.30B/31.50A	----	----	39.30 - 0.60	.3219	----	----	----	14	----	----		24	+				
4300	----	----		41.30B/16.20A	41.30B/16.20A	----	----	22.30 - 1.70	.2627	----	----	----	----	----	----		25	UNCH				
4300	----	----		74.70B/45.40A	74.70B/45.40A	----	----	54.00 - 0.40	.3507	----	----	----	1	----	----		23	-				
4325	24.00	24.00		52.60B/22.00A	52.60B/22.00A	----	----	30.00 - 1.40	.3326	----	----	----	3	----	----		28	+				
4325	----	----		109.90B/57.40A	109.90B/57.40A	----	----	81.30 - 8.90	.6671	----	----	----	----	----	----		1	UNCH				
4325	----	----		122.70B/77.30A	122.70B/77.30A	----	----	99.70 - 7.90	.6240	----	----	----	----	----	----		4	UNCH				
4325	54.70	54.70		70.80B/39.20A	70.80B/39.20A	----	----	48.40 - 0.30	.3755	----	----	----	1	----	----		126	UNCH				
4325	----	----		87.00B/54.20A	87.00B/54.20A	----	----	63.80 - 0.10	.3952	----	----	----	1	----	----		17	-				
4350	----	----		135.00B/93.40A	135.00B/93.40A	----	----	114.00 NEW	.5533	----	----	----	1	----	----		1	+				
4350	61.90	61.90		92.50B/46.00A	92.50B/46.00A	----	----	65.90 NEW	.5903	----	----	----	50	----	----		50	+				
4350	32.80	32.80		66.00B/29.50A	66.00B/29.50A	----	----	39.60 - 1.00	.4094	----	----	----	2	----	----		53	UNCH				
4350	----	----		112.70B/76.50A	112.70B/76.50A	----	----	87.70 NEW	.4459	----	----	----	1	----	----		1	+				
4350	----	----		84.10B/48.20A	84.10B/48.20A	----	----	59.00 UNCH	.4315	----	----	----	----	----	----		6	UNCH				
4350	----	----		100.20B/64.00A	100.20B/64.00A	----	----	74.90 + 0.40	.4410	----	----	----	----	----	----		1	UNCH				
4350	----	----		106.50B/65.40A	106.50B/65.40A	----	----	85.30 - 7.50	.5680	----	----	----	----	----	----		70	UNCH				
4350	----	----		122.10B/81.20A	122.10B/81.20A	----	----	101.30 - 7.10	.5583	----	----	----	----	----	----		10	UNCH				
4375	57.30	57.30		76.30B/36.50A	76.30B/36.50A	----	----	52.70 - 7.90	.5100	----	----	----	1	----	----		153	+				
4375	46.00	46.00		80.70B/38.70A	80.70B/38.70A	----	----	51.30 - 0.40	.4897	----	----	----	2	----	----		69	+				
4375	----	----		127.20B/87.90A	127.20B/87.90A	----	----	100.20 NEW	.4860	----	----	----	1	----	----		1	+				
4375	----	----		110.20B/70.50A	110.20B/70.50A	----	----	88.60 - 6.70	.5121	----	----	----	----	----	----		4	UNCH				
4375	----	----		114.70B/75.00A	114.70B/75.00A	----	----	87.20 + 0.80	.4873	----	----	----	----	----	----		16	UNCH				
4375	69.10	69.10		94.40B/55.30A	94.40B/55.30A	----	----	72.50 - 7.10	.5109	----	----	----	7	----	----		140	UNCH				
4375	----	----		98.70B/58.70A	98.70B/58.70A	----	----	71.10 + 0.40	.4886	----	----	----	1	----	----		5	+				
4400	----	----		109.80B/73.40A	109.80B/73.40A	----	----	90.20 - 6.60	.4734	----	----	----	----	----	----		1	UNCH				
4400	68.50	68.50		97.90B/50.20A	97.90B/50.20A	----	----	65.00 + 0.10	.5694	----	----	----	3	----	----		41	+				
4400	----	----		63.10B/28.60A	63.10B/28.60A	----	----	41.40 - 7.40	.4303	----	----	----	----	----	----		16	UNCH				
4400	----	----		97.30B/61.10A	97.30B/61.10A	----	----	77.20 - 6.20	.4663	----	----	----	----	----	----		65	UNCH				
4400	----	----		129.40B/87.10A	129.40B/87.10A	----	----	100.70 + 1.20	.5331	----	----	----	----	----	----		19	UNCH				
4400	----	----		114.00B/70.60A	114.00B/70.60A	----	----	84.60 + 0.80	.5452	----	----	----	----	----	----		76	UNCH				
4400	----	----		81.10B/46.50A	81.10B/46.50A	----	----	61.10 - 6.70	.4543	----	----	----	----	----	----		18	UNCH				
4425	----	----		98.60B/64.80A	98.60B/64.80A	----	----	79.80 - 6.20	.4345	----	----	----	----	----	----		2	UNCH				
4425	----	----		116.70B/63.50A	116.70B/63.50A	----	----	80.80 + 0.80	.6446	----	----	----	----	----	----		5	UNCH				
4425	----	----		85.70B/52.90A	85.70B/52.90A	----	----	66.90 - 5.80	.4215	----	----	----	----	----	----		7	UNCH				
4425	25.40	25.40		69.20B/38.60A	69.20B/38.60A	----	----	51.10 - 6.30	.3994	----	----	----	----	----	----		21	UNCH				
4425	----	----		50.80B/22.40A	50.80B/22.40A	----	----	32.20 - 6.70	.3551	----	----	----	2	----	----		11	UNCH				
4425	----	----		146.10B/100.50A	146.10B/100.50A	----	----	115.40 + 1.60	.5779	----	----	----	----	----	----		9	UNCH				
4450	29.80	29.80		40.80B/17.40A	40.80B/17.40A	----	----	24.70 - 5.90	.2868	----	----	----	2	----	----		56	-				
4450	114.00	114.00		136.80B/78.90A	136.80B/78.90A	----	----	98.30 + 1.60	.7128	----	----	----	1	----	----		5	UNCH				
4450	----	----		87.70B/56.90A	87.70B/56.90A	----	----	70.30 - 5.90	.3966	----	----	----	----	----	----		1	UNCH				
4450	51.50	51.50		59.20B/32.00A	59.20B/32.00A	----	----	42.60 - 5.70	.3478	----	----	----	3	----	----		103	UNCH				
4450	----	----		163.80B/114.90A	163.80B/114.90A	----	----	131.20 + 2.00	.6210	----	----	----	----	----	----		6	UNCH				
4450	----	----		75.00B/45.40A	75.00B/45.40A	----	----	57.70 - 5.50	.3783	----	----	----	----	----	----		18	UNCH				
4475	----	----		158.00B/96.00A	158.00B/96.00A	----	----	117.30 + 2.30	.7721	----	----	----	----	----	----		1	UNCH				
4475	71.40	71.40		77.80B/50.00A	77.80B/50.00A	----	----	61.80 NEW	.3604	----	----	----	2	----	----		2	+				
4475	----	----		193.50B/142.20A	193.50B/142.20A	----	----	160.20 + 2.00	.6388	----	----	----	1	----	----		1	UNCH				
4475	----	----		64.90B/39.10A	64.90B/39.10A	----	----	49.70 - 5.10	.3376	----	----	----	1	----	----		20	+				
4475	----	----		50.30B/26.60A	50.30B/26.60A	----	----	35.20 - 5.30	.2996	----	----	----	----	----	----		2	UNCH				
4475	----	----		32.50B/13.60A	32.50B/13.60A	----	----	18.80 - 5.20	.2276	----	----	----	----	----	----		41	UNCH				
4475	----	----		169.40B/114.80A	169.40B/114.80A	----	----	133.70 + 2.20	.6999	----	----	----	----	----	----		1	UNCH				
4500	163.00	163.00		180.10B/114.00A	180.10B/114.00A	----	----	137.80 + 3.10	.8212	----	----	----	1	----	----		21	UNCH				
4500	----	----		212.30B/161.20A	212.30B/161.20A	----	----	177.50 + 2.30	.6732	----	----	----	1	----	----		1	UNCH				
4500	52.00	52.00		69.00B/43.80A	69.00B/43.80A	----	----	54.20 - 5.20	.3260	----	----	----	12	----	----		12	+				
4500	14.30	14.30		25.60B/10.60A	25.60B/10.60A	----	----	14.30 - 4.40	.1785	----	----	----	8	----	----		35	+				
4500	31.50	31.50		42.10B/22.00A	42.10B/22.00A	----	----	29.10 - 4.80	.2563	----	----	----	2	----	----		7	+				
4500	----	----		56.90B/33.60A	56.90B/33.60A	----	----	42.60 - 4.80	.2993	----	----	----	----	----	----		32	UNCH				
4525	20.50	20.50		35.10B/18.30A	35.10B/18.30A	----	----	23.90 - 4.30	.2174	----	----	----	3	----	----		5	+				
4525	----	----		48.90B/28.70A	48.90B/28.70A	----	----	36.40 - 4.50	.2639	----	----	----	8	----	----		134	+				
4525	9.80	9.80		20.00B/8.40A	20.00B/8.40A	----	----	10.80 - 3.80	.1381	----	----	----	4	----	----		11	-				
4550	34.30	34.30		53.50B																		

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64											
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																
GWR THU OCT26	GOLD WEEKLY THURSDAY OPTION week2																																
5300	----	----	----	----	0.50B/0.80A	----				0.60 - 0.20	.0046	----	----	----	----	----	2	UNCH															
5400	----	----	----	----	----/0.30A	----				0.10 UNCH	.0000	----	----	----	----	----	3	UNCH															
5400	----	----	----	----	0.40B/0.60A	----				0.50 - 0.10	.0036	----	----	----	----	----	5	UNCH															
5500	0.80	0.80		0.80/0.80	0.80/0.80	----				0.50 - 0.30	.0036	----	----	77	----	77 +	72	UNCH															
5500	----	----	----	----	0.20B/0.50A	----				0.30 - 0.10	.0021	----	----	----	----	----	4	UNCH															
5750	----	----	----	----	----/0.40A	----				0.10 - 0.10	.0007	----	----	----	----	----	3	UNCH															
5750	----	----	----	----	0.10B/1.00A	----				0.20 - 0.20	.0014	----	----	----	----	----	4	UNCH															
TOTAL														1047			4690 +	631															
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																
GMW MON SEP26	GOLD WEEKLY MONDAY OPTION WEEK4																																
3750	----	----	----	----	----/0.20A	----				0.10 UNCH	.0002	----	----	----	----	----	10	UNCH															
3800	----	----	----	----	----/0.30A	----				0.10 UNCH	.0007	----	----	----	----	----	12	UNCH															
3900	----	----	----	----/0.30A	0.30B/0.30A	----				0.30 - 0.20	.0026	----	----	----	----	----	16	UNCH															
3925	----	----	----	----/0.30A	0.40B/0.30A	----				0.30 - 0.30	.0027	----	----	----	----	----	1	UNCH															
3975	----	----	----	----/0.40A	0.60B/0.40A	----				0.40 - 0.30	.0040	----	----	----	----	----	3	UNCH															
4000	----	----	----	402.50B/343.20A	402.50B/343.20A	----				376.70 - 7.80	.9947	----	----	----	----	----	1	UNCH															
4000	----	----	----	----/0.50A	0.70B/0.50A	----				0.50 - 0.30	.0052	----	----	----	----	----	21	UNCH															
4025	----	----	----	----/0.50A	0.80B/0.50A	----				0.50 - 0.40	.0055	----	----	----	----	----	24	UNCH															
4050	----	----	----	1.10B/0.60A	1.10B/0.60A	----				0.60 - 0.40	.0070	----	----	2	----	5	UNCH																
4075	----	----	----	1.40B/0.70A	1.40B/0.70A	----				0.70 - 0.50	.0087	----	----	----	----	7	UNCH																
4085	1.10	1.10		1.10/0.70A	1.50B/0.70A	----				0.80 NEW	.0101	----	----	2	----	2 +	2																
4100	----	----	----	1.80B/0.80A	1.80B/0.80A	----				0.90 - 0.50	.0117	----	----	1	----	64 +	1																
4125	----	----	----	2.40B/1.00A	2.40B/1.00A	----				1.10 - 0.60	.0152	----	----	8	----	6 +	3																
4150	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4150	1.90	1.90		3.50B/1.20A	3.50B/1.20A	----				1.40 - 0.80	.0204	----	----	12	----	273 +	11																
4160	----	----	----	----	UNCH	----				190.20 UNCH	----	----	----	----	----	0	UNCH																
4175	----	----	----	4.90B/1.50A	4.90B/1.50A	----				1.90 - 0.90	.0290	----	----	----	----	28	UNCH																
4180	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4190	2.60	2.60		2.60/1.80A	6.10B/1.80A	----				2.30 NEW	.0359	----	----	5	----	5 +	5																
4190	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4195	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4200	----	----	----	7.00B/2.00A	7.00B/2.00A	----				2.70 - 1.00	.0426	----	----	1	----	71	UNCH																
4200	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4210	----	----	----	----	UNCH	----				140.20 UNCH	----	----	----	----	----	0	UNCH																
4210	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4215	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4220	----	----	----	----	UNCH	----				130.20 UNCH	----	----	----	----	----	0	UNCH																
4220	5.30	5.30		5.30/2.50A	9.30B/2.50A	----				3.50 NEW	.0568	----	----	9	----	9 +	9																
4225	----	----	----	10.00B/2.60A	10.00B/2.60A	----				3.80 - 1.30	.0618	----	----	----	----	15	UNCH																
4230	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4240	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4245	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4245	----	----	----	----	13.60B/3.50A	----				5.10 NEW	.0842	----	----	2	----	2 +	2																
4250	----	----	----	----	UNCH	----				100.20 UNCH	----	----	----	----	----	0	UNCH																
4250	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4250	----	----	----	166.60B/94.50A	166.60B/94.50A	----				131.90 - 9.10	.9088	----	----	----	----	30	UNCH																
4250	5.30	5.30		14.50B/3.40	14.50B/3.40	----				5.50 - 1.70	.0910	----	----	106	----	317 +	99																
4255	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0	UNCH																
4255	----	----	----	----	15.60B/4.00A	----				6.00 NEW	.0991	----	----	4	----	4 +	4																
4260	----	----	----	----	UNCH	----				0.00 UNCH	----	----	----	----	----	0																	

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST			
GMW MON SEP26	GOLD WEEKLY MONDAY OPTION WEEK3																					
4435	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4440	----	----	----	----	----	----	----	----	89.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4440	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4445	15.00	15.00		15.00/15.00	30.80B/10.30A				0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4450	----	----	----	----	----	----	----	----	15.10	NEW	.2359		1					1 +	1			
4450	----	----	----	----	----	----	----	----	99.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4450	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4450	13.70	13.70		129.10B/66.40A	129.10B/66.40A				87.60	+ 1.70	.7792							5	UNCH			
4450	----	----	----	28.80B/9.60A	28.80B/9.60A				14.00	- 5.80	.2206		23					48 +	6			
4455	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4460	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4465	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4470	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4475	12.70	12.70		21.40B/7.00A	21.40B/7.00A				9.70	- 4.70	.1568		23					34 -	1			
4475	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4475	----	----	----	----	----	----	----	----	124.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4475	----	----	----	151.50B/84.50A	151.50B/84.50A				108.20	+ 2.80	.8430							5	UNCH			
4480	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4485	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4495	9.10	9.10		9.10/9.10	16.50B/5.50A				0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4500	----	----	----	----	----	----	----	----	7.20	NEW	.1175		12					12 +	12			
4500	8.10	8.10		15.80B/5.20A	15.80B/5.20A				149.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4500	----	----	----	174.70B/104.50A	174.70B/104.50A				6.70	- 3.70	.1094		20					115 +	4			
4505	6.00	6.00		8.80/6.00	14.10B/4.90A				130.30	+ 3.90	.8904							11	UNCH			
4510	9.00	9.00		9.00/9.00	14.00B/4.60A				0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4520	----	----	----	----	----	----	----	----	6.30	NEW	.1025		2					1 +	1			
4520	----	----	----	----	----	----	----	----	5.90	NEW	.0957		2					2 +	2			
4525	9.80	9.80		12.00/3.90A	12.00/3.90A				169.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4525	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4525	----	----	----	----	----	----	----	----	4.80	- 2.70	.0774		6					18 +	2			
4530	----	----	----	196.60B/125.00A	196.60B/125.00A				174.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4540	----	----	----	----	----	----	----	----	153.30	+ 4.80	.9224							12	UNCH			
4540	----	----	----	----	----	----	----	----	179.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4540	----	----	----	----	----	----	----	----	189.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4550	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4550	5.30	5.30		210.30B/147.10A	210.30B/147.10A				199.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4550	----	----	----	8.10B/3.00A	8.10B/3.00A				177.00	+ 5.50	.9447							12	UNCH			
4555	----	----	----	----	----	----	----	----	3.50	- 2.00	.0551		6					217 +	2			
4560	----	----	----	----	----	----	----	----	204.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4575	----	----	----	234.70B/169.90A	234.70B/169.90A				209.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4575	----	----	----	6.00B/2.30A	6.00B/2.30A				224.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4575	3.20	3.20		4.50B/1.80A	4.50B/1.80A				201.10	+ 6.00	.9601							7	UNCH			
4600	----	----	----	258.90B/192.90A	258.90B/192.90A				2.60	- 1.50	.0397							27	UNCH			
4600	2.60	2.60		3.30B/1.40A	3.30B/1.40A				1.90	- 1.30	.0282		11					51 +	8			
4625	270.00	270.00		270.00/235.10A	293.60B/235.10A				225.40	+ 6.30	.9716							4	UNCH			
4625	----	----	----	----	----	----	----	----	274.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4625	----	----	----	----	----	----	----	----	1.50	- 1.00	.0213		10					73 +	9			
4635	----	----	----	308.40B/250.00A	308.40B/250.00A				250.00	+ 6.60	.9785							1	UNCH			
4650	1.00	1.00		2.30B/1.00	2.30B/1.00				259.80	NEW	.9804		2					2 +	2			
4650	----	----	----	----	----	----	----	----	299.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4650	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	----	----	0	UNCH			
4650	----	----	----	1.80B/1.00A	1.80B/1.00A				274.70	+ 6.80	.9835							1	UNCH			
4675	----	----	----	333.20B/268.40A	333.20B/268.40A				1.20	- 0.80	.0163		2					42 -	1			
4675	----	----	----	1.50B/0.80A	1.50B/0.80A				324.80	UNCH	----	----	----	----	----	----	----	0	UNCH			
4700	----	----	----	358.50B/298.90A	358.50B/298.90A				0.90	- 0.70	.0118							16	UNCH			
4700	----	----	----	----/0.70A	1.10B/0.70A				299.40	+ 6.80	.9881		1					4	UNCH			
4725	----	----	----	383.40B/323.70A	383.40B/323.70A				0.80	- 0.60	.0100							50 +	1			
4725	----	----	----	----/0.60A	0.90B/0.60A				324.20	+ 6.90	.9899							1	UNCH			
4750	----	----	----	408.30B/348.60A	408.30B/348.60A				0.60	- 0.60	.0072							40	UNCH			
4750	----	----	----	458.20B/398.30A	458.20B/398.30A				0.60	- 0.50	.0058							1	UNCH			
4775	----	----	----	----/0.50A	0.50B/0.50A				349.10	+ 7.00	.9927							1	UNCH			
4800	----	----	----	----/0.40A	0.40B/0.40A				0.50	- 0.50	.0044							18	UNCH			
4800	----	----	----	----/0.50A	0.40B/0.50A				374.00	+ 7.10	.9942							1	UNCH			
4825	----	----	----	----/0.40A	0.30B/0.40A				0.40	- 0.50	.0044							22	UNCH			
4850	----	----	----	----	0.20B/0.40A				423.80	+ 7.20	.9958							1	UNCH			
4875	----	----	----	----	0.20B/0.40A				0.40	- 0.30	.0042							44	UNCH			
4900	----	----	----	----	0.20B/0.40A				0.30	- 0.30	.0030							17	UNCH			
4925	----	----	----	----	0.20B/0.40A				0.20	- 0.30	.0020		9					61 +	5			

BULLETIN #182@				METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK1															
OCT26																
4450	40.00	40.00	50.20B/24.50A	50.20B/24.50A	----	33.60 - 5.80	.3224	----	----	12	----	70 +	6			
4450	----	----	141.30B/89.40A	141.30B/89.40A	----	107.10 + 1.70	.6771	----	----	----	----	35	UNCH			
4450	----	----	155.40B/104.70A	155.40B/104.70A	----	122.00 + 2.00	.6380	----	----	----	----	2	UNCH			
4475	----	----	41.50B/19.80A	41.50B/19.80A	----	26.90 - 5.20	.2693	----	----	----	----	12	UNCH			
4500	----	----	182.50B/123.70A	182.50B/123.70A	----	144.80 + 2.90	.7772	----	----	----	----	3	UNCH			
4500	21.60	21.60	33.70B/16.30A	33.70B/16.30A	----	21.40 - 4.60	.2224	----	9	----	----	95 +	5			
4500	37.20	37.20	47.30B/26.30A	47.30B/26.30A	----	34.20 NEW	.2750	----	103	----	----	101 +	101			
4525	22.40	22.40	27.50B/12.90A	27.50B/12.90A	----	16.90 - 4.20	.1815	----	3	----	----	31	UNCH			
4525	----	----	204.30B/142.60A	204.30B/142.60A	----	165.30 + 3.30	.8181	----	----	----	----	9	UNCH			
4550	18.10	18.10	21.90B/10.50A	21.90B/10.50A	----	13.40 - 3.70	.1475	----	9	----	----	33	UNCH			
4550	----	----	226.90B/162.90A	226.90B/162.90A	----	186.80 + 3.90	.8521	----	----	----	----	1	UNCH			
4550	----	----	34.20B/18.50A	34.20B/18.50A	----	23.80 - 3.90	.2036	----	----	----	----	2	UNCH			
4575	----	----	17.60B/8.60A	17.60B/8.60A	----	10.70 - 3.10	.1198	----	----	----	----	7	UNCH			
4575	----	----	28.70B/15.70A	28.70B/15.70A	----	19.80 - 3.60	.1739	----	----	----	----	3	UNCH			
4600	20.70	20.70	24.20B/13.30A	24.20B/13.30A	----	16.50 - 3.20	.1481	----	2	----	----	3 +	1			
4600	----	----	14.30B/7.10A	14.30B/7.10A	----	8.50 - 2.80	.0966	----	10	----	----	68	UNCH			
4600	----	----	273.40B/205.80A	273.40B/205.80A	----	231.90 + 4.80	.9030	----	----	----	----	1	UNCH			
4625	----	----	20.40B/11.30A	20.40B/11.30A	----	13.80 - 2.90	.1260	----	----	----	----	3	UNCH			
4625	----	----	11.70B/5.90A	11.70B/5.90A	----	6.90 - 2.30	.0788	----	----	----	----	24	UNCH			
4650	10.00	10.00	10.00/5.00A	10.00/5.00A	----	5.60 - 2.00	.0641	----	3	----	----	13 +	3			
4650	----	----	17.00B/9.70A	17.00B/9.70A	----	11.60 - 2.50	.1073	----	----	----	----	2	UNCH			
4675	----	----	7.70B/4.30A	7.70B/4.30A	----	4.60 - 1.70	.0526	----	----	----	----	10	UNCH			
4675	9.60	9.60	14.50B/8.30A	14.50B/8.30A	----	9.80 NEW	.0916	----	5	----	----	5 +	5			
4700	5.60	5.60	6.30B/3.60A	6.30B/3.60A	----	3.90 - 1.40	.0441	----	4	----	----	57 +	3			
4700	9.10	9.10	12.30B/7.20A	12.30B/7.20A	----	8.30 NEW	.0782	----	5	----	----	5 +	5			
4725	----	----	5.10B/3.10A	5.10B/3.10A	----	3.20 - 1.30	.0361	----	----	----	----	2	UNCH			
4725	----	----	10.50B/6.20A	10.50B/6.20A	----	7.10 - 1.70	.0671	----	----	----	----	5	UNCH			
4750	----	----	4.20B/2.70A	4.20B/2.70A	----	2.80 - 1.00	.0310	----	----	----	----	17	UNCH			
4750	----	----	8.90B/5.50A	8.90B/5.50A	----	6.10 - 1.50	.0577	----	----	----	----	6	UNCH			
4750	----	----	384.60B/356.60A	384.60B/356.60A	----	376.00 + 6.50	.9688	----	----	----	----	1	UNCH			
4775	----	----	7.60B/4.90A	7.60B/4.90A	----	5.30 - 1.30	.0501	----	----	----	----	1	UNCH			
4775	----	----	3.50B/2.40A	3.50B/2.40A	----	2.40 - 0.90	.0263	----	15	----	----	12 +	5			
4775	----	----	410.00B/380.90A	410.00B/380.90A	----	400.60 + 6.60	.9735	----	----	----	----	1	UNCH			
4800	----	----	3.00B/2.10A	3.00B/2.10A	----	2.10 - 0.70	.0226	----	1	----	----	10	UNCH			
4800	----	----	6.50B/4.30A	6.50B/4.30A	----	4.60 - 1.20	.0434	----	----	----	----	1	UNCH			
4825	----	----	----/1.90A	2.50B/1.90A	----	1.80 - 0.70	.0192	----	----	----	----	1	UNCH			
4850	----	----	----/1.70A	2.20B/1.70A	----	1.60 - 0.60	.0167	----	----	----	----	1	UNCH			
4900	5.30	5.30	5.80B/5.30	5.80B/5.20A	----	6.20 NEW	.0479	----	7	----	----	7 +	7			
4900	----	----	3.70B/2.90A	3.70B/2.90A	----	2.80 - 0.70	.0258	----	----	----	----	7	UNCH			
4900	----	----	----/1.40A	1.60B/1.40A	----	1.30 - 0.40	.0131	----	----	----	----	4	UNCH			
4925	----	----	----/1.30A	1.40B/1.30A	----	1.20 - 0.40	.0118	----	----	----	----	2	UNCH			
4950	----	----	----/1.20A	1.20B/1.20A	----	1.00 - 0.40	.0098	----	----	----	----	1	UNCH			
4975	----	----	----/1.10A	1.10B/1.10A	----	0.90 - 0.40	.0087	----	----	----	----	2	UNCH			
5000	----	----	2.30B/2.00A	2.30B/2.00A	----	1.70 - 0.40	.0153	----	----	----	----	2	UNCH			
5000	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.30	.0084	----	1	----	----	12	UNCH			
5100	----	----	----/0.80A	0.60B/0.80A	----	0.60 - 0.30	.0053	----	----	----	----	13	UNCH			
5100	----	----	1.50B/----	1.50B/1.60A	----	1.00 - 0.40	.0089	----	----	----	----	7	UNCH			
5200	----	----	----/0.60A	0.40B/0.60A	----	0.40 - 0.30	.0033	----	----	----	----	2	UNCH			
5250	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0032	----	----	----	----	7	UNCH			
5300	----	----	----	0.20B/0.50A	----	0.30 - 0.20	.0023	----	----	----	----	11	UNCH			
5400	----	----	----	----/0.50A	----	0.30 - 0.10	.0022	----	----	----	----	11	UNCH			
5500	----	----	----	----/0.40A	----	0.20 - 0.20	.0014	----	----	----	----	8	UNCH			
5750	----	----	----	----/0.30A	----	0.10 - 0.20	.0006	----	----	----	----	40	UNCH			
TOTAL										261		1631 +	182			

SILVER OPTIONS ON FUTURES													
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
RWS THU	SILVER WEEKLY THURSDAY OPTION week2												
OCT26													
5000	----	----	----	----/0.030A	----	0.010 - 0.004	.0033	----	----	----	----	1	UNCH
5500	----	----	----/0.088A	0.086B/0.088A	----	0.079 - 0.029	.0263	----	----	----	----	1	UNCH
5700	----	----	----/0.077A	0.070B/0.077A	----	0.067 - 0.028	.0264	----	----	----	----	1	UNCH
5750	----	----	----/0.085A	0.084B/0.085A	----	0.078 - 0.032	.0310	----	----	----	----	1	UNCH
5800	0.049	0.049	0.049/0.045A	0.049/0.045A	----	0.032 - 0.019	.0146	----	1	----	----	1	UNCH
5800	----	----	----/0.094A	0.102B/0.094A	----	0.090 NEW	.0361	----	2	----	----	0	UNCH
5900	----	----	0.340B/0.216A	0.340B/0.216A	----	0.235 - 0.082	.0789	----	----	----	----	1	UNCH
5950	----	----	----/0.138A	0.189B/0.138A	----	0.147 - 0.058	.0595	----	----	----	----	1	UNCH
6000	----	----	0.288B/0.161A	0.288B/0.161A	----	0.175 - 0.068	.0706	----	1	----	----	2	UNCH
6000	0.670	0.670	0.680/0.451A	0.680/0.451A	----	0.491 NEW	.1354	----	2	----	----	2 +	2
6000	----	----	0.116B/0.070A	0.116B/0.070A	----	0.064 - 0.039	.0319	----	----	----	----	1	UNCH
6000	0.380	0.380	0.485B/0.285A	0.485B/0.285A	----	0.322 - 0.104	.1057	----	1	----	----	1	UNCH
6100	----	----	0.397B/0.219A	0.397B/0.219A	----	0.254 NEW	.1006	----	2	----	----	1 +	1
6100	----	----	0.204B/0.097A	0.204B/0.097A	----	0.096 - 0.057	.0494	----	----	----	----	6	UNCH
6150	----	----	0.797B/0.439A	0.797B/0.439A	----	0.524 - 0.144	.1623	----	----	----	----	4	UNCH
6200	----	----	1.172B/0.710A	1.172B/0.710A	----	0.853 - 0.177	.2160	----	----	----	----	1	UNCH
6200	----	----	0.327B/0.131A	0.327B/0.131A	----	0.153 - 0.081	.0794	----	----	----	----	8	UNCH
6300	1.400	1.400	1.530B/0.930A	1.530B/0.930A	----	1.118 NEW	.2673	----	1	----	----	1 +	1
6300	0.301	0.301	0.551B/0.197A	0.551B/0.197A	----	0.254 - 0.114	.1288	----	2	----	----	11 +	2
6300	----	----	0.910B/0.428A	0.910B/0.428A	----	0.552 NEW	.1992	----	1	----	----	1 +	1
6300	0.952	0.952	1.281B/0.681A	1.281B/0.681A	----	0.854 -							

BULLETIN #182@										METALS OPTION PRODUCTS					Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK3																
SEP26																	
6490	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6500	----	----	0.991B/0.240A	0.991B/0.240A	----	0.419 - 0.170	.2500	----	----	----	----	10	UNCH				
6500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6500	----	----	----	----	----	1.415	UNCH	----	----	----	----	0	UNCH				
6500	----	----	3.223B/1.155A	3.223B/1.155A	----	1.948 - 0.056	.7499	----	----	----	----	2	UNCH				
6550	----	----	----	----	----	0.915	UNCH	----	----	----	----	0	UNCH				
6550	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6550	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6580	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6600	0.955	0.955	1.535B/0.431A	1.535B/0.431A	----	0.766 - 0.206	.4036	----	----	25	----	25 +	23				
6610	0.600	0.600	0.600/0.460A	1.602B/0.460A	----	0.810	NEW .4203	----	----	2	----	2 +	2				
6620	----	----	----	----	----	0.215	UNCH	----	----	----	----	0	UNCH				
6620	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6630	----	----	----	----	----	0.115	UNCH	----	----	----	----	0	UNCH				
6640	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6650	----	----	----	----	----	0.085	UNCH	----	----	----	----	0	UNCH				
6660	----	----	----	----	----	0.185	UNCH	----	----	----	----	0	UNCH				
6660	0.812	0.812	0.812/0.600A	1.956B/0.600A	----	0.000	UNCH	----	----	----	----	0	UNCH				
6660	----	----	----	----	----	1.056	NEW .5046	----	----	4	----	4 +	4				
6670	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6690	----	----	----	----	----	0.485	UNCH	----	----	----	----	0	UNCH				
6700	----	----	----	----	----	0.585	UNCH	----	----	----	----	0	UNCH				
6700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6700	----	----	2.263B/0.737A	2.263B/0.737A	----	1.283 - 0.221	.5707	----	----	----	----	1	UNCH				
6720	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6740	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6750	1.366	1.366	2.670B/0.947A	2.670B/0.947A	----	1.604 - 0.221	.6482	----	2	----	----	3 +	2				
6750	----	----	----	----	----	1.085	UNCH	----	----	----	----	0	UNCH				
6750	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6760	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6770	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6780	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6790	0.778	0.778	1.261B/0.778	1.261B/0.335A	----	0.517	NEW .2959	----	----	4	----	4 +	4				
6790	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6800	----	----	1.213B/0.308A	1.213B/0.308A	----	0.491 - 0.102	.2829	----	----	----	----	1	UNCH				
6800	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6810	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6830	0.797	0.797	1.070B/0.797	1.070B/0.284A	----	0.421	NEW .2466	----	----	1	----	1 +	1				
6850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6890	0.730	0.730	0.841B/0.730	0.841B/0.225A	----	0.309	NEW .1850	----	----	2	----	2 +	2				
6920	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH				
6950	2.940	2.940	4.475B/2.173A	4.475B/2.173A	----	3.197 - 0.193	.8619	----	2	----	----	6 +	1				
7000	----	----	4.952B/2.544A	4.952B/2.544A	----	3.648 - 0.183	.8919	----	----	----	----	2	UNCH				
7160	0.067	0.067	0.259B/0.067	0.259B/0.067	----	0.093	NEW .0525	----	1	----	----	1 +	1				
7200	0.063	0.063	0.219B/0.063	0.219B/0.063	----	0.081	NEW .0447	----	1	----	----	1 +	1				
7300	0.100	0.100	0.149B/0.066A	0.149B/0.066A	----	0.061	NEW .0315	----	1	----	----	1 +	1				
7400	0.066	0.066	0.101/0.056	0.101/0.056	----	0.049	NEW .0236	----	4	----	----	2 +	2				
8100	----	----	----	0.022B/0.037A	----	0.022 - 0.015	.0069	----	----	----	----	2	UNCH				
TOTAL										52	0	86 +	47				
OCT26																	
5700	----	----	-----/0.094A	0.099B/0.094A	----	0.088	NEW .0331	----	----	2	----	2 +	2				
5900	----	----	-----/0.155A	0.204B/0.155A	----	0.164	- 0.080 .0619	----	----	----	----	3	UNCH				
5900	----	----	-----/0.084A	0.090B/0.084A	----	0.079 - 0.038	.0354	----	----	----	----	1	UNCH				
6000	----	----	-----/0.206A	0.305B/0.206A	----	0.231	NEW .0857	----	2	----	----	2 +	2				
6000	----	----	0.191B/0.110A	0.191B/0.110A	----	0.113 - 0.055	.0514	----	----	----	----	2	UNCH				
6100	----	----	0.473B/0.277A	0.473B/0.277A	----	0.329 - 0.127	.1186	----	----	----	----	2	UNCH				
6150	----	----	0.368B/0.174A	0.368B/0.174A	----	0.203 - 0.090	.0920	----	----	----	----	2	UNCH				
6300	----	----	0.697B/0.300A	0.697B/0.300A	----	0.388 - 0.136	.1664	----	----	----	----	25	UNCH				
6750	----	----	2.089B/0.877A	2.089B/0.877A	----	1.208 - 0.100	.4152	----	----	----	----	1	UNCH				
6950	----	----	1.262B/0.545A	1.262B/0.545A	----	0.652 - 0.092	.2510	----	----	----	----	5	UNCH				
7600	0.144	0.144	0.252B/0.122A	0.252B/0.122A	----	0.118	NEW .0470	----	----	11	----	11 +	11				
TOTAL										15	0	56 +	15				
SO CALL	COMEX SILVER OPTIONS																
OCT26																	
5000	----	----	17.961B/16.077A	17.961B/16.077A	----	16.530 + 0.115	.0000	----	----	----	----	5	UNCH				
5275	----	----	15.211B/13.328A	15.211B/13.328A	----	13.780 + 0.115	.0000	1	----	----	----	0 -	1				
5475	----	----	----	----	----	11.781 + 0.116	.9998	----	----	----	----	0	UNCH				
5500	----	----	12.961B/11.078A	12.961B/11.078A	----	11.531 + 0.116	.9998	2	----	----	----	3 -	2				
5600	----	----	11.963B/10.083A	11.963B/10.083A	----	10.532 + 0.114	.9995	----	----	----	----	9	UNCH				
5700	----	----	10.963B/9.081A	10.963B/9.081A	----	9.534 + 0.113	.9993	1	----	----	----	15 -	1				
5750	----	----	10.465B/8.581A	10.465B/8.581A	----	9.035 + 0.112	.9991	3	----	----	----	1 -	3				
5800	7.850	7.850	9.995B/7.850	9.995B/7.850	----	8.536 + 0.112	.9989	26	----	12	----	55 -	26				
5825	----	----	9.717B/7.831A	9.717B/7.831A	----	8.286 + 0.111	.9989	2	----	----	----	0 -	2				
5875	----	----	9.219B/7.331A	9.219B/7.331A	----	7.786 + 0.108	.9988	----	----	----	----	1	UNCH				
5900	----	----	8.984B/7.048A	8.984B/7.048A	----	7.537 + 0.108	.9985	24	----	----	----	32 -	24				
5925	----	----	8.701B/6.832A	8.701B/6.832A	----	7.287 + 0.107	.9985	----	----	----	----	2	UNCH				
5950	----	----	8.451B/6.577A	8.451B/6.577A	----	7.037 + 0.106	.9984	----	----	----	----	6	UNCH				
5975	----	----	8.203B/5.373A	8.203B/5.373A	----	6.787 + 0.105	.9983	7	----	----	----	7	UNCH				
6000	----	----	7.988B/5.124A	7.988B/5.124A	----	6.537 + 0.104	.9983	----	----	----	----	105	UNCH				
6025	----	----	7.719B/4.879A	7.719B/4.879A	----	6.288 + 0.104	.9979	----	----	----	----	4	UNCH				
6050	----	----	7.455B/4.637A	7.455B/4.637A	----	6.038 + 0.103	.9978	----	----	----	----	19	UNCH				
6075	----	----	7.205B/4.391A	7.205B/4.391A	----	5.789 + 0.101	.9974	----	----	----	----	7	UNCH				
6100	----	----	7.001B/4.147A	7.001B/4.147A	----	5.540 + 0.100	.9970	----	26	----	----	81 -	9				
6125	----	----	6.707B/3.905A	6.707B/3.905A	----	5.291 + 0.097	.9965	----</									



BULLETIN #182@										METALS OPTION PRODUCTS					Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SO CALL	COMEX SILVER OPTIONS																
OCT26																	
6825	0.150	0.150	0.765B/0.097A	0.765B/0.097A	----	0.198 -	0.095 .1406	----	----	27	----	110 -	6				
6830	0.428	0.428	0.739B/0.095A	0.739B/0.095A	----	0.191 -	0.093 .1347	----	----	3	----	4 +	3				
6840	----	----	0.698B/0.088A	0.698B/0.088A	----	0.176 -	0.091 .1227	----	----	8	----	UNCH					
6850	0.115	0.115	0.662B/0.083A	0.662B/0.083A	----	0.163 -	0.088 .1120	----	----	20	----	173 -	4				
6860	0.126	0.126	0.620B/0.079A	0.620B/0.079A	----	0.151	NEW .1022	----	----	1	----	1 +	1				
6870	----	----	0.586B/0.074A	0.586B/0.074A	----	0.140 -	0.081 .0932	----	----	2	----	UNCH					
6875	----	----	0.570B/0.072A	0.570B/0.072A	----	0.135 -	0.079 .0891	----	----	53	----	UNCH					
6880	0.088	0.088	0.551B/0.070A	0.551B/0.070A	----	0.130 -	0.078 .0851	----	----	6	----	7 +	6				
6890	----	----	0.518B/0.067A	0.518B/0.067A	----	0.120	NEW .0772	----	----	4	----	4 +	4				
6900	0.082	0.082	0.488B/0.064A	0.488B/0.064A	----	0.112 -	0.072 .0707	----	----	99	----	251 -	6				
6910	----	----	0.457B/0.061A	0.457B/0.061A	----	0.104 -	0.069 .0644	----	----	3	----	UNCH					
6920	----	----	0.428B/0.058A	0.428B/0.058A	----	0.096	NEW .0583	----	----	2	----	2 +	2				
6925	0.149	0.149	0.416B/0.058A	0.416B/0.058A	----	0.093 -	0.066 .0559	----	----	19	----	38 -	5				
6930	0.065	0.065	0.402B/0.049	0.402B/0.049	----	0.090 -	0.065 .0535	----	----	45	----	22 +	10				
6940	0.070	0.070	0.377B/0.053A	0.377B/0.053A	----	0.084	NEW .0489	----	----	4	----	4 +	4				
6950	0.088	0.088	0.355B/0.047	0.355B/0.047	----	0.078 -	0.061 .0445	----	----	66	----	175 -	28				
6960	----	----	0.330B/0.047A	0.330B/0.047A	----	0.074 -	0.058 .0412	----	----	2	----	UNCH					
6970	0.318	0.318	0.318/0.048A	0.318/0.048A	----	0.070	NEW .0381	----	----	1	----	1 +	1				
6975	0.046	0.046	0.299B/0.046	0.299B/0.046	----	0.068 -	0.054 .0366	----	----	3	----	42 -	3				
7000	0.131	0.131	0.254B/0.030	0.254B/0.030	----	0.059 -	0.049 .0299	----	----	225	----	752 -	50				
7025	0.060	0.060	0.216B/0.030	0.216B/0.030	----	0.051 -	0.044 .0244	----	----	5	----	101 +	1				
7050	0.094	0.094	0.182B/0.038A	0.182B/0.038A	----	0.044 -	0.043 .0199	----	----	39	----	112 -	9				
7075	----	----	0.157B/0.036A	0.157B/0.036A	----	0.040 -	0.039 .0170	----	----	13	----	73	UNCH				
7080	0.047	0.047	0.152B/0.028	0.152B/0.028	----	0.039 -	0.039 .0164	----	----	2	----	UNCH					
7090	----	----	0.143B/0.035A	0.143B/0.035A	----	0.038 -	0.037 .0156	----	----	13	----	2	UNCH				
7100	0.030	0.030	0.135B/0.030	0.135B/0.030	----	0.037 -	0.035 .0149	----	----	2	----	255 -	2				
7110	0.031	0.031	0.125B/0.031	0.125B/0.031	----	0.036 -	0.034 .0141	----	----	13	----	2	UNCH				
7120	0.030	0.030	0.120B/0.030	0.120B/0.030	----	0.035 -	0.033 .0134	----	----	2	----	5	UNCH				
7125	----	----	0.114B/0.032A	0.114B/0.032A	----	0.034 -	0.033 .0129	----	----	2	----	19	UNCH				
7140	0.072	0.072	0.104B/0.031A	0.104B/0.031A	----	0.033	NEW .0121	----	----	1	----	1 +	1				
7150	0.040	0.040	0.100B/0.030	0.100B/0.030	----	0.032 -	0.029 .0115	----	----	17	----	42 +	2				
7160	0.066	0.066	0.093B/0.029A	0.093B/0.029A	----	0.031	NEW .0109	----	----	1	----	1 +	1				
7175	0.084	0.084	0.085B/0.029A	0.085B/0.029A	----	0.030 -	0.024 .0102	----	----	5	----	80 +	3				
7190	0.055	0.055	0.079B/0.028A	0.079B/0.028A	----	0.029 -	0.023 .0096	----	----	1	----	2 +	1				
7200	----	----	0.076B/0.028A	0.076B/0.028A	----	0.028 -	0.023 .0091	----	----	1	----	308	UNCH				
7210	0.045	0.045	0.071B/0.027A	0.071B/0.027A	----	0.028 -	0.022 .0089	----	----	1	----	3 +	1				
7225	----	----	0.067B/0.026A	0.067B/0.026A	----	0.027 -	0.022 .0084	----	----	1	----	55	UNCH				
7230	----	----	0.065B/0.026A	0.065B/0.026A	----	0.027 -	0.022 .0083	----	----	1	----	5	UNCH				
7250	----	----	0.055B/0.026A	0.055B/0.026A	----	0.026 -	0.022 .0077	----	----	1	----	330	UNCH				
7275	----	----	0.049B/0.024A	0.049B/0.024A	----	0.025 -	0.022 .0071	----	----	1	----	15	UNCH				
7300	0.020	0.020	0.020/0.019A	0.044B/0.019A	----	0.024 -	0.022 .0065	----	----	4	----	225 +	2				
7325	----	----	----/0.023A	0.042B/0.023A	----	0.023 -	0.021 .0059	----	----	1	----	8	UNCH				
7350	----	----	----/0.023A	0.039B/0.023A	----	0.023 -	0.020 .0057	----	----	1	----	119	UNCH				
7375	----	----	----/0.022A	0.038B/0.022A	----	0.022 -	0.021 .0053	----	----	1	----	12	UNCH				
7380	----	----	----/0.023A	0.038B/0.023A	----	0.022 -	0.021 .0052	----	----	1	----	1	UNCH				
7400	----	----	----/0.022A	0.036B/0.022A	----	0.022 -	0.020 .0051	----	----	1	----	205	UNCH				
7425	----	----	----/0.023A	0.032B/0.023A	----	0.022 -	0.019 .0049	----	----	1	----	36	UNCH				
7450	0.030	0.030	0.030/0.021A	0.031B/0.021A	----	0.021 -	0.019 .0045	----	----	3	----	43 +	2				
7475	----	----	----/0.022A	0.029B/0.022A	----	0.020 -	0.018 .0041	----	----	1	----	59	UNCH				
7500	0.011	0.011	0.028B/0.011	0.028B/0.011	----	0.019 -	0.018 .0038	----	----	16	----	917 -	12				
7525	0.019	0.019	0.028B/0.019	0.028B/0.019	----	0.019 -	0.017 .0037	----	----	1	----	21 +	1				
7550	----	----	----/0.022A	0.027B/0.022A	----	0.018 -	0.017 .0033	----	----	1	----	36	UNCH				
7575	----	----	----/0.020A	0.026B/0.020A	----	0.018 -	0.016 .0032	----	----	1	----	39	UNCH				
7600	----	----	----/0.021A	0.025B/0.021A	----	0.018 -	0.016 .0031	----	----	1	----	180	UNCH				
7625	----	----	----/0.019A	0.025B/0.019A	----	0.018 -	0.016 .0031	----	----	1	----	21	UNCH				
7650	----	----	----/0.018A	0.026B/0.018A	----	0.018 -	0.015 .0030	----	----	1	----	11	UNCH				
7675	----	----	----/0.020A	0.025B/0.020A	----	0.017 -	0.016 .0027	----	----	1	----	10	UNCH				
7700	----	----	----/0.020A	0.024B/0.020A	----	0.017 -	0.016 .0026	----	----	1	----	95	UNCH				
7725	----	----	----/0.018A	0.023B/0.018A	----	0.017 -	0.015 .0026	----	----	1	----	8	UNCH				
7750	----	----	----/0.017A	0.024B/0.017A	----	0.017 -	0.015 .0025	----	----	1	----	166	UNCH				
7775	----	----	----/0.017A	0.023B/0.017A	----	0.016 -	0.016 .0023	----	----	1	----	36	UNCH				
7800	----	----	----/0.019A	0.022B/0.019A	----	0.016 -	0.015 .0022	----	----	1	----	280	UNCH				
7825	----	----	----/0.018A	0.022B/0.018A	----	0.015 -	0.016 .0020	----	----	1	----	35	UNCH				
7850	----	----	----/0.016A	0.022B/0.016A	----	0.014 -	0.016 .0018	----	----	1	----	57	UNCH				
7875	----	----	----/0.015A	0.022B/0.015A	----	0.013 -	0.017 .0016	----	----	1	----	82	UNCH				
7900	----	----	----/0.015A	0.022B/0.015A	----	0.013 -	0.016 .0016	----	----	1	----	106	UNCH				
7925	0.018	0.018	0.021B/0.014A	0.021B/0.014A	----	0.012 -	0.016 .0014	----	----	8	----	11 +	4				
7950	----	----	----/0.014A	0.021B/0.014A	----	0.011 -	0.017 .0013	----	----	1	----	61	UNCH				
7975	----	----	----/0.014A	0.021B/0.014A	----	0.011 -	0.016 .0012	----	----	1	----	8	UNCH				
8000	0.015	0.015	0.020B/0.014A	0.020B/0.014A	----	0.010 -	0.016 .0011	----	----	4	----	1536	UNCH				
8025	----	----	----/0.016A	0.020B/0.016A	----	0.010 -	0.016 .0010	----	----	1	----	3	UNCH				
8050	----	----	----/0.016A	0.021B/0.016A	----	0.010 -	0.015 .0010	----	----	1	----	151					

BULLETIN #182@			METALS OPTION PRODUCTS							Tue, Sep 22, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS											
OCT26													
9825	----	----	----	----/0.088A	----	0.001	UNCH	----	----	----	----	1	
9875	----	----	----	----/0.018A	----	0.001	UNCH	----	----	----	----	2	
9900	----	----	----	----/0.088A	----	0.001	UNCH	----	----	----	----	9	
9950	----	----	----	----/0.088A	----	0.001	UNCH	----	----	----	----	1	
10000	----	----	----	----/0.002A	----	0.001	UNCH	----	----	----	11037	1	
10025	----	----	----	----/0.088A	----	0.001	UNCH	----	----	----	----	5	
10050	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	1	
10100	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	2	
10125	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	2	
10150	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	1	
10225	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	3	
10250	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	1	
10275	----	----	----	----/0.019A	----	0.001	UNCH	----	----	----	----	4	
10300	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	10	
10325	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	4	
10350	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	4	
10375	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	3	
10400	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	80	
10425	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	4	
10450	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	5	
10475	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	5	
10500	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	45	
10525	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	3	
10550	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	4	
10575	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	9	
10600	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	8	
10625	----	----	----	----/0.011A	----	0.001	UNCH	----	----	----	----	7	
10650	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	6	
10675	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	4	
10700	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	13	
10725	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	2	
10750	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	12	
10775	----	----	----	----/0.087A	----	0.001	UNCH	----	----	----	----	2	
10800	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	5	
10825	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	2	
10850	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	1	
10875	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	1	
10900	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	1	
10925	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	4	
10950	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	4	
10975	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	4	
11000	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	398	
11025	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	7	
11050	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	10	
11075	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	10	
11100	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	2	
11175	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	1	
11275	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	2	
11300	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	3	
11400	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	4	
11450	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	4	
11475	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	12	
11500	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	24	
11675	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	1	
11700	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	2	
11725	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	1	
11800	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	2	
12000	----	----	----	----/0.006A	----	0.001	UNCH	----	----	----	----	134	
12050	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	3	
12175	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	2	
12500	----	----	----	----/0.010A	----	0.001	UNCH	----	----	----	----	17	
12675	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	7	
12700	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	7	
12725	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	7	
12750	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	7	
12775	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	7	
12800	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	7	
12825	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	7	
13000	----	----	----	----/0.086A	----	0.001	UNCH	----	----	----	----	111	
14000	----	----	----	----/0.005A	----	0.001	UNCH	----	----	----	----	6	
15000	----	----	----	----/0.005A	----	0.001	UNCH	----	----	----	----	328	
16000	----	----	----	----/0.085A	----	0.001	UNCH	----	----	----	----	36	
17000	----	----	----	----/0.085A	----	0.001	UNCH	----	----	----	----	120	
18000	----	----	----	----/0.085A	----	0.001	UNCH	----	----	----	----	347	
20000	----	----	----	----/0.003A	----	0.001	UNCH	----	----	----	----	219	
TOTAL										1783	0	39819 -	
NOV26													
5000	----	----	17.967B/16.163A	17.967B/16.163A	----	16.557 +	0.100	.9846	----	----	----	11	
5500	----	----	13.029B/10.357A	13.029B/10.357A	----	11.663 +	0.070	.9545	----	----	----	5	
5575	----	----	12.305B/9.660A	12.305B/9.660A	----	10.946 +	0.060	.9457	----	----	----	1	
5725	----	----	10.996B/8.306A	10.996B/8.306A	----	9.536 +	0.036	.9226	----	----	----	2	
5900	----	----	9.370B/6.816A	9.370B/6.816A	----	7.959 +	0.004	.8814	----	----	----	1	
5975	----	----	8.702B/6.221A	8.702B/6.221A	----	7.315 +	0.011	.8581	----	----	----	1	
6000	----	----	8.483B/6.028A	8.483B/6.028A	----	7.105 +	0.017	.8497	----	----	----	10	
6050	----	----	8.053B/5.654A	8.053B/5.654A	----	6.694 +	0.028	.8314	----	----	----	2	
6100	----	----	7.645B/5.294A	7.645B/5.294A	----	6.294 +	0.041	.8115	----	----	----	5	
6200	----	----	6.824B/4.615A	6.824B/4.615A	----	5.532 +	0.062	.7675	----	----	----	16	
6225	----	----	6.629B/4.446A	6.629B/4.446A	----	5.350 +	0.068	.7556	----	----	----	1	
6250	----	----	6.438B/4.298A	6.438B/4.298A	----	5.172 +	0.074	.7434	----	----	----	4	
6275	----	----	6.250B/4.144A	6.250B/4.144A	----	4.998 +	0.081	.7309	----	----	----	1	
6300	4.635	4.635	6.065B/3.990A	6.065B/3.990A	----	4.827 +	0.088	.7181	----	1	----	31 -	
6325	----	----	5.891B/3.864A	5.891B/3.864A	----	4.661 +	0.092	.7050	----	----	----	2	
6350	4.220	4.220	5.705B/3.710A	5.705B/3.710A	----	4.498 +	0.095	.6916	----	1	----	2 +	
6375	----	----	----</										

	BULLETIN #182@				METALS OPTION PRODUCTS							Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
NOV26																
7475	----	----	----	1.2388/0.660A	1.2388/0.660A	----	0.787	-	0.082	.1827	----	----	8	----	23 +	
7500	0.954	0.954		1.1998/0.635A	1.1998/0.635A	----	0.758	-	0.080	.1766	----	----	123	----	856 +	
7525	----	----		1.1578/0.616A	1.1578/0.616A	----	0.730	-	0.079	.1707	----	----	----	----	7	
7550	0.862	0.862		1.1208/0.592A	1.1208/0.592A	----	0.703	-	0.078	.1650	----	----	4	----	75 -	
7575	0.832	0.832		1.0838/0.574A	1.0838/0.574A	----	0.678	-	0.077	.1596	----	----	5	----	9 +	
7600	0.803	0.803		1.0458/0.553A	1.0458/0.553A	----	0.654	-	0.075	.1544	----	----	9	----	57	
7650	0.760	0.760		0.9778/0.518A	0.9778/0.518A	----	0.609	-	0.071	.1445	----	----	4	----	14	
7675	0.734	0.734		0.9468/0.501A	0.9468/0.501A	----	0.587	-	0.070	.1397	----	----	3	----	7 +	
7700	----	----		0.9158/0.484A	0.9158/0.484A	----	0.566	-	0.069	.1351	----	----	7	----	189 +	
7725	----	----		0.8858/0.471A	0.8858/0.471A	----	0.547	-	0.067	.1308	----	----	----	----	4	
7750	----	----		0.8588/0.457A	0.8588/0.457A	----	0.528	-	0.065	.1265	----	----	----	----	13	
7775	0.707	0.707		0.8298/0.442A	0.8298/0.442A	----	0.510	-	0.063	.1225	----	----	10	----	11 +	
7800	----	----		0.8028/0.428A	0.8028/0.428A	----	0.493	-	0.061	.1186	----	----	4	----	258 +	
7825	----	----		0.7778/0.416A	0.7778/0.416A	----	0.477	-	0.059	.1149	----	----	----	----	2	
7850	0.431	0.431		0.7538/0.403A	0.7538/0.403A	----	0.462	-	0.056	.1114	----	----	13	----	505 +	
7875	----	----		0.7308/0.391A	0.7308/0.391A	----	0.447	-	0.055	.1079	----	----	----	----	9	
7900	0.438	0.438		0.7078/0.379A	0.7078/0.379A	----	0.432	-	0.054	.1045	----	----	11	----	46 +	
7950	----	----		0.6648/0.358A	0.6648/0.358A	----	0.406	-	0.050	.0983	----	----	1	----	4	
7975	----	----		0.6448/0.348A	0.6448/0.348A	----	0.393	-	0.049	.0952	----	----	----	----	3	
8000	0.470	0.470		0.6228/0.339A	0.6228/0.339A	----	0.381	-	0.048	.0924	----	----	85	----	717 +	
8025	----	----		0.6058/0.330A	0.6058/0.330A	----	0.369	-	0.047	.0896	----	----	----	----	5	
8050	----	----		0.5828/0.320A	0.5828/0.320A	----	0.358	-	0.046	.0869	----	----	1	----	1	
8075	----	----		0.5678/0.312A	0.5678/0.312A	----	0.347	-	0.045	.0843	----	----	----	----	2	
8100	----	----		0.5528/0.302A	0.5528/0.302A	----	0.337	-	0.044	.0819	----	----	1	----	21 +	
8125	----	----		0.5378/0.296A	0.5378/0.296A	----	0.327	-	0.043	.0795	----	----	----	----	1	
8150	----	----		0.5188/0.288A	0.5188/0.288A	----	0.318	-	0.042	.0773	----	----	----	----	124	
8175	----	----		0.5038/0.281A	0.5038/0.281A	----	0.309	-	0.041	.0751	----	----	----	----	3	
8200	----	----		0.4928/0.273A	0.4928/0.273A	----	0.300	-	0.040	.0729	----	----	1	----	110 +	
8225	----	----		0.4788/0.269A	0.4788/0.269A	----	0.292	-	0.039	.0709	----	----	----	----	4	
8250	----	----		0.4618/0.262A	0.4618/0.262A	----	0.283	-	0.040	.0688	----	----	4	----	9 +	
8275	----	----		0.4518/0.259A	0.4518/0.259A	----	0.276	-	0.038	.0670	----	----	----	----	5	
8300	----	----		0.4388/0.251A	0.4388/0.251A	----	0.268	-	0.038	.0651	----	----	6	----	89	
8325	----	----		0.4198/0.247A	0.4198/0.247A	----	0.261	-	0.037	.0634	----	----	----	----	3	
8350	----	----		0.4078/0.242A	0.4078/0.242A	----	0.254	-	0.037	.0617	----	----	----	----	2	
8375	----	----		0.3958/0.236A	0.3958/0.236A	----	0.247	-	0.037	.0599	----	----	----	----	4	
8400	0.281	0.281		0.3898/0.231A	0.3898/0.231A	----	0.241	-	0.036	.0584	----	----	2	----	176	
8425	----	----		0.3748/0.226A	0.3748/0.226A	----	0.235	-	0.035	.0569	----	----	4	----	5 +	
8450	----	----		0.3638/0.221A	0.3638/0.221A	----	0.229	-	0.035	.0554	----	----	----	----	7	
8500	0.345	0.345		0.3538/0.211A	0.3538/0.211A	----	0.218	-	0.034	.0527	----	----	30	----	525 -	
8600	----	----		0.3198/0.193A	0.3198/0.193A	----	0.198	-	0.032	.0476	----	----	----	----	73	
8625	----	----		0.3038/0.189A	0.3038/0.189A	----	0.193	-	0.032	.0464	----	----	----	----	1	
8675	0.180	0.180		0.2888/0.180	0.2888/0.180	----	0.185	-	0.031	.0443	----	----	3	----	4 +	
8700	----	----		0.2908/0.177A	0.2908/0.177A	----	0.181	-	0.030	.0433	----	----	----	----	48	
8725	----	----		0.2738/0.175A	0.2738/0.175A	----	0.177	-	0.030	.0423	----	----	----	----	1	
8750	----	----		0.2708/0.170A	0.2708/0.170A	----	0.173	-	0.030	.0413	----	----	----	----	2	
8800	----	----		0.2638/0.164A	0.2638/0.164A	----	0.166	-	0.029	.0395	----	----	----	----	103	
8850	----	----		0.2458/0.158A	0.2458/0.158A	----	0.159	-	0.029	.0377	----	----	----	----	13	
8900	----	----		0.2258/0.152A	0.2258/0.152A	----	0.153	-	0.028	.0362	----	----	----	----	8	
8925	----	----		0.2198/0.149A	0.2198/0.149A	----	0.150	-	0.027	.0354	----	----	----	----	1	
8950	----	----		0.2178/0.147A	0.2178/0.147A	----	0.147	-	0.027	.0347	----	----	----	----	3	
8975	----	----		0.2108/0.144A	0.2108/0.144A	----	0.144	-	0.027	.0339	----	----	----	----	2	
9000	0.182	0.182		0.2058/0.142A	0.2058/0.142A	----	0.142	-	0.026	.0333	----	----	2	----	200 -	
9025	----	----		0.2038/0.139A	0.2038/0.139A	----	0.139	-	0.026	.0326	----	----	----	----	1	
9050	----	----		0.1998/0.137A	0.1998/0.137A	----	0.136	-	0.026	.0319	----	----	----	----	1	
9100	0.135	0.135		0.1908/0.132A	0.1908/0.132A	----	0.132	-	NEW	.0308	----	----	5	----	5 +	
9150	----	----		0.1838/0.128A	0.1838/0.128A	----	0.127	-	0.025	.0295	----	----	----	----	1	
9200	----	----		0.1758/0.124A	0.1758/0.124A	----	0.123	-	0.024	.0285	----	----	----	----	6	
9225	----	----		0.1718/0.122A	0.1718/0.122A	----	0.121	-	0.023	.0279	----	----	----	----	10	
9250	----	----		0.1688/0.119A	0.1688/0.119A	----	0.119	-	0.023	.0274	----	----	----	----	7	
9300	----	----		0.1618/0.117A	0.1618/0.117A	----	0.115	-	0.023	.0264	----	----	----	----	12	
9325	----	----		0.1578/0.115A	0.1578/0.115A	----	0.113	-	0.023	.0259	----	----	----	----	1	
9350	----	----		0.1548/0.113A	0.1548/0.113A	----	0.111	-	0.023	.0254	----	----	----	----	11	
9400	----	----		0.1498/0.110A	0.1498/0.110A	----	0.108	-	0.022	.0246	----	----	----	----	77	
9450	----	----		0.1448/0.106A	0.1448/0.106A	----	0.104	-	0.022	.0236	----	----	----	----	5	
9500	----	----		0.1378/0.102A	0.1378/0.102A	----	0.101	-	0.021	.0229	----	----	1	----	366 +	
9550	----	----		0.1328/0.101A	0.1328/0.101A	----	0.098	-	0.020	.0221	----	----	----	----	3	
9600	----	----		0.1298/0.098A	0.1298/0.098A	----	0.095	-	0.020	.0213	----	----	----	----	1	
9625	----	----		0												



BULLETIN #182@				METALS OPTION PRODUCTS							Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL															
DEC26															
6700	4.407	4.407		4.864B/3.373A	4.864B/3.373A	----	----	3.899 - 0.158	.5123	----	----	14	----	114 -	2
6725	----	----	----	4.742B/3.276A	4.742B/3.276A	----	----	3.798 - 0.158	.5029	----	----	----	----	1	UNCH
6750	4.350	4.350		4.633B/3.192A	4.633B/3.192A	----	----	3.699 - 0.158	.4934	----	----	6	----	36 +	5
6775	----	----	----	4.525B/3.108A	4.525B/3.108A	----	----	3.602 - 0.159	.4841	----	----	----	----	4	UNCH
6800	----	----	----	4.421B/3.030A	4.421B/3.030A	----	----	3.508 - 0.159	.4749	----	----	----	----	493	UNCH
6825	----	----	----	4.316B/2.953A	4.316B/2.953A	----	----	3.417 - 0.158	.4657	----	----	----	----	13	UNCH
6850	----	----	----	4.214B/2.883A	4.214B/2.883A	----	----	3.327 - 0.159	.4567	----	----	----	----	6	UNCH
6875	----	----	----	4.114B/2.800A	4.114B/2.800A	----	----	3.240 - 0.159	.4478	----	----	----	----	5	UNCH
6900	----	----	----	4.019B/2.729A	4.019B/2.729A	----	----	3.156 - 0.158	.4390	----	----	----	----	225	UNCH
6925	3.850	3.850		3.926B/2.659A	3.926B/2.659A	----	----	3.074 - 0.157	.4303	----	----	1	----	13 +	1
6950	----	----	----	3.831B/2.589A	3.831B/2.589A	----	----	2.995 - 0.155	.4217	----	----	----	----	228	UNCH
6975	----	----	----	3.740B/2.532A	3.740B/2.532A	----	----	2.918 - 0.154	.4133	----	----	----	----	2	UNCH
7000	3.185	3.185		3.652B/2.463A	3.652B/2.463A	----	----	2.843 - 0.152	.4050	----	----	104	----	809 +	56
7025	----	----	----	3.566B/2.404A	3.566B/2.404A	----	----	2.769 - 0.152	.3968	----	----	----	----	3	UNCH
7050	----	----	----	3.482B/2.337A	3.482B/2.337A	----	----	2.698 - 0.151	.3887	----	----	14	----	36 +	14
7075	----	----	----	3.399B/2.278A	3.399B/2.278A	----	----	2.629 - 0.150	.3808	----	----	----	----	6	UNCH
7100	2.788	2.788		3.322B/2.218A	3.322B/2.218A	----	----	2.561 - 0.150	.3730	----	----	1	----	37 +	1
7125	2.470	2.470		3.242B/2.162A	3.242B/2.162A	----	----	2.495 - 0.149	.3653	----	----	3	----	7 +	3
7150	----	----	----	3.167B/2.108A	3.167B/2.108A	----	----	2.430 - 0.148	.3577	----	----	----	----	2	UNCH
7200	----	----	----	3.020B/2.002A	3.020B/2.002A	----	----	2.307 - 0.144	.3430	----	----	2	----	217 +	1
7225	2.151	2.151		2.949B/1.957A	2.949B/1.957A	----	----	2.248 - 0.142	.3358	----	----	2	----	8 +	2
7250	----	----	----	2.883B/1.908A	2.883B/1.908A	----	----	2.191 - 0.141	.3288	----	----	----	----	13	UNCH
7275	----	----	----	2.814B/1.856A	2.814B/1.856A	----	----	2.136 - 0.139	.3219	----	----	----	----	13	UNCH
7300	2.005	2.005		2.750B/1.813A	2.750B/1.813A	----	----	2.082 - 0.138	.3152	----	----	4	----	101 +	3
7325	----	----	----	2.686B/1.768A	2.686B/1.768A	----	----	2.029 - 0.137	.3085	----	----	----	----	2	UNCH
7350	----	----	----	2.623B/1.719A	2.623B/1.719A	----	----	1.978 - 0.136	.3020	----	----	----	----	11	UNCH
7375	1.764	1.764		2.562B/1.681A	2.562B/1.681A	----	----	1.928 - 0.134	.2956	----	----	1	----	7 +	1
7400	----	----	----	2.503B/1.639A	2.503B/1.639A	----	----	1.880 - 0.132	.2894	----	----	----	----	66	UNCH
7425	----	----	----	2.445B/1.599A	2.445B/1.599A	----	----	1.832 - 0.131	.2832	----	----	5	----	11 +	5
7450	----	----	----	2.389B/1.556A	2.389B/1.556A	----	----	1.786 - 0.130	.2772	----	----	----	----	1	UNCH
7475	----	----	----	2.333B/1.520A	2.333B/1.520A	----	----	1.742 - 0.127	.2713	----	----	----	----	1	UNCH
7500	2.022	2.022		2.281B/1.482A	2.281B/1.482A	----	----	1.698 - 0.125	.2655	----	----	108	----	1451 +	23
7525	----	----	----	2.228B/1.446A	2.228B/1.446A	----	----	1.656 - 0.123	.2599	----	----	----	----	5	UNCH
7550	1.839	1.839		2.178B/1.410A	2.178B/1.410A	----	----	1.615 - 0.121	.2543	----	----	4	----	56 +	4
7575	----	----	----	2.128B/1.375A	2.128B/1.375A	----	----	1.575 - 0.119	.2489	----	----	----	----	1	UNCH
7600	1.682	1.682		2.080B/1.342A	2.080B/1.342A	----	----	1.536 - 0.117	.2436	----	----	3	----	266	UNCH
7650	1.785	1.785		1.987B/1.278A	1.987B/1.278A	----	----	1.462 - 0.112	.2333	----	----	1	----	3	UNCH
7700	1.703	1.703		1.898B/1.215A	1.898B/1.215A	----	----	1.392 - 0.108	.2235	----	----	1	----	267 +	1
7750	1.624	1.624		1.815B/1.159A	1.815B/1.159A	----	----	1.325 - 0.104	.2141	----	----	2	----	3 +	2
7775	----	----	----	1.773B/1.131A	1.773B/1.131A	----	----	1.293 - 0.103	.2095	----	----	----	----	10	UNCH
7800	1.100	1.100		1.734B/1.100	1.734B/1.100	----	----	1.263 - 0.100	.2051	----	----	1	----	200	UNCH
7825	----	----	----	1.695B/1.077A	1.695B/1.077A	----	----	1.233 - 0.098	.2008	----	----	----	----	2	UNCH
7850	1.235	1.235		1.658B/1.053A	1.658B/1.053A	----	----	1.203 - 0.097	.1965	----	----	5	----	7 +	5
7875	----	----	----	1.621B/1.027A	1.621B/1.027A	----	----	1.175 - 0.094	.1924	----	----	----	----	4	UNCH
7900	----	----	----	1.585B/1.004A	1.585B/1.004A	----	----	1.148 - 0.092	.1884	----	----	----	----	56	UNCH
7925	1.134	1.134		1.550B/0.980A	1.550B/0.980A	----	----	1.121 - 0.090	.1844	----	----	5	----	5 +	3
7950	1.091	1.091		1.516B/0.958A	1.516B/0.958A	----	----	1.095 - 0.088	.1805	----	----	70	----	59 -	25
8000	1.180	1.180		1.451B/0.916A	1.451B/0.916A	----	----	1.045 - 0.085	.1730	----	----	87	----	1135 +	59
8025	----	----	----	1.419B/0.895A	1.419B/0.895A	----	----	1.021 - 0.083	.1694	----	----	----	----	11	UNCH
8050	----	----	----	1.389B/0.875A	1.389B/0.875A	----	----	0.998 - 0.081	.1659	----	----	----	----	23	UNCH
8075	----	----	----	1.359B/0.855A	1.359B/0.855A	----	----	0.975 - 0.080	.1625	----	----	----	----	44	UNCH
8100	0.940	0.940		1.331B/0.836A	1.331B/0.836A	----	----	0.953 - 0.078	.1591	----	----	11	----	51 +	5
8125	----	----	----	1.301B/0.818A	1.301B/0.818A	----	----	0.931 - 0.077	.1558	----	----	----	----	19	UNCH
8150	----	----	----	1.273B/0.800A	1.273B/0.800A	----	----	0.911 - 0.075	.1526	----	----	----	----	11	UNCH
8175	----	----	----	1.246B/0.782A	1.246B/0.782A	----	----	0.890 - 0.074	.1494	----	----	----	----	1	UNCH
8200	----	----	----	1.220B/0.765A	1.220B/0.765A	----	----	0.870 - 0.073	.1464	----	----	----	----	608	UNCH
8225	----	----	----	1.194B/0.749A	1.194B/0.749A	----	----	0.851 - 0.071	.1434	----	----	----	----	20	UNCH
8250	----	----	----	1.169B/0.733A	1.169B/0.733A	----	----	0.833 - 0.069	.1405	----	----	----	----	2	UNCH
8300	----	----	----	1.120B/0.702A	1.120B/0.702A	----	----	0.797 - 0.067	.1349	----	----	----	----	102	UNCH
8325	----	----	----	1.096B/0.687A	1.096B/0.687A	----	----	0.779 - 0.066	.1321	----	----	----	----	5	UNCH
8375	----	----	----	1.052B/0.659A	1.052B/0.659A	----	----	0.746 - 0.063	.1269	----	----	----	----	7	UNCH
8400	0.921	0.921		1.030B/0.646A	1.030B/0.646A	----	----	0.730 - 0.062	.1243	----	----	4	----	54	UNCH
8425	----	----	----	1.009B/0.633A	1.009B/0.633A	----	----	0.715 - 0.060	.1219	----	----	----	----	5	UNCH
8450	0.883	0.883		0.989B/0.620A	0.989B/0.620A	----	----	0.699 - 0.060	.1194	----	----	2	----	5 +	2
8475	0.865	0.865		0.969B/0.607A	0.969B/0.607A	----	----	0.685 - 0.058	.1171	----	----	2	----	5 +	2
8500	0														

	BULLETIN #182@			METALS OPTION PRODUCTS							Tue, Sep 22, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
DEC26															
11475	----	----		0.1668/0.133A	0.1668/0.133A	----			0.128 -	0.022 .0211	----	----	----	----	1
11500	----	----		0.1638/0.131A	0.1638/0.131A	----			0.127 -	0.022 .0209	----	----	1	----	14 -
11550	----	----		0.1608/0.129A	0.1608/0.129A	----			0.125 -	0.021 .0205	----	----	----	----	1
11600	----	----		0.1578/0.127A	0.1578/0.127A	----			0.123 -	0.021 .0202	----	----	1	----	1 -
11625	----	----		0.1578/0.126A	0.1578/0.126A	----			0.122 -	0.020 .0200	----	----	----	----	2
11675	----	----		0.1548/0.124A	0.1548/0.124A	----			0.120 -	0.020 .0196	----	----	----	----	2
11700	----	----		0.1538/0.123A	0.1538/0.123A	----			0.119 -	0.020 .0194	----	----	----	----	1
11775	----	----		0.1478/0.120A	0.1478/0.120A	----			0.116 -	0.019 .0189	----	----	----	----	3
11800	----	----		0.1478/0.119A	0.1478/0.119A	----			0.115 -	0.019 .0187	----	----	----	----	30
11850	----	----		0.1438/0.118A	0.1438/0.118A	----			0.113 -	0.019 .0184	----	----	----	----	2
12000	0.108	0.108		0.1368/0.108	0.1368/0.108	----			0.107 -	0.019 .0173	----	----	23	----	596 +
12075	----	----		0.1338/0.110A	0.1338/0.110A	----			0.105 -	0.018 .0169	----	----	----	----	1
12100	----	----		0.1318/0.109A	0.1318/0.109A	----			0.104 -	0.018 .0168	----	----	----	----	13
12150	0.097	0.097		0.1278/0.097	0.1278/0.097	----			0.102 -	NEW .0164	----	4	----	4 +	
12175	----	----		0.1288/0.106A	0.1288/0.106A	----			0.101 -	0.018 .0163	----	----	----	----	10
12225	----	----		0.1268/0.105A	0.1268/0.105A	----			0.100 -	0.017 .0161	----	----	----	----	3
12250	----	----		0.1258/0.104A	0.1258/0.104A	----			0.099 -	0.018 .0159	----	----	----	----	1
12275	----	----		0.1248/0.103A	0.1248/0.103A	----			0.098 -	0.018 .0157	----	----	----	----	1
12300	----	----		0.1238/0.102A	0.1238/0.102A	----			0.097 -	0.018 .0156	----	----	----	----	2
12500	----	----		0.1138/0.096A	0.1138/0.096A	----			0.092 -	0.016 .0146	----	----	----	----	92
12550	----	----		0.1138/0.095A	0.1138/0.095A	----			0.090 -	0.016 .0143	----	----	----	----	19
12775	----	----		0.1048/0.089A	0.1048/0.089A	----			0.084 -	0.015 .0133	----	----	----	----	1
12800	----	----		0.1058/0.088A	0.1058/0.088A	----			0.084 -	0.014 .0133	----	----	----	----	7
12900	----	----		0.0998/0.086A	0.0998/0.086A	----			0.081 -	0.014 .0128	----	----	----	----	3
13000	----	----		0.0968/0.083A	0.0968/0.083A	----			0.079 -	0.013 .0124	----	----	----	----	366
13500	----	----		0.0838/----	0.0838/0.077A	----			0.069 -	0.008 .0107	----	----	----	----	24
14000	0.068	0.068		0.0728/0.068	0.0728/0.067A	----			0.060 -	0.006 .0092	----	16	----	----	118 -
14200	----	----		0.0688/----	0.0688/0.064A	----			0.057 -	0.006 .0087	----	----	----	----	2
15000	0.054	0.054		0.054/0.054	0.054/0.053A	----			0.046 -	0.006 .0069	----	28	----	----	1773
16000	----	----		----	0.0378/0.042A	----			0.036 -	0.006 .0053	----	----	----	----	1616
17000	----	----		----	0.0288/0.035A	----			0.027 -	0.006 .0039	----	----	----	----	87
18000	----	----		----	0.0208/0.029A	----			0.022 -	0.003 .0032	----	----	----	----	202
19000	----	----		----	0.0158/0.025A	----			0.018 -	UNCH .0025	----	----	----	----	6
20000	0.015	0.015		0.018/0.015	0.018/0.015	----			0.011 -	0.001 .0016	----	2	----	----	494
21000	----	----		----	0.0028/0.025A	----			0.007 -	0.001 .0010	----	----	----	----	7
22000	----	----		----	0.0028/0.022A	----			0.005 -	0.001 .0007	----	----	----	----	7
23000	----	----		----	0.0018/0.020A	----			0.005 -	UNCH .0007	----	----	----	----	37
24000	----	----		----	----/0.106A	----			0.004 -	UNCH .0005	----	----	----	----	2
25000	----	----		----	----/0.039A	----			0.004 -	UNCH .0005	----	----	----	----	239
26000	----	----		----	----/0.104A	----			0.003 -	0.001 .0004	----	----	----	----	3
30000	----	----		----	----/0.100A	----			0.002 -	0.001 .0002	----	----	----	----	111
32000	----	----		----	----/0.099A	----			0.002 -	UNCH .0002	----	----	----	----	12
35000	----	----		----	----/0.098A	----			0.001 -	UNCH .0001	----	----	----	----	1
40000	----	----		----	----/0.096A	----			0.001 -	UNCH .0000	----	----	----	----	25
90000	----	----		----	----/0.093A	----			0.001 -	UNCH ----	----	----	----	----	2
100000	----	----		----	----/0.010A	----			0.001 -	UNCH ----	----	----	2098	----	10
TOTAL													2098	0	24907 +
JAN27															
5700	----	----		12.7488/10.630A	12.7488/10.630A	----			11.525 -	0.072 .8359	----	----	----	----	1
6100	----	----		9.7208/7.845A	9.7208/7.845A	----			8.591 -	0.159 .7342	----	----	----	----	3
6250	----	----		8.7158/6.990A	8.7158/6.990A	----			7.656 -	0.168 .6894	----	----	----	----	13
6400	----	----		7.9458/6.195A	7.9458/6.195A	----			6.805 -	0.178 .6430	----	----	----	----	100
6500	----	----		7.3698/5.625A	7.3698/5.625A	----			6.281 -	0.188 .6118	----	----	----	----	19
6575	----	----		6.9858/5.309A	6.9858/5.309A	----			5.912 -	0.196 .5883	----	1	----	----	1
6600	----	----		6.8538/5.249A	6.8538/5.249A	----			5.794 -	0.198 .5806	----	----	----	----	36
6625	5.515	5.515		6.7228/5.144A	6.7228/5.144A	----			5.678 -	NEW .5728	----	1	----	1 +	1
6650	----	----		6.6018/5.084A	6.6018/5.084A	----			5.565 -	0.201 .5651	----	----	----	----	1
6700	5.316	5.316		6.3618/4.800A	6.3618/4.800A	----			5.345 -	0.204 .5497	----	1	----	2 +	1
6725	----	----		6.2418/4.799A	6.2418/4.799A	----			5.239 -	0.204 .5420	----	----	----	----	10
6775	----	----		6.0078/4.589A	6.0078/4.589A	----			5.033 -	0.204 .5269	----	----	----	----	1
6800	5.629	5.629		5.9058/4.425A	5.9058/4.425A	----			4.934 -	0.203 .5194	----	1	----	----	151
6900	----	----		5.4738/4.080A	5.4738/4.080A	----			4.557 -	0.196 .4902	----	----	----	----	2
7000	----	----		5.0848/3.839A	5.0848/3.839A	----			4.211 -	0.187 .4620	----	16	----	----	288 +
7050	----	----		4.8978/3.675A	4.8978/3.675A	----			4.047 -	0.185 .4483	----	----	----	----	1
7100	----	----		4.7178/3.554A	4.7178/3.554A	----			3.890 -	0.185 .4349	----	----	----	----	18
7150	4.564	4.564		4.5888/3.401A	4.5888/3.401A	----			3.739 -	NEW .4218	----	10	----	10 +	10
7300	----	----		4.0698/2.995A	4.0698/2.995A	----			3.324 -	0.185 .3845	----	----	----	----	10
7400	----	----		3.7838/2.798A	3.7838/2.798A	----			3.076 -	0.183 .3612	----	----	----	----	1
7425	----	----		3.7218/2.797A	3.7218/2.797A	----			3.017 -	0.182 .3556	----	----	----	----	1
7475	----	----		3.5898/2.696A	3.5898/2.696A	----			2.903 -	0.180 .3446	----	----	----	----	30
75															

BULLETIN #182@				METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS																
FEB27																	
8000	----	----	----	3.186B/2.514A	3.186B/2.514A	----	----	----	2.636 -	0.172	.2843	----	----	----	----	24	
8200	2.253	2.253		2.844B/2.238A	2.844B/2.238A	----	----	----	2.342 -	0.158	.2564	----	2	----	----	2	
8300	----	----		2.683B/2.133A	2.683B/2.133A	----	----	----	2.210 -	0.152	.2437	----	----	----	----	20	
8400	----	----		2.543B/2.006A	2.543B/2.006A	----	----	----	2.087 -	0.147	.2316	----	----	----	----	1	
8500	----	----		2.407B/1.885A	2.407B/1.885A	----	----	----	1.972 -	0.143	.2202	----	----	----	----	121	
8550	----	----		2.338B/1.834A	2.338B/1.834A	----	----	----	1.918 -	0.141	.2148	----	----	----	----	20	
8800	----	----		2.050B/1.611A	2.050B/1.611A	----	----	----	1.675 -	0.129	.1900	----	----	----	----	12	
9000	----	----		1.841B/1.455A	1.841B/1.455A	----	----	----	1.512 -	0.116	.1728	----	----	----	----	25	
9200	----	----		1.677B/1.319A	1.677B/1.319A	----	----	----	1.367 -	0.106	.1574	----	----	----	----	89	
9500	1.480	1.480		1.480/1.144A	1.480/1.144A	----	----	----	1.178 -	0.098	.1370	----	1	----	----	35 +	
10000	----	----		1.154B/0.928A	1.154B/0.928A	----	----	----	0.940 -	0.078	.1105	----	----	----	----	112	
10200	----	----		1.063B/0.848A	1.063B/0.848A	----	----	----	0.865 -	0.071	.1019	----	----	----	----	83	
10225	----	----		1.056B/0.848A	1.056B/0.848A	----	----	----	0.856 -	0.070	.1009	----	----	----	----	10	
10500	----	----		0.930B/0.745A	0.930B/0.745A	----	----	----	0.767 -	0.063	.0906	----	----	----	----	4	
11000	----	----		0.772B/0.630A	0.772B/0.630A	----	----	----	0.636 -	0.053	.0753	----	----	----	----	14	
11100	----	----		0.747B/0.611A	0.747B/0.611A	----	----	----	0.614 -	0.052	.0727	----	----	----	----	1	
11500	----	----		0.650B/0.540A	0.650B/0.540A	----	----	----	0.536 -	0.047	.0635	----	----	----	----	2	
11700	----	----		0.604B/0.508A	0.604B/0.508A	----	----	----	0.502 -	0.046	.0594	----	----	----	----	6	
12000	----	----		0.550B/0.465A	0.550B/0.465A	----	----	----	0.457 -	0.044	.0540	----	----	----	----	20	
12400	----	----		0.470B/0.417A	0.470B/0.417A	----	----	----	0.406 -	0.043	.0479	----	----	----	----	4	
12500	----	----		0.462B/0.406A	0.462B/0.406A	----	----	----	0.395 -	0.042	.0466	----	----	----	----	66	
12950	----	----		0.401B/0.364A	0.401B/0.364A	----	----	----	0.349 -	0.041	.0410	----	----	----	----	1	
12975	----	----		0.402B/0.360A	0.402B/0.360A	----	----	----	0.347 -	0.040	.0408	----	----	----	----	3	
25000	----	----		----	0.050B/0.074A	----	----	----	0.057 -	0.010	.0060	----	----	----	----	2	
30000	----	----		----	0.023B/0.056A	----	----	----	0.045 +	0.002	.0045	----	----	----	----	56	
TOTAL													12	0	1966 +	3	
MAR27																	
6000	----	----		11.416B/9.760A	11.416B/9.760A	----	----	----	10.458 -	0.174	.7250	----	----	----	----	1	
6175	----	----		10.335B/8.800A	10.335B/8.800A	----	----	----	9.415 -	0.195	.6841	----	----	----	----	1	
6300	----	----		9.854B/8.176A	9.854B/8.176A	----	----	----	8.727 -	0.208	.6541	----	----	----	----	10	
6400	----	----		9.296B/7.712A	9.296B/7.712A	----	----	----	8.212 -	0.215	.6300	----	----	----	----	1	
6500	----	----		8.765B/7.123A	8.765B/7.123A	----	----	----	7.726 -	0.222	.6058	----	----	----	----	14	
6600	----	----		8.288B/6.732A	8.288B/6.732A	----	----	----	7.271 -	NEW	.5818	----	1	----	1 +	1	
6775	----	----		7.491B/6.175A	7.491B/6.175A	----	----	----	6.542 -	0.228	.5406	----	----	----	----	1	
7000	----	----		6.608B/5.391A	6.608B/5.391A	----	----	----	5.721 -	0.225	.4903	----	----	----	----	175	
7100	----	----		6.244B/5.056A	6.244B/5.056A	----	----	----	5.393 -	0.224	.4691	----	----	----	----	1	
7225	----	----		5.811B/4.704A	5.811B/4.704A	----	----	----	5.013 -	0.222	.4435	----	----	----	----	12	
7400	----	----		5.278B/4.224A	5.278B/4.224A	----	----	----	4.531 -	0.218	.4098	----	----	----	----	3	
7475	----	----		5.070B/4.111A	5.070B/4.111A	----	----	----	4.341 -	0.216	.3960	----	----	----	----	1	
7500	----	----		5.005B/4.047A	5.005B/4.047A	----	----	----	4.280 -	0.215	.3916	----	1	----	100		
7550	----	----		4.875B/3.915A	4.875B/3.915A	----	----	----	4.160 -	0.215	.3827	----	1	----	2		
7600	----	----		4.732B/3.810A	4.732B/3.810A	----	----	----	4.045 -	0.212	.3741	----	1	----	3 +	1	
7700	----	----		4.485B/3.626A	4.485B/3.626A	----	----	----	3.825 -	0.209	.3574	----	----	----	----	8	
7725	----	----		4.433B/3.576A	4.433B/3.576A	----	----	----	3.773 -	0.207	.3534	----	----	----	----	10	
7750	----	----		4.369B/3.530A	4.369B/3.530A	----	----	----	3.721 -	0.207	.3494	----	----	----	----	1	
7800	----	----		4.252B/3.461A	4.252B/3.461A	----	----	----	3.620 -	0.204	.3415	----	----	----	----	1	
7900	----	----		4.043B/3.290A	4.043B/3.290A	----	----	----	3.428 -	0.199	.3263	----	----	----	----	6	
7950	----	----		3.939B/3.209A	3.939B/3.209A	----	----	----	3.336 -	0.197	.3190	----	----	----	----	1	
8000	----	----		3.824B/3.126A	3.824B/3.126A	----	----	----	3.248 -	0.193	.3118	----	----	----	----	246	
8050	----	----		3.717B/3.044A	3.717B/3.044A	----	----	----	3.163 -	0.190	.3049	----	----	----	----	1	
8125	----	----		3.589B/2.890A	3.589B/2.890A	----	----	----	3.040 -	0.185	.2947	----	----	----	----	1	
8300	----	----		3.279B/2.640A	3.279B/2.640A	----	----	----	2.776 -	0.173	.2725	----	----	----	----	1	
8500	----	----		2.977B/2.391A	2.977B/2.391A	----	----	----	2.509 -	0.163	.2495	----	----	----	----	18	
8600	----	----		2.838B/2.285A	2.838B/2.285A	----	----	----	2.389 -	0.157	.2388	----	----	----	----	1	
8650	----	----		2.776B/2.224A	2.776B/2.224A	----	----	----	2.331 -	0.155	.2337	----	----	----	----	10	
8700	----	----		2.700B/2.180A	2.700B/2.180A	----	----	----	2.276 -	0.152	.2288	----	----	----	----	1	
8775	2.181	2.181		2.608B/2.104A	2.608B/2.104A	----	----	----	2.196 -	0.148	.2215	----	3	----	0 -	3	
8800	----	----		2.584B/2.080A	2.584B/2.080A	----	----	----	2.170 -	0.148	.2192	----	----	----	----	9	
9000	----	----		2.362B/1.898A	2.362B/1.898A	----	----	----	1.977 -	0.140	.2015	----	----	----	----	781	
9200	----	----		2.152B/1.736A	2.152B/1.736A	----	----	----	1.807 -	0.132	.1856	----	----	----	----	26	
9500	----	----		1.901B/1.546A	1.901B/1.546A	----	----	----	1.588 -	0.122	.1646	----	----	----	----	52	
9675	----	----		1.762B/1.435A	1.762B/1.435A	----	----	----	1.477 -	0.116	.1538	----	----	----	----	1	
9700	----	----		1.740B/1.410A	1.740B/1.410A	----	----	----	1.462 -	0.116	.1524	----	----	----	----	87	
9800	----	----		1.679B/1.357A	1.679B/1.357A	----	----	----	1.404 -	0.112	.1467	----	----	----	----	311	
10000	----	----		1.552B/1.256A	1.552B/1.256A	----	----	----	1.297 -	0.106	.1361	----	----	70	----	457	
10300	----	----		1.391B/1.141A	1.391B												

**METALS OPTIONS PRODUCTS**

2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



BULLETIN #182@			METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS															
JUN27	----	----	----	----	----	----	----	13.944 -	0.177	.7504	----	----	----	----	1	UNCH
5825	----	----	----	12.749B/11.067A	12.749B/11.067A	----	----	11.632 -	0.208	.6788	----	----	----	----	22	UNCH
6225	----	----	----	11.305B/9.828A	11.305B/9.828A	----	----	10.263 -	0.220	.6283	----	----	----	----	2	UNCH
6500	----	----	----	8.930B/7.770A	8.930B/7.770A	----	----	8.040 -	0.211	.5304	----	----	----	----	1	UNCH
7050	----	----	----	6.069B/5.301A	6.069B/5.301A	----	----	5.424 -	0.192	.3907	----	----	----	----	136	UNCH
8000	----	----	----	5.899B/5.149A	5.899B/5.149A	----	----	5.268 -	0.191	.3815	----	----	----	----	1	UNCH
8075	----	----	----	5.032B/4.404A	5.032B/4.404A	----	----	4.487 -	0.182	.3335	----	----	----	----	200	UNCH
8500	----	----	----	4.657B/4.103A	4.657B/4.103A	----	----	4.170 -	0.180	.3133	----	----	----	----	2	UNCH
8700	----	----	----	4.512B/3.965A	4.512B/3.965A	----	----	4.023 -	0.179	.3038	----	----	----	----	1	UNCH
8800	----	----	----	3.725B/3.304A	3.725B/3.304A	----	----	3.324 -	0.174	.2572	----	----	----	----	2	UNCH
9350	----	----	----	3.036B/2.698A	3.036B/2.698A	----	----	2.696 -	0.165	.2133	----	----	----	----	10	UNCH
10000	----	----	----	2.286B/2.037A	2.286B/2.037A	----	----	2.025 -	0.136	.1637	----	----	----	----	155	UNCH
11000	----	----	----	1.779B/1.589A	1.779B/1.589A	----	----	1.591 -	0.114	.1299	----	----	----	----	6	UNCH
12000	----	----	----	1.584B/1.418A	1.584B/1.418A	----	----	1.421 -	0.107	.1165	----	----	----	----	10	UNCH
12500	----	----	----	1.422B/1.277A	1.422B/1.277A	----	----	1.265 -	0.100	.1044	----	----	----	----	1	UNCH
13000	----	----	----	1.398B/1.259A	1.398B/1.259A	----	----	1.244 -	0.099	.1027	----	----	----	----	1	UNCH
13075	----	----	----	----	----	----	----	----	----	----	----	----	----	0	558	0
TOTAL																
JUL27	----	----	----	----	----	----	----	48.596 +	0.099	.9940	----	----	----	----	1	UNCH
2000	----	----	----	10.320B/9.152A	10.320B/9.152A	----	----	9.529 -	0.287	.5772	----	----	----	----	1	UNCH
6800	----	----	----	9.920B/8.800A	9.920B/8.800A	----	----	9.145 -	0.296	.5606	----	----	----	----	1	UNCH
6900	----	----	----	9.520B/8.470A	9.520B/8.470A	----	----	8.779 -	0.302	.5445	----	----	----	----	25	UNCH
7000	----	----	----	6.992B/6.137A	6.992B/6.137A	----	----	6.420 -	0.274	.4291	----	----	----	----	1	UNCH
7800	----	----	----	6.879B/5.880A	6.879B/5.880A	----	----	6.185 -	0.261	.4165	----	----	----	----	1	UNCH
7900	----	----	----	6.612B/5.873A	6.612B/5.873A	----	----	6.072 -	0.254	.4103	----	----	----	----	1	UNCH
7950	----	----	----	3.439B/3.110A	3.439B/3.110A	----	----	3.101 -	0.158	.2307	----	----	----	----	3	UNCH
10000	----	----	----	3.315B/3.037A	3.315B/3.037A	----	----	3.014 -	0.159	.2248	----	----	----	----	2	UNCH
10100	----	----	----	3.138B/2.881A	3.138B/2.881A	----	----	2.851 -	0.154	.2137	----	----	----	----	1	UNCH
10300	----	----	----	2.936B/2.739A	2.936B/2.739A	----	----	2.700 -	0.146	.2034	----	----	----	----	1	UNCH
10500	----	----	----	2.781B/2.606A	2.781B/2.606A	----	----	2.561 -	0.138	.1937	----	----	----	----	1	UNCH
10700	----	----	----	2.568B/2.425A	2.568B/2.425A	----	----	2.371 -	0.130	.1804	----	----	----	----	2	UNCH
11000	----	----	----	2.502B/2.369A	2.502B/2.369A	----	----	2.312 -	0.128	.1762	----	----	----	----	2	UNCH
11100	----	----	----	2.007B/1.945A	2.007B/1.945A	----	----	1.878 -	0.114	.1447	----	----	----	----	2	UNCH
12000	----	----	----	1.960B/1.905A	1.960B/1.905A	----	----	1.839 -	0.112	.1418	----	----	----	----	6	UNCH
12100	----	----	----	----/1.599A	1.604B/1.599A	----	----	1.541 -	0.101	.1194	----	----	----	----	2	UNCH
13000	----	----	----	----/1.570A	1.569B/1.570A	----	----	1.513 -	0.100	.1172	----	----	----	----	6	UNCH
13100	----	----	----	----	----	----	----	----	----	----	----	----	----	0	59	0
TOTAL																
AUG27	----	----	----	8.652B/7.776A	8.652B/7.776A	----	----	7.991 -	0.233	.4874	----	----	----	----	8	UNCH
7500	----	----	----	6.156B/5.588A	6.156B/5.588A	----	----	5.700 -	0.194	.3714	----	----	----	----	8	UNCH
8500	----	----	----	----	----	----	----	----	----	----	----	----	----	0	16	0
TOTAL																
SEP27	----	----	----	6.660B/6.072A	6.660B/6.072A	----	----	6.166 -	0.209	.3833	----	----	----	0	25	UNCH
8500	----	----	----	----	----	----	----	----	----	----	----	----	----	0	25	0
TOTAL																
DEC27	----	----	----	----	----	----	----	30.826 +	0.077	.9211	----	----	----	----	1	UNCH
4000	----	----	----	----	----	----	----	11.940 +	0.035	.5690	----	----	----	----	80	UNCH
7175	----	----	----	----	----	----	----	2.098 -	0.001	.1158	----	----	----	----	25	UNCH
20000	----	----	----	----	----	----	----	----	----	----	----	----	----	0	106	0
TOTAL																
MAR28	----	----	----	----	----	----	----	14.468 +	0.037	.6179	----	----	----	0	1	UNCH
6900	----	----	----	----	----	----	----	----	----	----	----	----	----	0	1	0
TOTAL																
SO PUT	COMEX SILVER OPTIONS															
OCT26	----	----	----	----	----	----	----	0.001	UNCH	----	----	----	----	----	2	UNCH
2150	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
2500	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	8	UNCH
2675	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
2800	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	9	UNCH
3000	----	----	----	----	----	----	----/0.005A	0.001	UNCH	----	----	----	----	----	1	UNCH
3200	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
3250	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	7	UNCH
3500	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
3600	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	2	UNCH
3650	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
3800	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
3975	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	89	UNCH
4000	----	----	----	----	----	----	----/0.006A	0.001	UNCH	----	----	----	----	----	7	UNCH
4100	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
4175	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	2	UNCH
4200	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
4225	----	----	----	----	----	----	----/0.006A	0.001	UNCH	----	----	----	----	----	3	UNCH
4250	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	9	UNCH
4275	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	22	UNCH
4300	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
4325	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
4350	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	1	UNCH
4375	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	13	UNCH
4400	----	----	----	----	----	----	----/0.085A	0.001	UNCH	----	----	----	----	----	6	UNCH
4495	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	345	UNCH
4500	----	----	----	----	----	----	----/0.084A	0.001	UNCH	----	----	----	----	----	15	UNCH
4550	----	----	----	----	----	----	----/0.018A	0.001	UNCH	----	----	----	----	----	1	UNCH
4575	----	----	----	----	----	----	----/0.083A	0.001	UNCH	----	----	----	----	----	21	UNCH
4600	----	----	----	----	----	----	----/0.083A	0.001	UNCH	----	----	----	----	----	13	UNCH
4650	----	----	----	----	----	----	----/0.082A	0.001	UNCH	----	----	----	----	----	7	UNCH
4675	----	----	----	----	----	----	----/0.083A	0.001	UNCH	----	----	----	----	----	18	UNCH
4700	----	----	----	----	----	----	----/0.083A	0.001	UNCH	----	----	----	----	----	6	UNCH
4725	----	----	----	----	----	----	----/0.083A	0.001	UNCH	----	----	----	----	----	8	UNCH
4750	----	----	----	----	----	----	----/0.083A	0.001	UNCH	----	----	----	----	----	2	UNCH
4775	----	----	----	----	----	----	----/0.083A	0.001	UNCH	----	----	----	----	----	44	UNCH
4800	----	----	----	----	----	----	----/0.083A	0.001	UNCH	----	----	----	----	----	9	UNCH
4825	----	----	----	----	----	----	----/0.083A	0.001	UNCH	----	----	----	----	----	4	UNCH
4850	----	----	----	----	----	----	----/0.002A	0.001	UNCH	----	----	----	----	----	20	UNCH
4875	----	----	----	----	----	----	----/0.082A	0.001	UNCH	----	----	----	----	----	185	UNCH
4900	----	----	----	----	----	----	----/0.009A	0.001	UNCH	----	----	----	----	----	40	UNCH
4925	----	----	----	----	----	----	----/0.009A	0.001	UNCH	----	----	----	----	----	8	UNCH
4950	----	----	----	----	----	----	----/0.009A	0.001	UNCH	----	----	----	----	----	12	UNCH
4975	----	----	----	----	----	----	----/0.008A	0.001	UNCH	----	----	----	----	----	303	UNCH
5000	----	----	----	----	----	----	----/0.009A	0.001	UNCH	----	----	----	----	----	4	UNCH
5025	----	----	----	----	----	----	----/0.009A	0.001	UNCH	----	----	----	----	----	101	UNCH
5050	----	----	----	----	----	----	----/0.009A	0.001	UNCH	----	----	----	----	----	7	UNCH
5075	----	----	----	----	----	----	----/0.009A	0.001	UNCH	----	----	----	----	----	53	UNCH
5100	----	----	----	----	----	----	----/0.009A	0.001	UNCH	----	----	----	----	----	17	UNCH
5125	----	----	----	----	----	----	----/0.009A	0.001	UNCH	----	----	----	----	----	383	UNCH
5150	----	----	----	----	----	----	----/0.010A	0.001	UNCH	----	----	----	----	----	68	UNCH
5175	----	----	----	----	----	----	----/0									



	BULLETIN #182@				METALS OPTION PRODUCTS				Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
OCT26													
5875	----	----	----/0.009A	----/0.009A	----	0.007 -	0.007 .0011	----	----	----	----	10	UNCH
5900	0.013	0.013	0.013/0.009A	0.013/0.009A	----	0.008 -	0.008 .0014	----	----	4	----	298	UNCH
5925	----	----	----/0.010A	----/0.010A	----	0.008 -	0.009 .0014	----	----	6	----	44 -	5
5950	----	----	----/0.009A	----/0.009A	----	0.008 -	0.010 .0015	----	----	----	----	41	UNCH
5960	----	----	----/0.009A	----/0.009A	----	0.008 -	0.010 .0015	----	----	----	----	3	UNCH
5975	----	----	----/0.010A	0.0058/0.010A	----	0.008 -	0.010 .0016	----	----	----	----	33	UNCH
6000	0.009	0.009	0.009/0.009	0.0108/0.009	----	0.008 -	0.011 .0017	----	----	14	----	530 -	3
6025	----	----	----/0.010A	0.0128/0.010A	----	0.009 -	0.011 .0020	----	----	----	----	100	UNCH
6030	----	----	----/0.010A	0.0138/0.010A	----	0.009 -	0.011 .0020	----	----	----	----	4	UNCH
6050	----	----	----/0.010A	0.0168/0.010A	----	0.009 -	0.013 .0021	----	----	----	----	104	UNCH
6060	----	----	----/0.011A	0.0188/0.011A	----	0.009 -	0.014 .0021	----	----	----	----	1	UNCH
6075	----	----	----/0.011A	0.0228/0.011A	----	0.010 -	0.014 .0025	----	----	----	----	39	UNCH
6100	----	----	0.0288/0.012A	0.0288/0.012A	----	0.011 -	0.016 .0029	----	----	2	----	240 +	1
6125	0.020	0.020	0.0348/0.013A	0.0348/0.013A	----	0.012 -	0.018 .0034	----	----	2	----	102	UNCH
6140	----	----	0.0398/0.013A	0.0398/0.013A	----	0.013 -	0.020 .0039	----	----	----	----	1	UNCH
6150	0.011	0.011	0.0448/0.011	0.0448/0.011	----	0.014 -	0.021 .0043	----	----	2	----	111 +	1
6170	----	----	0.0528/0.016A	0.0528/0.016A	----	0.015 -	0.024 .0048	----	----	----	----	3	UNCH
6175	----	----	0.0538/0.016A	0.0538/0.016A	----	0.016 -	0.024 .0053	----	----	----	----	590	UNCH
6200	0.035	0.035	0.0638/0.017A	0.0638/0.017A	----	0.018 -	0.028 .0064	----	----	238	----	676 +	194
6225	----	----	0.0868/0.019A	0.0868/0.019A	----	0.022 -	0.031 .0084	----	----	----	----	22	UNCH
6250	0.082	0.082	0.1068/0.020A	0.1068/0.020A	----	0.025 -	0.037 .0103	----	----	28	----	113 -	10
6275	----	----	0.1318/0.023A	0.1318/0.023A	----	0.030 -	0.042 .0133	----	----	----	----	14	UNCH
6300	0.075	0.075	0.163/0.026A	0.163/0.026A	----	0.036 -	0.048 .0171	----	----	221	----	746 +	201
6320	----	----	0.1938/0.028A	0.1938/0.028A	----	0.041 -	0.055 .0206	----	----	----	----	1	UNCH
6325	----	----	0.1978/0.029A	0.1978/0.029A	----	0.042 -	0.057 .0215	----	----	1	----	67 -	1
6340	----	----	0.2258/0.031A	0.2258/0.031A	----	0.047 -	0.063 .0251	----	----	----	----	3	UNCH
6350	0.089	0.089	0.2438/0.033A	0.2438/0.033A	----	0.050 -	0.067 .0274	----	----	23	----	59 +	2
6375	0.278	0.278	0.2968/0.037A	0.2968/0.037A	----	0.061 -	0.078 .0358	----	----	1	----	32	UNCH
6400	0.324	0.324	0.3588/0.043A	0.3588/0.043A	----	0.076 -	0.090 .0476	----	----	12	----	147 +	2
6420	0.189	0.189	0.4148/0.049A	0.4148/0.049A	----	0.091	NEW .0596	----	----	1	----	1 +	1
6425	0.196	0.196	0.4308/0.050A	0.4308/0.050A	----	0.095 -	0.103 .0630	----	----	5	----	48 -	2
6440	0.395	0.395	0.4808/0.056A	0.4808/0.056A	----	0.110	NEW .0751	----	----	1	----	1 +	1
6450	0.170	0.170	0.539/0.059A	0.539/0.059A	----	0.120 -	0.117 .0835	----	----	36	----	37 +	11
6460	0.300	0.300	0.5548/0.063A	0.5548/0.063A	----	0.132	NEW .0935	----	----	2	----	1 +	1
6475	----	----	0.6178/0.070A	0.6178/0.070A	----	0.151 -	0.135 .1096	----	----	2	----	16 +	1
6480	----	----	0.6378/0.073A	0.6378/0.073A	----	0.158 -	0.139 .1156	----	----	----	----	5	UNCH
6500	0.230	0.230	0.7298/0.085A	0.7298/0.085A	----	0.190 -	0.154 .1425	----	----	141	----	594 +	26
6510	----	----	0.7868/0.092A	0.7868/0.092A	----	0.208 -	0.162 .1577	----	----	7	----	16 -	1
6520	----	----	0.8428/0.098A	0.8428/0.098A	----	0.228	NEW .1742	----	----	3	----	2 +	2
6525	----	----	0.8708/0.105A	0.8708/0.105A	----	0.239 -	0.173 .1831	----	----	1	----	55	UNCH
6540	0.724	0.724	0.9538/0.115A	0.9538/0.115A	----	0.275 -	0.182 .2118	----	----	9	----	3 +	1
6550	0.680	0.680	1.0098/0.125A	1.0098/0.125A	----	0.302 -	0.188 .2326	----	----	47	----	47 +	1
6560	0.735	0.735	1.0798/0.134A	1.0798/0.134A	----	0.331	NEW .2546	----	----	4	----	0	UNCH
6570	0.783	0.783	1.1118/0.146A	1.1118/0.146A	----	0.362 -	0.199 .2775	----	----	9	----	3 +	1
6575	0.674	0.674	1.1448/0.153A	1.1448/0.153A	----	0.378 -	0.202 .2893	----	----	12	----	68 -	3
6580	0.833	0.833	1.1778/0.159A	1.1778/0.159A	----	0.395 -	0.204 .3014	----	----	4	----	2 +	1
6590	0.890	0.890	1.2448/0.172A	1.2448/0.172A	----	0.430 -	0.209 .3262	----	----	7	----	4 +	1
6600	0.475	0.475	1.3138/0.186A	1.3138/0.186A	----	0.468 -	0.214 .3519	----	184	----	----	234 +	26
6610	1.065	1.065	1.3838/0.203A	1.3838/0.203A	----	0.508 -	0.219 .3782	----	21	----	----	4 +	3
6620	0.897	0.897	1.4568/0.221A	1.4568/0.221A	----	0.551	NEW .4051	----	1	----	----	1 +	1
6625	1.239	1.239	1.4938/0.228A	1.4938/0.228A	----	0.573 -	0.225 .4187	----	7	----	----	58 -	2
6630	----	----	1.5308/0.239A	1.5308/0.239A	----	0.595 -	0.228 .4323	----	----	----	----	4	UNCH
6640	0.761	0.761	1.6068/0.259A	1.6068/0.259A	----	0.643 -	0.231 .4598	----	4	----	----	4 +	3
6650	0.700	0.700	1.6838/0.279A	1.6838/0.279A	----	0.693 -	0.234 .4873	----	33	----	----	59 +	4
6660	0.769	0.769	1.7628/0.305A	1.7628/0.305A	----	0.746 -	0.236 .5148	----	14	----	----	11 +	10
6670	0.818	0.818	1.8438/0.330A	1.8438/0.330A	----	0.801 -	0.238 .5420	----	5	----	----	3	UNCH
6675	0.843	0.843	1.8838/0.341A	1.8838/0.341A	----	0.829 -	0.239 .5555	----	13	----	----	37 +	6
6680	0.869	0.869	1.9248/0.357A	1.9248/0.357A	----	0.858	NEW .5688	----	5	----	----	4 +	4
6690	0.923	0.923	2.0078/0.385A	2.0078/0.385A	----	0.918 -	0.241 .5951	----	2	----	----	2 +	1
6700	0.905	0.905	2.0918/0.400	2.0918/0.400	----	0.980 -	0.241 .6207	----	120	----	----	116 -	79
6710	0.453	0.453	2.1778/0.447A	2.1778/0.447A	----	1.044 -	0.241 .6457	----	1	----	----	3	UNCH
6720	0.779	0.779	2.2638/0.482A	2.2638/0.482A	----	1.111 -	0.239 .6696	----	37	----	----	36 +	35
6725	0.548	0.548	2.3078/0.499A	2.3078/0.499A	----	1.145 -	0.238 .6812	----	3	----	----	38	UNCH
6730	0.749	0.749	2.3518/0.518A	2.3518/0.518A	----	1.179 -	0.238 .6928	----	2	----	----	3 +	1
6740	0.790	0.790	2.4398/0.558A	2.4398/0.558A	----	1.250	NEW .7148	----	4	----	----	4 +	4
6750	1.213	1.213	2.5298/0.596A	2.5298/0.596A	----	1.322 -	0.234 .7360	----	5	----	----	114 -	1
6760	0.900	0.900	2.6198/0.638A	2.6198/0.638A	----	1.396 -	0.231 .7561	----	4	----	----	5 +	4
6770	0.803	0.803	2.7108/0.683A	2.7108/0.683A	----	1.472	NEW .7746	----	1	----	----	1 +	1
6775	2.150	2.150	2.7568/0.707A	2.7568/0.707A	----	1.511 -	0.227 .7839	----	2	----	----	37 -	1
6800	2.114	2.114	2.9858/0.830A	2.9858/0.830A	----	1.710 -	0.219 .8250	----	12	----	----	151 +	8
6825	----												

	BULLETIN #182@				METALS OPTION PRODUCTS						Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS														
NOV26															
5100	----	----	----	----/0.075A	0.084B/0.075A	----	----	0.069 - 0.022	.0188	----	----	----	----	209	UNCH
5150	----	----	----	----/0.082A	0.094B/0.082A	----	----	0.076 - 0.024	.0208	----	----	----	----	59	UNCH
5175	----	----	----	----/0.085A	0.100B/0.085A	----	----	0.080 - 0.025	.0220	----	----	----	----	11	UNCH
5200	----	----	----	----/0.089A	0.107B/0.089A	----	----	0.085 - 0.025	.0234	----	----	2	----	48 -	2
5225	----	----	----	----/0.093A	0.111B/0.093A	----	----	0.089 - 0.027	.0246	----	----	----	----	11	UNCH
5250	----	----	----	----/0.097A	0.118B/0.097A	----	----	0.094 - 0.028	.0260	----	----	----	----	9	UNCH
5275	----	----	----	----/0.101A	0.127B/0.101A	----	----	0.099 - 0.029	.0274	----	----	----	----	2	UNCH
5300	----	----	----	0.136B/0.106A	0.136B/0.106A	----	----	0.105 - 0.029	.0291	----	2	----	----	78	UNCH
5325	----	----	----	0.143B/0.111A	0.143B/0.111A	----	----	0.110 - 0.031	.0306	----	----	----	----	7	UNCH
5350	0.100	0.100	----	0.152B/0.100	0.152B/0.100	----	----	0.116 - 0.033	.0323	----	3	----	----	18 +	2
5375	----	----	----	0.164B/0.116A	0.164B/0.116A	----	----	0.123 - 0.034	.0343	----	----	----	----	15	UNCH
5400	----	----	----	0.175B/0.117A	0.175B/0.117A	----	----	0.129 - 0.037	.0361	----	11	----	----	70 -	3
5425	----	----	----	0.186B/0.129A	0.186B/0.129A	----	----	0.137 - 0.038	.0383	----	----	----	----	2	UNCH
5450	----	----	----	0.199B/0.136A	0.199B/0.136A	----	----	0.144 - 0.041	.0403	----	----	----	----	8	UNCH
5475	----	----	----	0.212B/0.136A	0.212B/0.136A	----	----	0.152 - 0.044	.0426	----	3	----	----	39 -	1
5500	0.205	0.205	----	0.227B/0.140	0.227B/0.140	----	----	0.162 - 0.046	.0453	----	27	----	----	368 -	10
5525	----	----	----	0.243B/0.157A	0.243B/0.157A	----	----	0.171 - 0.050	.0479	----	2	----	----	4	UNCH
5550	----	----	----	0.255B/0.166A	0.255B/0.166A	----	----	0.182 - 0.053	.0509	----	----	----	----	15	UNCH
5575	----	----	----	0.273B/0.175A	0.273B/0.175A	----	----	0.194 - 0.056	.0541	----	----	----	----	19	UNCH
5600	----	----	----	0.289B/0.184A	0.289B/0.184A	----	----	0.206 - 0.059	.0574	----	17	----	----	105	UNCH
5625	----	----	----	0.304B/0.195A	0.304B/0.195A	----	----	0.219 - 0.062	.0609	----	----	----	----	1	UNCH
5650	----	----	----	0.345B/0.207A	0.345B/0.207A	----	----	0.233 - 0.064	.0646	----	2	----	----	18 +	2
5675	----	----	----	0.369B/0.219A	0.369B/0.219A	----	----	0.248 - 0.068	.0686	----	----	----	----	38	UNCH
5700	----	----	----	0.396B/0.229A	0.396B/0.229A	----	----	0.264 - 0.074	.0728	----	12	----	----	306 -	3
5725	----	----	----	0.423B/0.244A	0.423B/0.244A	----	----	0.281 - 0.080	.0772	----	4	----	----	16 +	4
5750	----	----	----	0.453B/0.258A	0.453B/0.258A	----	----	0.300 - 0.086	.0821	----	2	----	----	10 -	1
5775	----	----	----	0.485B/0.274A	0.485B/0.274A	----	----	0.321 - 0.090	.0873	----	1	----	----	43 -	1
5800	0.413	0.413	----	0.521B/0.293A	0.521B/0.293A	----	----	0.344 - 0.091	.0930	----	25	----	----	156	UNCH
5825	----	----	----	0.558B/0.311A	0.558B/0.311A	----	----	0.369 - 0.093	.0990	----	----	----	----	2	UNCH
5850	0.433	0.433	----	0.597B/0.330A	0.597B/0.330A	----	----	0.394 - 0.099	.1050	----	6	----	----	10 +	2
5875	----	----	----	0.640B/0.354A	0.640B/0.354A	----	----	0.421 - 0.106	.1115	----	7	----	----	163 +	5
5900	0.525	0.525	----	0.684B/0.376A	0.684B/0.376A	----	----	0.451 - 0.111	.1184	----	32	----	----	197	UNCH
5925	----	----	----	0.732B/0.403A	0.732B/0.403A	----	----	0.483 - 0.117	.1258	----	----	----	----	5	UNCH
5950	0.474	0.474	----	0.783B/0.429A	0.783B/0.429A	----	----	0.517 - 0.122	.1334	----	2	----	----	41 +	2
5975	----	----	----	0.835B/0.459A	0.835B/0.459A	----	----	0.555 - 0.126	.1417	----	10	----	----	49 +	10
6000	0.650	0.650	----	0.892B/0.489A	0.892B/0.489A	----	----	0.594 - 0.132	.1501	----	79	----	----	425 +	20
6025	----	----	----	0.954B/0.521A	0.954B/0.521A	----	----	0.637 - 0.137	.1591	----	----	----	----	13	UNCH
6050	----	----	----	1.016B/0.557A	1.016B/0.557A	----	----	0.682 - 0.143	.1685	----	----	----	----	23	UNCH
6075	----	----	----	1.083B/0.595A	1.083B/0.595A	----	----	0.730 - 0.149	.1782	----	15	----	----	16 +	7
6100	0.895	0.895	----	1.155B/0.635A	1.155B/0.635A	----	----	0.781 - 0.155	.1883	----	30	----	----	55 +	11
6125	----	----	----	1.230B/0.679A	1.230B/0.679A	----	----	0.835 - 0.161	.1987	----	----	----	----	5	UNCH
6150	----	----	----	1.308B/0.725A	1.308B/0.725A	----	----	0.892 - 0.166	.2096	----	1	----	----	6 +	1
6175	----	----	----	1.390B/0.773A	1.390B/0.773A	----	----	0.952 - 0.172	.2207	----	1	----	----	10	UNCH
6200	0.897	0.897	----	1.477B/0.822A	1.477B/0.822A	----	----	1.016 - 0.177	.2323	----	15	48	----	153 +	48
6225	----	----	----	1.566B/0.879A	1.566B/0.879A	----	----	1.084 - 0.182	.2442	----	----	----	----	8	UNCH
6250	1.055	1.055	----	1.662B/0.938A	1.662B/0.938A	----	----	1.155 - 0.189	.2564	----	5	----	----	19 +	1
6275	----	----	----	1.761B/0.999A	1.761B/0.999A	----	----	1.230 - 0.196	.2690	----	----	----	----	23	UNCH
6300	1.350	1.350	----	1.858B/1.058A	1.858B/1.058A	----	----	1.308 - 0.203	.2817	----	31	----	----	53 -	6
6325	----	----	----	1.961B/1.131A	1.961B/1.131A	----	----	1.391 - 0.207	.2948	----	1	----	----	3	UNCH
6350	----	----	----	2.073B/1.201A	2.073B/1.201A	----	----	1.478 - 0.209	.3082	----	1	----	----	14 +	1
6375	----	----	----	2.187B/1.276A	2.187B/1.276A	----	----	1.568 - 0.213	.3217	----	5	----	----	18 -	5
6400	1.768	1.768	----	2.312B/1.343	2.312B/1.343	----	----	1.663 - 0.218	.3354	----	16	----	----	60 -	1
6425	----	----	----	2.438B/1.437A	2.438B/1.437A	----	----	1.761 - 0.225	.3493	----	----	----	----	3	UNCH
6450	----	----	----	2.564B/1.522A	2.564B/1.522A	----	----	1.864 - 0.231	.3633	----	----	----	----	16	UNCH
6475	----	----	----	2.690B/1.612A	2.690B/1.612A	----	----	1.972 - 0.235	.3775	----	2	----	----	12 -	1
6500	2.061	2.061	----	2.830B/1.699A	2.830B/1.699A	----	----	2.083 - 0.238	.3917	----	34	----	----	337 -	11
6525	----	----	----	2.970B/1.803A	2.970B/1.803A	----	----	2.199 - 0.240	.4059	----	----	----	----	1	UNCH
6550	----	----	----	3.110B/1.904A	3.110B/1.904A	----	----	2.318 - 0.242	.4202	----	1	----	----	3 -	1
6575	----	----	----	3.250B/2.008A	3.250B/2.008A	----	----	2.442 - 0.243	.4345	----	1	----	----	13 -	1
6600	2.917	2.917	----	3.404B/2.111A	3.404B/2.111A	----	----	2.570 - 0.244	.4488	----	105	----	----	151 +	102
6625	2.812	2.812	----	3.558B/2.230A	3.558B/2.230A	----	----	2.701 - 0.245	.4630	----	23	----	----	26 +	13
6650	2.870	2.870	----	3.711B/2.344A	3.711B/2.344A	----	----	2.836 - 0.247	.4771	----	29	----	----	36 +	2
6675	3.022	3.022	----	3.865B/2.464A	3.865B/2.464A	----	----	2.975 - 0.248	.4911	----	28	----	----	64 +	26
6700	3.222	3.222	----	4.033B/2.585A	4.033B/2.585A	----	----	3.119 - 0.248	.5050	----	7	----	----	116 -	

BULLETIN #182@				METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS															
DEC26																
4950	----	----	----	0.2178/0.166A	0.2178/0.166A	----	0.176	-	0.039	.0351	----	----	----	----	17	UNCH
4975	----	----	----	0.2268/0.174A	0.2268/0.174A	----	0.184	-	0.041	.0367	----	----	----	----	74	UNCH
5000	0.201	0.201	----	0.2408/0.181A	0.2408/0.181A	----	0.192	-	0.043	.0383	----	----	3	----	609	-
5025	----	----	----	0.2528/0.190A	0.2528/0.190A	----	0.201	-	0.044	.0400	----	----	----	----	33	UNCH
5050	----	----	----	0.2638/0.197A	0.2638/0.197A	----	0.211	-	0.046	.0420	----	----	----	----	10	UNCH
5075	----	----	----	0.2798/0.206A	0.2798/0.206A	----	0.221	-	0.048	.0439	----	----	----	----	5	UNCH
5100	----	----	----	0.2938/0.215A	0.2938/0.215A	----	0.231	-	0.050	.0459	----	----	----	----	26	UNCH
5125	----	----	----	0.3088/0.225A	0.3088/0.225A	----	0.242	-	0.053	.0480	----	----	----	----	5	UNCH
5150	----	----	----	0.3258/0.235A	0.3258/0.235A	----	0.254	-	0.055	.0503	----	----	----	----	15	UNCH
5175	----	----	----	0.3428/0.245A	0.3428/0.245A	----	0.266	-	0.058	.0526	----	----	----	----	2	UNCH
5200	----	----	----	0.3598/0.256A	0.3598/0.256A	----	0.279	-	0.061	.0550	----	----	----	----	96	UNCH
5225	----	----	----	0.3758/0.268A	0.3758/0.268A	----	0.293	-	0.064	.0577	----	----	----	----	5	UNCH
5250	----	----	----	0.3958/0.280A	0.3958/0.280A	----	0.307	-	0.068	.0603	----	----	----	----	51	UNCH
5300	----	----	----	0.4388/0.306A	0.4388/0.306A	----	0.338	-	0.076	.0660	----	----	----	----	280	UNCH
5325	----	----	----	0.4648/0.321A	0.4648/0.321A	----	0.355	-	0.080	.0691	----	----	----	----	8	UNCH
5350	----	----	----	0.4938/0.336A	0.4938/0.336A	----	0.373	-	0.085	.0724	----	----	----	----	4	UNCH
5375	----	----	----	0.5228/0.352A	0.5228/0.352A	----	0.391	-	0.090	.0757	----	----	----	----	2	UNCH
5400	----	----	----	0.5508/0.369A	0.5508/0.369A	----	0.411	-	0.095	.0792	----	----	19	----	78	+
5425	0.473	0.473	----	0.5778/0.387A	0.5778/0.387A	----	0.432	-	0.099	.0829	----	----	2	----	6	+
5450	----	----	----	0.6098/0.407A	0.6098/0.407A	----	0.454	-	0.104	.0868	----	----	----	----	7	UNCH
5500	0.564	0.564	----	0.6738/0.447A	0.6738/0.447A	----	0.503	-	0.111	.0951	----	----	44	28	675	+
5525	----	----	----	0.7118/0.470A	0.7118/0.470A	----	0.529	-	NEW	.0995	----	----	8	----	8	+
5550	----	----	----	0.7488/0.492A	0.7488/0.492A	----	0.557	-	0.117	.1041	----	----	----	----	4	UNCH
5575	----	----	----	0.7878/0.517A	0.7878/0.517A	----	0.587	-	0.120	.1090	----	----	----	----	174	UNCH
5600	0.710	0.710	----	0.8288/0.535	0.8288/0.535	----	0.618	-	0.123	.1140	----	----	11	----	160	+
5625	----	----	----	0.8708/0.572A	0.8708/0.572A	----	0.651	-	0.126	.1192	----	----	----	----	2	UNCH
5650	----	----	----	0.9188/0.610A	0.9188/0.610A	----	0.685	-	0.131	.1246	----	----	----	----	29	UNCH
5675	----	----	----	0.9648/0.640A	0.9648/0.640A	----	0.721	-	0.135	.1302	----	----	----	----	2	UNCH
5700	0.758	0.758	----	1.0158/0.671A	1.0158/0.671A	----	0.759	-	0.140	.1360	----	----	1	----	121	UNCH
5725	----	----	----	1.0668/0.702A	1.0668/0.702A	----	0.799	-	0.144	.1420	----	----	----	----	106	UNCH
5750	0.964	0.964	----	1.1198/0.728A	1.1198/0.728A	----	0.841	-	0.149	.1482	----	----	2	----	174	+
5775	1.015	1.015	----	1.1768/0.766A	1.1768/0.766A	----	0.884	-	0.154	.1546	----	----	2	----	10	+
5800	----	----	----	1.2348/0.804A	1.2348/0.804A	----	0.930	-	0.158	.1612	----	----	----	----	213	UNCH
5825	----	----	----	1.2978/0.845A	1.2978/0.845A	----	0.978	-	0.162	.1680	----	----	----	----	1	UNCH
5850	----	----	----	1.3638/0.888A	1.3638/0.888A	----	1.028	-	0.167	.1750	----	----	----	----	14	UNCH
5875	----	----	----	1.4268/0.932A	1.4268/0.932A	----	1.080	-	0.172	.1822	----	----	----	----	7	UNCH
5900	1.192	1.192	----	1.5008/0.979A	1.5008/0.979A	----	1.135	-	0.176	.1896	----	----	52	----	218	+
5925	----	----	----	1.5688/1.028A	1.5688/1.028A	----	1.192	-	0.181	.1972	----	----	----	----	2	UNCH
5950	----	----	----	1.6438/1.079A	1.6438/1.079A	----	1.252	-	0.186	.2050	----	----	----	----	8	UNCH
5975	----	----	----	1.7258/1.132A	1.7258/1.132A	----	1.314	-	0.191	.2129	----	----	----	----	1	UNCH
6000	1.500	1.500	----	1.8018/1.188A	1.8018/1.188A	----	1.379	-	0.195	.2211	----	----	34	----	538	+
6025	----	----	----	1.8908/1.246A	1.8908/1.246A	----	1.447	-	0.199	.2294	----	----	----	----	63	UNCH
6050	----	----	----	1.9778/1.306A	1.9778/1.306A	----	1.517	-	0.204	.2379	----	----	----	----	2	UNCH
6075	----	----	----	2.0668/1.369A	2.0668/1.369A	----	1.590	-	0.209	.2465	----	----	----	----	2	UNCH
6100	----	----	----	2.1598/1.436A	2.1598/1.436A	----	1.666	-	0.213	.2553	----	----	5	----	29	-
6150	----	----	----	2.3528/1.574A	2.3528/1.574A	----	1.827	-	0.221	.2734	----	----	----	----	5	UNCH
6175	----	----	----	2.4538/1.648A	2.4538/1.648A	----	1.911	-	0.226	.2826	----	----	1	----	1	UNCH
6200	2.052	2.052	----	2.5558/1.724A	2.5558/1.724A	----	1.999	-	0.230	.2919	----	----	3	----	63	+
6275	2.109	2.109	----	2.8858/1.967A	2.8858/1.967A	----	2.279	-	0.241	.3205	----	----	3	----	8	+
6300	----	----	----	3.0008/2.053A	3.0008/2.053A	----	2.379	-	0.244	.3302	----	----	3	----	90	+
6325	----	----	----	3.1198/2.143A	3.1198/2.143A	----	2.481	-	0.248	.3399	----	----	----	----	3	UNCH
6350	----	----	----	3.2398/2.236A	3.2398/2.236A	----	2.587	-	0.250	.3497	----	----	----	----	50	UNCH
6375	----	----	----	3.3638/2.332A	3.3638/2.332A	----	2.695	-	0.253	.3596	----	----	----	----	4	UNCH
6400	2.815	2.815	----	3.4908/2.429A	3.4908/2.429A	----	2.806	-	0.257	.3695	----	----	6	----	28	UNCH
6425	----	----	----	3.6228/2.531A	3.6228/2.531A	----	2.921	-	0.258	.3794	----	----	----	----	9	UNCH
6450	----	----	----	3.7548/2.634A	3.7548/2.634A	----	3.038	-	0.261	.3893	----	----	----	----	14	UNCH
6475	----	----	----	3.8938/2.741A	3.8938/2.741A	----	3.158	-	0.263	.3993	----	----	----	----	3	UNCH
6500	3.240	3.240	----	4.0288/2.850A	4.0288/2.850A	----	3.282	-	0.264	.4092	----	----	5	----	943	+
6525	4.173	4.173	----	4.1958/2.963A	4.1958/2.963A	----	3.408	-	0.266	.4191	----	----	22	----	25	+
6550	4.131	4.131	----	4.3138/3.078A	4.3138/3.078A	----	3.536	-	0.268	.4290	----	----	20	----	29	+
6575	----	----	----	4.4578/3.196A	4.4578/3.196A	----	3.668	-	0.269	.4389	----	----	----	----	1	UNCH
6600	----	----	----	4.6068/3.317A	4.6068/3.317A	----	3.802	-	0.271	.4487	----	----	4	----	97	+
6625	----	----	----	4.7578/3.442A	4.7578/3.442A	----	3.939	-	0.271	.4585	----	----	3	----	33	UNCH
6650	----	----	----	4.9218/3.568A	4.9218/3.568A	----	4.079	-	0.272	.4682	----	----	----	----	20	UNCH
6675	----	----	----	5.0718/3.695A	5.071											



BULLETIN #182@				METALS OPTION PRODUCTS							Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT COMEX SILVER OPTIONS															
JAN27															
5500	----	----	----	1.0798/0.806A	1.0798/0.806A	----	----	0.874 - 0.149	.1236	----	----	----	----	11 UNCH	
5600	----	----	----	1.2538/0.946A	1.2538/0.946A	----	----	1.040 - 0.160	.1429	----	----	----	----	1 UNCH	
5700	----	----	----	1.4628/1.104A	1.4628/1.104A	----	----	1.225 - 0.175	.1638	----	----	----	----	2 UNCH	
5800	----	----	----	1.7788/1.292A	1.7788/1.292A	----	----	1.437 - 0.193	.1865	----	----	----	----	27 UNCH	
5850	----	----	----	1.8618/1.400A	1.8618/1.400A	----	----	1.558 - 0.201	.1988	----	----	----	----	1 UNCH	
5900	----	----	----	2.0718/1.509A	2.0718/1.509A	----	----	1.687 - 0.210	.2115	----	----	----	----	18 UNCH	
6000	----	----	----	2.4188/1.759A	2.4188/1.759A	----	----	1.959 - 0.236	.2377	----	----	----	100	162 + 100	
6100	2.463	2.463		2.7118/2.041A	2.7118/2.041A	----	----	2.264 - 0.261	.2655	----	----	14	----	139 + 3	
6125	----	----	----	2.8118/2.120A	2.8118/2.120A	----	----	2.348 - 0.264	.2727	----	----	----	----	12 UNCH	
6200	----	----	----	3.1198/2.358A	3.1198/2.358A	----	----	2.621 - 0.269	.2951	----	----	----	----	16 UNCH	
6275	3.071	3.071		3.4458/2.617A	3.4458/2.617A	----	----	2.918 - NEW	.3180	----	----	2	----	2 + 2	
6300	----	----	----	3.5868/2.709A	3.5868/2.709A	----	----	3.021 - 0.271	.3257	----	----	----	----	1 UNCH	
6325	----	----	----	3.6918/2.803A	3.6918/2.803A	----	----	3.126 - 0.273	.3334	----	----	----	----	2 UNCH	
6350	----	----	----	3.8098/2.899A	3.8098/2.899A	----	----	3.233 - 0.275	.3411	----	----	----	----	9 UNCH	
6375	----	----	----	3.9318/2.998A	3.9318/2.998A	----	----	3.342 - 0.277	.3489	----	----	----	----	25 UNCH	
6400	3.939	3.939		4.0518/3.100A	4.0518/3.100A	----	----	3.454 - 0.279	.3567	----	----	23	----	33 + 23	
6500	4.600	4.600		4.600/3.527A	4.600/3.527A	----	----	3.922 - 0.289	.3879	----	----	5	----	56 UNCH	
6525	----	----	----	4.6968/3.635A	4.6968/3.635A	----	----	4.044 - 0.292	.3957	----	----	----	----	1 UNCH	
6600	4.689	4.689		5.7168/4.487A	5.7168/4.487A	----	----	4.969 - NEW	.4500	----	----	13	----	13 + 13	
6725	----	----	----	5.8818/4.619A	5.8818/4.619A	----	----	5.111 - NEW	.4576	----	----	15	----	15 + 15	
6800	----	----	----	6.4338/5.015A	6.4338/5.015A	----	----	5.550 - 0.304	.4802	----	----	----	----	2 UNCH	
6900	5.865	5.865		7.0818/5.579A	7.0818/5.579A	----	----	6.165 - 0.297	.5095	----	----	1	----	16 + 1	
6925	----	----	----	7.1718/5.732A	7.1718/5.732A	----	----	6.324 - 0.294	.5166	----	----	----	----	24 UNCH	
6950	----	----	----	7.3138/5.875A	7.3138/5.875A	----	----	6.484 - 0.292	.5237	----	----	----	----	1 UNCH	
7000	----	----	----	7.7618/6.175A	7.7618/6.175A	----	----	6.810 - 0.288	.5377	----	----	----	----	20 UNCH	
7100	----	----	----	8.4768/6.799A	8.4768/6.799A	----	----	7.481 - 0.286	.5647	----	----	----	----	27 UNCH	
7125	----	----	----	8.6418/6.967A	8.6418/6.967A	----	----	7.653 - 0.286	.5713	----	----	----	----	1 UNCH	
7175	----	----	----	8.8808/7.292A	8.8808/7.292A	----	----	8.001 - 0.286	.5843	----	----	----	----	1 UNCH	
7200	----	----	----	9.0608/7.461A	9.0608/7.461A	----	----	8.178 - 0.286	.5906	----	----	----	----	1 UNCH	
7350	----	----	----	10.2008/8.501A	10.2008/8.501A	----	----	9.268 - 0.285	.6270	----	----	----	----	1 UNCH	
8600	----	----	----	20.8468/18.834A	20.8468/18.834A	----	----	19.800 - 0.210	.8275	----	----	----	----	1 UNCH	
8850	----	----	----	23.1728/21.087A	23.1728/21.087A	----	----	22.098 - 0.195	.8505	----	----	----	----	9 UNCH	
TOTAL												81	100	1197 + 160	
FEB27															
3475	----	----	----	----	0.0548/0.089A	----	----	0.056 - 0.011	.0076	----	----	----	----	1 UNCH	
4000	----	----	----	-----/0.159A	0.1288/0.159A	----	----	0.140 - 0.024	.0188	----	----	----	----	1 UNCH	
5000	----	----	----	-----/0.586A	0.7058/0.586A	----	----	0.609 - 0.096	.0782	----	----	----	----	17 UNCH	
5100	----	----	----	0.8228/0.672A	0.8228/0.672A	----	----	0.709 - 0.108	.0897	----	----	----	----	1 UNCH	
5200	----	----	----	0.9908/0.774A	0.9908/0.774A	----	----	0.824 - 0.123	.1025	----	----	----	----	1 UNCH	
5225	----	----	----	1.0028/0.804A	1.0028/0.804A	----	----	0.856 - 0.127	.1060	----	----	----	----	5 UNCH	
5275	----	----	----	1.0778/0.859A	1.0778/0.859A	----	----	0.923 - 0.134	.1131	----	----	----	----	20 UNCH	
5300	----	----	----	1.1518/0.889A	1.1518/0.889A	----	----	0.958 - 0.139	.1169	----	----	----	----	1 UNCH	
5400	----	----	----	1.3218/1.034A	1.3218/1.034A	----	----	1.113 - 0.155	.1328	----	----	----	----	3 UNCH	
5500	----	----	----	1.5118/1.193A	1.5118/1.193A	----	----	1.290 - 0.172	.1503	----	----	----	----	1 UNCH	
5600	----	----	----	1.7478/1.369A	1.7478/1.369A	----	----	1.493 - 0.189	.1694	----	----	----	----	7 UNCH	
5700	----	----	----	2.0178/1.575A	2.0178/1.575A	----	----	1.722 - 0.207	.1900	----	----	----	----	1 UNCH	
5725	----	----	----	2.0898/1.634A	2.0898/1.634A	----	----	1.784 - 0.211	.1954	----	----	----	----	1 UNCH	
5800	----	----	----	2.3188/1.811A	2.3188/1.811A	----	----	1.980 - 0.225	.2120	----	----	----	----	10 UNCH	
5875	----	----	----	2.5688/2.006A	2.5688/2.006A	----	----	2.194 - 0.237	.2294	----	----	----	----	10 UNCH	
6000	----	----	----	3.0328/2.365A	3.0328/2.365A	----	----	2.590 - 0.258	.2598	----	----	----	----	1 UNCH	
6200	----	----	----	3.8508/3.043A	3.8508/3.043A	----	----	3.332 - 0.285	.3114	----	----	----	----	1 UNCH	
6400	----	----	----	4.8318/3.846A	4.8318/3.846A	----	----	4.210 - 0.302	.3650	----	----	----	----	1 UNCH	
6500	----	----	----	5.3458/4.295A	5.3458/4.295A	----	----	4.700 - 0.307	.3921	----	----	----	----	21 UNCH	
6600	----	----	----	5.9058/4.770A	5.9058/4.770A	----	----	5.223 - 0.308	.4190	----	----	----	----	6 UNCH	
6700	----	----	----	6.4978/5.290A	6.4978/5.290A	----	----	5.778 - 0.308	.4455	----	----	----	----	11 UNCH	
6825	----	----	----	7.2658/5.966A	7.2658/5.966A	----	----	6.513 - 0.305	.4779	----	----	----	----	5 UNCH	
7000	----	----	----	8.4178/6.993A	8.4178/6.993A	----	----	7.615 - 0.299	.5213	----	----	----	----	5 UNCH	
7225	----	----	----	10.0178/8.436A	10.0178/8.436A	----	----	9.142 - 0.292	.5731	----	----	----	----	1 UNCH	
7250	----	----	----	10.2098/8.605A	10.2098/8.605A	----	----	9.319 - 0.290	.5786	----	----	----	----	1 UNCH	
7400	----	----	----	11.3288/9.632A	11.3288/9.632A	----	----	10.404 - 0.288	.6102	----	----	----	----	2 UNCH	
7575	----	----	----	12.6888/10.893A	12.6888/10.893A	----	----	11.722 - 0.286	.6444	----	----	----	----	20 UNCH	
8075	----	----	----	16.6468/14.820A	16.6468/14.820A	----	----	15.758 - 0.266	.7262	----	----	----	----	5 UNCH	
8150	----	----	----	17.2858/15.418A	17.2858/15.418A	----	----	16.392 - 0.261	.7365	----	----	----	----	10 UNCH	
8225	----	----	----	17.9298/16.259A	17.9298/16.259A	----	----	17.032 - 0.256	.7464	----	----	----	----	10 UNCH	
8250	----	----	----	18.1658/16.469A	18.1658/16.469A	----	----	17.247 - 0.254	.7496	----	----	----	----	10 UNCH	
TOTAL													0	190 0	
MAR27															
4000	----	----	----	-----/0.230A	0.2038/0.230A	----	----	0.220 - 0.036	.0261	----	----	----	----	299 UNCH	
4300	----	----	----	-----/0.331A	0.3268/0.331A	----	----	0.327 - 0.052	.0387	----	----	----	----	5 UNCH	
4500	----	----	----	-----/0.425A	0.4458/0.425A	----	----	0.429 - 0.067	.0504	----	----	----	----	39 UNCH	
4800	----	----	----	-----/0.631A	0.6908/0.631A	----	----	0.652 - 0.097	.0744	----	----	----	----	5 UNCH	
4900	----	----	----	-----/0.721A	0.8478/0.721A	----	----	0.751 - 0.108	.0845	----	----	----	----	1 UNCH	
5000	----	----	----	1.0108/0.821A	1.0108/0.821A	----	----	0.864 - 0.121	.0957	----	----	----	----	55 UNCH	
5050	----	----	----	1.0798/0.880A	1.0798/0.880A	----	----	0.926 - 0.128	.1018	----	----	----	----	9 UNCH	
5075	----	----	----</												

BULLETIN #182@				METALS OPTION PRODUCTS							Tue, Sep 22, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
MAY27														
6525	----	----	7.221B/6.144A	7.221B/6.144A	----	6.568 - 0.319	.3866	----	----	----	----	10	UNCH	
6675	----	----	8.061B/6.927A	8.061B/6.927A	----	7.393 - 0.321	.4161	----	----	----	----	2	UNCH	
6750	----	----	8.526B/7.327A	8.526B/7.327A	----	7.825 - 0.324	.4306	----	----	----	----	5	UNCH	
7300	----	----	12.307B/10.658A	12.307B/10.658A	----	11.340 - 0.342	.5292	----	----	----	----	10	UNCH	
7900	----	----	16.611B/14.885A	16.611B/14.885A	----	15.718 - 0.332	.6194	----	----	----	----	10	UNCH	
8300	----	----	19.824B/17.973A	19.824B/17.973A	----	18.885 - 0.315	.6695	----	----	----	----	5	UNCH	
8325	----	----	20.034B/18.163A	20.034B/18.163A	----	19.089 - 0.314	.6724	----	----	----	----	2	UNCH	
8350	----	----	20.244B/18.353A	20.244B/18.353A	----	19.293 - 0.313	.6752	----	----	----	----	2	UNCH	
8500	----	----	21.483B/19.570A	21.483B/19.570A	----	20.530 - 0.307	.6916	----	----	----	----	9	UNCH	
TOTAL										50	0	136 +	50	
JUN27														
4000	----	----	----/0.507A	0.486B/0.507A	----	0.510 - 0.057	.0442	----	----	----	----	1	UNCH	
4500	----	----	----/0.890A	0.929B/0.890A	----	0.903 - 0.099	.0759	----	----	----	----	3	UNCH	
4700	----	----	----/1.114A	1.205B/1.114A	----	1.136 - 0.124	.0933	----	----	----	70	430 +	70	
5500	----	----	3.031B/2.619A	3.031B/2.619A	----	2.759 - 0.239	.1953	----	----	----	----	3	UNCH	
6000	----	----	4.886B/4.201A	4.886B/4.201A	----	4.457 - 0.290	.2797	----	----	----	----	5	UNCH	
6400	----	----	6.800B/5.899A	6.800B/5.899A	----	6.235 - 0.314	.3526	----	----	----	----	1	UNCH	
6500	----	----	7.329B/6.358A	7.329B/6.358A	----	6.738 - 0.318	.3710	----	----	----	----	10	UNCH	
6800	----	----	9.051B/7.919A	9.051B/7.919A	----	8.391 - 0.312	.4255	----	----	----	----	1	UNCH	
7000	10.120	10.120	10.296B/9.054A	10.296B/9.054A	----	9.594 - 0.308	.4604	----	----	1	----	16 -	1	
7050	----	----	10.626B/9.366A	10.626B/9.366A	----	9.906 - 0.308	.4689	----	----	----	----	1	UNCH	
TOTAL										1	70	471 +	69	
JUL27														
5500	----	----	3.439B/3.047A	3.439B/3.047A	----	3.162 - 0.158	.2045	----	----	----	----	50	UNCH	
6500	----	----	7.833B/7.017A	7.833B/7.017A	----	7.282 - 0.344	.3710	----	----	----	----	1	UNCH	
6900	----	----	10.235B/9.177A	10.235B/9.177A	----	9.540 - 0.393	.4386	----	----	----	----	100	UNCH	
7000	----	----	10.872B/9.727A	10.872B/9.727A	----	10.152 - 0.399	.4548	----	----	----	----	25	UNCH	
TOTAL											0	176	0	
SEP27														
5500	3.666	3.666	4.053B/3.656	4.053B/3.656	----	3.801 - NEW	.2116	----	----	10	----	10 +	10	
TOTAL										10	0	10 +	10	
DEC27														
7175	----	----	----	----	----	13.546 - 0.051	.4299	----	----	----	----	25	UNCH	
TOTAL											0	25	0	
DEC28														
7175	----	----	----	----	----	16.312 - 0.038	.3646	----	----	----	----	40	UNCH	
TOTAL											0	40	0	
SO1 CALL	SILVER OPTIONS													
OCT26														
6100	----	----	7.107B/4.462A	7.107B/4.462A	----	5.661 + 0.052	.9360	----	----	----	----	5	UNCH	
6400	----	----	4.343B/2.210A	4.343B/2.210A	----	3.046 - 0.052	.7762	----	----	----	----	1	UNCH	
6450	----	----	3.929B/1.875A	3.929B/1.875A	----	2.677 - 0.071	.7307	----	----	----	----	2	UNCH	
6650	----	----	2.493B/1.035A	2.493B/1.035A	----	1.504 - 0.100	.5140	----	----	----	----	8	UNCH	
6700	1.337	1.337	2.198B/0.878A	2.198B/0.878A	----	1.286 - 0.099	.4588	----	----	2	----	7 +	2	
6750	----	----	1.981B/0.751A	1.981B/0.751A	----	1.095 - 0.097	.4060	----	----	----	----	5	UNCH	
6800	1.050	1.050	1.741B/0.646A	1.741B/0.646A	----	0.928 - NEW	.3563	----	----	2	----	2 +	2	
6900	----	----	1.332B/0.465A	1.332B/0.465A	----	0.662 - 0.092	.2688	----	----	----	----	5	UNCH	
6950	0.946	0.946	1.165B/0.400A	1.165B/0.400A	----	0.558 - NEW	.2316	----	----	1	----	1 +	1	
7000	1.020	1.020	1.033B/0.358A	1.033B/0.358A	----	0.471 - NEW	.1989	----	----	9	----	9 +	9	
7050	----	----	0.869B/0.302A	0.869B/0.302A	----	0.399 - 0.077	.1706	----	----	----	----	2	UNCH	
7200	0.400	0.400	0.574B/0.214A	0.574B/0.214A	----	0.248 - 0.056	.1077	----	----	1	----	10	UNCH	
7250	----	----	0.504B/0.189A	0.504B/0.189A	----	0.215 - 0.049	.0931	----	----	----	----	2	UNCH	
7300	----	----	0.441B/0.172A	0.441B/0.172A	----	0.187 - NEW	.0807	----	----	1	----	1 +	1	
7400	----	----	0.334B/0.145A	0.334B/0.145A	----	0.146 - 0.033	.0619	----	----	----	----	4	UNCH	
7600	----	----	0.203B/0.101A	0.203B/0.101A	----	0.097 - 0.025	.0389	----	----	----	----	1	UNCH	
TOTAL										16	0	65 +	15	
SO1 PUT	SILVER OPTIONS													
OCT26														
5400	0.012	0.012	0.013/0.012	0.013/0.012	----	0.009 - 0.006	.0035	----	----	6	----	12 +	6	
5500	----	----	----	0.013B/0.033A	----	0.014 - 0.008	.0056	----	----	----	----	1	UNCH	
5600	----	----	----	0.015B/0.039A	----	0.020 - 0.011	.0083	----	----	----	----	12	UNCH	
5800	----	----	----/0.056A	0.043B/0.056A	----	0.041 - 0.023	.0183	----	----	----	----	10	UNCH	
5900	0.120	0.120	0.120/0.070A	0.120/0.070A	----	0.061 - NEW	.0279	----	----	1	----	1 +	1	
5950	----	----	0.121B/0.079A	0.121B/0.079A	----	0.074 - 0.037	.0342	----	----	----	----	1	UNCH	
6000	----	----	0.160B/0.091A	0.160B/0.091A	----	0.090 - 0.045	.0421	----	----	----	----	6	UNCH	
6050	----	----	0.215B/0.106A	0.215B/0.106A	----	0.110 - 0.054	.0518	----	----	----	----	20	UNCH	
6100	0.108	0.108	0.282B/0.108	0.282B/0.108	----	0.135 - 0.064	.0639	----	----	1	----	7	UNCH	
6200	0.220	0.220	0.426B/0.177A	0.426B/0.177A	----	0.209 - 0.091	.0983	----	----	1	----	25 +	1	
6250	----	----	0.511B/0.209A	0.511B/0.209A	----	0.261 - 0.108	.1215	----	----	----	----	18	UNCH	
6300	0.611	0.611	0.675B/0.250A	0.675B/0.250A	----	0.328 - 0.126	.1500	----	----	4	----	14 +	2	
6350	----	----	0.801B/0.306A	0.801B/0.306A	----	0.413 - 0.146	.1841	----	----	----	----	5	UNCH	
6450	0.750	0.750	1.201B/0.463A	1.201B/0.463A	----	0.649 - NEW	.2692	----	----	2	----	2 +	2	
6500	----	----	1.486B/0.569A	1.486B/0.569A	----	0.809 - 0.200	.3196	----	----	----	----	2	UNCH	
6600	1.401	1.401	1.996B/0.849A	1.996B/0.849A	----	1.221 - NEW	.4296	----	----	5	----	5 +	5	
6650	1.327	1.327	2.290B/1.027A	2.290B/1.027A	----	1.474 - NEW	.4859	----	----	4	----	4 +	4	
6700	1.566	1.566	2.642B/1.234A	2.642B/1.234A	----	1.755 - NEW	.5411	----	----	6	----	6 +	6	
6750	1.712	1.712	3.015B/1.463A	3.015B/1.463A	----	2.064 - NEW	.5939	----	----	5	----	5 +	5	
6950	----	----	4.686B/2.648A	4.686B/2.648A	----	3.526 - 0.202	.7683	----	----	----	----	3	UNCH	
7050	----	----	5.594B/3.394A	5.594B/3.394A	----	4.365 - NEW	.8293	----	----	1	----	1 +	1	
7100	----	----	6.059B/3.777A	6.059B/3.777A	----	4.805 - 0.184	.8537	----	----	----	----	4	UNCH	
TOTAL										36	0	164 +	33	
SO2 CALL	SILVER OPTIONS													
OCT26														
6650	----	----	2.868B/1.455A	2.868B/1.455A	----	1.943 - 0.122	.5166	----	----	----	----	38	UNCH	
6750	2													

BULLETIN #182@				METALS OPTION PRODUCTS						Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S04 CALL	SILVER OPTIONS													
SEP26														
6600	0.975	0.975	2.3108/0.592A	2.3108/0.592A	----	1.136 -	0.097 .6188	----	----	27	----	28 +	26	
6610	0.971	0.971	2.2308/0.560A	2.2308/0.560A	----	1.079	NEW .5978	----	----	1	----	1 +	1	
6620	1.067	1.067	2.1518/0.530A	2.1518/0.530A	----	1.023	NEW .5765	----	----	1	----	1 +	1	
6650	0.465	0.465	1.9268/0.445A	1.9268/0.445A	----	0.870 -	0.108 .5120	----	----	6	----	5 +	4	
6700	1.100	1.100	1.5948/0.343A	1.5948/0.343A	----	0.655 -	0.111 .4072	----	----	9	----	10 +	1	
6710	0.470	0.470	1.5318/0.319A	1.5318/0.319A	----	0.618 -	0.111 .3872	----	----	2	----	5 +	2	
6720	0.512	0.512	1.4728/0.307A	1.4728/0.307A	----	0.582	NEW .3677	----	----	2	----	1 +	1	
6750	0.769	0.769	1.2978/0.256A	1.2978/0.256A	----	0.487	NEW .3127	----	----	8	----	0	UNCH	
6760	0.413	0.413	1.2388/0.246A	1.2388/0.246A	----	0.459	NEW .2956	----	----	3	----	3 +	3	
6800	0.790	0.790	1.0388/0.195A	1.0388/0.195A	----	0.360 -	0.101 .2335	----	----	7	----	8	UNCH	
6850	----	----	0.8178/0.153A	0.8178/0.153A	----	0.265 -	0.091 .1707	----	----	1	----	5	UNCH	
6900	0.228	0.228	0.6398/0.133A	0.6398/0.133A	----	0.195 -	0.080 .1229	----	----	12	----	11 +	9	
6950	0.400	0.400	0.4948/0.103A	0.4948/0.103A	----	0.145 -	0.068 .0881	----	----	7	----	16 +	1	
7000	0.210	0.210	0.398/0.086	0.398/0.086	----	0.110 -	0.057 .0637	----	----	79	----	73 +	47	
7050	0.298	0.298	0.298/0.075A	0.298/0.075A	----	0.085 -	0.048 .0465	----	----	2	----	2 +	1	
7070	0.059	0.059	0.2638/0.059	0.2638/0.059	----	0.078	NEW .0416	----	----	1	----	1 +	1	
7100	----	----	0.2248/0.064A	0.2248/0.064A	----	0.068 -	0.041 .0350	----	----	6	----	13 +	6	
7150	----	----	0.1748/0.055A	0.1748/0.055A	----	0.057 -	0.035 .0274	----	----	----	----	1	UNCH	
7290	----	----	0.0878/0.041A	0.0878/0.041A	----	0.039 -	0.025 .0156	----	----	----	----	1	UNCH	
7300	----	----	0.0818/0.043A	0.0818/0.043A	----	0.038 -	0.025 .0150	----	----	1	----	1	UNCH	
7350	0.053	0.053	0.0638/0.040A	0.0638/0.040A	----	0.034 -	0.023 .0126	----	----	5	----	3 -	2	
7500	----	----	-----/0.035A	0.0398/0.035A	----	0.026 -	0.018 .0081	----	----	----	----	2	UNCH	
8000	----	----	----	0.0138/0.025A	----	0.010 -	0.012 .0019	----	----	----	----	1	UNCH	
TOTAL										182	0	207 +	104	
S04 PUT	SILVER OPTIONS													
SEP26														
5500	----	----	----	-----/0.013A	----	0.001 -	0.001 .0000	----	----	----	----	3	UNCH	
5700	----	----	----	-----/0.015A	----	0.001 -	0.005 .0002	----	----	----	----	1	UNCH	
5800	0.017	0.017	0.018/0.017	0.018/0.017	----	0.003 -	0.008 .0007	----	----	4	----	3 +	2	
5900	----	----	-----/0.019A	0.0118/0.019A	----	0.006 -	0.014 .0018	----	----	----	----	1	UNCH	
5950	----	----	-----/0.021A	0.0108/0.021A	----	0.008 -	0.016 .0026	----	----	----	----	1	UNCH	
6000	----	----	-----/0.024A	0.0198/0.024A	----	0.011 -	0.018 .0039	----	----	----	----	3	UNCH	
6050	0.025	0.025	0.025/0.025	0.0298/0.025	----	0.015 -	0.021 .0058	----	----	1	----	1	UNCH	
6100	0.030	0.030	0.0488/0.030	0.0488/0.030	----	0.020 -	0.025 .0085	----	----	2	----	12 -	2	
6150	0.047	0.047	0.0718/0.034A	0.0718/0.034A	----	0.028 -	0.029 .0129	----	----	1	----	2	UNCH	
6200	----	----	0.1178/0.039A	0.1178/0.039A	----	0.037 -	0.037 .0185	----	----	9	----	9 +	3	
6250	----	----	0.1648/0.045A	0.1648/0.045A	----	0.051 -	0.047 .0276	----	----	----	----	4	UNCH	
6300	0.200	0.200	0.2398/0.055A	0.2398/0.055A	----	0.070 -	0.062 .0407	----	----	13	----	9 +	4	
6330	----	----	0.2908/0.063A	0.2908/0.063A	----	0.085	NEW .0515	----	----	20	----	20 +	20	
6400	0.219	0.219	0.4718/0.089A	0.4718/0.089A	----	0.138	NEW .0903	----	----	12	----	12 +	12	
6430	----	----	0.5758/0.105A	0.5758/0.105A	----	0.172	NEW .1151	----	----	20	----	20 +	20	
6440	0.440	0.440	0.6068/0.112A	0.6068/0.112A	----	0.185	NEW .1245	----	----	2	----	2 +	2	
6450	0.384	0.384	0.6458/0.117A	0.6458/0.117A	----	0.200	NEW .1351	----	----	1	----	1 +	1	
6500	0.156	0.156	0.8868/0.154A	0.8868/0.154A	----	0.293 -	0.167 .1988	----	----	3	----	4 +	2	
6550	----	----	1.1418/0.216A	1.1418/0.216A	----	0.426	NEW .2820	----	----	1	----	1 +	1	
6570	----	----	1.2758/0.248A	1.2758/0.248A	----	0.492	NEW .3200	----	----	1	----	1 +	1	
6590	----	----	1.3598/0.283A	1.3598/0.283A	----	0.566	NEW .3602	----	----	1	----	1 +	1	
6600	0.754	0.754	1.4268/0.301A	1.4268/0.301A	----	0.607 -	0.212 .3811	----	----	11	----	33 +	11	
6610	0.682	0.682	1.4958/0.322A	1.4958/0.322A	----	0.649	NEW .4021	----	----	2	----	1 +	1	
6620	0.854	0.854	1.5658/0.344A	1.5658/0.344A	----	0.693	NEW .4234	----	----	6	----	6 +	6	
6630	0.940	0.940	1.6378/0.367A	1.6378/0.367A	----	0.740	NEW .4449	----	----	7	----	7 +	7	
6650	1.007	1.007	1.7858/0.416A	1.7858/0.416A	----	0.840 -	0.223 .4879	----	----	13	----	14 +	13	
6660	1.075	1.075	1.8658/0.446A	1.8658/0.446A	----	0.893	NEW .5094	----	----	1	----	1 +	1	
6680	0.648	0.648	2.0218/0.507A	2.0218/0.507A	----	1.005 -	0.225 .5517	----	----	16	----	17 +	16	
6690	----	----	2.1018/0.538A	2.1018/0.538A	----	1.064	-	0.226 .5724	----	----	----	8	UNCH	
6700	1.359	1.359	2.1828/0.573A	2.1828/0.573A	----	1.125 -	0.226 .5927	----	----	5	----	6 +	4	
6710	----	----	2.2658/0.610A	2.2658/0.610A	----	1.188	-	0.225 .6127	----	----	----	3	UNCH	
6720	----	----	2.3488/0.647A	2.3488/0.647A	----	1.252	-	0.226 .6322	----	----	----	1	UNCH	
6750	0.890	0.890	2.6048/0.771A	2.6048/0.771A	----	1.457 -	0.223 .6872	----	----	1	----	2 +	1	
6760	1.063	1.063	2.6918/0.814A	2.6918/0.814A	----	1.528	NEW .7043	----	----	1	----	1 +	1	
6790	0.985	0.985	2.9578/0.957A	2.9578/0.957A	----	1.752	NEW .7517	----	----	1	----	1 +	1	
7050	----	----	5.3628/2.771A	5.3628/2.771A	----	4.054 -	0.163 .9534	----	----	1	----	1	UNCH	
TOTAL										156	0	213 +	129	
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK													
SEP26														
5400	----	----	----	-----/0.084A	----	0.001	UNCH	----	----	----	----	1	UNCH	
5800	----	----	----	-----/0.013A	----	0.001	UNCH	----	----	----	----	1	UNCH	
5800	----	----	-----/0.039A	0.0188/0.039A	----	0.025 -	0.017 .0114	----	----	----	----	5	UNCH	
5950	----	----	----	-----/0.012A	----	0.001 -	0.001	----	----	----	----	2	UNCH	
6000	----	----	----	-----/0.012A	----	0.001 -	0.003	----	----	----	----	1	UNCH	
6010	----	----	----	-----/0.012A	----	0.001 -	0.003	----	----	----	----	1	UNCH	
6050	----	----	----	-----/0.012A	----	0.001 -	0.005	----	----	----	----	3	UNCH	
6100	----	----	----	-----/0.012A	----	0.001 -	0.008	----	----	----	----	18	UNCH	
6150	----	----	-----/0.012A	-----/0.012A	----	0.001 -	0.012 .0000	----	----	----	----	4	UNCH	
6160	----	----	-----/0.012A	0.0018/0.012A	----	0.001 -	0.013 .0000	----	----	----	----	1	UNCH	
6200	----	----	0.2708/0.107A	0.2708/0.107A	----	0.120 -	0.070 .0662	----	----	----	----	2	UNCH	
6200	----	----	-----/0.012A	0.0108/0.012A	----	0.002 -	0.018 .0000	----	----	----	----	6		

	BULLETIN #182@				METALS OPTION PRODUCTS				Tue, Sep 22, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SWW WED SEP26	SILVER WEEKLY WEDNESDAY OPTION WEEK												
6900	0.721	0.721	1.0608/0.317A	1.0608/0.317A	----	0.461 - 0.086	.2268	----	----	9	----	13 +	9
6910	0.039	0.039	0.2348/0.033A	0.2348/0.033A	----	0.040	NEW .0131	----	----	4	----	4 +	4
6940	0.070	0.070	0.1748/0.027A	0.1748/0.027A	----	0.030	NEW .0080	----	----	1	----	1 +	1
6950	0.325	0.325	0.9018/0.268A	0.9018/0.268A	----	0.376	NEW .1880	----	----	63	----	60 +	60
6950	0.025	0.025	0.1588/0.020	0.1588/0.020	----	0.028 - 0.053	.0070	----	12	----	----	7 -	3
7000	0.051	0.051	0.103/0.013A	0.103/0.013A	----	0.017 - 0.045	.0029	----	35	----	----	22 +	10
7010	0.030	0.030	0.0848/0.020A	0.0848/0.020A	----	0.016	NEW .0026	----	1	----	----	1 +	1
7050	0.053	0.053	0.0548/0.009A	0.0548/0.009A	----	0.011 - 0.039	.0013	----	16	----	----	6 -	10
7100	0.040	0.040	0.040/0.019A	0.040/0.019A	----	0.007 - 0.035	.0005	----	1	----	----	2 +	1
7100	----	----	0.5258/0.167A	0.5258/0.167A	----	0.211 - 0.059	.1068	----	----	----	----	3	UNCH
7220	----	----	-----/0.016A	0.0198/0.016A	----	0.003 - 0.029	.0001	----	----	----	----	1	UNCH
7270	----	----	-----/0.016A	0.0148/0.016A	----	0.002 - 0.027	.0000	----	----	----	----	1	UNCH
7300	----	----	-----/0.016A	0.0048/0.016A	----	0.002 - 0.025	.0000	----	----	----	----	5	UNCH
7350	----	----	-----/0.013A	0.0028/0.013A	----	0.002 - 0.023	.0000	----	----	----	----	15	UNCH
7400	----	----	-----/0.012A	0.0018/0.012A	----	0.001 - 0.021	.0000	----	----	----	----	7	UNCH
7450	----	----	-----/0.012A	0.0018/0.012A	----	0.001 - 0.018	----	----	----	----	----	1	UNCH
7550	----	----	-----/0.012A	-----/0.012A	----	0.001 - 0.013	----	----	----	----	----	1	UNCH
8000	----	----	----	-----/0.018A	----	0.001 - 0.004	----	----	----	----	----	13	UNCH
TOTAL										482	0	668 +	222
OCT26	SILVER WEEKLY TUESDAY OPTION Week5												
6350	----	----	1.0088/0.459A	1.0088/0.459A	----	0.620 - 0.147	.2253	----	----	----	----	2	UNCH
6450	----	----	1.4258/0.660A	1.4258/0.660A	----	0.903 - 0.177	.3033	----	----	----	----	3	UNCH
6500	----	----	3.6868/1.980A	3.6868/1.980A	----	2.608 - 0.075	.6533	----	----	----	----	3	UNCH
6900	----	----	1.6138/0.723A	1.6138/0.723A	----	0.902 - 0.112	.3064	----	----	----	----	2	UNCH
6950	1.106	1.106	1.4418/0.649A	1.4418/0.649A	----	0.785	NEW .2726	----	5	----	----	5 +	5
7400	0.521	0.521	0.521/0.240A	0.521/0.240A	----	0.247	NEW .0928	----	1	----	----	1 +	1
TOTAL										6	0	16 +	6
HMW TUE SEP26	SILVER WEEKLY TUESDAY OPTION Week5												
4750	----	----	----	-----/0.086A	----	0.001	UNCH	----	----	----	----	34	UNCH
5200	----	----	----	-----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 -	2
5900	----	----	----	-----/0.011A	----	0.000 - 0.001	----	----	----	----	----	0 -	1
6000	0.069	0.069	0.069/0.045A	0.069/0.045A	----	0.037	NEW .0194	----	1	----	----	1 +	1
6150	----	----	----	-----/0.012A	----	0.000 - 0.001	----	----	----	----	----	0 -	2
6200	----	----	----	-----/0.013A	----	0.000 - 0.002	----	----	----	----	----	0 -	1
6250	----	----	----	-----/0.014A	----	0.000 - 0.004	----	----	----	----	----	0 -	3
6300	0.001	0.001	0.001/0.001	0.001/0.001	----	0.000 - 0.008	----	----	2	----	----	0 -	1
6340	----	----	-----/0.012A	0.0068/0.012A	----	0.000 - 0.014	----	----	----	----	----	0 -	2
6350	----	----	-----/0.011A	0.0138/0.011A	----	0.000 - 0.016	----	----	----	----	----	0 -	1
6400	----	----	3.2638/1.202A	3.2638/1.202A	----	2.530 + 0.088	----	4	----	----	----	0 -	4
6420	----	----	3.0748/1.031A	3.0748/1.031A	----	2.330 + 0.081	----	1	----	----	----	0 -	1
6450	0.090	0.090	0.1238/0.002	0.1238/0.002	----	0.000 - 0.048	----	----	2	----	----	0 -	2
6460	0.108	0.108	0.1548/0.010A	0.1548/0.010A	----	0.000 - 0.054	----	----	19	----	----	0 -	5
6470	----	----	0.1898/0.010A	0.1898/0.010A	----	0.000 - 0.061	----	----	4	----	----	0 -	1
6480	----	----	0.2268/0.010A	0.2268/0.010A	----	0.000	NEW	----	1	----	----	0	UNCH
6500	0.045	0.045	0.3168/0.010A	0.3168/0.010A	----	0.000 - 0.089	----	----	6	----	----	0 -	8
6500	0.409	0.409	1.0968/0.322A	1.0968/0.322A	----	0.520	NEW .2739	----	2	----	----	2 +	2
6520	----	----	0.4068/0.010A	0.4068/0.010A	----	0.000 - 0.116	----	----	15	----	----	0 -	5
6530	----	----	0.4518/0.009A	0.4518/0.009A	----	0.000 - 0.132	----	----	2	----	----	0 -	2
6540	0.121	0.121	0.4968/0.009A	0.4968/0.009A	----	0.000 - 0.150	----	----	5	----	----	0 -	3
6550	0.250	0.250	0.5638/0.009A	0.5638/0.009A	----	0.000 - 0.171	----	----	4	----	----	0 -	6
6550	----	----	1.3968/0.410A	1.3968/0.410A	----	0.683	NEW .3405	----	1	----	----	1 +	1
6550	----	----	1.8028/0.228A	1.8028/0.228A	----	1.030 - 0.056	----	1	----	1	----	0 -	1
6560	0.002	0.002	0.6368/0.002	0.6368/0.002	----	0.000 - 0.194	----	----	2	----	----	0 -	2
6570	----	----	0.7128/0.009A	0.7128/0.009A	----	0.000 - 0.221	----	----	2	----	----	0 -	1
6590	0.431	0.431	1.4278/0.132A	1.4278/0.132A	----	0.630	NEW	1	----	1	----	0	UNCH
6600	0.328	0.328	1.3388/0.116A	1.3388/0.116A	----	0.530 - 0.203	----	39	----	24	----	0 -	19
6600	----	----	2.5008/0.855A	2.5008/0.855A	----	1.413	NEW .5871	----	2	----	----	1 +	1
6600	0.210	0.210	0.9618/0.009A	0.9618/0.009A	----	0.000 - 0.318	----	----	12	----	----	0 -	5
6610	0.428	0.428	1.0508/0.008A	1.0508/0.008A	----	0.000	NEW	----	2	----	----	0	UNCH
6610	0.265	0.265	1.2528/0.106A	1.2528/0.106A	----	0.430	NEW	3	----	12	----	0	UNCH
6620	0.391	0.391	1.1698/0.082A	1.1698/0.082A	----	0.330	NEW	6	----	11	----	0	UNCH
6620	0.415	0.415	1.1408/0.010A	1.1408/0.010A	----	0.000	NEW	----	3	----	----	0	UNCH
6630	0.175	0.175	1.0838/0.060A	1.0838/0.060A	----	0.230	NEW	20	----	22	----	0	UNCH
6630	0.177	0.177	1.2328/0.009A	1.2328/0.009A	----	0.000	NEW	----	1	----	----	0	UNCH
6640	0.286	0.286	1.3258/0.013A	1.3258/0.013A	----	0.000	NEW	----	1	----	----	0	UNCH
6640	0.160	0.160	1.0038/0.043A	1.0038/0.043A	----	0.130 - 0.380	----	11	----	15	----	0 -	1
6650	0.312	0.312	1.4198/0.015A	1.4198/0.015A	----	0.000	NEW	----	4	----	----	0	UNCH
6650	----	----	1.9828/0.684A	1.9828/0.684A	----	1.122	NEW .4875	----	1	----	----	1 +	1
6650	0.848	0.848	0.9258/0.029A	0.9258/0.029A	----	0.030 - 0.433	----	9	----	5	----	0 -	7
6660	0.121	0.121	0.8528/0.014A	0.8528/0.014A	----	0.000	NEW	----	3	----	----	0	UNCH
6660	----	----	1.5158/0.031A	1.5158/0.031A	----	0.070 - 0.534	----	4	----	----	----	0 -	4
6670	0.466	0.466	1.6118/0.106A	1.6118/0.106A	----	0.170 - 0.494	----	2	----	1	----	0 -	2
6670	0.162	0.162	0.7858/0.010A	0.7858/0.010A	----	0.000	NEW	----	11	----	----	0	UNCH
6680	----	----	1.7088/0.195A	1.7088/0.195A	----	0.270 - 0.457	----	3	----	----	----	0 -	3
6680	0.507	0.507	0.7078/0.010A	0.7078/0.010A	----	0.000 - 0.342	----	----	7	----	----	0 -	1
6690	----	----	1.8058/0.274A	1.8058/0.274A	----	0.370 - 0.423	----	1	----	----	----	0 -	1
6690	0.514	0.514	0.6458/0.009A	0.6458/0.009A	----	0.000 - 0.308	----	----	23	----	----	0 -	5
6700	0.100	0.100	0.6258/0.009A	0.6258/0.009A	----	0.000 - 0.277	----	----	5	----	----	0 -	11
6700	----	----	1.9038/0.361A	1.9038/0.361A	----	0.470 - 0.392	----	4	----	----	----	0 -	4
6720	0.380	0.380	0.5118/0.010A	0.5118/0.010A	----	0.000	NEW	----	7	----	----	0	UNCH
6730	----	----	0.4608/0.010A	0.4608/0.010A	----	0.000 - 0.201	----	----	4	----	----	0 -	1
6750	0.259	0.259	0.3698/0.010A	0.3698/0.010A	----	0.000 - 0.163	----	----	1	----	----	0 -	7
6750	----	----	2.7508/1.077A	2.7508/1.077A	----	1.714 - 0.221	.6308	----	----	----	----	1	UNCH
6770	----	----	0.2898/0.011A	0.2898/0.011A	----	0.000 - 0.132	----	----	1	----	----	0 -	1
6770	----	----	2.5948/0.783A	2.5948/0.783A	----	1.170 - 0.247	----	3	----	----	----	0 -	3
6790	----	----	0.2278/0.011A	0.2278/0.011A	----	0.000 - 0.108	----	----	----	----	----	0 -	20
6800	0.068	0.068	0.2048/0.002	0.2048/0.002	----	0.000 - 0.098	----	----	4	----	----	0 -	5
6800	----	----	1.3458/0.377A	1.3458/0.377A	----	0.594 - 0.102	.3059	----	1	----	----	6 +	1
6810	----	----	0.1748/0.010A	0.1748/0.010A	----	0.000 - 0.089	----	----	1	----	----	0 -	1
6820	----	----	0.1568/0.012A	0.1568/0.012A	----	0.000 - 0.081	----	----	----	----	----	0 -	1
6850	0.015	0.015	0.1038/0.012A	0.1038/0.012A	----	0.000 - 0.062	----	----	2	----	----	0 -	3
6860	0.110	0.110	0.110/0.012A	0.110/0.012A	----	0.000 - 0.057	----	----	20	----	----	0 -	30
6870	----	----	0.0828/0.012A	0.0828/0.012A	----	0.000 - 0.053	----	----	----	----	----	0 -	1
6900	----	----	0.9388/0.267A	0.9388/0.267A	----	0.376	NEW .2035	----	1	----	----	1 +	1
6900	0.002	0.002	0.0578/0.001	0.0578/0.001	----	0.000 - 0.042	----	----	2	----	----	0 -	2
6930	----	----	-----/0.011A	0.0348/0.011A	----	0.000 - 0.035	----	----	----	----	----	0 -	1
6950	0.498	0.498	0.7808/0.217A	0.7808/0.217A	----	0.300	NEW .1644	----	13	----	----	13 +	13
7000	----	----	-----/0.012A	0.0148/0.012A	----	0.000 - 0.024	----	----	7	----	----	0 -	7
7000	0.223	0.223	0.6368/0.190A	0.6368/0.190A	----	0.241	NEW .1327	----	5	----	----	5 +	5
7070	----	----	-----/0.013A	0.0058/0.013A	----	0.000 - 0.018	----	----	----	----	----	0 -	1
7100	----	----	----	0.0028/0.017A	----	0.000 - 0.016	----	----	----	----	----	0 -	5
7100	0.360	0.360	0.4308/0.145A	0.4308/0.145A									

PG64	BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
COPPER WEEKLY MONDAY OPTION WEEK4																							
HMW MON SEP26																							
635	----	----		----/0.0070A	0.0020B/0.0070A	----		0.0035 - 0.0045	.0229	----	----	----	----	21	UNCH								
640	----	----		----/0.0075A	0.0030B/0.0075A	----		0.0045 - 0.0050	.0308	----	----	----	----	1	UNCH								
645	----	----		----/0.0075A	0.0045B/0.0075A	----		0.0055 - 0.0070	.0398	----	----	----	----	15	UNCH								
649	----	----		----	----	----		0.2725	UNCH	----	----	----	----	0	UNCH								
650	----	----		----/0.0085A	0.0080B/0.0085A	----		0.0065 - 0.0100	.0505	----	----	----	----	16	UNCH								
650				0.4250B/----	0.4250B/0.3130A	----		0.3420 + 0.0630	.9493	----	----	----	----	4	UNCH								
655	0.0100	0.0100		0.0100/0.0090A	0.0120B/0.0090A	----		0.0085 - 0.0150	.0694	----	----	15	----	17	+								
655	----	----		0.3760B/----	0.3760B/0.2670A	----		0.2940 + 0.0580	.9304	----	----	----	----	11	UNCH								
655				----	----	----		0.2125	UNCH	----	----	----	----	0	UNCH								
660	0.0185	0.0185		0.0185/0.0110A	0.0195B/0.0110A	----		0.0120 - 0.0220	.1005	----	----	10	----	31	+								
660	----	----		----	----	----		0.1625	UNCH	----	----	----	----	0	UNCH								
665	----	----		----	----	----		0.1125	UNCH	----	----	----	----	0	UNCH								
667	----	----		----	----	----		0.0925	UNCH	----	----	----	----	0	UNCH								
668	----	----		----	----	----		0.0825	UNCH	----	----	----	----	0	UNCH								
670	----	----		----	----	----		0.0000	UNCH	----	----	----	----	0	UNCH								
672	----	----		----	----	----		0.0425	UNCH	----	----	----	----	0	UNCH								
674	----	----		----	----	----		0.0225	UNCH	----	----	----	----	0	UNCH								
675	----	----		----	----	----		0.0125	UNCH	----	----	----	----	0	UNCH								
676	----	----		----	----	----		0.0000	UNCH	----	----	----	----	0	UNCH								
678	----	----		----	----	----		0.0175	UNCH	----	----	----	----	0	UNCH								
679	----	----		----	----	----		0.0275	UNCH	----	----	----	----	0	UNCH								
680	----	----		----	----	----		0.0375	UNCH	----	----	----	----	0	UNCH								
682	----	----		----	----	----		0.0575	UNCH	----	----	----	----	0	UNCH								
685	----	----		0.1290B/----	0.1290B/0.0785A	----		0.0790 + 0.0135	.4777	----	----	----	----	30	UNCH								
685	----	----		----	----	----		0.0000	UNCH	----	----	----	----	0	UNCH								
687	----	----		----	----	----		0.0000	UNCH	----	----	----	----	0	UNCH								
688	----	----		----	----	----		0.0000	UNCH	----	----	----	----	0	UNCH								
690	----	----		0.1015B/----	0.1015B/0.0610A	----		0.0595 + 0.0080	.3823	----	----	----	----	80	UNCH								
695	----	----		0.0790B/----	0.0790B/0.0485A	----		0.0445 + 0.0040	.2983	----	----	----	----	10	UNCH								
700	----	----		0.0605B/----	0.0605B/0.0375A	----		0.0335 + 0.0015	.2295	----	----	----	----	30	UNCH								
705	0.0240	0.0240		0.0465B/0.0240	0.0465B/0.0240	----		0.0250	NEW	.1738	----	15	----	15	+								
710	0.0400	0.0400		0.0400/0.0400	0.0400/0.0220A	----		0.0190 - 0.0015	.1317	----	1	----	----	21	+								
720	----	----		0.0195B/----	0.0195B/0.0140A	----		0.0115 - 0.0025	.0771	----	----	----	----	12	UNCH								
725	----	----		0.0145B/----	0.0145B/0.0120A	----		0.0090 - 0.0025	.0591	----	----	----	----	15	UNCH								
730	----	----		0.0110B/----	0.0110B/0.0105A	----		0.0075 - 0.0025	.0474	----	----	----	----	10	UNCH								
TOTAL												41		523	+	41							
COPPER WEEKLY THURSDAY OPT week2																							
OCT26																							
525	----	----		----/0.0060A	0.0060B/0.0090A	----		0.0005	UNCH	.0002	----	----	----	30	UNCH								
615	----	----		----/0.0090A	0.0095B/0.0105A	----		0.0060 - 0.0050	.0312	----	----	----	----	30	UNCH								
625	----	----		----/0.0105A	0.0095B/0.0105A	----		0.0085 - 0.0070	.0457	----	----	----	----	1	UNCH								
630	----	----		----/0.0115A	0.0120B/0.0115A	----		0.0100 - 0.0090	.0549	----	----	----	----	135	UNCH								
635	----	----		----/0.0135A	0.0160B/0.0135A	----		0.0120 - 0.0115	.0669	----	----	----	----	44	UNCH								
640	0.0210	0.0210		0.0210/0.0155A	0.0210/0.0155A	----		0.0150 - 0.0150	.0838	----	----	20	----	20	+								
645	0.0260	0.0260		0.0260/0.0185A	0.0280B/0.0185A	----		0.0195 - 0.0190	.1072	----	----	30	----	31	+								
680	----	----		0.2115B/----	0.2115B/0.1555A	----		0.1620 + 0.0230	.5513	----	----	----	----	9	UNCH								
690	----	----		0.1630B/----	0.1630B/0.1160A	----		0.1165 + 0.0130	.4381	----	----	----	----	46	UNCH								
695	----	----		0.1400B/----	0.1400B/0.1000A	----		0.0990 + 0.0100	.3856	----	----	----	----	20	UNCH								
700	----	----		0.1195B/----	0.1195B/0.0865A	----		0.0840 + 0.0080	.3372	----	----	----	----	56	UNCH								
725	0.0520	0.0520		0.0745B/0.0520	0.0745B/0.0520	----		0.0525	NEW	.1991	----	2	----	2	+								
730	----	----		0.0450B/----	0.0450B/0.0335A	----		0.0310 + 0.0010	.1384	----	----	----	----	20	UNCH								
775	----	----		0.0100B/----	0.0100B/0.0120A	----		0.0060 - 0.0015	.0288	----	----	----	----	1	UNCH								
800	----	----		0.0050B/----	0.0050B/0.0090A	----		0.0025 - 0.0005	.0119	----	----	----	----	29	UNCH								
TOTAL												52		474	+	40							
COPPER WEEKLY TUESDAY OPTION week5																							
HWT TUE SEP26																							
525	----	----		----/0.0060A	0.0010/0.0010	----		0.0005	UNCH	.0000	----	----	----	19	UNCH								
525	0.0010	0.0010		0.0010/0.0010	0.0010B/0.0080A	----		0.0005	NEW	.0020	----	30	----	30	+								
600	----	----		0.0010B/0.0080A	0.0575/0.0390A	----		0.0025 - 0.0030	.0121	----	----	----	----	1	UNCH								
635	0.0575	0.0575		0.0575/0.0390A	0.0505B/0.0460A	----		0.0395	NEW	.1442	----	1	----	1	+								
640	----	----		----/0.0460A	0.0420B/0.0315A	----		0.0480 - 0.0195	.1696	----	----	----	----	3	UNCH								
640	----	----		----/0.0315A	0.0420B/0.0315A	----		0.0350 - 0.0175	.1430	----	----	----	----	5	UNCH								
650	----	----		----/0.0460A	0.0650B/0.0460A	----		0.0550 - 0.0240	.2059	----	----	----	----	5	UNCH								
650	----	----		----/0.0165A	0.0255B/0.0165A	----		0.0175 - 0.0190	.1063	----	----	----	----	11	UNCH								
655	----	----		----/0.0205A	0.0350B/0.0205A	----		0.0240 - 0.0245	.1418	----	----	----	----	1	UNCH								
660	----	----		0.3795B/----	0.3795B/0.3035A	----		0.3190 + 0.0420	.7171	----	----	----	----	1	UNCH								
665	----	----		0.3460B/----	0.3460B/0.2730A	----		0.2865 + 0.0385	.6759	----	----	----	----	40	UNCH								
665	----	----		----/0.0360A	0.0645B/0.0360A	----		0.0460 - 0.0360	.2436	----	----	----	----	1	UNCH								
670	----	----		0.3120B/----	0.3120B/0.2425A	----		0.2560 + 0.0340	.6326	----	----	----	----	2	UNCH								
670	----	----		0.2605B/----	0.2605B/0.1880A	----		0.1985 + 0.0320	.6920	----	----	----	----	8	UNCH								
675	----	----		----/0.0925A	0.1395B/0.0925A	----		0.1160 - 0.0450	.3989	----	----	----	----	9	UNCH								
675	----	----		0.2080B/----	0.2080B/0.1610A	----		0.1690 + 0.0270	.6252	----	----	----	----	20	UNCH								
680	----	----		----/0.0810A	0.1340B/0.0810A	----		0.1070 - 0.0510	.4428	----	----	----	----	10	UNCH								
685	----	----		0.2285B/----	0.2285B/0.1730A	----		0.1800 + 0.0235	.5009	----	----	----	----	47	UNCH								
690	----	----		0.2045B/----	0.2045B/0.1545A	----		0.1590 + 0.0205	.4583	----	----	----	----	13	UNCH								
690	----	----		0.1435B/----	0.1435B/0.0980A	----		0.0995 + 0.0135	.4260	----	----	----	----	77	UNCH								
695	0.1480	0.1480		0.1825B/0.1480	0.1825B/0.1370A	----		0.1405	NEW	.4175	----	1	----	1	+								
700	----	----		0.1620B/----	0.1620B/0.1220A	----		0.1235 + 0.0150	.3785	----	----	----	----	24	UNCH								
700	----	----		0.1005B/----	0.1005B/0.0700A	----		0.0680 + 0.0075	.3119	----	----	----	----	4	UNCH								
710	0																						



BULLETIN #182@			METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
COPPER WEEKLY WEDNESDAY OPTION WEEK															
HWW WED SEP26															
625	----	----	----/0.0085A	0.0035B/0.0085A	----	0.0040	- 0.0050	.0236	----	----	1	----	1	UNCH	
630	----	----	----/0.0090A	0.0045B/0.0090A	----	0.0050	- 0.0060	.0304	----	----	----	----	1	UNCH	
635	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH	
635	----	----	----/0.0095A	0.0070B/0.0095A	----	0.0060	- 0.0075	.0379	----	----	----	----	1	UNCH	
645	----	----	----/0.0110A	0.0135B/0.0110A	----	0.0100	NEW	.0657	----	1	----	1	+	1	
650	----	----	----/0.0130A	0.0195B/0.0130A	----	0.0135	- 0.0165	.0889	----	----	----	----	6	UNCH	
655	----	----	----/0.0165A	0.0275B/0.0165A	----	0.0185	- 0.0215	.1206	----	----	----	----	5	UNCH	
658	----	----	----/0.0055A	0.0010B/0.0055A	----	0.0005	- 0.0070	.0000	----	----	----	----	2	UNCH	
660	----	----	----/0.0055A	0.0015B/0.0055A	----	0.0005	- 0.0095	.0001	----	----	----	----	61	UNCH	
665	----	----	----/0.0065A	0.0035B/0.0065A	----	0.0010	NEW	.0031	----	30	----	30	+	30	
665	0.0365	0.0365	0.0365/0.0280A	0.0540B/0.0280A	----	0.0365	NEW	.2194	----	5	----	5	+	5	
665	----	----	0.2720B/----	0.2720B/0.1610A	----	0.1870	+ 0.0565	.9968	----	----	----	53	UNCH		
665	----	----	0.2925B/----	0.2925B/0.2240A	----	0.2225	+ 0.0390	.7804	----	----	----	10	UNCH		
667	----	----	0.2525B/----	0.2525B/0.1435A	----	0.1675	+ 0.0520	.9936	----	----	----	8	UNCH		
670	0.0370	0.0370	0.0370/0.0370	0.0725B/0.0370	----	0.0515	- 0.0410	.2870	----	6	----	6	UNCH		
670	----	----	0.2225B/----	0.2225B/0.1180A	----	0.1390	+ 0.0450	.9806	----	----	----	32	UNCH		
673	0.0125	0.0125	0.0125/0.0075A	0.0190B/0.0075A	----	0.0060	NEW	.0539	----	1	----	1	+	1	
675	0.0050	0.0050	0.0050/0.0050	0.0290B/0.0050	----	0.0095	- 0.0435	.0998	----	2	----	12	+	2	
675	----	----	0.1740B/----	0.1740B/0.0830A	----	0.0955	+ 0.0300	.9001	----	----	----	310	UNCH		
678	----	----	----/0.0105A	0.0400B/0.0105A	----	0.0175	- 0.0525	.2093	----	1	----	30	UNCH		
679	0.0135	0.0135	0.0135/0.0110A	0.0455B/0.0110A	----	0.0210	NEW	.2557	----	1	----	1	+	1	
680	0.0180	0.0180	0.0180/0.0125A	0.0495B/0.0125A	----	0.0245	NEW	.3037	----	71	----	60	+	60	
680	----	----	0.1275B/----	0.1275B/0.0575A	----	0.0605	+ 0.0150	.6962	----	----	----	771	UNCH		
683	----	----	0.1015B/----	0.1015B/0.0460A	----	0.0445	+ 0.0080	.5346	----	3	----	16	UNCH		
684	0.0430	0.0430	0.0430/0.0190A	0.0750B/0.0190A	----	0.0440	NEW	.5192	----	3	----	3	+	3	
685	----	----	0.0860B/----	0.0860B/0.0385A	----	0.0360	NEW	.4286	10	----	10	+	10		
690	0.0415	0.0415	0.0415/0.0390A	0.1210B/0.0390A	----	0.0840	NEW	.7874	1	----	1	+	1		
690	0.0445	0.0445	0.0540B/0.0425	0.0540B/0.0235A	----	0.0200	- 0.0020	.2125	12	----	73	+	12		
692	0.0190	0.0190	0.0435B/0.0185A	0.0435B/0.0185A	----	0.0160	NEW	.1549	1	----	1	+	1		
694	0.0330	0.0330	0.0360B/0.0155A	0.0360B/0.0155A	----	0.0125	NEW	.1091	15	----	15	+	15		
695	----	----	0.0320B/0.0145A	0.0320B/0.0145A	----	0.0110	NEW	.0906	30	----	30	+	30		
725	----	----	----/0.0055A	----	----	0.0005	UNCH	----	----	----	----	1	UNCH		
750	----	----	----/0.0030A	----	----	0.0005	UNCH	----	----	190	----	100	UNCH		
TOTAL										190		1748	+	172	
OCT26															
500	----	----	----/0.0060A	----	----	0.0005	UNCH	.0003	----	----	----	11	UNCH		
525	----	----	----/0.0065A	----	----	0.0005	UNCH	.0018	----	----	----	19	UNCH		
565	----	----	0.0005B/0.0080A	0.0005B/0.0080A	----	0.0025	- 0.0015	.0099	----	----	----	1	UNCH		
575	----	----	0.0010B/0.0080A	0.0010B/0.0080A	----	0.0035	- 0.0020	.0141	----	----	----	1	UNCH		
600	----	----	0.0040B/0.0095A	0.0040B/0.0095A	----	0.0055	- 0.0035	.0252	----	----	----	9	UNCH		
610	----	----	----/0.0125A	0.0110B/0.0125A	----	0.0105	- 0.0055	.0467	----	----	----	1	UNCH		
625	----	----	----/0.0120A	0.0125B/0.0120A	----	0.0100	- 0.0090	.0521	----	----	----	10	UNCH		
635	----	----	----/0.0160A	0.0200B/0.0160A	----	0.0155	- 0.0130	.0803	----	----	----	1	UNCH		
650	----	----	----/0.0280A	0.0430B/0.0280A	----	0.0325	- 0.0240	.1572	----	----	----	1	UNCH		
660	----	----	----/0.0440A	0.0720B/0.0440A	----	0.0550	- 0.0330	.2402	----	----	----	2	UNCH		
670	----	----	----/0.0700A	0.1110B/0.0700A	----	0.0885	- 0.0420	.3413	----	----	----	1	UNCH		
675	----	----	0.2515B/----	0.2515B/0.1875A	----	0.1955	+ 0.0265	.6040	----	----	----	1	UNCH		
695	----	----	0.1490B/----	0.1490B/0.1095A	----	0.1100	+ 0.0140	.3956	----	----	----	1	UNCH		
700	----	----	0.1290B/----	0.1290B/0.0950A	----	0.0945	+ 0.0115	.3502	----	----	----	2	UNCH		
705	----	----	0.1115B/----	0.1115B/0.0825A	----	0.0810	+ 0.0090	.3083	----	----	----	5	UNCH		
730	----	----	0.0525B/----	0.0525B/0.0395A	----	0.0365	+ 0.0015	.1533	----	----	----	3	UNCH		
740	----	----	0.0380B/----	0.0380B/0.0295A	----	0.0265	UNCH	.1140	----	----	----	1	UNCH		
750	----	----	0.0275B/----	0.0275B/0.0225A	----	0.0190	- 0.0015	.0835	----	----	----	2	UNCH		
800	----	----	0.0065B/----	0.0065B/0.0095A	----	0.0035	- 0.0010	.0161	----	----	----	1	UNCH		
850	----	----	0.0015B/----	0.0015B/0.0070A	----	0.0005	UNCH	.0023	----	----	----	30	UNCH		
TOTAL												103			
NOV26															
600	----	----	----/0.0260A	0.0180B/0.0260A	----	0.0215	- 0.0060	.0709	----	----	----	1	UNCH		
610	----	----	----/0.0320A	0.0260B/0.0320A	----	0.0290	- 0.0080	.0936	----	----	----	1	UNCH		
615	----	----	----/0.0360A	0.0315B/0.0360A	----	0.0335	- 0.0100	.1069	----	----	----	40	UNCH		
620	----	----	----/0.0405A	0.0380B/0.0405A	----	0.0395	- 0.0115	.1233	----	----	----	1	UNCH		
625	----	----	----/0.0465A	0.0455B/0.0465A	----	0.0465	- 0.0135	.1417	----	----	----	1	UNCH		
660	----	----	0.4325B/----	0.4325B/0.3595A	----	0.3730	+ 0.0425	.6710	----	----	----	1	UNCH		
670	----	----	0.3685B/----	0.3685B/0.3060A	----	0.3150	+ 0.0365	.6063	----	----	----	1	UNCH		
675	----	----	----/0.1810A	0.2155B/0.1810A	----	0.2025	- 0.0400	.4253	----	----	----	1	UNCH		
675	----	----	0.3395B/----	0.3395B/0.2815A	----	0.2885	+ 0.0335	.5736	----	1	----	1	-	1	
685	----	----	0.2865B/----	0.2865B/0.2375A	----	0.2405	+ 0.0275	.5082	----	----	----	2	UNCH		
700	----	----	0.2200B/----	0.2200B/0.1825A	----	0.1815	+ 0.0205	.4150	----	1	----	1	-	1	
720	----	----	0.1515B/----	0.1515B/0.1280A	----	0.1230	+ 0.0130	.3067	----	----	----	1	UNCH		
850	----	----	0.0105B/----	0.0105B/0.0175A	----	0.0085	- 0.0005	.0282	----	----	----	1	UNCH		
TOTAL										2		53	-	2	
DEC26															
575	----	----	----	0.0150B/0.0255A	----	0.0185	- 0.0040	.0497	----	----	----	4	UNCH		
600	----	----	----/0.0405A	0.0325B/0.0405A	----	0.0370	- 0.0070	.0924	----	----	----	4	UNCH		
625	----	----	----/0.0705A	0.0680B/0.0705A	----	0.0700	- 0.0130	.1598	----	----	----	1	UNCH		
645	----	----	----/0.1100A	0.1160B/0.1100A	----	0.1150	- 0.0200	.2368	----	----	----	25	UNCH		
650	----	----	----/0.1225A	0.1320B/0.1225A	----	0.1295	- 0.0220	.2589	----	----	----	11	UNCH		
690	----	----	0.3815B/----	0.3815B/0.3290A	----	0.3345	+ 0.0340	.5417	----	----	----	1	UNCH		
695	----	----	0.3570B/----	0.3570B/0.3075A	----	0.3115	+ 0.0315	.5164	----	----</					



BULLETIN #182@			METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
HX CALL	COMEX COPPER OPTIONS														
OCT26															
710	0.0100	0.0100	0.0185B/0.0060A	0.0185B/0.0060A	----	0.0060	- 0.0040	.0389	----	45	----	428	- 33		
711	----	----	0.0170B/0.0055A	0.0170B/0.0055A	----	0.0055	NEW	.0347	----	1	----	1	+		
712	----	----	0.0155B/0.0050A	0.0155B/0.0050A	----	0.0050	- 0.0040	.0307	----	----	----	5	UNCH		
715	----	----	0.0125B/0.0040A	0.0125B/0.0040A	----	0.0035	- 0.0040	.0198	----	1	----	72	UNCH		
716	0.0080	0.0080	0.0115B/0.0035A	0.0115B/0.0035A	----	0.0035	NEW	.0192	59	59	59	59	59		
719	0.0060	0.0060	0.0095B/0.0030A	0.0095B/0.0030A	----	0.0025	NEW	.0125	3	3	3	3	3		
720	0.0025	0.0025	0.0085B/0.0025	0.0085B/0.0025	----	0.0025	- 0.0035	.0122	2	280	1	1	1		
721	0.0075	0.0075	0.0080B/0.0025A	0.0080B/0.0025A	----	0.0020	- 0.0035	.0094	8	9	8	8	8		
722	0.0035	0.0035	0.0075B/0.0025A	0.0075B/0.0025A	----	0.0020	- 0.0035	.0091	1	2	1	1	1		
723	0.0070	0.0070	0.0070/0.0020A	0.0070/0.0020A	----	0.0015	NEW	.0065	4	4	4	4	4		
724	0.0050	0.0050	0.0065B/0.0020A	0.0065B/0.0020A	----	0.0015	NEW	.0064	1	1	1	1	1		
725	0.0055	0.0055	0.0065/0.0020	0.0065/0.0020	----	0.0015	- 0.0030	.0062	83	1030	35	35	35		
726	0.0035	0.0035	0.0060B/0.0020A	0.0060B/0.0020A	----	0.0015	NEW	.0060	3	3	3	3	3		
728	0.0045	0.0045	0.0050B/0.0015A	0.0050B/0.0015A	----	0.0010	- 0.0030	.0037	2	3	2	2	2		
729	0.0015	0.0015	0.0050B/0.0015	0.0050B/0.0015	----	0.0010	NEW	.0036	3	3	3	3	3		
730	----	----	0.0045B/0.0015A	0.0045B/0.0015A	----	0.0010	- 0.0030	.0035	----	788	UNCH	UNCH	UNCH		
731	----	----	0.0045B/0.0015A	0.0045B/0.0015A	----	0.0010	- 0.0025	.0034	----	1	UNCH	UNCH	UNCH		
735	----	----	0.0035B/0.0010A	0.0035B/0.0010A	----	0.0005	- 0.0025	.0012	----	63	UNCH	UNCH	UNCH		
740	0.0015	0.0015	0.0025B/0.0010A	0.0025B/0.0010A	----	0.0005	- 0.0020	.0004	10	631	4	4	4		
745	----	----	----/0.0010A	0.0020B/0.0010A	----	0.0005	- 0.0020	.0001	----	40	UNCH	UNCH	UNCH		
750	0.0010	0.0010	0.0020/0.0010	0.0020/0.0010	----	0.0005	- 0.0015	.0000	70	935	50	50	50		
755	----	----	----/0.0010A	0.0015B/0.0010A	----	0.0005	- 0.0015	.0000	----	4	UNCH	UNCH	UNCH		
765	----	----	----/0.0010A	0.0005B/0.0010A	----	0.0005	- 0.0015	----	----	1	UNCH	UNCH	UNCH		
775	----	----	----/0.0010A	----/0.0010A	----	0.0005	- 0.0015	----	----	319	UNCH	UNCH	UNCH		
800	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	----	0.0005	- 0.0015	----	3	331	UNCH	UNCH	UNCH		
825	----	----	----	----/0.0015A	----	0.0005	UNCH	----	----	50	UNCH	UNCH	UNCH		
850	----	----	----	----/0.0020A	----	0.0005	UNCH	----	----	522	UNCH	UNCH	UNCH		
875	----	----	----	----/0.0010A	----	0.0005	UNCH	----	----	70	UNCH	UNCH	UNCH		
900	----	----	----	----/0.0030A	----	0.0005	UNCH	----	----	37	UNCH	UNCH	UNCH		
925	----	----	----	----/0.0005A	----	0.0005	UNCH	----	----	14	UNCH	UNCH	UNCH		
950	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	22	UNCH	UNCH	UNCH		
975	----	----	----	----/0.0040A	----	0.0005	UNCH	----	----	221	UNCH	UNCH	UNCH		
TOTAL										668		11877	+		
NOV26															
535	----	----	----	----	----	1.4885	+	0.0725	.9845	----	----	1	UNCH		
545	----	----	----	----	----	1.3890	+	0.0720	.9810	----	----	1	UNCH		
580	----	----	----	----	----	1.0440	+	0.0715	.9645	----	----	2	UNCH		
585	----	----	----	----	----	0.9950	+	0.0705	.9592	----	----	1	UNCH		
595	----	----	----	----	----	0.8975	+	0.0685	.9491	----	----	2	UNCH		
600	----	----	----	----	----	0.8495	+	0.0675	.9430	----	----	4	UNCH		
610	----	----	0.8230B/----	0.8230B/0.7500A	----	0.7545	+	0.0650	.9248	----	----	14	UNCH		
630	----	----	0.6440B/----	0.6440B/0.5725A	----	0.5745	+	0.0580	.8614	----	----	1	UNCH		
635	----	----	0.6005B/----	0.6005B/0.5315A	----	0.5330	+	0.0560	.8396	1	----	2	UNCH		
640	----	----	0.5645B/----	0.5645B/0.4920A	----	0.4925	+	0.0540	.8142	----	----	362	UNCH		
645	----	----	0.5175B/----	0.5175B/0.4355A	----	0.4535	+	0.0510	.7856	----	----	1	UNCH		
650	----	----	0.4795B/----	0.4795B/0.3975A	----	0.4170	+	0.0490	.7551	1	----	41	UNCH		
655	----	----	0.4425B/----	0.4425B/0.3645A	----	0.3820	+	0.0460	.7229	----	----	7	UNCH		
660	----	----	0.4145B/----	0.4145B/0.3340A	----	0.3490	+	0.0430	.6884	----	----	241	UNCH		
665	----	----	0.3800B/----	0.3800B/0.3020A	----	0.3180	+	0.0400	.6526	----	----	55	UNCH		
670	----	----	0.3475B/----	0.3475B/0.2745A	----	0.2890	+	0.0370	.6161	1	----	142	+		
675	----	----	0.3185B/----	0.3185B/0.2490A	----	0.2620	+	0.0335	.5792	4	----	165	- 2		
680	0.2400	0.2400	0.2900B/0.2245A	0.2900B/0.2245A	----	0.2370	+	0.0305	.5422	24	----	68	+		
685	0.2410	0.2410	0.2655B/0.2410	0.2655B/0.2030A	----	0.2140	+	0.0270	.5056	90	----	175	+		
690	0.1925	0.1925	0.2410B/0.1835A	0.2410B/0.1835A	----	0.1930	+	0.0245	.4698	20	----	114	- 14		
695	0.1965	0.1965	0.2185B/0.1965	0.2185B/0.1660A	----	0.1735	+	0.0215	.4350	4	----	101	+		
700	0.1575	0.1575	0.1985B/0.1495A	0.1985B/0.1495A	----	0.1555	+	0.0185	.4012	45	----	278	- 1		
705	----	----	0.1790B/----	0.1790B/0.1350A	----	0.1395	+	0.0160	.3692	----	----	148	UNCH		
710	0.1350	0.1350	0.1615B/0.1350	0.1615B/0.1210A	----	0.1250	+	0.0135	.3388	28	----	192	+		
715	----	----	0.1455B/----	0.1455B/0.1095A	----	0.1120	+	0.0120	.3102	----	----	35	UNCH		
720	0.1050	0.1050	0.1310B/0.1045	0.1310B/0.0985A	----	0.1005	+	0.0105	.2837	14	----	135	+		
725	0.1005	0.1005	0.1205/0.1005	0.1205/0.0885A	----	0.0900	+	0.0090	.2588	186	----	319	+		
730	0.0980	0.0980	0.1075/0.0980	0.1075/0.0805A	----	0.0805	+	0.0075	.2357	4	----	69	+		
735	----	----	0.0960B/----	0.0960B/0.0720A	----	0.0720	+	0.0060	.2143	1	----	7	+		
740	0.0710	0.0710	0.0860B/0.0710	0.0860B/0.0650A	----	0.0645	+	0.0050	.1948	6	----	109	+		
745	----	----	0.0775B/----	0.0775B/0.0585A	----	0.0580	+	0.0045	.1772	----	----	24	UNCH		
750	0.0570	0.0570	0.0695B/0.0525A	0.0695B/0.0525A	----	0.0520	+	0.0035	.1609	8	----	215	+		
755	----	----	0.0625B/----	0.0625B/0.0470A	----	0.0465	+	0.0025	.1457	----	----	6	UNCH		
775	0.0430	0.0430	0.0430/0.0430	0.0430/0.0310A	----	0.0300	UNCH	.0978	----	208	----	390	+		
800	0.0230	0.0230	0.0250B/0.0180	0.0250B/0.0180	----	0.0180	- 0.0015	.0603	----	248	----	213	- 32		
825	0.0125	0.0125	0.0150B/0.0120A	0.0150B/0.0120A	----	0.0115	- 0.0015	.0388	4	----	----	93	+		
850	0.0090	0.0090	0.0095B/0.0090	0.0095B/0.0090	----	0.0080	- 0.0015	.0266	3	----	----	95	+		
875	----	----	----/0.0065A	0.0065B/0.0065A	----	0.0060	- 0.0010	.0194	----	----	----	9	UNCH		
900	----	----	----	0.0045B/0.0055A	----	0.0040	- 0.0010	.0130	----	----	----	19	UNCH		
925	0.0040	0.0040	0.0040/0.0040	0.0040/0.0040	----	0.0025	- 0.0010	.0082	3	----	----	33	+		
950	----	----	----</												



PG64	BULLETIN #182@										METALS OPTION PRODUCTS				Tue, Sep 22, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST						
HX CALL	COMEX COPPER OPTIONS																		
JAN27																			
600	----	----	----	----	----	0.9925	+ 0.0630	.8774	----	----	----	----	2	UNCH					
650	----	----	0.6715B/----	0.6715B/0.5930A	----	0.6090	+ 0.0485	.7150	----	----	----	----	79	UNCH					
665	----	----	0.5730B/----	0.5730B/0.5040A	----	0.5160	+ 0.0435	.6522	----	----	----	----	2	UNCH					
670	----	----	0.5430B/----	0.5430B/0.4725A	----	0.4875	+ 0.0415	.6307	----	----	----	----	0	UNCH					
675	----	----	0.5135B/----	0.5135B/0.4460A	----	0.4605	+ 0.0400	.6089	----	----	----	----	1	UNCH					
680	----	----	0.4890B/----	0.4890B/0.4210A	----	0.4345	+ 0.0380	.5870	----	----	----	----	3	UNCH					
685	----	----	0.4630B/----	0.4630B/0.3970A	----	0.4100	+ 0.0365	.5651	----	----	----	----	47	UNCH					
690	----	----	0.4370B/----	0.4370B/0.3750A	----	0.3865	+ 0.0345	.5433	----	----	----	----	15	UNCH					
695	----	----	0.4120B/----	0.4120B/0.3540A	----	0.3640	+ 0.0325	.5217	----	----	----	----	5	UNCH					
700	0.3605	0.3605	0.3900B/0.3605	0.3900B/0.3335A	----	0.3425	+ 0.0305	.5004	----	----	1	----	58	-					
710	----	----	0.3470B/----	0.3470B/0.2965A	----	0.3035	+ 0.0270	.4589	----	----	1	----	5	+					
715	----	----	0.3275B/----	0.3275B/0.2795A	----	0.2855	+ 0.0255	.4389	----	----	----	----	800	UNCH					
720	----	----	0.3085B/----	0.3085B/0.2640A	----	0.2685	+ 0.0235	.4193	----	1	----	----	12	UNCH					
725	----	----	0.2900B/----	0.2900B/0.2480A	----	0.2520	+ 0.0215	.4001	----	----	----	----	132	UNCH					
730	0.2450	0.2450	0.2735B/0.2450	0.2735B/0.2340A	----	0.2370	+ 0.0200	.3817	----	6	----	----	505	+					
740	----	----	0.2420B/----	0.2420B/0.2075A	----	0.2090	+ 0.0170	.3463	----	----	----	----	101	UNCH					
750	0.1850	0.1850	0.2205/0.1845	0.2205/0.1845	----	0.1845	+ 0.0145	.3136	----	86	----	----	788	+					
755	----	----	0.2025B/----	0.2025B/0.1740A	----	0.1730	+ 0.0130	.2980	----	----	----	----	2	UNCH					
760	0.1910	0.1910	0.1910/0.1910	0.1910/0.1640A	----	0.1625	NEW	.2832	----	1	----	----	1	+					
775	0.1325	0.1325	0.1585B/0.1325	0.1585B/0.1325	----	0.1350	+ 0.0095	.2427	----	5	----	----	26	+					
800	0.1050	0.1050	0.1170B/0.1050	0.1170B/0.1035A	----	0.0990	+ 0.0060	.1863	----	76	----	----	1011	+					
825	----	----	0.0870B/----	0.0870B/0.0785A	----	0.0735	+ 0.0035	.1432	----	----	----	----	11	UNCH					
850	----	----	0.0650B/----	0.0650B/0.0605A	----	0.0555	+ 0.0025	.1108	----	2	----	----	28	+					
900	----	----	0.0380B/----	0.0380B/0.0375A	----	0.0315	+ 0.0010	.0658	----	300	----	----	304	+					
950	----	----	0.0230B/----	0.0230B/0.0240A	----	0.0190	UNCH	.0406	----	----	----	----	3	UNCH					
1000	----	----	0.0150B/----	0.0150B/0.0185A	----	0.0125	UNCH	.0268	----	----	479	----	13	UNCH					
TOTAL													3955	+					
FEB27																			
600	----	----	----	----	----	1.0225	+ 0.0610	.8468	----	----	----	----	2	UNCH					
610	----	----	----	----	----	0.9420	+ 0.0590	.8213	----	----	----	----	1	UNCH					
620	0.8800	0.8800	0.8800/0.8800	0.8800/0.8800	----	0.8650	+ 0.0570	.7936	----	----	1	----	0	-					
625	----	----		----	----	0.8275	+ 0.0555	.7785	----	----	----	----	2	UNCH					
640	----	----	0.7835B/----	0.7835B/0.7065A	----	0.7215	+ 0.0505	.7300	----	----	----	----	1	UNCH					
650	----	----	0.7155B/----	0.7155B/0.6440A	----	0.6560	+ 0.0470	.6949	----	----	----	----	41	UNCH					
655	----	----	0.6835B/----	0.6835B/0.6150A	----	0.6255	+ 0.0455	.6769	----	----	----	----	1	UNCH					
685	----	----	0.5120B/----	0.5120B/0.4550A	----	0.4630	+ 0.0345	.5639	----	----	----	----	30	UNCH					
700	----	----	0.4405B/----	0.4405B/0.3920A	----	0.3960	+ 0.0290	.5075	----	----	----	----	50	UNCH					
705	----	----	0.4190B/----	0.4190B/0.3730A	----	0.3760	+ 0.0280	.4893	----	----	----	----	1	UNCH					
725	----	----	0.3405B/----	0.3405B/0.3040A	----	0.3035	+ 0.0215	.4191	----	----	----	----	9	UNCH					
735	----	----	0.3065B/----	0.3065B/0.2740A	----	0.2720	+ 0.0185	.3863	----	----	----	----	30	UNCH					
740	----	----	0.2905B/----	0.2905B/0.2600A	----	0.2580	+ 0.0175	.3707	----	----	----	----	10	UNCH					
745	----	----	0.2760B/----	0.2760B/0.2470A	----	0.2440	+ 0.0160	.3553	----	----	----	----	2	UNCH					
750	----	----	0.2615B/----	0.2615B/0.2350A	----	0.2315	+ 0.0150	.3407	----	----	----	----	73	UNCH					
765	0.2040	0.2040	0.2230B/0.2040	0.2230B/0.2015A	----	0.1970	+ 0.0120	.2995	----	1	----	----	3	+					
850	----	----	0.0905B/----	0.0905B/0.0875A	----	0.0800	+ 0.0030	.1390	----	----	----	----	60	UNCH					
900	----	----	0.0555B/----	0.0555B/0.0580A	----	0.0500	+ 0.0015	.0902	----	----	----	----	49	UNCH					
925	----	----	0.0435B/----	0.0435B/0.0485A	----	0.0405	+ 0.0010	.0738	----	----	----	----	6	UNCH					
1000	----	----		0.0225B/0.0305A	----	0.0235	UNCH	.0432	----	----	1	----	57	+					
TOTAL											3	----	428	+					
MAR27																			
580	----	----	----	----	----	1.2120	+ 0.0625	.8697	----	----	----	----	1	UNCH					
595	----	----	----	----	----	1.0885	+ 0.0590	.8378	----	----	----	----	2	UNCH					
600	----	----	----	----	----	1.0490	+ 0.0585	.8260	----	----	----	----	2	UNCH					
605	----	----	----	----	----	1.0100	+ 0.0570	.8138	----	----	----	----	1	UNCH					
625	----	----	0.8545B/----	0.8545B/0.8465A	----	0.8625	+ 0.0520	.7595	----	----	----	----	16	UNCH					
640	----	----	0.8180B/----	0.8180B/0.7490A	----	0.7615	+ 0.0475	.7140	----	----	----	----	1	UNCH					
645	----	----	0.7850B/----	0.7850B/0.7185A	----	0.7295	+ 0.0455	.6979	----	----	----	----	1	UNCH					
650	----	----	0.7530B/----	0.7530B/0.6895A	----	0.6990	+ 0.0440	.6818	----	----	----	----	7	UNCH					
660	----	----	0.6920B/----	0.6920B/0.6340A	----	0.6410	+ 0.0415	.6486	----	----	----	----	15	UNCH					
670	----	----	0.6345B/----	0.6345B/0.5765A	----	0.5865	+ 0.0380	.6148	----	----	----	----	1	UNCH					
675	----	----	0.6075B/----	0.6075B/0.5520A	----	0.5610	+ 0.0365	.5978	----	----	----	----	41	UNCH					
680	----	----	0.5815B/----	0.5815B/0.5280A	----	0.5360	+ 0.0345	.5808	----	----	----	----	30	UNCH					
690	----	----	0.5320B/----	0.5320B/0.4835A	----	0.4895	+ 0.0315	.5469	----	----	----	----	2	UNCH					
700	----	----	0.4865B/----	0.4865B/0.4425A	----	0.4465	+ 0.0290	.5136	----	----	----	605	741	+					
725	----	----	0.3865B/----	0.3865B/0.3535A	----	0.3535	+ 0.0220	.4344	----	----	----	----	39	UNCH					
740	----	----	0.3360B/----	0.3360B/0.3085A	----	0.3065	+ 0.0180	.3905	----	----	----	----	14	UNCH					
750	----	----	0.3055B/----	0.3055B/0.2815A	----	0.2785	+ 0.0160	.3629	----	----	----	----	219	UNCH					
755	----	----	0.2915B/----	0.2915B/0.2690A	----	0.2655	+ 0.0145	.3496	----	----	----	----	1	UNCH					
770	----	----	0.2520B/----	0.2520B/0.2350A	----	0.2300	NEW	.3122	----	----	575	----	575	+					
775	----	----	0.2405B/----	0.2405B/0.2250A	----	0.2190	+ 0.0110	.3003	----	----	575	----	615	+					
800	0.1840	0.1840	0.2000/0.1750A	0.2000/0.1750A	----	0.1730	+ 0.0080	.2474	----	49	----	----	89	-					
850	----	----	0.1175B/----	0.1175B/0.1160A	----	0.1090	NEW	.1666	----	10	500	----	510	+					
875	----	----	0.0935B/----	0.0935B/0.0950A	----	0.0910	+ 0.0025	.1404	----	----	----	----	39	UNCH					
900	----	----	0.0750B/----	0.0750B/0.0790A	----	0.0760	+ 0.0015	.1184	----	----	----	----	26	UNCH					
950	----	----		0.0490B/0.0565A	----	0.0515	+ 0.0010	.0826	----	----	----	----	3						



BULLETIN #182@		METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
COMEX COPPER OPTIONS														
601	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0000	----	----	----	----	3	UNCH	
604	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0001	----	----	----	----	5	UNCH	
605	----	----	----/0.0010A	----/0.0010A	----	0.0005 - 0.0010	.0002	----	----	----	----	50	UNCH	
606	----	----	----/0.0010A	----/0.0010A	----	0.0005 - 0.0010	.0002	----	----	----	----	6	UNCH	
609	----	----	----	----/0.0030A	----	0.0005 - 0.0010	.0004	----	----	----	----	7	UNCH	
610	0.0015	0.0015	0.0015/0.0010	0.0015/0.0010	0.0015/0.0010	0.0005 - 0.0010	.0004	----	----	4	----	120	UNCH	
611	----	----	----/0.0010A	----/0.0010A	----	0.0005 - 0.0010	.0005	----	----	----	----	37	UNCH	
614	----	----	----/0.0010A	----/0.0010A	----	0.0005 - 0.0015	.0009	----	----	----	----	20	UNCH	
615	0.0030	0.0030	0.0035B/0.0010A	0.0035B/0.0010A	0.0035B/0.0010A	0.0010 - 0.0010	.0020	----	----	4	----	58	UNCH	
616	----	----	----/0.0010A	----/0.0010A	----	0.0010 - 0.0010	.0021	----	----	----	----	28	UNCH	
619	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	0.0010/0.0010	0.0010 NEW	.0022	----	3	----	----	3 +	3	
620	----	----	----/0.0010A	0.0005B/0.0010A	----	0.0010 - 0.0015	.0022	----	----	----	----	256	UNCH	
625	0.0010	0.0010	0.0010/0.0010	0.0010/0.0010	0.0010/0.0010	0.0010 - 0.0015	.0025	----	6	----	----	274 -	2	
626	----	----	----/0.0010A	----/0.0010A	----	0.0010 - 0.0020	.0025	----	----	----	----	1	UNCH	
628	----	----	----/0.0010A	----/0.0010A	----	0.0010 - 0.0020	.0026	----	----	----	----	13	UNCH	
630	0.0030	0.0030	0.0030/0.0010	0.0030/0.0010	0.0030/0.0010	0.0015 - 0.0015	.0043	----	3	----	----	386 -	3	
632	0.0015	0.0015	0.0015/0.0010A	0.0015/0.0010A	0.0015/0.0010A	0.0015 NEW	.0045	----	3	----	----	3 +	3	
635	0.0015	0.0015	0.0015/0.0010A	0.0015/0.0010A	0.0015/0.0010A	0.0015 - 0.0020	.0048	----	1	----	----	437 -	1	
640	----	----	----/0.0010A	0.0020B/0.0010A	----	0.0020 - 0.0025	.0074	----	3	----	----	321 -	1	
641	0.0020	0.0020	0.0020/0.0010A	0.0020/0.0010A	0.0020/0.0010A	0.0020 NEW	.0076	----	5	----	----	5 +	5	
644	----	----	----/0.0010A	0.0030B/0.0010A	----	0.0020 - 0.0035	.0083	----	----	----	----	4	UNCH	
645	----	----	----/0.0010A	0.0030B/0.0010A	0.0030B/0.0010A	0.0020 - 0.0040	.0085	----	2	----	----	419 -	2	
648	0.0025	0.0025	0.0025/0.0010A	0.0045B/0.0010A	0.0045B/0.0010A	0.0025 NEW	.0117	----	3	----	----	3 +	3	
650	0.0030	0.0030	0.0030/0.0010A	0.0050B/0.0010A	0.0050B/0.0010A	0.0030 - 0.0050	.0150	----	20	----	----	629 -	4	
651	----	----	----/0.0010A	0.0055B/0.0010A	0.0055B/0.0010A	0.0030 - 0.0055	.0155	----	----	----	----	1	UNCH	
652	----	----	----/0.0010A	0.0060B/0.0010A	0.0060B/0.0010A	0.0030 - 0.0060	.0160	----	----	----	----	4	UNCH	
654	----	----	----/0.0015A	0.0065B/0.0015A	0.0065B/0.0015A	0.0035 - 0.0070	.0199	----	----	----	----	3	UNCH	
655	0.0110	0.0110	0.0110/0.0015A	0.0110/0.0015A	0.0110/0.0015A	0.0035 - 0.0075	.0206	----	41	----	----	275 -	22	
656	0.0035	0.0035	0.0035/0.0015A	0.0075B/0.0015A	0.0075B/0.0015A	0.0040 - 0.0080	.0243	----	9	----	----	6 +	1	
657	0.0025	0.0025	0.0025/0.0020A	0.0085B/0.0020A	0.0085B/0.0020A	0.0040 NEW	.0252	----	3	----	----	3 +	3	
658	----	----	----/0.0020A	0.0090B/0.0020A	0.0090B/0.0020A	0.0045 - 0.0095	.0293	----	----	----	----	1	UNCH	
659	----	----	----/0.0025A	0.0105B/0.0025A	0.0105B/0.0025A	0.0045 - 0.0105	.0304	----	----	----	----	3	UNCH	
660	0.0035	0.0035	0.0045/0.0025A	0.0115B/0.0025A	0.0115B/0.0025A	0.0050 - 0.0115	.0349	----	13	----	----	252 -	1	
662	0.0040	0.0040	0.0040/0.0030A	0.0125B/0.0030A	0.0125B/0.0030A	0.0055 - 0.0140	.0413	----	3	----	----	4 +	3	
663	----	----	----/0.0035A	0.0130B/0.0035A	0.0130B/0.0035A	0.0060 - 0.0155	.0465	----	----	----	----	1	UNCH	
664	0.0155	0.0155	0.0155/0.0035A	0.0155/0.0035A	0.0155/0.0035A	0.0065 NEW	.0521	----	2	----	----	2 +	2	
665	0.0050	0.0050	0.0050/0.0035A	0.0140B/0.0035A	0.0140B/0.0035A	0.0070 - 0.0190	.0581	----	1	----	----	262	UNCH	
666	0.0205	0.0205	0.0205/0.0040A	0.0205/0.0040A	0.0205/0.0040A	0.0075 - 0.0210	.0645	----	14	----	----	59 +	2	
667	0.0110	0.0110	0.0110/0.0045A	0.0185B/0.0045A	0.0185B/0.0045A	0.0085 NEW	.0749	----	11	----	----	11 +	11	
668	0.0120	0.0120	0.0120/0.0045A	0.0210B/0.0045A	0.0210B/0.0045A	0.0095 NEW	.0859	----	1	----	----	1 +	1	
669	----	----	----/0.0050A	0.0230B/0.0050A	0.0230B/0.0050A	0.0105 NEW	.0976	----	2	----	----	2 +	2	
670	0.0170	0.0170	0.0180/0.0055A	0.0260B/0.0055A	0.0260B/0.0055A	0.0115 - 0.0295	.1099	----	32	----	----	261 +	10	
672	----	----	----/0.0070A	0.0320B/0.0070A	0.0320B/0.0070A	0.0145 NEW	.1438	----	5	----	----	5 +	5	
674	0.0105	0.0105	0.0105/0.0085	0.0400B/0.0085	0.0400B/0.0085	0.0185 - 0.0400	.1872	----	5	----	----	6 +	5	
675	0.0215	0.0215	0.0215/0.0095A	0.0435B/0.0095A	0.0435B/0.0095A	0.0205 - 0.0430	.2103	----	56	----	----	263 +	17	
676	0.0380	0.0380	0.0380/0.0105A	0.0485B/0.0105A	0.0485B/0.0105A	0.0235 - 0.0455	.2395	----	10	----	----	13 +	10	
678	0.0175	0.0175	0.0180/0.0140A	0.0580B/0.0140A	0.0580B/0.0140A	0.0300 NEW	.3013	----	6	----	----	6 +	6	
679	0.0175	0.0175	0.0175/0.0155A	0.0630B/0.0155A	0.0630B/0.0155A	0.0335 - 0.0535	.3339	----	4	----	----	4 +	3	
680	0.0700	0.0700	0.0700/0.0175A	0.0700/0.0175A	0.0700/0.0175A	0.0380 - 0.0550	.3694	----	73	----	----	103 +	40	
681	0.0220	0.0220	0.0225/0.0200A	0.0740B/0.0200A	0.0740B/0.0200A	0.0425 NEW	.4047	----	10	----	----	7 +	7	
682	----	----	----/0.0220A	0.0800B/0.0220A	0.0800B/0.0220A	0.0475 - 0.0595	.4403	----	----	----	----	1	UNCH	
683	----	----	----/0.0250A	0.0865B/0.0250A	0.0865B/0.0250A	0.0530 - 0.0610	.4757	----	----	----	----	1	UNCH	
685	0.0470	0.0470	0.0470/0.0310A	0.0955B/0.0310A	0.0955B/0.0310A	0.0645 - 0.0640	.5441	----	5	----	----	44 +	5	
688	0.0500	0.0500	0.0500/0.0425A	0.1120B/0.0425A	0.1120B/0.0425A	0.0845 NEW	.6367	----	1	----	----	1 +	1	
689	0.0550	0.0550	0.0550/0.0475A	0.1125B/0.0475A	0.1125B/0.0475A	0.0915 NEW	.6647	----	1	----	----	1 +	1	
690	0.0605	0.0605	0.0605/0.0520A	0.1150B/0.0520A	0.1150B/0.0520A	0.0985 - 0.0695	.6919	----	13	----	----	50 +	4	
695	----	----	----/0.0805A	0.1735B/0.0805A	0.1735B/0.0805A	0.1370 - 0.0735	.8029	----	----	----	----	34	UNCH	
700	----	----	----/0.1170A	0.2170B/0.1170A	0.2170B/0.1170A	0.1790 - 0.0760	.8800	----	----	----	----	24	UNCH	
715	----	----	----/0.2435A	0.3560B/0.2435A	0.3560B/0.2435A	0.3175 - 0.0775	.9801	----	----	----	----	2	UNCH	
720	----	----	----/0.2895A	0.4045B/0.2895A	0.4045B/0.2895A	0.3665 - 0.0770	.9877	----	----	----	----	2	UNCH	
745	----	----	----/0.5320A	0.6505B/0.5320A	0.6505B/0.5320A	0.6145 - 0.0750	.9998	----	----	----	----	1	UNCH	
750	----	----	----/0.5800A	0.7005B/0.5800A	0.7005B/0.5800A	0.6645 - 0.0750	.9999	----	----	----	----	5	UNCH	
TOTAL										578		7439 +	307	
NOV26														
390	----	----	----	----/0.0045A	----	0.0005 UNCH	.0002	----	----	----	----	3	UNCH	
400	----	----	----	----/0.0025A	----	0.0005 UNCH	.0003	----	----	----	----	17	UNCH	
410	----	----	----	----/0.0030A	----	0.0005 UNCH	.0006	----	----	----	----	1	UNCH	
425	----	----	----	----/0.0035A	----	0.0005 - 0.0005	.0013	----	----	----	----	40	UNCH	
430	----	----	----	----/0.0035A	----	0.0010 UNCH	.0024	----	----	----	----	4	UNCH	
475	----	----	----	0.0005B/0.0055A	----	0.0020 - 0.0005	.0053	----	----	----	----	52	UNCH	
480	----	----	----	0.0005B/0.0060A	----	0.0020 - 0.0010	.0054	----	----	----	----	3	UNCH	
490	0.0035	0.0035	0.0035/0.0035	0.0035/0.0035	0.0035/0.0035	0.0030 NEW	.0079	----	3	----	----	3 +	3	
500	----	----	----/0.0035A	0.0035B/0.0035A	0.0035B/0.0035A	0.0030 - 0.0010	.0084	----	1	----	----	113 +	1	
510	----	----	----	0.0025B/0.0045A	0.0025B/0.0045A	0.0035 - 0.0010	.0100	----	----	----	----	9	UNCH	
520	----	----	----/0.0050A	0.0035B/0.0050A	0.0035B/0.0050A	0.0045 - 0.0010	.0129	----	----	----	----	5	UNCH	
525	----	----	----	0.0035B/0.0055A	0.0035B/0.0055A	0.0045 - 0.0010	.0133	----	----	----	----	8	UNCH	
530	----	----	----/0.0055A	0.0040B/0.0055A	0.0040B/0.0055A	0.0050 - 0.0010	.0149	----	----	----	----	2	UNCH	
535	----	----	----/0.0060A	0.0045B/0.0060A	0.0045B/0.0060A	0.0050 - 0.0015	.0154	----	----	----	----	32	UNCH	
540	0.0050	0.0050	0.0055B/0.0050	0.0055B/0.0050	0.0055B/0.0050	0.0055 - 0.0010	.0171	----	1	----	----	10 +	1	
550	0.0065	0.0065	0.0065/0.0065	0.0065/0.0065	0.0065/0.0065	0.0065 - 0.0010	.0207	----	1	----	----	175	UNCH	
560	----	----	----/0.0075A	0.0070B/0.0075A	0.0070B/0.0075A	0.0075 - 0.0010	.0247	----	1	----	----	410 +	1	
565	----	----	----/0.0080A	0.0070B/0.0080A	0.0070B/0.0080A	0.0080 - 0.0010	.0268	----	----	----	----	27	UNCH	
570	----	----	----/0.0085A	0.0075B/0.0085A	0.0075B/0.0085A	0.0085 - 0.0015	.0291	----	----	----	----	21	UNCH	
575	----	----	----/0.0095A	0.0090B/0.0095A	0.0090B/0.0095A	0.0095 - 0.0015	.0328	----	----	----	----	67	UNCH	
580	0.0100	0.0100	0.0105/0.0090A	0.0105/0.0090A	0.0105/0.0090A	0.0100 - 0.0025	.0354	----	3	----	----	49 +	3	
585	----	----	----/0.0105A	0.0115B/0.0105A	0.0115B/0.0105A	0.0115 - 0.0025	.0407	----	1	----	----	62 -	1	
590	0.0125	0.0125	0.0130/0.0105	0.0130/0.0105	0.0130/0.0105	0.0125 - 0.0035	.0450	----	8	----	----	289 +	5	
595	0.0150	0.0150	0.0150/0.0130	0.0150/0.0130	0.0150/0.0130	0.0140 - 0.0045	.0508	----	2	----	----	49 -	1	
600	0.0165	0.0165	0.0165/0.0135	0.0175B/0.0135	0.0175B/0.0135	0.0155 - 0.0060	.0569	----	13	----	----	734 +	4	
605	----	----												

BULLETIN #182@				METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
HX PUT DEC26	COMEX COPPER OPTIONS																
535	----	----	----	----	0.0075B/0.0100A	----	----	0.0090 - 0.0010	.0246	----	----	----	----	1	UNCH		
540	----	----	----	----/0.0105A	0.0085B/0.0105A	----	----	0.0100 - 0.0010	.0274	----	----	----	----	8	UNCH		
545	----	----	----	----/0.0115A	0.0095B/0.0115A	----	----	0.0105 - 0.0020	.0293	----	----	----	----	49	UNCH		
550	0.0115	0.0115	0.0115	0.0115/0.0115	0.0115/0.0115	----	----	0.0115 - 0.0020	.0323	----	----	2	----	617 +	2		
555	----	----	----	----/0.0130A	0.0120B/0.0130A	----	----	0.0125 - 0.0025	.0354	----	----	----	----	1	UNCH		
560	----	----	----	----/0.0145A	0.0140B/0.0145A	----	----	0.0140 - 0.0030	.0397	----	----	----	----	314	UNCH		
565	----	----	----	----/0.0160A	0.0150B/0.0160A	----	----	0.0155 - 0.0035	.0440	----	----	----	----	28	UNCH		
570	----	----	----	----/0.0175A	0.0170B/0.0175A	----	----	0.0175 - 0.0035	.0495	----	----	----	----	18	UNCH		
575	----	----	----	----/0.0195A	0.0190B/0.0195A	----	----	0.0195 - 0.0040	.0552	----	----	----	----	419	UNCH		
580	----	----	----	----/0.0220A	0.0215B/0.0220A	----	----	0.0220 - 0.0045	.0620	----	----	----	----	215	UNCH		
585	0.0250	0.0250	0.0250	0.0250/0.0245A	0.0250/0.0245A	----	----	0.0250 - 0.0050	.0699	----	----	1	----	32 +	1		
590	----	----	----	----/0.0275A	0.0285B/0.0275A	----	----	0.0285 - 0.0055	.0789	----	----	2	----	242 +	1		
595	----	----	----	----/0.0310A	0.0340B/0.0310A	----	----	0.0325 - 0.0065	.0889	----	----	----	----	109	UNCH		
600	0.0390	0.0390	0.0390	0.0390/0.0350A	0.0390/0.0350A	----	----	0.0375 - 0.0070	.1008	----	----	6	----	2016 +	1		
605	----	----	----	----/0.0400A	0.0435B/0.0400A	----	----	0.0430 - 0.0080	.1137	----	----	----	----	16	UNCH		
610	----	----	----	----/0.0455A	0.0500B/0.0455A	----	----	0.0490 - 0.0090	.1275	----	----	1	----	104 +	1		
615	----	----	----	----/0.0500A	0.0575B/0.0500A	----	----	0.0565 - 0.0100	.1437	----	----	----	----	139	UNCH		
620	----	----	----	----/0.0585A	0.0660B/0.0585A	----	----	0.0645 - 0.0120	.1607	----	----	1	----	133	UNCH		
625	----	----	----	----/0.0660A	0.0770B/0.0660A	----	----	0.0740 - 0.0135	.1797	----	----	----	----	433	UNCH		
630	0.0855	0.0855	0.0855	0.0855/0.0755A	0.0880B/0.0755A	----	----	0.0845 - 0.0155	.1999	----	----	3	----	377 +	1		
635	0.0975	0.0975	0.0975	0.0975/0.0855A	0.1005B/0.0855A	----	----	0.0965 - 0.0170	.2218	----	----	35	----	286 +	1		
640	0.1125	0.1125	0.1125	0.1125/0.0985A	0.1155B/0.0985A	----	----	0.1100 - 0.0190	.2451	----	----	28	----	151 -	5		
645	----	----	----	----/0.1105A	0.1315B/0.1105A	----	----	0.1250 - 0.0210	.2697	----	----	1	----	433	UNCH		
650	0.1560	0.1560	0.1560	0.1560/0.1245	0.1560/0.1245	----	----	0.1415 - 0.0235	.2952	----	----	118	----	638 +	38		
655	----	----	----	----/0.1410A	0.1685B/0.1410A	----	----	0.1595 - 0.0260	.3215	----	----	----	----	617	UNCH		
660	0.1790	0.1790	0.1790	0.1790/0.1590A	0.1900B/0.1590A	----	----	0.1790 - 0.0285	.3485	----	----	2	----	95 -	1		
665	----	----	----	----/0.1780A	0.2125B/0.1780A	----	----	0.2000 - 0.0310	.3759	----	----	1	----	212 +	1		
670	0.2230	0.2230	0.2230	0.2230/0.1975A	0.2365B/0.1975A	----	----	0.2230 - 0.0330	.4036	----	----	59	----	1085 +	35		
675	0.2220	0.2220	0.2220	0.2220/0.2195A	0.2625B/0.2195A	----	----	0.2470 - 0.0360	.4313	----	----	1	----	274 -	1		
680	0.2500	0.2500	0.2500	0.2500/0.2435A	0.2905B/0.2435A	----	----	0.2730 - 0.0380	.4589	----	----	1	----	53 +	1		
685	0.2950	0.2950	0.2950	0.2950/0.2670A	0.3180B/0.2670A	----	----	0.3000 - 0.0405	.4863	----	----	3	----	50 +	3		
690	----	----	----	----/0.2945A	0.3485B/0.2945A	----	----	0.3290 - 0.0425	.5132	----	----	----	----	1	UNCH		
700	----	----	----	----/0.3510A	0.4115B/0.3510A	----	----	0.3900 - 0.0470	.5650	----	----	----	----	3	UNCH		
730	----	----	----	----/0.5545A	0.6265B/0.5545A	----	----	0.6025 - 0.0575	.6998	----	----	----	----	1	UNCH		
750	----	----	----	----/0.7075A	0.7160B/0.7075A	----	----	0.7625 - 0.0630	.7703	----	----	----	----	1	UNCH		
TOTAL												265		9880 +	79		
JAN27																	
370	----	----	----	----	0.0005B/0.0085A	----	----	0.0035 UNCH	.0053	----	----	----	----	1	UNCH		
390	----	----	----	----	0.0010B/0.0090A	----	----	0.0045 UNCH	.0071	----	----	----	----	40	UNCH		
400	----	----	----	----	0.0010B/0.0095A	----	----	0.0050 UNCH	.0080	----	----	----	----	12	UNCH		
425	----	----	----	----	0.0010B/0.0105A	----	----	0.0060 UNCH	.0102	----	----	----	----	30	UNCH		
430	----	----	----	----	0.0010B/0.0105A	----	----	0.0060 - 0.0005	.0104	----	----	----	----	1	UNCH		
435	----	----	----	----	0.0010B/0.0110A	----	----	0.0065 UNCH	.0113	----	----	----	----	1	UNCH		
440	----	----	----	----	0.0010B/0.0115A	----	----	0.0065 UNCH	.0116	----	----	----	----	10	UNCH		
450	----	----	----	----	0.0015B/0.0120A	----	----	0.0070 UNCH	.0128	----	----	----	----	1	UNCH		
465	----	----	----	----	0.0025B/0.0130A	----	----	0.0080 UNCH	.0151	----	----	----	----	2	UNCH		
510	----	----	----	----	0.0075B/0.0175A	----	----	0.0120 - 0.0010	.0254	----	----	----	----	4	UNCH		
515	----	----	----	----	0.0095B/0.0160A	----	----	0.0125 - 0.0015	.0268	----	----	----	----	1	UNCH		
520	----	----	----	----	0.0110B/0.0170A	----	----	0.0135 - 0.0015	.0291	----	----	----	----	2	UNCH		
525	----	----	----	----	0.0120B/0.0180A	----	----	0.0145 - 0.0015	.0314	----	----	----	----	3	UNCH		
540	----	----	----	----	0.0160B/0.0215A	----	----	0.0180 - 0.0025	.0397	----	----	----	----	2	UNCH		
550	----	----	----	----/0.0235A	0.0195B/0.0235A	----	----	0.0210 - 0.0035	.0466	----	----	----	----	208	UNCH		
555	----	----	----	----/0.0255A	0.0215B/0.0255A	----	----	0.0230 - 0.0040	.0510	----	----	----	----	1	UNCH		
560	----	----	----	----/0.0280A	0.0240B/0.0280A	----	----	0.0255 - 0.0040	.0563	----	----	----	----	3	UNCH		
570	----	----	----	----/0.0330A	0.0305B/0.0330A	----	----	0.0310 - 0.0055	.0679	----	----	----	----	1	UNCH		
590	----	----	----	----/0.0485A	0.0485B/0.0485A	----	----	0.0480 - 0.0085	.1008	----	----	----	----	11	UNCH		
595	----	----	----	----/0.0535A	0.0550B/0.0535A	----	----	0.0535 - 0.0100	.1109	----	----	----	----	2	UNCH		
600	----	----	----	----/0.0590A	0.0615B/0.0590A	----	----	0.0600 - 0.0105	.1223	----	----	1	----	359 +	1		
605	----	----	----	----/0.0650A	0.0695B/0.0650A	----	----	0.0670 - 0.0120	.1344	----	----	----	----	1	UNCH		
610	----	----	----	----/0.0720A	0.0770B/0.0720A	----	----	0.0745 - 0.0135	.1472	----	----	1	----	3 +	1		
620	0.0950	0.0950	0.0950	0.0950/0.0885A	0.0975B/0.0885A	----	----	0.0930 - 0.0155	.1765	----	----	1	----	12	UNCH		
625	----	----	----	----/0.0980A	0.1080B/0.0980A	----	----	0.1035 - 0.0170	.1923	----	----	----	----	2	UNCH		
630	----	----	----	----/0.1085A	0.1210B/0.1085A	----	----	0.1150 - 0.0190	.2091	----	----	----	----	1	UNCH		
640	0.1380	0.1380	0.1380	0.1380/0.1320A	0.1495B/0.1320A	----	----	0.1415 - 0.0220	.2454	----	----	1	----	3	UNCH		
645	----	----	----	----/0.1455A	0.1650B/0.1455A	----	----	0.1565 - 0.0235	.2646	----	----	----	----	3	UNCH		
650	----	----	----	----/0.1600A	0.1820B/0.1600A	----	----	0.1730 - 0.0250	.2847	----	----	----	----	40	UNCH		
660	----	----	----	----/0.1920A	0.2205B/0.1920A	----	----	0.2090 - 0.0285	.3261	----	----	----	----	2	UNCH		
670																	

BULLETIN #182@				METALS OPTION PRODUCTS							Tue, Sep 22, 2026			PG64
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HXE CALL COPPER OPTIONS														
OCT26														
670	----	----	0.2695B/----	0.2695B/0.1995A	----	0.2095 + 0.0320	.6768	----	----	----	----	109	UNCH	
675	----	----	0.2360B/----	0.2360B/0.1740A	----	0.1805 + 0.0260	.6153	----	----	----	----	34	UNCH	
680	----	----	0.2055B/----	0.2055B/0.1510A	----	0.1550 + 0.0205	.5533	----	----	----	----	350	UNCH	
685	0.1310	0.1310	0.1810B/0.1310	0.1810B/0.1310	----	0.1320 + 0.0150	.4927	----	----	1	----	731 +	1	
690	----	----	0.1560B/----	0.1560B/0.1115A	----	0.1120 + 0.0115	.4346	----	----	----	----	100	UNCH	
690	0.1505	0.1505	0.1830B/0.1505	0.1830B/0.1345A	----	0.1390 NEW	.4499	----	----	10	----	10 +	10	
695	----	----	0.1330B/----	0.1330B/0.0950A	----	0.0940 + 0.0085	.3794	----	----	----	----	440	UNCH	
725	----	----	0.0470B/----	0.0470B/0.0335A	----	0.0315 UNCH	.1458	----	----	----	----	440	UNCH	
730	----	----	0.0395B/----	0.0395B/0.0280A	----	0.0260 - 0.0010	.1219	----	----	----	----	9	UNCH	
740	----	----	0.0270B/----	0.0270B/0.0210A	----	0.0180 - 0.0020	.0855	----	----	----	----	20	UNCH	
800	----	----	0.0090B/----	0.0090B/0.0105A	----	0.0060 - 0.0005	.0252	----	----	----	----	30	UNCH	
TOTAL										11		2275 +	11	
HXE PUT COPPER OPTIONS														
SEP26														
525	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	29	UNCH	
605	----	----	----	----/0.0050A	----	0.0005 - 0.0030	.0000	----	----	----	----	1	UNCH	
615	----	----	----	----/0.0055A	----	0.0005 - 0.0045	.0000	----	----	----	----	12	UNCH	
620	----	----	----	----/0.0055A	----	0.0005 - 0.0045	.0002	----	----	----	----	16	UNCH	
625	----	----	----	----/0.0060A	----	0.0005 - 0.0045	.0006	----	----	----	----	25	UNCH	
630	----	----	----	0.0005B/0.0065A	----	0.0005 - 0.0050	.0015	----	----	----	----	51	UNCH	
635	----	----	----	0.0010B/0.0065A	----	0.0010 - 0.0050	.0049	----	----	----	----	1	UNCH	
640	----	----	----/0.0065A	0.0015B/0.0065A	----	0.0010 - 0.0060	.0055	----	----	1	----	48	UNCH	
650	----	----	----/0.0070A	0.0030B/0.0070A	----	0.0020 - 0.0105	.0140	----	----	----	----	2	UNCH	
655	----	----	----/0.0075A	0.0060B/0.0075A	----	0.0035 - 0.0140	.0271	----	----	----	----	1	UNCH	
658	----	----	----/0.0080A	0.0090B/0.0080A	----	0.0050 NEW	.0406	----	----	1	----	1 +	1	
660	0.0105	0.0105	0.0115/0.0085A	0.0115/0.0085A	----	0.0060 - 0.0195	.0505	----	----	25	----	45 +	25	
665	----	----	----/0.0110A	0.0210B/0.0110A	----	0.0110 - 0.0265	.0964	----	----	----	----	10	UNCH	
670	0.0165	0.0165	0.0165/0.0150	0.0345B/0.0150	----	0.0190 - 0.0360	.1679	----	----	10	----	11 +	10	
675	0.0270	0.0270	0.0270/0.0210A	0.0540B/0.0210A	----	0.0315 NEW	.2699	----	----	30	----	30 +	30	
685	0.0850	0.0850	0.0850/0.0485A	0.1080B/0.0485A	----	0.0810 NEW	.5301	----	----	1	----	1 +	1	
692	0.0780	0.0780	0.0780/0.0760	0.1360B/0.0760	----	0.1295 NEW	.6797	----	----	30	----	30 +	30	
TOTAL										98		314 +	97	
OCT26														
500	----	----	----	----/0.0060A	----	0.0005 UNCH	.0003	----	----	----	----	19	UNCH	
605	----	----	----	0.0025B/0.0080A	----	0.0035 - 0.0045	.0173	----	----	----	----	1	UNCH	
615	----	----	----/0.0090A	0.0050B/0.0090A	----	0.0050 - 0.0055	.0259	----	----	----	----	2	UNCH	
620	----	----	----/0.0095A	0.0065B/0.0095A	----	0.0060 - 0.0065	.0318	----	----	10	----	11 +	10	
620	----	----	----/0.0120A	0.0125B/0.0120A	----	0.0105 - 0.0075	.0512	----	----	----	----	1	UNCH	
625	----	----	----/0.0140A	0.0150B/0.0140A	----	0.0125 - 0.0090	.0614	----	----	----	----	11	UNCH	
630	----	----	----/0.0110A	0.0105B/0.0110A	----	0.0085 - 0.0090	.0472	----	----	----	----	22	UNCH	
645	----	----	----/0.0170A	0.0245B/0.0170A	----	0.0170 - 0.0175	.0962	----	----	----	----	2	UNCH	
650	----	----	----/0.0205A	0.0330B/0.0205A	----	0.0225 - 0.0215	.1250	----	----	----	----	5	UNCH	
660	0.0430	0.0430	0.0430/0.0340A	0.0575B/0.0340A	----	0.0415 - 0.0310	.2097	----	----	1	----	2 +	1	
660	----	----	----/0.0515A	0.0800B/0.0515A	----	0.0640 - 0.0325	.2556	----	----	----	----	10	UNCH	
665	----	----	----/0.0445A	0.0750B/0.0445A	----	0.0560 - 0.0360	.2642	----	----	----	----	17	UNCH	
670	0.0890	0.0890	0.0890/0.0575A	0.0955B/0.0575A	----	0.0735 - 0.0415	.3228	----	----	1	----	591 +	1	
675	----	----	----/0.0735A	0.1190B/0.0735A	----	0.0945 - 0.0475	.3843	----	----	10	----	593 +	3	
680	----	----	----/0.0920A	0.1460B/0.0920A	----	0.1190 - 0.0530	.4464	----	----	----	----	590	UNCH	
TOTAL										22		1877 +	15	
ALUMINIUM OPTIONS ON FUTURES														
PLATINUM OPTIONS ON FUTURES														
	LOBEX OPEN	OPEN OUTCRY OPEN RANGE	LOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO CALL NYMEX PALLADIUM OPTIONS														
NOV26														
1350	37.00	37.00	43.20B/36.00	43.20B/36.00	----	38.80 NEW	.4000	----	----	2	----	2 +	2	
1400	31.00	31.00	34.40/26.80A	34.40/26.80A	----	26.00 - 4.80	.2881	----	----	20	----	93 +	4	
1450	21.00	21.00	21.00/20.00A	21.00/20.00A	----	18.50 - 2.80	.2100	----	----	1	----	84 +	1	
1500	----	----	13.30B/15.60A	13.30B/15.60A	----	13.70 - 1.90	.1562	----	----	----	----	5	UNCH	
1550	----	----	9.40B/12.10A	9.40B/12.10A	----	10.30 - 1.80	.1175	----	----	----	----	14	UNCH	
1600	----	----	6.50B/9.40A	6.50B/9.40A	----	7.80 - 1.50	.0890	----	----	----	----	5	UNCH	
1750	----	----	1.20B/5.10A	1.20B/5.10A	----	3.50 - 0.80	.0399	----	----	----	----	1	UNCH	
TOTAL										23		204 +	7	
DEC26														
1250	----	----	----/103.20A	112.90B/103.20A	----	104.30 - 9.00	.6472	----	----	----	----	200	UNCH	
1300	----	----	----/79.10A	85.70B/79.10A	----	79.50 - 7.70	.5413	----	----	----	----	6	UNCH	
1315	----	----	----/72.90A	78.60B/72.90A	----	73.20 - 7.20	.5105	----	----	----	----	90	UNCH	
1425	----	----	----/41.00A	41.60B/41.00A	----	40.70 - 4.20	.3205	----	----	----	----	39	UNCH	
1450	----	----	----/36.80A	36.30B/36.80A	----	36.00 - 3.60	.2878	----	----	----	----	55	UNCH	
1500	----	----	----/30.20A	28.30B/30.20A	----	28.60 - 2.70	.2334	----	----	----	----	35	UNCH	
1550	----	----	----	22.80B/25.70A	----	23.30 - 2.10	.1918	----	----	----	----	66	UNCH	
1585	----	----	----	19.70B/23.00A	----	20.40 - 1.80	.1683	----	----	----	----	3	UNCH	
1600	----	----	----	18.70B/22.00A	----	19.40 - 1.70	.1598	----	----	----	----	95	UNCH	
1650	----	----	----	15.50B/19.00A	----	16.40 - 1.50	.1346	----	----	----	----	64	UNCH	
1700	----	----	----	12.70B/16.50A	----	14.00 - 1.30	.1144	----	----	----	----	10	UNCH	
1775	----	----	----	9.30B/13.30A	----	10.90 - 1.20	.0892	----	----	----	----	100	UNCH	
1800	----	----	----	8.30B/12.40A	----	10.00 - 1.20	.0821	----	----	----	----	55	UNCH	
1925	----	----	----	4.70B/9.00A	----	6.60 - 0.80	.0546	----	----	----	----	46	UNCH	
1995	----	----	----	3.20B/7.80A	----	5.30 - 0.50	.0440	----	----	----	----	6	UNCH	
2000	----	----	----	3.10B/7.70A	----	5.20 - 0.60	.0432	----	----	----	----	1	UNCH	
3000	----	----	----	----/3.20A	----	1.80 + 0.30	.0120	----	----	----	----	1	UNCH	
TOTAL												872	0	
MAR27														
1350	----	----	----	----	----	123.40 - 5.90	.5192	----	----	----	----	75	UNCH	
1400	----	----	----	----	----	104.10 - 5.30	.4628	----	----	----	----	10	UNCH	
1600	----	----	----	----	----	51.20 - 3.20	.2732	----	----	----	----	10	UNCH	
TOTAL												95	0	
JUN27														
1375	----	----	----	----	----	156.70 - 5.80	.5304	----	----	----	----	50	UNCH	
TOTAL												50	0	
PAO PUT NYMEX PALLADIUM OPTIONS														
NOV26														
1200	----	----	----/13.40A	12.80B/13.40A	----	13.40 - 1.10	.1787	----	----	----	----	24	UNCH	
1225	----	----	----/18.80A	20.00B/18.80A	----	20.20 - 0.50	.2430	----	----	----	----	11	UNCH	
1250	23.00	23.00	29.10B/23.00	29.10B/23.00	----	29.00 + 0.30	.3140	----	----	20	----	108 +	16	
1275	----	----	40.30B/35.60A	40.30B/35.60A	----	39.70 + 1.20	.3879	----	----	----	----	16	UNCH	
1300	----	----	53.50B/47.20A	53.50B/47.20A	----	52.30 + 2.10	.4618	----	----	----	----	13	UNCH	
1350	----	----	85.50B/75.20A	85.50B/75.20A	----	82.80 + 3.80	.5999	----	----	----	----	4	UNCH	
TOTAL										20		176 +	16	
DEC26														
1050	----	----	----	2.70B/7.30A	----	4.40 - 0.30	.0520	----	----	----	----	5	UNCH	
1150														

BULLETIN #182@										METALS OPTION PRODUCTS										Tue, Sep 22, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST									
PAW OOF	PALLADIUM WEEKLY FRIDAY OPTION week																					
SEP26																						
1335	11.00	11.00	11.00/11.00	14.30B/11.00	----	11.30	NEW	.2862	----	----	10	----	10 +	10								
TOTAL											10		10 +	10								
OCT26																						
1350	----	----	----/21.00A	22.50B/21.00A	----	19.60	- 6.00	.3239	----	----	----	----	2	UNCH								
TOTAL													2	0								
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION week4																					
SEP26																						
1805	27.00	27.00	27.00/27.00	33.40B/27.00	----	52.60	NEW	.7674	----	----	8	----	8 +	8								
1850	----	----	32.70B/14.80A	32.70B/14.80A	----	24.80	+ 4.80	.4825	----	----	----	----	5	UNCH								
1875	----	----	19.90B/10.90A	19.90B/10.90A	----	15.40	+ 1.90	.3214	----	----	----	----	28	UNCH								
1900	----	----	10.90B/8.30A	10.90B/8.30A	----	9.60	+ 0.60	.2007	----	----	----	----	10	UNCH								
TOTAL											8		51 +	8								
OCT26																						
1750	19.60	19.60	21.00B/11.40A	21.00B/11.40A	----	11.50	NEW	.1710	----	----	5	----	5 +	5								
TOTAL											5		5 +	5								
PO CALL	PLATINUM OPTIONS																					
NOV26																						
1800	----	----	107.20B/75.70A	107.20B/75.70A	----	97.50	+ 10.40	.6221	----	----	----	----	1	UNCH								
1850	----	----	79.30B/55.80A	79.30B/55.80A	----	72.20	+ 8.10	.5121	----	----	----	----	115	UNCH								
1875	----	----	67.50B/47.60A	67.50B/47.60A	----	61.50	+ 7.00	.4584	----	----	----	----	16	UNCH								
1900	51.90	51.90	57.10B/40.60A	57.10B/40.60A	----	52.20	+ 6.00	.4069	----	----	8	----	164 +	8								
1925	----	----	48.00B/34.90A	48.00B/34.90A	----	44.10	+ 4.90	.3585	----	----	----	----	58	UNCH								
1950	39.40	39.40	40.30B/30.10A	40.30B/30.10A	----	37.30	+ 4.00	.3141	----	----	12	----	117 +	8								
2000	----	----	28.30B/22.80A	28.30B/22.80A	----	26.80	+ 2.50	.2386	----	----	----	----	180	UNCH								
2050	----	----	19.90B/17.60A	19.90B/17.60A	----	19.50	+ 1.50	.1804	----	----	----	----	15	UNCH								
2100	----	----	14.00B/-----	14.00B/13.70A	----	14.40	+ 1.00	.1367	----	----	----	----	52	UNCH								
2200	----	----	----	6.70B/8.70A	----	8.00	+ 0.40	.0786	----	----	----	----	210	UNCH								
2250	----	----	----	4.50B/7.20A	----	5.90	+ 0.20	.0590	----	----	----	----	40	UNCH								
TOTAL											20		968 +	16								
DEC26																						
1900	----	----	87.10B/68.60A	87.10B/68.60A	----	81.80	+ 5.70	.4477	----	----	----	----	102	UNCH								
2000	----	----	54.90B/45.00A	54.90B/45.00A	----	52.30	+ 4.60	.3177	----	----	----	----	120	UNCH								
2200	----	----	21.70B/-----	21.70B/20.80A	----	22.10	+ 1.30	.1518	----	----	----	----	101	UNCH								
2250	----	----	----	17.20B/17.40A	----	18.10	+ 0.90	.1265	----	----	----	----	51	UNCH								
2500	----	----	----	5.20B/8.60A	----	7.30	+ 0.20	.0536	----	----	----	----	50	UNCH								
TOTAL													424	0								
JAN27																						
1700	----	----	215.20B/175.70A	215.20B/175.70A	----	204.10	+ 14.20	.7197	----	----	----	----	1	UNCH								
1800	----	----	154.20B/126.30A	154.20B/126.30A	----	145.80	+ 9.40	.5934	----	----	----	----	1	UNCH								
1900	----	----	108.20B/90.10A	108.20B/90.10A	----	102.70	+ 5.80	.4669	----	----	----	----	1	UNCH								
1950	75.00	75.00	90.30B/75.00	90.30B/75.00	----	86.30	+ 4.90	.4095	----	----	170	----	946 +	170								
2000	----	----	75.20B/64.10A	75.20B/64.10A	----	72.50	+ 4.30	.3573	----	----	----	----	1163	UNCH								
2050	----	----	62.50B/54.30A	62.50B/54.30A	----	60.90	+ 3.90	.3105	----	----	----	----	250	UNCH								
2100	----	----	52.20B/46.00A	52.20B/46.00A	----	51.10	+ 3.40	.2688	----	----	----	----	81	UNCH								
2150	----	----	43.30B/39.10A	43.30B/39.10A	----	42.90	+ 2.90	.2321	----	----	----	----	402	UNCH								
2200	----	----	36.10B/33.40A	36.10B/33.40A	----	36.00	+ 2.20	.1999	----	----	----	----	214	UNCH								
2300	----	----	24.90B/-----	24.90B/24.70A	----	25.70	+ 1.20	.1487	----	----	----	----	108	UNCH								
2350	----	----	----	20.60B/21.30A	----	21.80	+ 0.90	.1283	----	----	----	----	603	UNCH								
2360	----	----	----	19.90B/20.70A	----	21.10	+ 0.80	.1246	----	----	----	----	100	UNCH								
2400	----	----	----	17.10B/18.60A	----	18.60	+ 0.70	.1111	----	----	----	----	57	UNCH								
2500	----	----	----	11.80B/14.50A	----	13.60	+ 0.40	.0833	----	----	----	----	539	UNCH								
2600	----	----	----	8.10B/11.70A	----	10.30	+ 0.30	.0640	----	----	----	----	100	UNCH								
2650	----	----	----	6.80B/10.60A	----	9.00	+ 0.20	.0562	----	----	----	----	100	UNCH								
3000	----	----	----	1.90B/6.90A	----	3.10	UNCH	.0208	----	----	----	----	1	UNCH								
TOTAL											170		4667 +	170								
APR27																						
1700	----	----	268.50B/232.70A	268.50B/232.70A	----	259.30	+ 14.50	.6970	----	----	----	----	100	UNCH								
1775	----	----	225.40B/196.20A	225.40B/196.20A	----	218.10	+ 12.20	.6293	----	----	----	----	100	UNCH								
2000	----	----	131.60B/117.10A	131.60B/117.10A	----	128.60	+ 6.70	.4353	----	----	----	----	20	UNCH								
2100	----	----	103.50B/93.60A	103.50B/93.60A	----	101.80	+ 5.10	.3633	----	----	----	----	30	UNCH								
2200	----	----	81.70B/75.60A	81.70B/75.60A	----	81.20	+ 3.80	.3024	----	----	----	----	20	UNCH								
2300	----	----	65.20B/62.10A	65.20B/62.10A	----	65.50	+ 3.20	.2521	----	----	----	----	20	UNCH								
2400	----	----	52.40B/-----	52.40B/51.60A	----	53.50	+ 3.00	.2111	----	----	----	----	20	UNCH								
2600	----	----	34.70B/-----	34.70B/36.60A	----	36.60	+ 2.10	.1500	----	----	----	----	50	UNCH								
2700	----	----	----	28.50B/31.20A	----	30.50	+ 1.80	.1270	----	----	----	----	50	UNCH								
TOTAL													410	0								
JUL27																						
1930	----	----	----	----	----	215.40	+ 11.30	.5304	----	----	----	----	110	UNCH								
TOTAL													110	0								
JUL28																						
1900	----	----	----	----	----	367.00	+ 13.00	.6043	----	----	----	----	250	UNCH								
TOTAL													250	0								
PO PUT	PLATINUM OPTIONS																					
NOV26																						
1300	----	----	----	----/2.30A	----	0.10	UNCH	.0012	----	----	----	----	20	UNCH								
1400	----	----	----	----/2.80A	----	0.20	- 0.30	.0029	----	----	----	----	40	UNCH								
1475	1.60	1.60	1.60/1.60	1.60/1.60	----	0.90	NEW	.0118	----	----	115	----	115 +	115								
1600	----	----	----/7.20A	7.50B/7.20A	----	6.00	- 2.70	.0670	----	----	----	----	209	UNCH								
1625	----	----	----/9.10A	11.20B/9.10A	----	8.30	- 3.40	.0889	----	----	----	----	22	UNCH								
1650	----	----	15.80B/11.60A	15.80B/11.60A	----	11.30	- 4.20	.1157	----	----	----	----	26	UNCH								
1675	----	----	21.50B/14.90A	21.50B/14.90A	----	15.00	- 5.40	.1471	----	----	----	----	19	UNCH								
1700	18.50	18.50	28.40B/18.50	28.40B/18.50	----	19.70	- 6.50	.1840	----	----	22	----	233 +	22								
1725	40.00	40.00	40.00/24.10A	40.00/24.10A	----	25.40	- 7.80	.2258	----	----	1	----	50 +	1								
1750	----	----	46.60B/30.30A	46.60B/30.30A	----	32.50	- 9.10	.2729	----	----	----	----	80	UNCH								
1775	54.00	54.00	58.00B/37.80A	58.00B/37.80A	----	41.00	- 10.60	.3239	----	----	11	----	79 +	2								
1800	----	----	70.80B/46.70A	70.80B/46.70A	----	51.10	- 12.00	.3778	----	----	----	----	22	UNCH								
1825	----	----	85.20B/57.30A	85.20B/57.30A	----	62.60	- 13.30	.4328	----	----	----	----	15	UNCH								
1850	----	----	101.00B/69.20A	101.00B/69.20A	----	75.50	- 14.50	.4877	----	----	----	----	100	UNCH								
TOTAL											149		1030 +	140								

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
OCT26	CALL			
OG		4350	0	175
OG		4450	0	100
TOTALS			0	275
NOV26 CALL				
OG		4400	0	325
TOTALS			0	325
DEC26 CALL				
OG		4400	0	100
TOTALS			0	100
OG PUT COMEX GOLD OPTIONS				
OCT26	PUT			
OG		4300	0	135
TOTALS			0	135
NOV26 PUT				
OG		4000	0	400
OG		4150	0	50
OG		4300	0	200
TOTALS			0	650
DEC26 PUT				
OG		3650	0	300
OG		4050	0	300
OG		4200	0	50
OG		4250	0	100
TOTALS			0	750
MAR27 PUT				
OG		3900	0	75
TOTALS			0	75
JUN27 PUT				
OG		4000	0	220
TOTALS			0	220
SO CALL COMEX SILVER OPTIONS				
NOV26	CALL			
SO		7400	0	48
TOTALS			0	48
MAR27 CALL				
SO		10000	0	70
TOTALS			0	70
SO PUT COMEX SILVER OPTIONS				
NOV26	PUT			
SO		6200	0	48
TOTALS			0	48
DEC26 PUT				
SO		5500	0	28
TOTALS			0	28
JAN27 PUT				
SO		6000	0	100
TOTALS			0	100
JUN27 PUT				
SO		4700	0	70
TOTALS			0	70
HX CALL COMEX COPPER OPTIONS				
DEC26	CALL			
HX		750	0	104
TOTALS			0	104
MAR27 CALL				
HX		700	0	605
HX		770	0	575
HX		775	0	575
HX		850	0	500
TOTALS			0	2255
HRO OPT U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
OCT26	CALL			
HRO		125000	0	563
TOTALS			0	563
DEC26 CALL				
HRO		145000	0	563
TOTALS			0	563
EHO OPT NORTH EURO HRC STEEL(ARGUS) APO				
NOV26	CALL			
EHO		77500	0	250
TOTALS			0	250
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK2				
OCT26	CALL			
G2W		4400	0	100
TOTALS			0	100
RWS THU SILVER WEEKLY THURSDAY OPTION Week1				
OCT26	CALL			
R1S		7050	0	65
TOTALS			0	65