

Community Clinic Appointment Booking

Product Requirements Package

DRAFT — SYNTHETIC ILLUSTRATIVE EXAMPLE

Not evidence of stakeholder approval, real customer research, or benchmark performance.

Table of Contents

Table of Contents	2
product requirements document	3
Community Clinic Appointment Booking.....	3
Document control	3
Revision history.....	3
Review and approval	3
1. Introduction	3
1.1 Purpose.....	3
1.2 Intended audience.....	3
1.3 Background	3
1.4 Document conventions	3
1.5 References	4
1.6 Glossary.....	4
2. Executive summary	4
3. Business context.....	4
3.1 Problem statement	4
3.2 Current state	4
3.3 Goals and objectives.....	4
3.4 Success measures	4
3.5 Stakeholders	4
4. Solution overview	4
4.1 Proposed solution	4
4.2 Product boundary	4
4.3 Alternatives considered	4
5. Scope and release strategy	4
5.1 In scope — proposed.....	5
5.2 Out of scope — Release 1 proposal.....	5
5.3 MoSCoW summary	5
6. Users, actors, and permissions	5
7. Assumptions, constraints, dependencies, and risks	5
8. Journey and use case.....	5
UC-001 — Submit an appointment request.....	5
9. Business rules.....	5
10. Functional requirements.....	5
11. Non-functional requirements.....	6
12. Data requirements	7
13. Interfaces and integrations	7
14. Mobile experience and operations.....	7
15. Validation and acceptance strategy	7
16. Final readiness and approval status.....	7
user stories.....	8
Community Clinic Appointment Booking — User Stories	8
US-001 — Request an appointment.....	8
Acceptance criteria	8

US-002 — Understand request status	8
Acceptance criteria	8
US-003 — Recover from interrupted mobile use	8
Acceptance criteria	8
Story coverage notes	8
traceability	9
Community Clinic Appointment Booking — Traceability	9
Goal-to-requirement-to-story matrix	9
Acceptance evidence index	9
Coverage audit	9
open questions.....	10
Community Clinic Appointment Booking — Open Questions	10
Resolution policy	11

product requirements document

Community Clinic Appointment Booking

Document control

Field	Value
Document type	Business Requirements Document / Software Requirements Specification
Document owner	Product requirements workstream
Business owner	Open — clinic operations owner
Product owner	Open — product owner
Technical owner	Open — mobile engineering owner
Version	0.1
Status	Draft
Classification	Illustrative synthetic example
Created	2026-09-21
Last revised	2026-09-21
Target release	Release 1 — proposed

This package is synthetic and illustrative. It is not evidence of stakeholder approval, real customer research, a real implementation commitment, or benchmark performance. Blank approval fields do not imply approval.

Revision history

Version	Date	Author	Change summary	Review status
0.1	2026-09-21	Codex	Initial synthetic requirements package	Draft; not approved

Review and approval

Role	Name	Decision	Date	Conditions or comments
Clinic operations owner	Open	Pending	—	Must review service and scheduling scope
Product owner	Open	Pending	—	Must approve proposed Release 1 scope
Privacy owner	Open	Pending	—	Must decide retention and deletion

1. Introduction

1.1 Purpose

Define a reviewable, testable proposal for a mobile application through which authenticated clinic patients can request appointments. This document governs requirements review for the fictional Release 1 scenario.

1.2 Intended audience

The intended audience is the fictional clinic operations owner, product owner, mobile and service engineering teams, quality assurance, privacy, accessibility, support, and stakeholders reviewing the synthetic example.

1.3 Background

The supplied synthetic scenario describes a mobile appointment-booking product for a community clinic. It states that patients need to request appointments from a mobile device. Details not stated in the scenario are proposals or open questions below.

1.4 Document conventions

Confirmed input means directly stated by the synthetic scenario; it does not mean stakeholder-confirmed. Proposed means a recommendation requiring approval. Open means material information is missing. IDs are stable. Priorities use Must Have, Should Have, Could Have, and Won't Have (this release).

1.5 References

- benchmarks/product-requirements/sample-results.md — synthetic working brief and sample evidence.
- skills/product-requirements/assets/formal-product-documentation-template.md — controlled structure.
- skills/product-requirements/references/mobile.md — mobile concerns.
- skills/product-requirements/references/quality-gate.md — quality-gate criteria.

1.6 Glossary

Term	Definition
Appointment request	A patient-submitted request for a service and available slot; it is not assumed to be a confirmed appointment.
Slot	A time option offered by the scheduling source. Availability ownership is open.
Release 1	The proposed first release described in this draft.

2. Executive summary

The synthetic scenario proposes enabling patients to request clinic appointments from a mobile app. Release 1 proposes authentication, service and slot selection, request submission, confirmation, validation, and slot-conflict handling. Provider availability rules, supported device versions, data retention, accessibility baseline, notifications, and approval authority remain open. The package is Pass with open decisions, not approved.

3. Business context

3.1 Problem statement

Confirmed input from the synthetic scenario: patients need a mobile way to request clinic appointments. The scenario does not provide a current-state baseline, volume, failure rate, or evidence of a real clinic problem.

3.2 Current state

Current appointment-request channels, existing systems, manual workarounds, and baseline measures are Open (OQ-004). They must not be inferred from this synthetic brief.

3.3 Goals and objectives

ID	Goal	Measure	Baseline	Target	Measurement owner
GOAL-001	Enable patients to request clinic appointments from a supported mobile device.	Successful request completion in acceptance testing	Open	Proposed Release 1 journey passes	Product owner

3.4 Success measures

Release 1 should measure request completion, validation failures, slot conflicts, duplicate submissions, crash rate, and support contacts. Baselines, thresholds, instrumentation, and privacy constraints are open (OQ-005).

3.5 Stakeholders

Stakeholder or role	Interest	Responsibility	Decision authority	Engagement needed
Patients	Request care	Use the mobile journey; provide usability input	Open	Usability and acceptance review
Clinic operations owner	Scheduling policy	Define services, durations, and availability	Open	Scope and business-rule approval
Product owner	Outcome and scope	Prioritize Release 1	Open	Requirements approval
Privacy owner	Patient data	Define retention, deletion, and privacy controls	Open	Privacy review
Mobile engineering owner	Delivery and support	Confirm platform feasibility	Open	Technical review

4. Solution overview

4.1 Proposed solution

Provide a mobile flow where an authenticated patient selects a clinic service, selects an available slot, submits one request, and receives a confirmation or actionable validation/conflict message.

4.2 Product boundary

The app owns patient interaction, validation feedback, request submission, and confirmation display. The source of truth for service availability, scheduling, identity, notifications, and patient records is not specified and remains open.

4.3 Alternatives considered

Alternative	Benefits	Costs or risks	Decision
Keep phone-only requests	No new app	Does not address the synthetic mobile objective	Not selected for this proposal
Mobile appointment request flow	Directly addresses the stated scenario	Requires identity, scheduling, privacy, and support decisions	Proposed

5. Scope and release strategy

5.1 In scope — proposed

- Authenticated patient access.
- Service and available-slot selection.
- Single appointment-request submission.
- Validation, confirmation, and slot-conflict recovery.
- Mobile accessibility, connectivity, lifecycle, and support considerations.

5.2 Out of scope — Release 1 proposal

Provider roster management, payment, clinical records, diagnosis, emergency triage, appointment cancellation/rescheduling, and multi-clinic administration are excluded unless approved through scope change.

5.3 MoSCoW summary

Priority	Included items	Rationale	Decision owner
Must Have	Authenticated request flow, required-field validation, conflict handling	Core objective and safe failure behavior	Product owner
Should Have	Confirmation within 3 seconds after successful server acknowledgement; measurable support diagnostics	Important quality and support outcomes, but thresholds need approval	Product and engineering owners
Could Have	Optional push or email notification; saved preferences	Useful but not required for initial request submission	Product owner
Won't Have (this release)	Payments, clinical records, provider administration	Outside the proposed first-release objective	Product owner

6. Users, actors, and permissions

Role	View	Create	Update	Delete	Administrative actions
Authenticated patient	Own services, slots, and requests	Own appointment request	Open	Open	None
Clinic operations staff	Open	Open	Open	Open	Define services and availability — open
Support staff	Open	Open	Open	Open	Diagnostic access — open

Authentication method, authorization boundaries, account recovery, and staff access are open (OQ-006).

7. Assumptions, constraints, dependencies, and risks

ID	Type	Statement	Status
CON-001	Constraint	The proposal must support mobile use; exact iOS/Android versions are open.	Proposed
DEP-001	Dependency	A trusted service must provide service and slot availability and accept requests.	Open
RISK-001	Risk	Stale or concurrently claimed slots could produce duplicate or misleading requests.	Open; mitigation requires scheduling design
RISK-002	Risk	Undefined patient-data retention could create privacy and operational exposure.	Open; privacy review required

8. Journey and use case

UC-001 — Submit an appointment request

Actor: authenticated patient. Trigger: patient selects a service and available slot. Preconditions: identity is valid and availability data is accessible. Normal flow: select service → select slot → submit → service validates and records one request → app shows confirmation identifier. Exceptions: missing selection, expired slot, duplicate pending request, network failure, or service rejection. Postcondition: a recorded request exists or the patient receives an actionable failure without an unintended duplicate.

9. Business rules

ID	Rule	Source or owner	Verification
BR-001	A request requires a service and slot selection.	Proposed; product owner	Validation test
BR-002	A patient must not create a duplicate request for the same slot while a prior request is pending.	Proposed; clinic operations owner	Duplicate-submission test
BR-003	A slot conflict must not be reported as a successful request.	Proposed; clinic operations owner	Conflict test

10. Functional requirements

ID	Requirement	Rationale/source	MoSCoW	Release	Dependencies	Verification	Status
FR-001	The app shall allow an authenticated patient to select a clinic service, choose an available slot, and submit one appointment request.	Synthetic scenario; core objective	Must Have	Release 1	DEP-001, OQ-006	Valid submission test	Proposed
FR-002	The app shall identify each missing required selection and preserve other entered selections when submission validation fails.	Synthetic sample; validation behavior	Must Have	Release 1	BR-001	Missing-field test	Proposed
FR-003	The app shall show a conflict message and offer another slot when the selected slot is unavailable at submission time.	Synthetic sample; boundary/failure behavior	Must Have	Release 1	BR-003, DEP-001	Slot-conflict test	Proposed
FR-004	The app shall show a confirmation containing a request identifier only after the service acknowledges a successful request.	Prevents false confirmation	Must Have	Release 1	DEP-001	Success and service-rejection tests	Proposed
FR-005	The app shall prevent a repeated submission from creating a duplicate pending request for the same slot.	BR-002; data integrity	Must Have	Release 1	DEP-001	Retry and duplicate test	Proposed

11. Non-functional requirements

ID	Category	Requirement and target	Measurement	MoSCoW	Release	Status
NFR-001	Performance	Confirmation should display within 3 seconds after successful server acknowledgement under the agreed network profile.	Instrumented device/network test	Should Have	Release 1	Proposed; profile open
NFR-002	Accessibility	The request journey shall meet the accessibility baseline selected for supported mobile platforms,	Accessibility test matrix	Must Have	Release 1	Open baseline (OQ-003)

		including labels, focus order, contrast, and error announcement.				
NFR-003	Reliability	A transient network failure shall not cause an unacknowledged request to be silently retried as a duplicate.	Fault-injection and reconciliation test	Must Have	Release 1	Proposed
NFR-004	Privacy	Collection, retention, deletion, and access to appointment-request data shall follow the approved clinic privacy policy.	Privacy review and data-lifecycle test	Must Have	Release 1	Open policy (OQ-002)
NFR-005	Compatibility	The app shall be tested on the supported iOS and Android versions, devices, orientations, and connectivity states approved for Release 1.	Compatibility matrix	Should Have	Release 1	Open platform scope (OQ-003)

12. Data requirements

The likely entities are Patient Identity, Service, Slot, Appointment Request, and Request Event. Ownership, classification, retention, deletion, audit, and system of record are open (OQ-002, OQ-006). Do not store clinical records in this proposed scope.

13. Interfaces and integrations

An identity service and scheduling/availability service are proposed dependencies. Interface contracts, authentication, availability, retry semantics, and ownership are open (OQ-006, OQ-007).

14. Mobile experience and operations

The design must address first launch, sign-in, lifecycle interruption, poor connectivity, retry, keyboard and safe-area behavior, localization/time zones, dark mode, accessibility services, crash reporting, consent, support diagnostics, staged rollout, and rollback. Exact choices are proposals or open decisions until platform and operations owners review them.

15. Validation and acceptance strategy

Review entry criteria: source scenario is available, IDs are stable, and owners are assigned. Exit criteria: requirements are reviewed, open decisions have owners and dates, all goals map to requirements, every requirement has verification, and mobile compatibility/accessibility evidence is retained. Acceptance authority is open (OQ-008).

16. Final readiness and approval status

Quality-gate result: Pass with open decisions. The package demonstrates explicit evidence labels, scope, MoSCoW priorities, atomic requirements, testable stories, traceability, and open-question ownership. It is not approved and is not ready for implementation authorization until the blocking open decisions are resolved and the designated stakeholders sign off. See user-stories.md, traceability.md, and open-questions.md.

user stories

Community Clinic Appointment Booking — User Stories

[Draft, synthetic, and illustrative. These stories are proposals for review, not stakeholder-approved scope.]

US-001 — Request an appointment

Story: As an authenticated patient, I want to select a service and available slot so that I can request care without calling the clinic.

- Linked requirements: GOAL-001, FR-001, FR-002, FR-003, FR-004, FR-005
- Priority/release: Must Have; proposed Release 1.
- Preconditions: The patient is authenticated; service and availability data can be retrieved.
- Business rules: BR-001, BR-002, BR-003.
- Dependencies: DEP-001; identity and platform decisions in OQ-003, OQ-006, and OQ-007.

Acceptance criteria

Given I am authenticated and have selected a service and available slot When I submit the appointment request Then the request is submitted once And I see a confirmation containing the request identifier
Given I have not selected a required service or slot When I submit the request Then the app identifies the missing selection And preserves my other selections And does not create a request
Given the selected slot is taken before submission completes When the service rejects the request for a slot conflict Then the app explains that the slot is unavailable And lets me choose another slot And does not show a success confirmation
Given I retry after an ambiguous network failure When the service has already recorded the request Then the app does not create a duplicate pending request And shows the existing request outcome when it can be reconciled
Given the request journey is presented on a supported mobile device When I use a screen reader or keyboard navigation where supported Then controls have meaningful labels, focus order is logical, and validation errors are announced

US-002 — Understand request status

Story: As an authenticated patient, I want to see whether my request was accepted or rejected so that I know what to do next.

- Linked requirements: FR-003, FR-004, NFR-003.
- Priority/release: Should Have; proposed Release 1, subject to status-source decisions.
- Preconditions: A request outcome exists or the service can report its state.
- Open questions: OQ-001, OQ-007.

Acceptance criteria

Given my request was acknowledged successfully When I view the result Then I see the request identifier and its current status
Given the service rejects my request When I view the result Then I see an actionable explanation And I am not told that an appointment was confirmed
Given the status service is unavailable When I open the result Then the app explains that status is temporarily unavailable And does not replace the last known status with an invented value

US-003 — Recover from interrupted mobile use

Story: As a patient using a mobile device, I want the app to recover safely after interruption or poor connectivity so that I do not lose selections or submit duplicates.

- Linked requirements: FR-002, FR-005, NFR-003, NFR-005.
- Priority/release: Must Have; proposed Release 1.
- Preconditions: The user has entered selections and the app is interrupted or connectivity changes.
- Open questions: OQ-003, OQ-007.

Acceptance criteria

Given I have selected a service and slot When the app is interrupted before submission Then returning to the journey preserves or clearly resets the selections according to the approved policy
Given connectivity is lost before the request is acknowledged When I return to the app Then I see that the outcome is unknown or can be checked And the app does not silently submit a second request
Given the device is not on a supported platform version When I start the app Then the app communicates the support limitation And does not present the journey as fully supported

Story coverage notes

All stories are proposals. NFR-001, NFR-002, and NFR-004 also require non-story verification through performance, accessibility, privacy, and data-lifecycle reviews.

traceability

Community Clinic Appointment Booking — Traceability

Draft, synthetic, and illustrative. “Covered” means the draft identifies verification evidence; it does not mean testing or approval has occurred.

Goal-to-requirement-to-story matrix

Goal	Requirement	Story/use case	Acceptance evidence or test	Release	Status
GOAL-001	FR-001	UC-001, US-001	Valid submission and confirmation test	Release 1	Covered by proposed test
GOAL-001	FR-002	US-001, US-003	Missing-field and interruption tests	Release 1	Covered by proposed test
GOAL-001	FR-003	UC-001, US-001	Slot-conflict rejection test	Release 1	Covered by proposed test
GOAL-001	FR-004	US-001, US-002	Acknowledgement and rejection tests	Release 1	Covered by proposed test
GOAL-001	FR-005	US-001, US-003	Retry and duplicate-submission test	Release 1	Covered by proposed test
GOAL-001	NFR-001	—	Instrumented performance test under approved network profile	Release 1	Non-story verification; profile open
GOAL-001	NFR-002	US-001	Accessibility matrix and assistive-technology test	Release 1	Non-story verification; baseline open
GOAL-001	NFR-003	US-003	Fault-injection and reconciliation test	Release 1	Covered by proposed test
GOAL-001	NFR-004	—	Privacy review and data-lifecycle test	Release 1	Non-story verification; policy open
GOAL-001	NFR-005	US-003	Supported-device and connectivity matrix	Release 1	Non-story verification; platform scope open

Acceptance evidence index

Evidence ID	Evidence	Covers	Owner	Status
TEST-001	Valid request submission	FR-001, FR-004, US-001	QA owner — open	Planned
TEST-002	Missing field and preserved state	FR-002, US-001	QA owner — open	Planned
TEST-003	Slot conflict and alternate selection	FR-003, US-001	QA/operations — open	Planned
TEST-004	Retry and duplicate prevention	FR-005, NFR-003, US-003	QA/engineering — open	Planned
TEST-005	Accessibility coverage	NFR-002, US-001	Accessibility owner — open	Planned
TEST-006	Performance measurement	NFR-001	Engineering — open	Planned
TEST-007	Privacy and retention review	NFR-004	Privacy owner — open	Planned
TEST-008	Platform/connectivity matrix	NFR-005, US-003	Mobile QA — open	Planned

Coverage audit

- Goals without requirements: None in this draft; GOAL-001 maps to FR-001–FR-005 and NFR-001–NFR-005.
- Requirements without verification: None identified; non-story verification is explicitly recorded for quality, privacy, accessibility, and performance requirements.
- Stories without requirements: None; US-001–US-003 link to requirements.
- Tests without a justified requirement: None; TEST-001–TEST-008 map to requirements.
- Coverage limitation: Evidence is planned, not executed. Availability, identity, platform, privacy, and acceptance owners remain open.

open questions

Community Clinic Appointment Booking — Open Questions

Draft, synthetic, and illustrative. These questions must be resolved by named stakeholders before the package can be approved or implementation-authorized.

ID	Question or decision	Owner	Impact	Affected IDs	Needed by	Status
OQ-001	Which clinic services, appointment durations, time zones, and slot rules are in Release 1?	Clinic operations owner	Defines service catalogue, availability, and FR-001 behavior.	FR-001, BR-001, DEP-001	Scope approval	Open
OQ-002	What privacy policy, retention period, deletion process, and data classification apply to appointment requests?	Privacy owner	Changes NFR-004, data lifecycle, support, and compliance work.	NFR-004, RISK-002	Before implementation authorization	Open
OQ-003	Which iOS/Android versions, devices, orientations, accessibility baseline, and localization/time-zone rules are supported?	Product and mobile leads	Defines NFR-002, NFR-005, test matrix, and release scope.	CON-001, NFR-002, NFR-005	Before release planning	Open
OQ-004	What current channels, baseline volumes, failure rates, and operational workarounds exist today?	Clinic operations owner	Needed to validate the problem and success measures.	GOAL-001	Before business approval	Open
OQ-005	Which success metrics, thresholds, analytics events, consent rules, and support signals are approved?	Product and privacy owners	Defines outcome measurement and observability.	GOAL-001, NFR-001	Before acceptance planning	Open
OQ-006	How do patients authenticate, recover accounts, and how are staff/support permissions authorized and audited?	Product and security owners	Defines access control, privacy, and identity dependencies.	FR-001, NFR-004, DEP-001	Before architecture approval	Open
OQ-007	Which identity, scheduling, availability, notification, and status systems are the systems of record, and what are their retry/idempotency contracts?	Technical owner and clinic operations owner	Defines integration, conflict handling, reconciliation, and failure recovery.	FR-003, FR-005, NFR-003, DEP-001	Before technical design	Open
OQ-008	Who is the acceptance authority, what review evidence is required, and what constitutes formal sign-off?	Business and product owners	Determines exit criteria and approval status.	All requirements	Before approval	Open

Resolution policy

Until each question is resolved, affected items remain Proposed or Open. A decision should record the date, decision-maker, evidence, affected IDs, and any requirement revision. No blank approval field should be interpreted as approval.