Java

Case study –4

Employee Salary Calculator

1 code

```java
import java.util.Scanner;

class employee {  2 usages  new *

    int employeeId;  2 usages
    String name;  2 usages
    int basicSalary;  5 usages

    void calculateSalary() {  1 usage  new *

        double hra = basicSalary * 0.20;
        double da = basicSalary * 0.10;
        double grossSalary = basicSalary + hra + da;

        System.out.println("\nEmployee ID: " + employeeId);
        System.out.println("Name: " + name);
        System.out.println("Basic Salary: " + basicSalary);
        System.out.println("HRA: " + hra);
        System.out.println("DA: " + da);
        System.out.println("Gross Salary: " + grossSalary);
    }
}
```

```java
public class casestudy3 {  Dinesh *

    public static void main(String[] args) {  new *

        Scanner sc = new Scanner(System.in);

        employee e = new employee();

        System.out.print("Enter Employee ID: ");
        e.employeeId = sc.nextInt();

        sc.nextLine();

        System.out.print("Enter Name: ");
        e.name = sc.nextLine();

        System.out.print("Enter Basic Salary: ");
        e.basicSalary = sc.nextInt();

        e.calculateSalary();
    }
}
```

2 output

```
Enter Employee ID: 101
Enter Name: Dinesh
Enter Basic Salary: 20000

Employee ID: 101
Name: Dinesh
Basic Salary: 20000
HRA: 4000.0
DA: 2000.0
Gross Salary: 26000.0

Process finished with exit code 0
```