
Java

Case study –6

Product Prize Calculator

1 code



```java
import java.util.Scanner;

class Product {  2 usages  new *

    int productId;  2 usages
    String productName;  2 usages
    int price;  2 usages
    int quantity;  2 usages

    int totalCost() {  1 usage  new *
        return price * quantity;
    }
}

public class casestudy4 {  Dinesh *

    public static void main(String[] args) {  new *

        Scanner sc = new Scanner(System.in);

        Product p = new Product();

        System.out.print("Enter Product ID: ");
        p.productId = sc.nextInt();

        sc.nextLine();

        System.out.print("Enter Product Name: ");
        p.productName = sc.nextLine();

        System.out.print("Enter Price: ");
        p.price = sc.nextInt();

        System.out.print("Enter Quantity: ");
        p.quantity = sc.nextInt();
```

```
34          System.out.print("Enter Quantity: ");
35          p.quantity = sc.nextInt();
36
37          int totalBill = p.totalCost();
38
39          System.out.println("\nProduct ID: " + p.productId);
40          System.out.println("Product Name: " + p.productName);
41          System.out.println("Total Cost: " + totalBill);
42
43          if (totalBill > 5000) {
44              double discount = totalBill * 0.10;
45              totalBill = totalBill - (int) discount;
46
47              System.out.println("Discount: " + discount);
48          }
49
50          System.out.println("Final Bill: " + totalBill);
51      }
52  }
```

2 output

```
Enter Product ID: 101
Enter Product Name: chair
Enter Price: 1000
Enter Quantity: 10

Product ID: 101
Product Name: chair
Total Cost: 10000
Discount: 1000.0
Final Bill: 9000

Process finished with exit code 0
```