
Java SB Case Study 3

~Book Management System~

1 — Project Structure--



2 — Book.java

BookManagementApplication.ja... | Book.java | BookManagement/pom.xml

```java
package com.example.demohai;

import jakarta.persistence.Entity;

@Entity
public class Book {

    @Id
    private Long id;

    private String title;
    private String author;
    private Double price;

    public Book() {
    }

    public Long getId() {
        return id;
    }

    public void setId(Long id) {
        this.id = id;
    }

    public String getTitle() {
        return title;
    }

    public void setTitle(String title) {
        this.title = title;
    }

    public String getAuthor() {
        return author;
    }


    public void setAuthor(String author) {
        this.author = author;
    }

    public Double getPrice() {
        return price;
    }

    public void setPrice(Double price) {
        this.price = price;
    }
}

```


3 —BookController.java




4 —BookRepository.java



5 — application. Properties



6— BookManagement/pom.xml


BookManagementApplication.java
BookManagement/pom.xml
application.properties
BookRepository.java
BookController.java
Book.java
https://maven.apache.org/xsd/maven-4.0.0.xsd (xsi:schemaLocation)
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd">
<modelVersion>4.0.0</modelVersion>
<parent>
<groupId>org.springframework.boot</groupId>
<artifactId>spring-boot-starter-parent</artifactId>
<version>4.1.2</version>
<relativePath/> <!-- lookup parent from repository -->
</parent>
<groupId>com.example</groupId>
<artifactId>BookManagement</artifactId>
<version>0.0.1-SNAPSHOT</version>
<name>BookManagement</name>
<description>demologhai</description>
<url/>
<licenses>
<license/>
</licenses>
<developers>
<developer/>
</developers>
<scm>
<connection/>
<developerConnection/>
<tag/>
<url/>
</scm>
<properties>
<java.version>25</java.version>
</properties>

BookManagementApplication.java | BookManagement/pom.xml | application.properties | BookRepository.java | BookController.java | Book.java

```
<dependencies> Add Spring Boot Starters...
    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-data-jpa</artifactId>
    </dependency>

    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-webmvc</artifactId>
    </dependency>

    <dependency>
        <groupId>com.mysql</groupId>
        <artifactId>mysql-connector-j</artifactId>
        <scope>runtime</scope>
    </dependency>

    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-data-jpa-test</artifactId>
        <scope>test</scope>
    </dependency>


    <dependency>
        <groupId>org.springframework.boot</groupId>
        <artifactId>spring-boot-starter-webmvc-test</artifactId>
        <scope>test</scope>
    </dependency>
</dependencies>



    <build>
        <plugins>
            <plugin>
                <groupId>org.springframework.boot</groupId>
                <artifactId>spring-boot-maven-plugin</artifactId>
            </plugin>
        </plugins>
    </build>

</project>


```

Query-1: POST — New book insert and Check in MySQL:





Query-2: GET


GET
http://localhost:8082/books
Send
Docs
Params
Authorization
Headers 8
Body
Scripts
Settings
Cookies
raw
JSON
Schema
Beautify
{
"id": 1,
"title": "Java Basics",
"author": "Nobita",
"price": 450
}
Body
200 OK
489 ms
220 B
Load test
Save Response
JSON
Preview
Visualize
[
{
"author": "Nobita",
"id": 1,
"price": 450.0,
"title": "Java Basics"
}
]


Untitled-1.sql

```
1   SELECT * FROM book;
```


Output | Result #1

id	author	price	title
1	Nobita	450	Java Basics


Query-3: GET by ID — Ek particular book dekhna.




~On MySQL


Untitled-1.sql
1 SELECT * FROM book
2 WHERE id = 10;
Output
Result #1
id
author
price
title
10
Rahul
350
Python Basics


Query-4: PUT — Book ki details update karna




~MySQL main verify karo:



Query-5: DELETE — Ek book delete Karna





Query-6: SQL se total books count karna

