

The universe of personas

Six core families retain all 11 baseline identifiers as personas, profiles, modes or a migration state.

External client people

External Client User

- EXT-USR-S Single entity profile
- EXT-USR-M Multi entity profile
- EXT-USR-NB Non-Billable profile

Delegated Client Administrator

- EXT-ADM Organisation administration

Euroclear workforce

Workforce Operator

- INT-MOD-CLI Simulated client mode
- INT-MOD-IMP Represented client mode

Internal Business Administrator

- INT-MOD-ADM

Platform Administrator

- INT-MOD-SFT PAM governed

Non human workloads

Non Human Workload

- NHI-SWF-SYS Financial system
- NHI-SCM-API SCIM provisioning client


Additional service and automation profiles require discovery confirmation.

TRN-UAM-JIT

Migration state on an eligible legacy identity. Its underlying persona and access controls still apply.

Persona context and independent dimensions

One identity can carry several profiles and states without creating several independent identities.



ILLUSTRATIVE COMBINATION

External Client User	EXT-USR-M	EXT-USR-NB	TRN-UAM-JIT
	EB + ESES + EUI	Non-Billable for a stated service	Legacy coexistence state

Client population combinations

The four supplied families produce 15 possible non-empty exact cohorts. Actual populations require confirmation.

Exact membership set	EB	ESES	EUI	Nordics
EB	Yes			
ESES		Yes		
EUI			Yes	
Nordics				Yes
EB + ESES	Yes	Yes		
EB + EUI	Yes		Yes	
EB + Nordics	Yes			Yes
ESES + EUI		Yes	Yes	
ESES + Nordics		Yes		Yes
EUI + Nordics			Yes	Yes
EB + ESES + EUI	Yes	Yes	Yes	
EB + ESES + Nordics	Yes	Yes		Yes
EB + EUI + Nordics	Yes		Yes	Yes
ESES + EUI + Nordics		Yes	Yes	Yes
EB + ESES + EUI + Nordics	Yes	Yes	Yes	Yes

INCLUSIVE INTERSECTION

EB ∩ ESES

Includes every highlighted row, even with EUI or Nordics membership.

EXACT COHORT


EB + ESES

Contains only these two family memberships.

Entity grants remain explicit inside each family.

Identity authority and domain boundaries

CIAM evaluates external access while workforce IDAM and PAM retain their own identity and privilege authorities.



Workloads use separate credential controls. Platform administration uses a separate PAM management path.

Assurance and access control interpretation

Authentication targets remain proposals. Channels and commercial status do not grant authority.

Use case	Proposed control target	Channel context
External client operations	AAL2 baseline AAL3 for multi entity and sensitive actions	Internet or BT Radianz
Delegated, workforce and privileged modes	AAL3 Fresh checks for support or elevation	Approved client or internal administration channel
Financial and provisioning workloads	Separate machine credential policy mTLS / private key JWT and token binding	SWIFTnet, BT Radianz or Internet as the service supports
Legacy coexistence	AAL2 for eligible journeys AAL3 access requires suitable authentication	Eligible legacy client channel

AAL3 requires evidence of the complete human authentication process. Machine keys use a separate policy.

BOARD CONFIRMATION	Taxonomy and coverage Entity and tenant ownership	Assurance and support policy Workforce authority boundaries	Commercial attribute scope Lifecycle and migration ownership
--------------------	--	--	---