

Exp .No : 10

Date : 06/09/2024

## IMPLEMENT THE MAX TEMPERATURE MAPREDUCE PROGRAM TO IDENTIFY THE YEAR WISE MAXIMUM TEMPERATURE FROM SENSOR

### AIM:

To implement the max temperature Mapreduce program to identify the year wise maximum temperature from sensor.

### PROCEDURE:

#### Step 1: Create Data File:

Create a file named "sample\_weather.txt" and populate it with text data that you wish to analyse.

Date	Time	Station ID	Temp	Dew	Wind	Humid	Press	Cloud	Visib	Relat	Wind	Dir	Speed	Dir	Speed	Dir	Speed	Dir	Speed
690190	13910	20060201_0	51.75	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_1	54.74	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_2	50.59	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_3	51.67	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_4	65.67	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_5	55.37	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_6	49.26	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_7	55.44	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_8	64.05	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_9	68.77	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_10	48.93	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_11	65.37	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_12	69.45	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_13	52.91	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_14	53.69	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_15	53.30	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_16	66.17	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_17	53.83	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_18	50.54	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	
690190	13910	20060201_19	50.27	33.0	24	1006.3	24	943.9	24	15.0	24	10.7	24	22.0	28.9	0.001	999.9	000000	

#### Step 2: Mapper Logic - mapper.py:

Create a file named "mapper.py" to implement the logic for the mapper. The mapper will read input data from STDIN, split lines into words, and output each word with its count.

#### mapper.py:

```
#!/usr/bin/python
3 import sys
def map1():
    for line in sys.stdin:
        tokens = line.strip().split()
        if len(tokens) < 13:
            continue
        station = tokens[0]
        if "STN" in station:
            continue
        date_hour = tokens[2]
        temp = tokens[3]
        dew = tokens[4]
        wind = tokens[12]
        if temp == "9999.9" or dew == "9999.9" or wind == "999.9":
            continue
        hour = int(date_hour.split("_")[-1])
        date = date_hour[:date_hour.rfind("_")-2]
        if 4 < hour <= 10:
            section = "section1"
```

```

elif 10 < hour <= 16:
    section = "section2"
elif 16 < hour <= 22:
    section = "section3"
else:
    section = "section4"
key_out = f"{station}_{date}_{section}"
value_out = f"{temp} {dew} {wind}"
print(f"{key_out}\t{value_out}")
if __name__ == "__main__":
    map1()

```

### Step 3: Reducer Logic - reducer.py:

Create a file named "reducer.py" to implement the logic for the reducer. The reducer will aggregate the occurrences of each word and generate the final output.

#### reducer.py:

```

#!/usr/bin/python
3 import sys
def reduce1():
    current_key = None
    sum_temp, sum_dew, sum_wind = 0, 0, 0
    count = 0
    for line in sys.stdin:
        key, value = line.strip().split("\t")
        temp, dew, wind = map(float, value.split())
        if current_key is None:
            current_key = key
            if key == current_key:
                sum_temp += temp
                sum_dew += dew
                sum_wind += wind
                count += 1
            else:
                avg_temp = sum_temp / count
                avg_dew = sum_dew / count
                avg_wind = sum_wind / count
                print(f"{current_key}\t{avg_temp} {avg_dew} {avg_wind}")

                current_key = key
                sum_temp, sum_dew, sum_wind = temp, dew, wind
                count = 1
        if current_key is not None:
            avg_temp = sum_temp / count
            avg_dew = sum_dew / count
            avg_wind = sum_wind / count
            print(f"{current_key}\t{avg_temp} {avg_dew} {avg_wind}")
if __name__ == "__main__":
    reduce1()

```

### Step 4: Prepare Hadoop Environment:

Start the Hadoop daemons and create a directory in HDFS to store your data. Run the following commands to store the data in the WeatherData Directory.


```
start-all.cmd cd C:/Hadoop/sbin hdfs dfs -mkdir /WeatherData hdfs dfs -put
C:/Users/user/Documents/DataAnalytics2/input.txt /WeatherData hadoop jar
C:\hadoop\share\hadoop\tools\lib\hadoop-streaming-3.3.6.jar ^
-input /user/input/sample_weather.txt ^
-output /user/output ^
-mapper "python C:/Users/user/Documents/DataAnalytics2/mapper.py" ^
-reducer "python C:/Users/user/Documents/DataAnalytics2/reducer.py"
```

### Step 5: Check Output:

Check the output of the Word Count program in the specified HDFS output directory.

```
hdfs dfs -cat /WeatherData/output/part-00000
```

### OUTPUT:



```
Administrator: Command Prompt
Microsoft Windows [Version 10.0.19045.4780]
(c) Microsoft Corporation. All rights reserved.

C:\WINDOWS\system32>start-all.cmd
This script is Deprecated. Instead use start-dfs.cmd and start-yarn.cmd
starting yarn daemons

C:\WINDOWS\system32>jps
11104 Jps
12868 DataNode
11288 ResourceManager
12456 NodeManager
5596 NameNode

C:\WINDOWS\system32>hdfs dfs -mkdir /WeatherData


C:\WINDOWS\system32>hdfs dfs -put C:/Users/user/Documents/DataAnalytics2/input.txt /WeatherData
```

```
C:\Windows\System32>hadoop fs -put -f "C:\DataAnalytics\weather_data.csv" /user

C:\Windows\System32>hadoop jar C:\hadoop\share\hadoop\tools\lib\hadoop-streaming-3.3.6.jar -input /user/
weather_data.csv -output /user/output-data -mapper "python C:\DataAnalytics\mapper2.py" -reducer "python
C:\DataAnalytics\reducer2.py"
packageJobJar: [C:\Users\mukhi\AppData\Local\Temp\hadoop-unjar7550275609567415463/] [] C:\Users\mukhi\
oData\local\Temp\hadoop-unjar7550275609567415463.jar tmpDir=null
2024-08-27 01:42:48,037 INFO client.DefaultHadoopFailoverProxyProvider: Connecting to ResourceManager at
1/0.0.0.0:8032
2024-08-27 01:42:48,456 INFO client.DefaultHadoopFailoverProxyProvider: Connecting to ResourceManager at
1/0.0.0.0:8032
2024-08-27 01:42:49,991 INFO mapreduce.JobResourceUploader: Disabling Erasure Coding For path: /tap/had
op-yarn/staging/MP7/staging/job_1724701884018_0001
2024-08-27 01:42:50,700 INFO mapred.FileInputFormat: Total input files to process : 1
2024-08-27 01:42:50,886 INFO mapreduce.JobSubmitter: number of splits:2
2024-08-27 01:42:51,214 INFO mapreduce.JobSubmitter: Submitting tokens for job: job_1724701884018_0001
2024-08-27 01:42:51,215 INFO mapreduce.JobSubmitter: Executing with tokens: []
2024-08-27 01:42:51,574 INFO conf.Configuration: resource-types.xml not found
2024-08-27 01:42:51,575 INFO resource.ResourceUtils: Unable to find 'resource-types.xml'.
2024-08-27 01:42:52,327 INFO impl.YarnClientImpl: Submitted application application_1724701884018_0001
2024-08-27 01:42:52,448 INFO mapreduce.Job: The url to track the job: http://Teejay:8088/proxy/applicati
on_1724701884018_0001/
2024-08-27 01:42:52,451 INFO mapreduce.Job: Running job: job_1724701884018_0001
2024-08-27 01:43:31,204 INFO mapreduce.Job: Job job_1724701884018_0001 running in uber mode : false
2024-08-27 01:43:31,207 INFO mapreduce.Job: map 0% reduce 0%
2024-08-27 01:44:07,318 INFO mapreduce.Job: map 50% reduce 0%
2024-08-27 01:44:12,383 INFO mapreduce.Job: map 100% reduce 0%
2024-08-27 01:44:40,710 INFO mapreduce.Job: map 100% reduce 100%
2024-08-27 01:44:45,936 INFO mapreduce.Job: Job job_1724701884018_0001 completed successfully
2024-08-27 01:44:46,227 INFO mapreduce.Job: Counters: 55

File System Counters
  FILE: Number of bytes read=30230362
  FILE: Number of bytes written=61315625
  FILE: Number of read operations=0
  FILE: Number of large read operations=0
  FILE: Number of write operations=0
  HDFS: Number of bytes read=104100296
  HDFS: Number of bytes written=156
  HDFS: Number of read operations=11
  HDFS: Number of large read operations=0
  HDFS: Number of write operations=3
  HDFS: Number of bytes read erasure-coded=0

Job Counters
  Killed map tasks=1
  Launched map tasks=2
  Launched reduce tasks=1
  Task-local map tasks=2
  Total time spent by all maps in occupied slots (ms)=54433
  Total time spent by all reduces in occupied slots (ms)=25478
  Total time spent by all map tasks (ms)=54433
```



The screenshot shows the Hadoop Distributed File System (HDFS) web interface. A file named 'part-00000' is selected, and its details are displayed. The file is located at the path '/user/output-data/WeatherData/output'. The file size is 212 bytes. The block information shows it is stored in a single block (Block ID: 1073741954) on the node LAPTOP-TD43SCQHT. The file contents are displayed as a table with 4 columns and 4 rows of hexadecimal data.

Block ID	Block Size	Block Replication	Block Location
1073741954	212	1	LAPTOP-TD43SCQHT

The file contents are displayed as a table with 4 columns and 4 rows of hexadecimal data.

Block ID	Block Size	Block Replication	Block Location
1073741954	212	1	LAPTOP-TD43SCQHT

## RESULT:

Thus, the Mapreduce program to identify the year wise maximum temperature from sensor has been executed successfully.