

```
PS C:\Users\jaswa\Downloads\Cognizant DeepSkilling\Selenium Basics\hands_on_5> python locators_test.py
```

```
DevTools listening on ws://127.0.0.1:53056/devtools/browser/30403d00-2796-4318-8560-54e79f469fec
```

```
Navigated to Simple Form Demo
```

1. Located by ID successfully.
2. Located by Class Name successfully.
3. Located by Tag Name successfully.
4. Located by XPath (Relative) successfully.
5. Located by 3 different CSS Selectors successfully.

```
Navigated to Checkbox Demo
```

6. Located label using XPath with text() / contains() successfully.
7. Located 8 labels using XPath contains() successfully.

```
PS C:\Users\jaswa\Downloads\Cognizant DeepSkilling\Selenium Basics\hands_on_5> python waits_test.py
```

```
DevTools listening on ws://127.0.0.1:54216/devtools/browser/f00e635d-0c00-40ad-848a-f322565a5c43
```

```
Navigated to Bootstrap Alerts Demo
```

```
Testing with time.sleep(3)...
```

```
Alert text is: 'x'
```

```
Normal success message. To close use the close button.'
```

```
time.sleep() took 3.18 seconds.
```

```
Testing with Explicit Wait...
```

```
Explicit wait took 0.14 seconds.
```

```
Notice how explicit wait is much faster because it doesn't wait unnecessarily!
```

```
Demonstrating Fluent Wait...
```

```
Fluent wait successfully found the element by polling every 500ms and ignoring NoSuchElementException.
```

```
[12796:10900:0723/110519.601:ERROR:gpu\ipc\client\command_buffer_proxy_impl.cc:488] GPU state invalid after WaitForGetOffsetInRange.
```