

WS 3.0 — Framework surfaces

Purpose: the stable set of surfaces (regions) in each shortlisted framework, desktop + mobile. This is the shared vocabulary for the screen-mapping exercise — each surface is a column, each screen a row, the cell says what content sits there.

- **A · Structured Cockpit** → Figma node 108-3 — the work object is the ground; conversation is a facet.
- **B · Conversation OS** → Figma node 118-3 — the room is the ground; structure is summoned as spaces (but B **flips on mobile** — see below).

The one distinction that drives everything: **what is the ground and what is summoned.**

For Shreyanshi — building the Excel

You're producing a mapping that says, for each critical screen, **what content sits in each surface** of each framework — so both versions can be assembled and compared side by side. The surface lists below (A1–A7, B1–B6) are your columns.

1. **Two tabs**, one per framework: **Framework A** and **Framework B**.
2. **Rows = screens** — the list at the bottom of this doc; add any that are missing.
3. **Columns = that framework's surfaces** (A1–A7 / B1–B6), each split into **Desktop** and **Mobile** sub-columns.
4. **Each cell** = a short, concrete description of what sits in that surface for that screen, from the role's point of view. Not "the list" — "the client's 4 requests, newest first, with status".
5. If a surface isn't used on a screen, write **–**. Where desktop and mobile differ, say how (common for B).

Two rules to hold in mind while filling B: (1) **B flips its ground on mobile** — spaces/structure own the centre, conversation becomes a detented drawer (peek = the prompt). (2) **Wide tables become record-cards on mobile** — one card per row, never side-scrolling.

Worked example — SWAT · requests view · Framework B

Surface	Desktop	Mobile
B1 Section nav	Requests active	Bottom tab, Requests active

Surface	Desktop	Mobile
B2 List + context	Request tree — Q3 Campaign expanded → assignments → activities → stakeholders (each a room)	Center list of requests; tap → drill the tree
B3 Spaces	Plan / Files / Utilisation / Tools / Library — metrics + launchers	Spaces own the centre; Plan (Gantt) → task-card list; switch via top bar
B4 Conversation	The assignment room stream — WS decisions, team messages	Detented drawer (peek = the prompt)
B5 Command prompt	Message / command; target = the room; boundary = internal	Peek state of the drawer
B6 Ambient AI	"Expert dark → reassign?" decisions; @ / # grammar	Same, in the drawer + prompt

A · Structured Cockpit (node 108-3)

ID	Surface	What it holds	Desktop	Mobile
A1	Section nav	Domains — Home, Deliveries, People, Money, Tools, Help/Settings	Left rail	Bottom tab bar
A2	Attention bar	Ranked "your move" + cross-context action queue (peek of Home)	Top strip	Home tab / top strip

ID	Surface	What it holds	Desktop	Mobile
A3	Drill navigation	Path through the tree (Request → Assignment → Activity) + selecting within it	Progressive columns → breadcrumb	Push drill-stack (list → sub-list → detail)
A4	Focus surface	The open object as its natural structure — tree, table, Gantt, brief, invoice, person — header/status/actions/body	Center document	Full screen; wide tables → record-card list
A5	Context facets	Per-object Info / Chat / Files / Calendar / Log / AI (conversation lives here)	Tab strip on the focus	Segmented control + detented sheet
A6	Command & search	Jump to / act on anything (⌘K)	In the header	Search-command control
A7	Ambient AI	Suggestions & decision prompts, embedded (not a panel)	Inline in focus & lists	Inline

B · Conversation OS (node 118-3)

ID	Surface	What it holds	Desktop	Mobile
B1	Section nav	Domains — Home, Requests, People, Money,	Left rail	Bottom tab bar

ID	Surface	What it holds	Desktop	Mobile
		Tools; identity & notifications at foot		
B2	List + context	Section list/tree — request tree (assignment → activity → stakeholders, each node a room), people directory, or money segments; selects the active room/record	LHS pane	Center screen (list view)
B3	Spaces	Structured surfaces + attention metrics — Plan, Files, Utilisation, Tools, Library, or a table (the invert)	Card at top of center; expands in place over the ground	Own the center screen; switched via a top spaces-bar; wide tables → record-card list
B4	Conversation	The room's stream — tree-scoped, so each person sees only their room(s)	The center ground (collaborative objects)	Detented bottom drawer — peek / half / full
B5	Command prompt	Context-adaptive NL bar (message / command / query) + scope indicator (room+boundary, or	Bottom of center	The peek state of the drawer (always visible)

ID	Surface	What it holds	Desktop	Mobile
		dataset/selection) + send		
B6	Ambient AI	Decision cockpit, @ / # grammar, agent & tool output	In the stream + prompt	In the drawer + prompt

B flips its ground on mobile (the key note)

- **Desktop:** conversation (B4) is the centre; spaces (B3) overlay it; prompt (B5) at the bottom.
- **Mobile:** the **spaces / structure own the centre screen; conversation is a detented bottom drawer — peek** = only the command prompt showing → **half** = partial conversation + prompt → **full** = conversation over the content. The prompt is always visible as the peek state. Transactional surfaces are identical: a wide table renders as a **record-card list** (one card per row, never side-scrolling), query bar at peek.

Screens to map (Excel rows)

Superadmin (workspace/operating-model config) · Client — requests · Expert — requests/my-work · SWAT — requests · Client — invoicing · Expert — payments/earnings · Internal team — leave module · Internal team — invoicing & receivables tracker · (+ others).

Next step: Joy fills the Excel (screen × surface → content, per framework, desktop + mobile) → hands back → new Figma comparison page: build core components per framework, assemble each screen desktop + mobile, side by side to pick one.