



STUDY

---

# Saudi Arabia Industrial Valves Market

A thorough examination of Saudi Arabia's industrial valves market landscape, covering market dynamics, segmentation, competitive landscape, growth prospects, and strategic insights for future developments.

STUDY REPORT

Saudi Arabia Industrial Valves Market

|   |                                                      |    |
|---|------------------------------------------------------|----|
| 1 | Market Overview & Size                               | 4  |
| 2 | Market Segmentation                                  | 9  |
| 3 | Competitive Landscape & Key Players                  | 14 |
| 4 | Growth Drivers & Market Trends                       | 19 |
| 5 | Regulatory Environment & Localization Policies       | 25 |
| 6 | Challenges & Risk Factors                            | 30 |
| 7 | Investment Opportunities & Strategic Recommendations | 34 |
| 8 | Market Forecast (2026-2032)                          | 38 |
| 9 | References & Citations                               | 43 |

## • Executive Summary

---

### **Finding 1 — 2026 market size varies by scope**

The Saudi Arabia industrial valves market for 2026 is valued anywhere from USD 725 million to USD 2.09 billion depending on whether analysts use narrow, mid, or broad market definitions. Broader industry classification can reach USD 6.9 billion, reflecting category overlap rather than a single accepted market size.

---

### **Finding 2 — Growth outlook remains solid through 2032**

The market is projected to grow from USD 0.95 billion in 2026 to as much as USD 1.55 billion by 2032, implying a CAGR of about 5.8% to 6.0%. Growth is expected to be driven by gas projects, desalination, localization, and advanced valve adoption, with stabilization anticipated after 2030.

---

### **Finding 3 — Hydrocarbons anchor demand, with water as the secondary engine**

Oil and gas remain the dominant source of market value, supported by Saudi Arabia's role as the Gulf's largest hydrocarbon processor and by Aramco expansion programs. Water infrastructure and desalination are the main secondary demand drivers, especially for lower-specification valves and regional growth outside the core industrial zones.

---

### **Finding 4 — Eastern Region leads; product mix favors ball valves**

The Eastern Region is the dominant geography because of its concentration of industrial and hydrocarbon activity. By product value, ball valves lead the market, followed by gate and butterfly valves, with segmentation shaped more by application severity than by standard catalog categories.

---

### **Finding 5 — High-spec segments stay import-led, while localization advances in standard valves**

Competition is split into two tiers: international OEMs such as Emerson and Flowserve lead severe-service and high-spec applications, while local firms such as AVK Saudi Valves are gaining share in utility and standard industrial segments. Saudi localization policy and Aramco's iktva framework are accelerating local production of standard valves and pushing subassembly localization in high-spec categories.

---

### **Finding 6 — Best investment opportunities are in localized manufacturing and smart-valve capabilities**

The summary points to stronger upside in expanding local manufacturing and service capabilities than in pure distribution. Priority opportunity areas include high-spec valve localization, phased import substitution, IoT-enabled smart valves, and aftermarket lifecycle services, all of which align with procurement preferences under iktva and Vision 2030.

1

# Market Overview & Size

1

Market Overview & Size

The Saudi Arabia industrial valves market in 2026 is best understood as a mid-sized but strategically critical process equipment market whose measured value varies sharply by scope definition. Published 2025 estimates range from USD 725 million to about USD 2.09 billion because some firms appear to count only industrial valve sales within narrower end use and product boundaries, while others likely include broader valve categories, adjacent flow control products, or a wider installed industrial base.<sup>10 8 15</sup>

Historical context supports a structurally positive demand story. Saudi Arabia remains the Gulf’s largest hydrocarbon processing economy, is expanding unconventional gas and downstream capacity through Aramco-led projects, and is simultaneously scaling desalination, water transmission, and industrial localization under Vision 2030 and NIDLP, all of which sustain valve demand across isolation, control, and safety applications.<sup>53 50 58</sup>

1.1

Current Market Valuation and Historical Context

The most defensible 2026 reading is that the Saudi industrial valves market is not a single universally measured number, but a valuation band. IMARC states the market was USD 725.0 million in 2025 and projects USD 1,120.8 million by 2034 at a 4.96% CAGR from 2026 to 2034, which implies a relatively narrow industrial-valves-only definition <sup>10</sup> MarkNtel is referenced by the user at about USD 0.99 billion for 2025, while Ken Research is referenced at about USD 2.09 billion for 2025 and separately publishes a broader KSA valves market view reaching USD 2.5 billion by 2030, indicating materially wider category coverage.<sup>11 8</sup>

A practical reconciliation is to separate the market into three lenses.


- Narrow lens: Around USD 0.73 billion, consistent with IMARC’s industrial-valves-only framing and likely tighter exclusions around non-industrial, low-spec, or adjacent flow-control categories.<sup>10</sup>
- Mid lens: Around USD 0.99 billion, consistent with a broader industrial installed base and likely fuller inclusion of process industries, utilities, and replacement demand, as reflected in the user-cited MarkNtel estimate.
- Broad lens: Around USD 2.09 billion, consistent with Ken Research’s higher estimate and with evidence that some publishers use a wider “valves market” perimeter that can absorb more product classes, channels, and applications.<sup>8 11</sup>

Title — 2025 market size reconciliation.

| SOURCE       | 2025 MARKET SIZE USD BN | RECONCILIATION VIEW                               |
|--------------|-------------------------|---------------------------------------------------|
| IMARC        | 0.725                   | Narrow industrial valves definition.              |
| MarkNtel     | 0.99                    | Mid case industrial market definition.            |
| Ken Research | 2.09                    | Broad market perimeter, likely wider valve scope. |

| SOURCE                   | 2025 MARKET SIZE USD BN | RECONCILIATION VIEW                                      |
|--------------------------|-------------------------|----------------------------------------------------------|
| Working 2026 study range | 0.73 to 2.09            | Use band, with 0.95 to 1.10 as central analytical range. |

Source: 10 8



Historical context explains why all three estimates still point in the same strategic direction. Saudi demand has been supported by upstream and midstream oil and gas, refining and petrochemicals, desalination, water transmission, and power infrastructure, while localization policy has increased attention on domestic manufacturing and supply chain depth rather than reducing end demand.<sup>53 50 58</sup>

A further reason for valuation dispersion is category overlap in public sources. Euromonitor’s broader Saudi industry grouping for pumps, compressors, taps and valves reached USD 6.9 billion in 2025, which is far above any industrial-valves-only estimate and confirms that publisher taxonomy can materially alter the headline number if taps, pumps, compressors, and non-process valve demand are partially bundled into the same industrial equipment universe.<sup>17</sup>

1.2

### Year-on-Year Growth Trajectory (2024-2026)

The market’s annual growth path from 2022 through 2026 is best described as steady expansion with a stronger project-led upswing in 2024 to 2026. This pattern reflects post-pandemic normalization in industrial capex during 2022 and 2023, followed by stronger order visibility from gas expansion, water infrastructure, and localization-linked procurement in 2024 to 2026.<sup>53 58 50</sup>

Because no single primary source publishes a complete 2022 to 2026 annual revenue series for the Saudi industrial valves market, the growth trajectory below is an analytical synthesis anchored to published CAGR ranges and project timing rather than a direct official time series. IMARC’s 4.96% forward CAGR, Ken Research’s mid single digit outlook, and broader market sources clustering around roughly 5% to 6.5% support a moderate growth baseline, while the

acceleration of Jafurah, Tanajib, and water projects supports a somewhat firmer 2025 to 2026 pulse.<sup>10 11 15</sup>

- 2022: Recovery year, with demand normalizing as deferred maintenance, brownfield upgrades, and industrial procurement resumed after earlier supply chain disruption. Growth was likely positive but still constrained by imported component lead times and cautious capex sequencing.<sup>44 21</sup>
- 2023: Broader industrial momentum improved as Vision 2030 manufacturing and infrastructure programs advanced, but growth remained uneven across end markets because oil price volatility and project award timing affected order conversion.<sup>58 41</sup>
- 2024: Growth strengthened as Saudi Arabia moved deeper into gas, water, and industrial diversification projects. Aramco's gas system expansion and the water project pipeline improved visibility for severe-service, control, and large-diameter valve demand.<sup>65 50</sup>
- 2025: Growth likely remained above the long run baseline as Jafurah-related activity intensified and desalination and transmission projects continued to move through award and execution phases. Aramco reported Jafurah began production in 2025 and separately announced an USD 11.1 billion Jafurah midstream transaction in August 2025, reinforcing the scale of associated equipment demand.<sup>53 55</sup>
- 2026: The market remains on an expansion path, supported by the February 26, 2026 confirmation of major progress in Aramco's gas expansion strategy, including Jafurah production and Tanajib Gas Plant operations. This should sustain demand for high-specification valves, actuators, and aftermarket services even if some commodity valve categories face pricing pressure.<sup>60 53</sup>

The main accelerators over 2024 to 2026 are clear.

- Hydrocarbon gas capex: Jafurah, Master Gas System expansion, and related gas processing infrastructure.<sup>55 65</sup>
- Water and desalination buildout: Urban water demand is projected to rise from 15.47 million m3 per day in 2024 to 17.08 million m3 per day by 2030, supporting sustained valve demand in desalination, transmission, and wastewater systems.<sup>50</sup>
- Localization and industrial policy: NIDLP and machinery localization initiatives improve domestic assembly and service opportunities, even where high-spec internals remain import dependent.<sup>58 41</sup>

The main decelerators are also material.

- Scope for project timing slippage: Large EPC schedules can shift valve deliveries between years, distorting annual growth even when the medium term trend remains intact.<sup>53</sup>
- Import dependence in high-spec categories: Saudi opportunity documents indicate heavy reliance on imported valves and actuators, which can extend lead times and compress local value capture.<sup>32 21</sup>
- Oil and industrial cycle sensitivity: Even with diversification, the market still tracks hydrocarbon capex and broader industrial confidence.<sup>53</sup>



## 1.3

## Key Macro Drivers Shaping the Market

---

Saudi Arabia's industrial valves market is being shaped by a combination of hydrocarbon reinvestment, water security spending, and state-led industrial localization. These drivers are mutually reinforcing because they expand both installed equipment demand and the policy incentive to manufacture, assemble, certify, and service more of that equipment inside the Kingdom.<sup>53 50 58</sup>

- Energy sector investment: Aramco's unconventional gas push is the single most important macro demand engine. Jafurah began production in 2025, Aramco highlighted continuing ramp-up through 2030, and the company announced an USD 11.1 billion Jafurah midstream transaction in August 2025, all of which imply sustained demand for severe-service isolation, control, and safety valves across upstream, gas processing, and transmission assets.<sup>53 55 60</sup>
- Water infrastructure expansion: Saudi Arabia's urban water demand is projected to increase from 15.47 million m3 per day in 2024 to 17.08 million m3 per day by 2030. SWPC's desalination portfolio is also planned to rise from 4.16 million m3 per day in 2024 to about 7.37 million m3 per day in 2030, creating a durable pipeline for corrosion-resistant and automated valve systems in desalination and transmission networks.<sup>50</sup>
- Industrial policy and localization: NIDLP reported SAR 1.045 trillion contribution to non-oil GDP in 2025 and highlighted advanced manufacturing initiatives, reinforcing the policy environment for local valve assembly, machining, testing, and lifecycle services<sup>58</sup> Invest Saudi also positions valve and pump manufacturing as a machinery and equipment localization opportunity, supported by the Kingdom's expanding industrial base.<sup>41</sup>
- Import structure and supply chain economics: Saudi opportunity materials indicate high import dependence in valves and actuators, including a large share sourced from high-cost countries, which raises the strategic value of local manufacturing and service capability. World Bank WITS data also show Saudi Arabia imported USD 142.8 million of check valves alone in 2024, illustrating the scale of continuing foreign sourcing in even a single valve subcategory.<sup>32 31</sup>
- Global market influences: The market remains exposed to steel and alloy input costs, freight, certification bottlenecks, and supplier concentration in high-spec categories. These factors do not negate growth, but they can shift margins toward firms with local inventory, approved vendor status, and in-Kingdom service footprints.<sup>21 32</sup>

Overall, the macro picture for 2026 is favorable. The market is not merely growing because of generic industrialization, but because Saudi Arabia is simultaneously expanding gas processing, water security infrastructure, and domestic manufacturing capability, which together create a broader and more resilient demand base for industrial valves than in the pre-Vision 2030 period.<sup>53 50 58</sup>



2

# Market Segmentation

2

Market Segmentation

Market segmentation in Saudi Arabia’s industrial valves market is shaped less by generic catalog categories and more by application severity, project concentration, and qualification requirements. In 2026, the most commercially relevant segmentation lens combines valve architecture, end-use exposure, and regional project density, with oil and gas-led demand still setting the value hierarchy while water infrastructure broadens volume demand across lower and mid-specification categories.<sup>9 8 80</sup>

Because public sources do not publish a single audited 2026 Saudi market share dataset by valve type, the shares below should be treated as an analytical synthesis built from source directionality, import structure, and end-market application intensity rather than as an official government series. The segmentation pattern is nevertheless consistent across available market sources: ball valves lead by value, gate and butterfly valves form the next largest blocks, check valves are structurally important because of heavy import demand and utility usage, while globe and plug valves remain more specialized but defensible niches.<sup>8 9 16</sup>

2.1


Segmentation by Valve Type

Ball valves hold the leading position by market value in Saudi Arabia because they are deeply embedded in upstream, gas processing, petrochemical, and high-pressure isolation duties, and Ken Research explicitly identifies ball valves as the commercial leader in complex industrial applications<sup>8</sup> MarkNtel and IMARC both place ball valves among the core product categories, reinforcing their centrality in the Kingdom’s industrial mix.<sup>80 9</sup>

Title — Saudi Arabia valve type segmentation 2026

| VALVE TYPE       | ESTIMATED 2026 SHARE % | MARKET POSITION                                                                             |
|------------------|------------------------|---------------------------------------------------------------------------------------------|
| Ball valves      | 24 to 28               | Largest by value, strongest in oil, gas, and petrochemicals.                                |
| Gate valves      | 18 to 22               | Core isolation valve in pipelines, water networks, and process plants.                      |
| Butterfly valves | 16 to 20               | High volume in desalination, water transmission, HVAC, and large-diameter service.          |
| Check valves     | 12 to 16               | Strong utility and pumping relevance, supported by high import intensity.                   |
| Globe valves     | 10 to 13               | Important in throttling and control-oriented services, especially power and process plants. |
| Plug valves      | 5 to 8                 | Niche but relevant in corrosive, slurry, and specific shutoff applications.                 |
| Others           | 6 to 10                | Includes diaphragm, safety, relief, knife gate, and specialty valves.                       |

Source: <sup>8</sup>



- Ball valves: Expected to outgrow the market average over 2026 to 2032 because Saudi gas expansion and brownfield debottlenecking favor quarter-turn, tight shutoff, automated isolation solutions. Their value share is also lifted by higher average selling prices in trunnion-mounted, metal-seated, and severe-service configurations.<sup>8 80</sup>
- Gate valves: Likely to remain the second largest or near second largest category because they are standard across transmission lines, refinery blocks, and municipal water systems. Growth should be steady rather than exceptional, as gate valves benefit from installed base replacement and network expansion but face some substitution by ball valves in higher-performance isolation duties.<sup>9 81</sup>
- Butterfly valves: This segment is structurally advantaged by Saudi desalination and water transmission buildout, where large-diameter, corrosion-resistant, and cost-efficient flow control is critical. Ken Research directly links major SWPC desalination projects such as Jubail 4 and Jubail 6 to procurement of butterfly, gate, check, and control valves, supporting a strong medium-term outlook.<sup>8 51</sup>
- Check valves: This category is more important than many topline market summaries imply because import data show Saudi Arabia imported USD 142.8 million of check valves in 2024, indicating substantial demand in pumping, desalination, wastewater, and process protection applications. That import intensity suggests check valves command a meaningful share of the Kingdom's industrial valve spend even if they are not usually the headline segment in commercial reports.<sup>31</sup>
- Globe valves: Globe valves remain essential in throttling and control service, especially where process precision matters more than low pressure drop. Their share is smaller than ball or gate valves, but their value density is relatively high in power, chemicals, and selected refinery applications.<sup>9 80</sup>
- Plug valves: Plug valves occupy a narrower niche in hydrocarbon, chemical, and slurry-handling environments where compact shutoff and media compatibility matter. Growth should remain positive but below the market leaders because the installed base is smaller and qualification breadth is narrower than for ball, gate, or butterfly valves.<sup>9 16</sup>

## 2.2

## Segmentation by End-Use Industry

---

Oil and gas remains the dominant end-use segment by value in 2026 because Saudi Arabia's valve demand is still anchored in upstream gathering, gas processing, pipelines, refining, and petrochemicals. This segment's share is amplified by the use of higher-specification, higher-certification, and higher-priced valves relative to municipal or general industrial applications.<sup>53 8 9</sup>

- Oil and gas: Estimated at roughly 45 to 52 percent of 2026 market value, making it the clear anchor segment. The share is supported by Jafurah, Master Gas System expansion, Tanajib-related gas infrastructure, refinery maintenance cycles, and petrochemical integration, all of which require severe-service isolation, control, and safety valves.<sup>53 60 8</sup>
- Water and wastewater: Estimated at about 20 to 25 percent of market value, but likely higher by unit volume because water systems consume large numbers of butterfly, gate, check, and control valves across intake, pretreatment, reverse osmosis, pumping, storage, and distribution. The segment should be one of the fastest growing through 2030 as SWPC projects and NWC transmission investments continue to expand desalination and network capacity.<sup>51 82</sup>
- Chemicals and petrochemicals: Estimated at around 12 to 16 percent of market value, with demand concentrated in corrosion-resistant, lined, alloy-based, and automated valve packages. Growth should track downstream diversification and brownfield optimization rather than pure greenfield volume, making this a technically attractive but more selective segment.<sup>9 80</sup>
- Power generation: Estimated at roughly 8 to 12 percent of market value, reflecting demand for globe, gate, check, and control valves in steam, cooling water, and balance-of-plant systems. The segment remains relevant, but its relative share is lower than oil and gas because Saudi industrial capex is currently more concentrated in gas and water infrastructure than in large conventional thermal additions.<sup>9 16</sup>
- Others: The remaining 8 to 12 percent spans food and beverage, pharmaceuticals, mining, district cooling, building services, and general manufacturing. These segments are smaller individually, but together they provide diversification and support the aftermarket, especially for standardized valves and service contracts.<sup>9 80</sup>

Near-term development is likely to widen the gap between value share and volume share across industries. Oil and gas should continue to dominate revenue because of specification intensity, while water and wastewater should gain share faster in installed units and replacement cycles as desalination, pumping, and transmission assets proliferate across the Kingdom.<sup>51 53</sup>

## 2.3

## Geographic Segmentation within Saudi Arabia

---

The Saudi industrial valves market is geographically concentrated around project clusters rather than population alone. The Eastern Region is the clear market center because it combines upstream and midstream hydrocarbons, refining, petrochemicals, desalination, and industrial cities, while the Western and Central Regions are driven more by water infrastructure, urban utilities, power, and diversified industrial demand.<sup>81 82 51</sup>

- Eastern Region: Estimated at roughly 50 to 58 percent of 2026 market value. This dominance reflects Aramco's core operating footprint, Jubail industrial concentration, gas processing and

pipeline infrastructure, and major water and desalination projects including Jubail and Al Khobar systems; NWC reported 122 environment, water, and agriculture projects in the region at over SAR 28.8 billion, underscoring the breadth of valve demand beyond hydrocarbons alone.<sup>82 53</sup>

- Western Region: Estimated at about 22 to 28 percent of market value. Demand is supported by Red Sea coast desalination, municipal water transmission, wastewater treatment, port-linked industry, and urban infrastructure serving Jeddah, Yanbu, and adjacent industrial zones; this region is especially favorable for butterfly, gate, check, and corrosion-resistant utility valves.<sup>51 86</sup>
- Central Region: Estimated at roughly 15 to 20 percent of market value. Riyadh and the broader central cluster are less hydrocarbon-intensive than the Eastern Region, but they are gaining importance through water security projects, industrial diversification, district utilities, and distributed treatment assets; in March 2025, SWA and NWC signed an agreement for 16 water purification plants in the Central Cluster, indicating a growing pipeline for municipal and industrial valve demand.<sup>88</sup>

Differential growth patterns matter more than current share alone. The Eastern Region should remain the largest market through 2032 because of hydrocarbon and industrial density, but the Western and Central Regions are likely to post faster incremental gains in water, wastewater, and urban utility applications, creating a broader national demand base and improving the business case for in-Kingdom stocking, service hubs, and localized assembly.<sup>51 82 88</sup>

# 3

## Competitive Landscape & Key Players

3

Competitive Landscape & Key Players

Competition in the Saudi industrial valves market is defined by a two-tier structure. International OEMs retain the strongest position in high-specification oil and gas, severe service, control, and safety-critical applications, while domestic and regional manufacturers are increasingly competitive in water, utility, firefighting, standard isolation, and selected industrial segments through local manufacturing, approvals, and faster delivery support.<sup>106 116 98</sup>

The competitive center of gravity is shifting gradually toward localized supply chains rather than away from imports altogether. Saudi policy support, customer qualification requirements, and IKTV-driven procurement are rewarding players that combine global technology with in-Kingdom assembly, testing, service, and approved vendor status, but the market still depends heavily on imported high-performance valves, actuators, trims, castings, and forgings for critical process duties.<sup>106 123 129</sup>

3.1

International Players

International suppliers remain the benchmark in Saudi Arabia’s premium valve categories because they combine global qualification history, broad installed bases, and lifecycle service capability. Their strongest positions are in Aramco, SABIC, power, gas processing, and complex EPC projects where approved vendor status, severe service engineering, and digital diagnostics matter more than lowest upfront price.<sup>106 110 118</sup>

Title — Major international players in Saudi industrial valves.

| COMPANY               | SAUDI MARKET ROLE                                                                       | COMPETITIVE STRENGTHS                                                                                 | STRATEGIC ACTIVITY IN SAUDI ARABIA                                                                                                        |
|-----------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Emerson Electric      | Strong in control, isolation, pressure reduction, and instrumentation valves.           | Fisher brand depth, automation integration, digital valve controllers, local assembly and service.    | Local manufacturing and assembly across automation portfolio in Saudi Arabia, plus technical seminars and support for process industries. |
| Flowserve Corporation | Important in engineered flow control, large valves, actuators, and aftermarket support. | Broad installed base, repair capability, lifecycle services, turnaround support.                      | Saudi QRC integrated with primary valve manufacturing facility, serving especially the Eastern Region and large valve repairs.            |
| Weir Group            | More selective but relevant in mining, slurry, corrosive, and abrasive process valves.  | Niche strength in severe slurry and process applications, service-backed product lines.               | 2026 JV milestone with Olayan focused on Saudi mining sector expansion, supporting local market access.                                   |
| Cameron and SLB       | Leading in high-specification oil and gas isolation valves.                             | Cameron brands such as GROVE and ORBIT, strong Aramco alignment, localization in energy applications. | SPARK manufacturing center produces Cameron isolation valve technologies for midstream and downstream markets.                            |

Source: <sup>106 129 124 116</sup>



- Emerson Electric: Emerson states that its Saudi portfolio includes control, isolation, and pressure reduction valves, instrumentation valves, automation systems, and industrial software, giving it an advantage in bundled valve plus controls offerings rather than stand-alone hardware competition.<sup>106</sup> Its competitive edge is strongest where end users value Fisher control valve performance, diagnostics, and plant optimization support, especially in refining, petrochemicals, and gas processing.<sup>114</sup>
- Flowserve Corporation: Flowserve's Saudi positioning is anchored in service intensity and installed base support. Its Saudi QRC is described as integrated into Flowserve's primary valve manufacturing facility in Saudi Arabia and focused on repair and service for Flowserve and third-party valves, which is strategically important in shutdowns, brownfield upgrades, and replacement cycles.<sup>129 118</sup>
- Weir Group: Weir is not the broadest player in mainstream hydrocarbon valve categories, but it is competitively relevant in mining and abrasive process duties through brands such as Isogate and Lewis. Its January 2026 JV milestone with Olayan indicates a stronger localization push tied to Saudi Arabia's expanding mining sector, which could improve its position in phosphate, minerals processing, and corrosive service applications.<sup>117 124</sup>
- Cameron and SLB: Cameron, now part of SLB, is one of the most strategically important international names in Saudi high-spec isolation valves. SLB's SPARK manufacturing center in Saudi Arabia was inaugurated to manufacture Cameron GROVE and ORBIT isolation valve technologies for midstream and downstream markets, which materially strengthens local responsiveness and IKTV alignment in a segment historically dominated by imports.<sup>116 123</sup>

Overall, international players compete less on commodity pricing and more on qualification depth, engineering assurance, and lifecycle economics. In Saudi Arabia, their defensible advantage is strongest in severe service ball valves, control valves, safety relief systems, actuated packages, and applications where end users prioritize reliability, emissions performance, and approved installed references over initial purchase cost.<sup>110 106 118</sup>

### 3.2

## Domestic and Regional Manufacturers

Domestic and regional manufacturers are increasingly important because they address the Kingdom's need for shorter lead times, local content, approved utility products, and in-country service support. Their strongest positions are in water distribution, desalination support systems, firefighting, standard gate and butterfly valves, selected industrial isolation valves, and repair or refurbishment services, while the most demanding severe service and high-integrity applications still lean toward international technology platforms.<sup>98 100 99</sup>

- Saudi Valves Manufacturing and AVK Saudi Valves Manufacturing: The market often treats SVM and AVK Saudi as closely linked legacy local manufacturing platforms in Jeddah. AVK Saudi states it has manufactured in Jeddah since 1985, operates two factories in Jeddah with branches in Dammam and Riyadh, and supplies gate valves, butterfly valves, fire hydrants, and industrial valves approved by major Saudi customers including Saudi Aramco, NWC, SWCC, Royal Commission, SABIC, and Ma'aden.<sup>98 100</sup>
- Competitive position of AVK Saudi and SVM: Their advantage is strongest in utility and infrastructure categories where local approvals, corrosion protection, and delivery reliability matter more than proprietary severe service trim technology. AVK also notes a SAR 20 million

investment in a new Jeddah factory in 2019, reinforcing its strategy of expanding local production depth rather than acting only as a distributor.<sup>100 103</sup>

- Dresser Al Rushaid: DARVICO is one of the most important domestic industrial valve manufacturers in higher-value categories. Al Rushaid describes Dresser Al Rushaid Valve and Instrument Co. as Saudi Arabia's leading manufacturer of valves and process instruments, operating in Jubail since 1985 and producing consolidated pressure relief valves, Masoneilan control valves, and Ashcroft pressure and temperature instruments, with a service center in Yanbu and certifications including ASME UV, NB, and VR stamps.<sup>99 105</sup>
- DARVICO production scale: A 2025 industry event brochure states DARVICO produces more than 12,000 safety relief valves and 3,000 control valves per year from facilities in Jubail and Yanbu, which indicates meaningful domestic capacity in specialized valve categories rather than only commodity products.<sup>109</sup> This supports the user's framing that Dresser Al Rushaid holds an outsized share of domestic production value, especially because safety and control valves carry higher unit values than standard utility valves.
- Other regional and adjacent competitors: The user referenced Velan Gulf, L&T Valves, and IVM, but I did not find sufficiently reliable and current primary web sources in this search set to profile their Saudi production footprint with confidence. They may be commercially relevant through regional distribution, project supply, or service partnerships, but I cannot verify current Saudi manufacturing scale from the sources reviewed.

The domestic competitive field is therefore segmented rather than uniform. AVK Saudi and related SVM capacity are strongest in water and utility infrastructure, while Dresser Al Rushaid is more strategically important in domestically produced control and safety valve value, creating a complementary local ecosystem rather than a single dominant local champion across all valve classes.<sup>98 99</sup>

### 3.3

## Import vs. Local Production Dynamics

Saudi Arabia's valve market remains import-led in 2026, especially in high-specification and engineered categories, even as local manufacturing capacity has expanded. The user's benchmark that imports account for about 80.6 percent of the market is directionally consistent with the source pattern reviewed here, although I did not find a single official 2026 government page in this search set that states that exact aggregate share for the full industrial valves market, so it should be treated as a market estimate rather than a verified official statistic.

- Import dependence: The strongest import reliance persists in severe service ball valves, advanced control valves, actuators, specialty trims, alloy and forged pressure boundary components, and certain API critical applications. This is why international OEMs still dominate the highest-value hydrocarbon packages even when local assembly or service is present.<sup>110 106 129</sup>
- Local production trend: Local manufacturing is gaining share first in categories with repeatable specifications, utility approvals, and lower metallurgical complexity, such as gate valves, butterfly valves, hydrants, and selected industrial isolation products. AVK Saudi's long-standing Jeddah manufacturing base and SLB's SPARK valve facility show that localization is moving from distribution toward actual production and assembly in selected product families.<sup>98 116</sup>
- Pricing impact: Imported valves typically command higher prices because they embed foreign engineering, certification, freight, and longer supply chains, but they also retain pricing power in

critical applications where failure costs are extreme. Locally produced valves are increasingly competitive on total delivered cost, lead time, and service responsiveness, especially in water and municipal infrastructure where qualification barriers are lower than in upstream and gas processing.<sup>98 118</sup>

- Competitive consequence: The market is not splitting into imported versus local as a simple binary. Instead, it is stratifying into imported core technology with local assembly and service at the top end, and genuinely local manufacturing in standard and mid-specification categories at the volume end.<sup>106 123 100</sup>
- Domestic production concentration: The user's figure that Dresser Al Rushaid accounts for about 42 percent of domestic production value is plausible in value terms because control and safety relief valves are high-value categories, and DARVICO has specialized certified production in these segments. However, I could not verify that exact 42 percent figure from a current primary source in this search set, so it should be presented as an industry estimate rather than a directly sourced official number.
- Market share distribution: No reliable public source reviewed here publishes a complete audited 2026 Saudi market share table by company. The most defensible interpretation is that international firms still control the majority of value in oil and gas and severe service applications, while domestic and regional manufacturers hold stronger shares in water, utility, and selected replacement markets, with local share rising gradually under localization policy but not yet displacing import dependence in critical high-spec segments.<sup>106 116 98</sup>

In practical terms, Saudi competition is evolving toward a hybrid model. Winning suppliers increasingly need either a local factory, a certified service center, or a strong Saudi partner network, because price alone is becoming less decisive than delivery assurance, qualification status, and local content contribution in major tenders.

# 4

## Growth Drivers & Market Trends

4

Growth Drivers & Market Trends

Growth in the Saudi Arabia industrial valves market is being driven by a convergence of hydrocarbon megaproject execution, water security investment, and plant-level digitalization. In 2026, the most important demand accelerators are Aramco's gas expansion program, SWPC-led desalination and transmission buildout, and the gradual shift from conventional valve procurement toward automated, monitored, and lifecycle-managed valve systems aligned with Vision 2030 industrial modernization goals.<sup>143 52 50</sup>

The market trend is not simply higher unit demand. It is a shift in value mix toward higher-specification gas service valves, corrosion-resistant water infrastructure valves, and digitally enabled control and monitoring packages. This favors suppliers that can combine approved product platforms with local assembly, diagnostics, predictive maintenance, and faster aftermarket response inside the Kingdom.<sup>144 136 137</sup>

4.1


Hydrocarbon Expansion and Major Projects

Aramco's gas expansion program is the single strongest project-led growth driver for industrial valves in Saudi Arabia. On June 30, 2024, Aramco announced more than USD 25 billion of contract awards covering Jafurah Phase II, Master Gas System Phase III, additional unconventional gas rigs, directional drilling, and well tie-ins, creating a multi-year procurement pipeline for severe-service isolation, control, check, and safety valve packages.<sup>143</sup>

Title — Major gas expansion projects shaping valve demand

| PROJECT ELEMENT                                   | CONFIRMED SCALE | VALVE MARKET IMPLICATION                                                                                                                           |
|---------------------------------------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Jafurah Phase II                                  | USD 12.4 bn     | High demand for high-pressure ball, gate, control, and safety valves in gas compression, processing trains, sulfur, utilities, and export systems. |
| Master Gas System Phase III                       | USD 8.8 bn      | Large requirement for pipeline block valves, compressor station valves, actuated packages, and associated maintenance spares.                      |
| Additional unconventional gas rigs                | USD 2.4 bn      | Supports upstream wellsite and gathering system valve demand, especially rugged isolation and choke-related applications.                          |
| Directional drilling contracts                    | USD 612 mn      | Indirectly expands completions and gathering infrastructure demand for specialty valve assemblies.                                                 |
| Jafurah well tie-ins awarded Dec 2022 to May 2024 | USD 1.63 bn     | Pulls forward near-term orders for field connection, metering, and flow-control valve systems.                                                     |

Source: <sup>143</sup>



The value impact on the valves market is amplified by project configuration rather than by project capex alone. Jafurah Phase II includes gas compression facilities, associated pipelines, expansion of the Jafurah Gas Plant, sulfur and export facilities, and new Riyas NGL fractionation facilities in Jubail, each of which uses a dense mix of high-integrity valves with stricter metallurgy, fugitive-emissions, and automation requirements than standard utility applications.<sup>143</sup>

Master Gas System Phase III is especially important because it broadens both volume and geographic reach. Aramco stated the expansion will add around 4,000 km of pipeline and 17 new gas compression trains, increasing network capacity by about 3.15 to 3.2 bscfd by 2028, which supports sustained demand not only for line valves and compressor station packages but also for replacement inventories, actuators, instrumentation interfaces, and long-tail aftermarket services.<sup>143 144</sup>

The 2025 to 2026 operating milestones reduce execution uncertainty and make the demand signal more credible for suppliers. Aramco's 2025 Annual Report states that production began at Jafurah in 2025 and operations commenced at the Tanajib Gas Plant, while the company also raised its sales gas production capacity growth target to approximately 80% above 2021 levels by 2030, indicating that valve demand is moving from award-stage anticipation into installed-base expansion and lifecycle support.<sup>52</sup>

Strategically, these hydrocarbon projects are changing the market mix in four ways.

- Specification intensity: Gas compression, processing, and NGL infrastructure increase the share of high-value trunnion ball, control, check, and safety valves relative to commodity utility valves.<sup>143</sup>
- Aftermarket pull-through: New gas assets create recurring demand for shutdown support, trim replacement, diagnostics, recertification, and fugitive-emissions management over the asset life.<sup>52</sup>
- Localization leverage: Aramco highlighted that 97% of pipeline material for the Master Gas System was manufactured in Saudi Arabia, signaling a procurement environment increasingly favorable to suppliers with in-Kingdom manufacturing, assembly, or service footprints, even where core valve internals remain imported.<sup>144</sup>
- Vision 2030 linkage: The gas buildout supports industrialization, feedstock availability, and lower-emission power generation, which broadens downstream valve demand beyond upstream oil and gas into chemicals, utilities, and industrial clusters newly connected to the gas grid.<sup>144 52</sup>



Overall, hydrocarbon expansion is not just increasing market size. It is raising the average technical content and service intensity of valve demand, which should benefit globally qualified suppliers with Saudi localization strategies and domestic firms able to move up from standard utility products into approved gas-service packages and maintenance support.<sup>143 144</sup>

## 4.2

### Desalination and Water Infrastructure Investment

---

Water security investment is the second major structural growth engine for the Saudi industrial valves market and is more durable than a single project cycle because it is tied to long-term urban demand, network resilience, and groundwater substitution policy. SWPC's 2024 to 2030 planning statement projects urban water demand rising from about 15.47 million m<sup>3</sup>/day in 2024 to about 17.08 million m<sup>3</sup>/day by 2030, while current and planned desalination plants are expected to increase daily supply from 4.16 million m<sup>3</sup>/day in 2024 to 6.06 million m<sup>3</sup>/day within the next four years.<sup>50</sup>

For the valves market, desalination growth matters because it creates both high-volume and technically differentiated demand. Reverse osmosis plants, intake and outfall systems, pretreatment trains, high-pressure pumping, remineralization, storage, and long-distance transmission all require large numbers of butterfly, gate, check, globe, control, and specialty corrosion-resistant valves, with material selection and actuator reliability becoming more important as plant scale increases.<sup>50</sup>

The market transformation is likely to occur through three channels.

- Volume expansion: More desalination and transmission assets increase unit demand for large-diameter isolation and non-return valves across intake, pumping, and distribution systems.<sup>50</sup>
- Material upgrading: Higher salinity exposure and continuous-duty operating profiles favor epoxy-coated, duplex, super duplex, stainless, and elastomer-optimized valve configurations, lifting average value per installed unit in critical sections. This is an inference based on desalination process requirements and the broader digital water infrastructure literature, not a direct SWPC procurement table.<sup>137 50</sup>
- Lifecycle intensity: Water infrastructure operators increasingly need leakage control, remote monitoring, predictive maintenance, and network optimization, which expands service and automation revenue beyond initial hardware supply.<sup>135 137</sup>

This segment also broadens the market's regional and customer base. Unlike hydrocarbon demand, which is concentrated around Aramco and major industrial clusters, desalination and water infrastructure spending creates procurement opportunities across utilities, municipal operators, EPC contractors, and regional transmission projects, improving addressable demand for local manufacturers and distributors that may not yet be deeply embedded in severe-service oil and gas.<sup>50</sup>

Vision 2030 strengthens the strategic importance of this trend because water infrastructure is not only a utility investment but also an enabler of industrial diversification, urban expansion, and population-serving infrastructure. As desalinated water becomes a larger share of supply in most regions, valve demand should become more recurring and geographically diversified, with especially strong prospects for butterfly, gate, check, and automated control valves in desalination, pumping, and distribution networks.<sup>50</sup>

A further market implication is competitive rebalancing. Water projects generally allow stronger participation from local and regional manufacturers than top-tier gas processing projects, but the shift toward larger, more automated, and digitally supervised systems raises the bar for testing, coatings, actuator integration, and long-term maintenance capability, which should gradually separate low-cost commodity suppliers from technically credible infrastructure partners.<sup>137 138</sup>

#### 4.3

### Technological Trends: Automation and IoT

---

The most important technology trend in 2026 is the migration from passive valve hardware toward connected flow-control assets integrated with plant automation, diagnostics, and predictive maintenance workflows. In Saudi Arabia, this trend is being pulled by hydrocarbon reliability requirements, water network optimization needs, and the broader Vision 2030 push toward smarter industrial infrastructure rather than by technology novelty alone.<sup>136 137</sup>

Recent technical literature supports the commercial relevance of this shift. A 2026 arXiv study on control valve stiction in industrial control systems found that an LSTM-based framework using routine process signals could predict stiction up to four hours in advance, illustrating how smart diagnostics can reduce downtime and unnecessary replacement in process plants.<sup>136</sup>

In water infrastructure, digital twin and IoT architectures are moving from concept toward practical deployment models. A 2024 arXiv paper on water distribution digital transformation describes platforms combining IoT, AI, and machine learning for real-time monitoring, predictive maintenance, and optimization, while a 2025 arXiv paper presents a LoRaWAN and blockchain-enhanced digital twin framework capable of leak detection, consumption forecasting, and predictive maintenance with scalable low-latency performance.<sup>137 135</sup>

For the Saudi valves market, these technologies are altering competition in five ways.

- Product definition shift: Valves are increasingly sold as part of an automation stack that includes actuators, positioners, controllers, sensors, and software interfaces rather than as stand-alone mechanical components. This is an inference from the cited industrial control and digital twin literature combined with Saudi project digitization needs.<sup>136 137</sup>
- Margin migration: More value shifts toward diagnostics, commissioning, calibration, analytics, and lifecycle service contracts, which can improve recurring revenue for suppliers with local technical teams.<sup>136</sup>
- Vendor differentiation: OEMs with proven digital valve controllers, installed software ecosystems, and cybersecurity-aware architectures gain an advantage over low-cost hardware-only competitors.<sup>138 137</sup>
- Procurement criteria evolution: End users increasingly evaluate total cost of ownership, uptime, and maintainability, not just purchase price, especially in gas processing and desalination assets where unplanned outages are expensive.<sup>136</sup>
- Cybersecurity relevance: As valves and water systems become more connected, cybersecurity becomes part of the competitive requirement set, particularly for utilities and critical infrastructure operators.<sup>138</sup>

The practical adoption path in Saudi Arabia is likely to be uneven by segment. Oil and gas will continue to lead in high-value smart control valves, partial-stroke testing, condition monitoring,



and shutdown-system integration, while water and wastewater will likely scale faster in remote telemetry, networked actuators, and digital twin-enabled monitoring because of the need to manage geographically distributed assets.<sup>136 135</sup>

The strategic implication is that technology is raising entry barriers even as it creates new growth pockets. Suppliers that cannot provide automation compatibility, data visibility, and local service support risk being pushed into lower-margin commodity segments, while those that align hardware, software, and in-Kingdom support are better positioned to capture the next phase of market growth under Vision 2030's industrial modernization agenda.<sup>52 136 137</sup>

# 5

## Regulatory Environment & Localization Policies

## 5

## Regulatory Environment & Localization Policies

---

Saudi Arabia's regulatory environment for industrial valves is increasingly defined by procurement-linked localization rather than by standalone product regulation. For valve suppliers, market access in 2026 depends on combining international technical compliance with in-Kingdom manufacturing, assembly, testing, workforce development, and documented local content performance under Aramco's iktva framework and broader industrial policy instruments such as NIDLP.<sup>166 163 58</sup>

This policy architecture is reshaping production trends in the valves market. Standard and mid-specification products are increasingly favored for local manufacture or assembly, while high-specification valves remain more import dependent but are under growing pressure to localize testing, service, and selected subassemblies to remain competitive in major tenders.<sup>165 167 168</sup>

## 5.1

### IKTVA Program and Local Content Requirements

---

Saudi Aramco's In-Kingdom Total Value Add program has become the single most influential localization mechanism for suppliers serving the Saudi energy ecosystem. Aramco states that iktva was launched in 2015 to increase the use of in-Kingdom suppliers, expand local supply chain capability, promote supplier development, support R&D, and position Saudi Arabia as an export hub.<sup>166 165</sup>

Aramco originally targeted 70% local content in its procurement spend by the end of 2025, reported a 67% iktva rate in 2024, and announced on February 11, 2026, that it had achieved the 70% target and set a new objective of 75% by 2030. This date progression matters because many market commentaries still cite the 2025 target as if it were pending, whereas by August 25, 2026, the milestone has already been officially reached.<sup>162 160 168</sup>

- Program mechanics: iktva participation is now described as integral to Saudi Aramco procurement, and the iktva portal states participation is required for doing business with Aramco. Suppliers are assessed through annual local content certification and are expected to maintain a five-year action plan to improve their iktva ratio over time.<sup>167 174 161</sup>
- Measurement logic: Aramco's supplier materials state that the program requires suppliers to self-report qualitative and quantitative information across five categories, namely revenue, goods and services, Saudi payroll-related costs, Saudi training and development, and Saudi supplier development. This means valve companies are evaluated not only on local assembly output but also on workforce localization, supplier ecosystem depth, and capability building.<sup>172 171</sup>
- Economic scale: Aramco reported in February 2026 that iktva has added \$280 billion to Saudi GDP, attracted \$9 billion of inward investment, and supported more than 200,000 direct and indirect jobs. These figures underscore why localization compliance is not a peripheral procurement issue but a central industrial policy lever.<sup>160</sup>
- Supplier implication for valves: For industrial valve manufacturers, the practical effect is a strong tender advantage for firms that can localize machining, assembly, hydrotesting, painting, packaging, field service, and spare parts stocking even when castings, forgings, trims, or actuators remain imported. This is an inference from Aramco's iktva scoring structure and supplier development model rather than a valve-specific rulebook.<sup>166 174</sup>

- Production trend effect: The policy most strongly accelerates local production in standard and repeatable product families such as gate, butterfly, check, and selected ball valves, while high-integrity control, safety relief, and severe-service valves are more likely to localize through staged models that begin with service, testing, and assembly before full manufacturing. This is an analytical inference based on the interaction between localization incentives and the technical complexity of valve categories.<sup>163 165</sup>

Title — IKTVA milestones and valve market implications

| MILESTONE                            | OFFICIAL STATUS                           | VALVE MARKET IMPLICATION                                             |
|--------------------------------------|-------------------------------------------|----------------------------------------------------------------------|
| 70% local content target by end 2025 | Target stated in Aramco reporting.        | Suppliers needed active localization plans before 2026 awards.       |
| 67% iktva rate in 2024               | Reported progress level.                  | Competitive pressure increased on import-only valve vendors.         |
| 70% target achieved in early 2026    | Confirmed by Aramco on February 11, 2026. | Local footprint became a stronger differentiator in procurement.     |
| 75% local content target by 2030     | New Aramco intention announced in 2026.   | Encourages deeper localization of components, testing, and services. |

Source: <sup>162 160 168</sup>

The net effect on the Saudi valves market is a shift from pure import supply toward hybrid localization models. Companies that remain technically qualified but fail to improve local content scores risk weaker positioning in Aramco-linked procurement, while firms that localize selected manufacturing steps and supplier development can improve both compliance standing and commercial resilience.<sup>171 165 160</sup>

5.2

Certification, Qualification, and Compliance Standards

Technical compliance remains the second pillar of market entry after localization. In Saudi Arabia’s industrial valves market, especially in oil and gas, desalination, petrochemicals, and power, suppliers must satisfy internationally recognized design, testing, quality, and pressure equipment standards while also meeting customer-specific qualification procedures such as Aramco’s Engineering Requirements for Technical and Quality Approval.<sup>163 181 179</sup>

- API relevance: API standards are central for hydrocarbon-facing valve suppliers. API’s current standards catalog and standards plan list key valve-related documents including API Spec 6D for pipeline valves, API Std 600 for steel gate valves, API Std 602 for small gate, globe, and check valves, API Std 598 for valve inspection and testing, API Std 607 for fire testing of quarter-turn valves with nonmetallic seats, and API RP 591 for process valve qualification.<sup>182 179 185</sup>
- ASME relevance: ASME B16.34 is a foundational valve standard covering pressure-temperature ratings, dimensions, tolerances, materials, nondestructive examination, testing, and marking for flanged, threaded, welding-end, wafer, and flangeless valves. For pressure relief and pressure-containing equipment, ASME BPVC certification pathways and marks such as UV are commercially important, particularly for safety relief valve manufacturers and assemblers.<sup>181 190 187</sup>

- ISO relevance: ISO management system standards are not valve design codes, but they are highly relevant to qualification and competitiveness because buyers routinely expect certified quality, environmental, and occupational health systems. ISO's management system standards list includes ISO 9001, ISO 14001, and ISO 45001 as widely used frameworks that support supplier credibility, audit readiness, and tender compliance.<sup>188</sup>
- Qualification barrier: Compliance is not satisfied by holding certificates alone. Aramco's supplier resources explicitly reference an Engineering Requirements for Technical and Quality Approval handbook for new and existing local manufacturers of engineering commodities, indicating that vendor approval involves customer-specific technical review in addition to international standards conformance.<sup>163</sup>
- Competitive consequence: In practice, API, ASME, and ISO compliance function as market filters. Suppliers lacking recognized standards alignment are unlikely to enter premium oil and gas packages, while suppliers with the right certifications but no local approval history may still face long qualification cycles before winning meaningful volume.<sup>182 180 163</sup>

A further implication for valve manufacturers is cost structure. Maintaining API and ASME-compliant design files, material traceability, welding qualifications, inspection records, fire test evidence, and quality management systems raises fixed compliance costs, which favors larger OEMs and well-capitalized local partners over small distributors or lightly integrated assemblers.<sup>185 187</sup>

For Saudi market participants, the most effective route is therefore dual compliance. They need internationally accepted technical standards to satisfy end-user risk requirements and local qualification readiness to satisfy procurement and localization expectations, especially in Aramco, SABIC, utility, and EPC-led projects.<sup>163 166 179</sup>

### 5.3

## National Industrial Development and Logistics Program (NIDLP)

---

NIDLP provides the broader policy framework within which valve localization is being encouraged across energy, industry, mining, and logistics. While iktva is the most direct procurement lever for Aramco-linked suppliers, NIDLP shapes the wider industrial environment by promoting manufacturing growth, local content, export capability, and industrial ecosystem development aligned with Vision 2030.<sup>58 175</sup>

Saudi Press Agency reported in June 2026 that NIDLP contributed SAR 1.045 trillion to non-oil GDP in 2025, with manufacturing growing 6% and electricity, gas, and water growing 5%. These indicators matter for the valves market because they confirm that the policy environment is supporting the exact end-use sectors that consume the largest volumes of industrial valves.<sup>58</sup>

- Industrial demand support: NIDLP strengthens the business case for local valve production by expanding industrial activity in manufacturing, utilities, mining, and logistics, all of which require flow-control equipment either directly or through EPC supply chains.<sup>58</sup>
- Localization ecosystem effect: The program's emphasis on local content and competitiveness supports adjacent capabilities that valve makers need, including machining, coatings, fabrication, testing services, industrial training, and supplier finance. The Daleel enablers platform linked to NIDLP also highlights local content and government procurement support mechanisms, indicating that localization is being institutionalized beyond a single buyer program.<sup>175</sup>

- Opportunity for valve manufacturers: NIDLP improves the attractiveness of joint ventures, local assembly plants, and service centers because it increases the probability of sustained domestic demand across multiple sectors rather than only oil and gas. This is particularly relevant for valve categories serving water, wastewater, mining, and general industry, where localization barriers are lower than in severe-service upstream applications.<sup>58 165</sup>
- Challenge for manufacturers: NIDLP raises expectations as well as opportunities. Suppliers are increasingly expected to contribute to local value creation, workforce development, and industrial depth, which can strain firms that rely on imported castings, forgings, actuators, and trims and have limited in-Kingdom engineering capability. This is an inference from the program's localization orientation and the structure of the Saudi valve supply chain.<sup>58 166</sup>
- Strategic implication: Under NIDLP, the most advantaged valve suppliers are not necessarily those with the lowest import cost, but those able to align with Saudi industrial policy through local manufacturing scale, approved quality systems, workforce localization, and export potential.<sup>58 168</sup>

For the Saudi industrial valves market, NIDLP's main significance is that it converts localization from a customer-specific preference into a national competitiveness agenda. That broadens the rationale for investment in local valve manufacturing and service capacity, but it also means compliance is becoming multidimensional, combining technical standards, procurement qualification, local content performance, and industrial policy alignment in a single market access equation.<sup>58 166 163</sup>

# 6

## Challenges & Risk Factors



6

Challenges & Risk Factors

Saudi Arabia’s industrial valves market remains structurally attractive in 2026, but its risk profile is still shaped by three interlocking constraints: high dependence on imported high specification valves and subcomponents, incomplete domestic manufacturing depth in critical upstream inputs, and lengthy qualification pathways for approved supply into oil, gas, utility, and EPC channels. These constraints matter because the market’s fastest growing demand pools, especially gas processing, pipeline expansion, desalination, and automated control systems, are also the segments with the highest technical, metallurgical, and certification thresholds.<sup>214</sup>  
32 215

A second layer of risk comes from external volatility rather than domestic demand weakness. Valve procurement in Saudi Arabia is still heavily exposed to hydrocarbon capital expenditure cycles, and those cycles remain sensitive to crude price swings, project reprioritization, sanctions related trade friction, freight disruption, and supplier concentration in the United States, China, Europe, and selected Asian manufacturing hubs. The result is a market where demand visibility can remain positive at the strategic level while order timing, margins, and local value capture remain volatile at the operating level.<sup>52 210 220</sup>

6.1

Import Dependence and Supply Chain Vulnerabilities

Saudi Arabia remains materially dependent on imported valves in high value and high integrity categories, particularly safety relief, severe service isolation, advanced control, and actuator integrated packages. The clearest verified 2024 trade datapoint is that Saudi Arabia imported USD 239.63 million of safety or relief valves under HS 848140, confirming that even a single critical valve class still relies heavily on foreign supply.<sup>214</sup>

Title — Key import linked risk indicators

| RISK INDICATOR                               | VERIFIED SIGNAL                          | MARKET IMPLICATION                                                                              |
|----------------------------------------------|------------------------------------------|-------------------------------------------------------------------------------------------------|
| Safety or relief valve imports in 2024       | USD 239.63 mn                            | High reliance on foreign supply for critical pressure protection applications.                  |
| Safety or relief valve import volume in 2024 | 6,310,540 kg                             | Large physical dependence, not just high unit value dependence.                                 |
| Control valve actuator local coverage        | 23 to 25%                                | Most actuator demand still depends on imported systems or imported subassemblies.               |
| Aramco supplier access                       | Registration plus qualification required | Imported suppliers without local readiness face slower market access and weaker responsiveness. |

Source: 214 32 215

- Supplier concentration risk: The user’s framing that the U.S. and China are major suppliers is directionally consistent with Saudi import dependence, but I did not verify a current official 2024 partner ranking for the full high specification valve basket within this search set, so that point should be treated as an industry view rather than a fully verified ranking.

- Lead time risk: Imported valves and actuators are exposed to ocean freight delays, customs processing, export control friction, and factory slot constraints, which can shift EPC delivery schedules even when project funding remains intact.<sup>215 226</sup>
- Cost inflation risk: Import dependence transmits foreign exchange, alloy input, freight, and compliance costs directly into Saudi project budgets, especially in severe service categories where substitution options are limited. This is an inference supported by the import structure and by the technical concentration of approved suppliers.<sup>214 220</sup>
- Oil price sensitivity: Even though Saudi Arabia continues to invest through the cycle, valve demand remains linked to hydrocarbon capex timing. Aramco's 2025 annual reporting explicitly discusses exposure to oil price volatility, and oil market research continues to show that crude pricing is driven by multiple interacting risk factors, reinforcing procurement timing risk for long cycle equipment.<sup>52 210</sup>

The practical consequence is that Saudi buyers are not only exposed to whether valves are available, but also to when they are available and under what approved configuration. This makes local stocking, approved alternates, and in Kingdom service capability strategic risk mitigants rather than optional commercial advantages.<sup>215 220</sup>

## 6.2

### Domestic Manufacturing Capability Gaps

---

Local manufacturing capability has improved, but the Kingdom still lacks full depth across several critical upstream inputs needed for high specification valve production. The most important gaps remain castings, forgings, actuator systems, specialty trims, and some advanced coatings and testing ecosystems, which limits how far localization can progress beyond machining, assembly, hydrotesting, and selected final integration.<sup>32 21 228</sup>

- Castings and forgings: A current industry interview on Saudi localization states that primary valve components such as castings and forged components are still largely imported because domestic capability is limited or still under development. This source is industry media rather than a government dataset, so it is useful directional evidence but should not be treated as an official capacity census.<sup>228</sup>
- Actuator gap: Invest Saudi's control valve actuator opportunity paper states that only about 23 to 25 percent of demand is served by local assemblers, implying that most actuator value still sits outside the Kingdom or depends on imported subassemblies. That matters because actuators are increasingly integral to smart valve packages, shutdown systems, and remote operations.<sup>32</sup>
- Value chain incompleteness: The Ministry of Energy opportunity material and Aramco localization messaging both support the view that Saudi manufacturing is progressing in selected valve families, but not yet across the full bill of materials required for severe service and high integrity applications.<sup>21 219</sup>
- Scale risk: Without local foundry, forging, and actuator depth, domestic manufacturers remain vulnerable to imported bottlenecks even when final assembly is localized. This weakens the resilience benefit of localization and can compress margins if imported subcomponents rise in cost or arrive late.<sup>32 228</sup>

These gaps create a two speed domestic market. Local firms can compete effectively in standard and mid specification utility products, but moving into high pressure, high

temperature, corrosive, or safety critical service still requires imported metallurgy, imported actuation, or foreign technical partnerships, which slows true import substitution.<sup>21 219</sup>

### 6.3

## Certification and Approval Barriers

---

Certification and approval remain one of the strongest non-price barriers to entry in the Saudi industrial valves market. New entrants must satisfy not only international standards and product testing expectations, but also customer specific registration, technical review, quality review, and approved source qualification processes before they can participate meaningfully in Aramco linked or other high consequence procurement channels.<sup>215 223 225</sup>

- Multi stage approval burden: Aramco's supplier onboarding materials state that registration and qualification requirements vary by supplier type and location, while the ERTQA handbook is specifically designed for technical and quality approval of new and existing local manufacturers of engineering commodities. This means market entry is procedural as well as technical.<sup>215 223</sup>
- Documentation intensity: Qualification materials require evidence on manufacturing equipment, production capability, quality systems, and technical compliance. Aramco guidance also indicates that manufacturers should review ERTQA before submitting registration, which signals a front loaded compliance burden for new suppliers.<sup>225 221</sup>
- Qualification cycle risk: Even technically capable manufacturers can face long lead times before approval because customer specific review, audits, testing, and source linkage must be completed before material numbers are opened for supply. Aramco supplier guidance notes that approval is based on both technical and quality entities, and qualification does not guarantee future business.<sup>218 215</sup>
- Standards complexity: Recent arXiv work on machine interpretable valve specification highlights how document centric standards and design rules still create complexity in valve selection and compliance validation. While this is not Saudi specific, it supports the broader point that standards interpretation itself is a barrier, especially for smaller entrants without deep engineering compliance infrastructure.<sup>71</sup>

For new entrants, the commercial risk is not simply the cost of obtaining API, ASME, or ISO aligned capability. It is the time and capital required to convert that capability into approved vendor status with major Saudi buyers, during which project windows may close and localization expectations may continue to rise.<sup>223 226 220</sup>

# 7

## Investment Opportunities & Strategic Recommendations

## 7

## Investment Opportunities & Strategic Recommendations

Saudi Arabia's industrial valves market now offers a clearer investment case in capability localization than in pure distribution expansion. With Aramco confirming that iktva reached 70% local content in early 2026 and raising its next target to 75% by 2030, suppliers that add in Kingdom manufacturing, testing, assembly, and service capacity should be structurally better positioned than import only vendors in future tenders.<sup>160 166</sup>

The most attractive opportunities are concentrated in three areas. First, high specification localization can target product families where Saudi demand is large, import dependence remains high, and qualification barriers protect margins. Second, smart valve and IoT integration can shift competition from hardware supply toward uptime, diagnostics, and digital performance. Third, aftermarket and lifecycle models can create recurring revenue streams tied to the Kingdom's expanding installed base in gas, desalination, and industrial processing.<sup>21 32</sup>

136

## 7.1

### Local High-Specification Manufacturing Opportunities

The strongest manufacturing opportunity is not broad based commodity localization, but phased import substitution in high value categories where Saudi buyers increasingly reward local content, delivery assurance, and approved service support. Ministry of Energy opportunity material identifies industrial valves as a localization target, while Invest Saudi materials separately position control valves and control valve actuators as specific manufacturing opportunities, indicating official support for deeper domestic capability buildout.<sup>21 234 32</sup>

- Priority product focus: Target severe service ball valves, control valves, safety and relief valves, actuator integrated packages, and selected plug valve families where import dependence remains high and qualification barriers support better pricing.<sup>21 160</sup>
- Best entry model: Start with machining, final assembly, hydrotesting, painting, documentation, and spare parts localization before attempting full metallurgy localization. This staged model is more realistic because Saudi policy strongly rewards local value addition, but current opportunity papers still imply continued dependence on imported castings, forgings, and actuator internals in advanced categories.<sup>166 32</sup>
- Geographic siting recommendation: Place high spec manufacturing and testing in the Eastern Region to align with Aramco, Jubail, gas processing, and major EPC demand, while using Jeddah or Riyadh as secondary stocking and service nodes for water and utility markets. This is an inference from the project concentration and localization logic established in earlier sections, supported by Aramco's supplier ecosystem orientation and national localization programs.<sup>232 160</sup>
- Partnership framework: The most bankable structure is a joint venture between a global OEM with approved designs and a Saudi industrial partner that contributes land, workforce localization, customer access, and regulatory navigation. Aramco states that iktva has already catalyzed more than 350 investments from 35 countries and identified over 200 localization opportunities across 12 sectors, which supports JV led market entry rather than greenfield standalone entry for most foreign valve makers.<sup>160</sup>

- Specific strategic recommendation: New entrants should avoid trying to localize the full valve bill of materials at once. The better path is a three step sequence of approved service center, assembly and testing hub, then selective component localization once order visibility and qualification status are secured.<sup>166 171</sup>

## Title — High spec localization priorities

| OPPORTUNITY AREA                    | WHY ATTRACTIVE IN SAUDI ARABIA                                                                                  | RECOMMENDED ENTRY MODEL                                               |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| Control valves                      | High technical value, localization opportunity formally identified, strong fit with gas and process industries. | JV assembly, testing, trim servicing, then selective local machining. |
| Control valve actuators             | Import dependence remains high and smart automation demand is rising.                                           | Local assembly and calibration center with imported cores.            |
| Safety and relief valves            | High compliance intensity supports margins and recurring recertification demand.                                | Certified repair, recertification, and partial manufacturing hub.     |
| Severe service ball and plug valves | Strong fit with gas expansion and pipeline applications under localization pressure.                            | Local final assembly, hydrotest, documentation, and spares stocking.  |

Source: <sup>21 234 32 160</sup>

## 7.2

### Smart Valve and IoT Integration Prospects

Smart valve adoption is likely to be one of the highest margin growth pockets in the Saudi market because it aligns with both hydrocarbon reliability needs and water network optimization priorities. Recent arXiv research shows that machine learning models can detect and predict control valve stiction from routine process signals, with one 2026 study reporting that an LSTM model predicted stiction up to four hours in advance, while digital twin research in water systems shows practical architectures for predictive maintenance, leak detection, and secure remote monitoring.<sup>136 137 135</sup>

- Oil and gas use case: Smart control valves, digital positioners, partial stroke testing, and condition monitoring should see the fastest monetization in gas processing, compression, and refining because downtime costs are high and installed automation systems already exist. The commercial implication is that suppliers can sell performance improvement and maintenance avoidance, not only hardware replacement.<sup>136</sup>
- Water infrastructure use case: IoT enabled actuators, telemetry linked isolation valves, and digital twin based monitoring are well suited to desalination, pumping, and distribution networks where assets are geographically dispersed. The cited water system studies show that IoT, AI, and digital twin architectures can support predictive maintenance, consumption forecasting, and leak detection, which is directly relevant to Saudi Arabia's expanding water infrastructure.<sup>137 135</sup>
- Cybersecurity requirement: Connected valve systems should be sold with cybersecurity controls as part of the offer, especially in utility and critical infrastructure environments. A 2025 arXiv study on water distribution digital twins reported a practical low cost cybersecurity framework and a machine learning intrusion detection approach with 92% accuracy, reinforcing that digital adoption without security architecture will be commercially weaker.<sup>138</sup>



- Recommended commercial model: Bundle valves, actuators, sensors, controllers, analytics, and service into a single uptime proposition. This shifts the value conversation from capex price to total cost of ownership and creates a stronger basis for long term contracts and local technical staffing.<sup>136 137</sup>
- Specific strategic recommendation: Companies entering Saudi Arabia should establish a local automation competence center, not just a mechanical valve warehouse. The winning proposition in 2026 to 2030 is increasingly valve plus data plus service, particularly for Aramco linked gas assets and utility scale water systems.<sup>160 136 137</sup>

### 7.3

## Aftermarket Services and Lifecycle Management

---

Aftermarket services are likely to become the most resilient profit pool in the Saudi industrial valves market because the installed base is expanding faster than local full manufacturing depth. As new gas, desalination, and industrial assets move from construction into operation, demand should rise for shutdown support, recertification, trim replacement, fugitive emissions management, actuator calibration, diagnostics, and digital performance monitoring. This conclusion is an inference from the Kingdom's localization trajectory and from the predictive maintenance and digital twin literature, rather than from a single published Saudi aftermarket dataset.<sup>160 136 137</sup>

- Revenue quality: Lifecycle contracts typically provide steadier margins than project supply because they are tied to uptime, compliance, and installed base familiarity rather than one time tender pricing. This is especially relevant in Saudi Arabia, where qualification barriers make approved service capability a durable competitive advantage.<sup>166 171</sup>
- Service portfolio design: The most attractive offerings are valve health audits, predictive maintenance analytics, turnaround support, certified repair, spare parts management, actuator retrofits, and digital monitoring subscriptions. These services fit both hydrocarbon and water applications and can be localized faster than full upstream component manufacturing.<sup>136 135</sup>
- Customer retention logic: Lifecycle management deepens switching costs because the supplier accumulates asset history, maintenance records, and performance baselines over time. In practice, this can convert an initial valve sale into a multi year service relationship with higher renewal probability and better cross sell potential into automation upgrades.<sup>137 136</sup>
- Partnership model: Foreign OEMs should pair with Saudi service partners or industrial groups to accelerate field coverage, technician localization, and tender responsiveness. Domestic firms, meanwhile, can move up the value chain by becoming certified service and retrofit partners for global brands before attempting full product line manufacturing.<sup>160 167</sup>
- Specific strategic recommendation: For market entry or expansion, prioritize a service first model in the first 12 to 24 months, then layer in assembly, digital diagnostics, and selective manufacturing. This sequence lowers qualification risk, builds installed base intimacy, and creates the operational data needed to support future smart valve and localization investments.<sup>166 136</sup>



8

# Market Forecast (2026-2032)

8

Market Forecast (2026-2032)

The 2026 to 2032 outlook for the Saudi Arabia industrial valves market remains expansionary, but the forecast must be framed as a range rather than a single point estimate because published market baselines for 2025 differ materially by scope. Using the report’s reconciled central analytical range of roughly USD 0.95 billion to USD 1.10 billion for 2026 as the working base, the most defensible forecast is a mid-case market of about USD 1.38 billion to USD 1.55 billion by 2032, implying a blended CAGR near 5.8% to 6.0%, with upside toward the high 6% to low 7% range if gas, desalination, and localization execution remain on schedule and smart-valve monetization accelerates.<sup>53 50 58</sup>

Forecast quality improves after 2030 demand anchors are tied to verified project and policy milestones rather than to generic market extrapolation. Aramco has confirmed Jafurah production started in 2025, Tanajib Gas Plant commenced operations in 2025, and the company is targeting about 80% growth in sales gas production capacity by 2030 versus 2021 levels, while SWPC projects urban water demand rising from 15.47 million m3/day in 2024 to 17.08 million m3/day by 2030 and Vision 2030 reporting continues to show strong non-oil and local-content momentum.<sup>250 52 251</sup>

The risk-adjusted view is therefore constructive but selective. High-specification oil and gas valves, automated control valves, and water infrastructure valve packages should outperform the market average, while standard commodity categories are likely to face pricing pressure, import competition, and slower value growth unless suppliers localize assembly, testing, and lifecycle services.<sup>136 137 71</sup>

8.1

Revenue Projections by Segment and End-Use Industry

Revenue growth through 2032 should be led by segments with the strongest exposure to gas processing, pipeline expansion, desalination, and automation retrofits. In value terms, ball valves should remain the largest product segment, but control-oriented and digitally enabled packages should capture a disproportionate share of incremental revenue because specification intensity and aftermarket pull-through are higher in gas and process applications.<sup>249 52 136</sup>


Title — 2032 revenue outlook by segment and end use

| SEGMENT                                  | 2026 ESTIMATE<br>USD MN | 2032 ESTIMATE<br>USD MN | FORECAST VIEW                                                                |
|------------------------------------------|-------------------------|-------------------------|------------------------------------------------------------------------------|
| Ball valves                              | 245 to 285              | 355 to 425              | Largest value pool, supported by gas, pipelines, and petrochemicals.         |
| Gate and butterfly valves                | 335 to 395              | 470 to 575              | Strong utility and water exposure, especially desalination and transmission. |
| Globe, check, plug, and specialty valves | 255 to 305              | 360 to 455              | Lifted by control, protection, and replacement demand.                       |


| SEGMENT                                | 2026 ESTIMATE<br>USD MN | 2032 ESTIMATE<br>USD MN | FORECAST VIEW                                                             |
|----------------------------------------|-------------------------|-------------------------|---------------------------------------------------------------------------|
| Oil and gas end use                    | 470 to 560              | 670 to 830              | Remains dominant by value due to severe-service mix.                      |
| Water and wastewater end use           | 215 to 270              | 330 to 430              | Fastest broad-based expansion, driven by desalination and networks.       |
| Chemicals, power, and other industries | 145 to 195              | 210 to 295              | Steady growth, with selective upside from diversification and automation. |

Source: 250 50 53

USD million — midpoint estimates | 2026 mid 2032 mid



GROWTH UPLIFT 2026 → 2032 (midpoint, %)



- Ball valves: Expected to grow above the market average because Jafurah, Tanajib, Fadhili expansion, and wider gas system buildout favor high-pressure isolation and actuated packages. This is an analytical forecast derived from Aramco's confirmed gas expansion path rather than a published Saudi valve revenue series.<sup>249 52</sup>
- Gate and butterfly valves: These should post the strongest unit growth because SWPC's planning statement points to sustained desalination and urban water expansion through 2030, which structurally favors large-diameter isolation and flow-control applications. Revenue growth should be solid but somewhat diluted by lower average selling prices than severe-service hydrocarbon valves.<sup>50 256</sup>
- Globe, check, plug, and specialty valves: This basket should benefit from control precision, non-return protection, corrosive-service applications, and replacement demand, especially where digital diagnostics and standards-based specification become more important. The 2025 arXiv work on machine-interpretable valve standards and the 2026 stiction-prediction study both support a shift toward higher-value specification and maintenance workflows.<sup>71 136</sup>

- Oil and gas end use: This segment should remain above 48% of market value through most of the forecast period because Aramco's gas strategy is now in execution rather than concept stage. The segment's value share may ease slightly after 2030 if water and non-oil industrial demand broadens faster, but it should still anchor the market by 2032.<sup>250 53</sup>
- Water and wastewater end use: This should be the fastest-growing large end-use segment on a risk-adjusted basis because demand is tied to national water security and urban infrastructure rather than only to hydrocarbon price cycles. The digital-twin literature also suggests that future value capture will increasingly include telemetry, predictive maintenance, and secure remote monitoring around valve assets.<sup>50 137 135</sup>
- Chemicals, power, and other industries: These segments should grow steadily but remain secondary in aggregate value. Their main upside comes from Vision 2030 diversification, gas availability for industrial feedstock, and broader adoption of automation and standards-driven asset selection.<sup>251 58 71</sup>

## 8.2

### CAGR Outlook Under Different Scenarios

---

The published CAGR range cited by the user, 4.96% from IMARC, 5.8% from Ken Research, 6.3% from 6Wresearch, and 8.15% from MarkNtel, is best interpreted as a scope-adjusted spectrum rather than a direct disagreement about direction. Lower CAGRs generally align with narrower industrial-valves-only definitions, while higher CAGRs likely assume broader market perimeter, stronger project conversion, and faster monetization of automation and replacement demand.<sup>53 50</sup>

- Bear case: 4.8% to 5.3% CAGR for 2026 to 2032. This scenario assumes slower EPC conversion, oil-price-led capex deferrals, persistent import bottlenecks in high-spec categories, and limited local manufacturing depth beyond assembly and service.<sup>53 58</sup>
- Base case: 5.8% to 6.2% CAGR for 2026 to 2032. This is the most defensible planning case because it aligns with the report's central market range, Aramco's confirmed gas expansion milestones, SWPC's water pipeline, and continued but incomplete localization progress.<sup>250 50 251</sup>
- Bull case: 6.8% to 7.6% CAGR for 2026 to 2032. This requires faster-than-expected localization, stronger aftermarket capture, wider smart-valve adoption, and sustained execution of gas, desalination, and industrial diversification projects through and beyond 2030.<sup>136 137 58</sup>

Risk adjustment narrows the practical planning range. Although a headline 8% plus CAGR is not impossible under a broad market definition, it appears aggressive for a strict industrial-valves-only forecast unless one assumes both strong pricing and a major increase in digitally enabled service revenue.<sup>136 135</sup>

- Revenue implication of scenarios: Starting from a 2026 central base near USD 1.0 billion, a 5.0% CAGR implies roughly USD 1.34 billion by 2032, a 6.0% CAGR implies about USD 1.42 billion, and a 7.2% CAGR implies about USD 1.52 billion. These are calculator-based projections applied to the report's working base, not figures published directly by any one source.<sup>53 50</sup>
- Most likely outcome: The market should track closer to the Ken Research and 6Wresearch band than to the IMARC floor or the MarkNtel ceiling. That reflects a balance between strong structural demand and still-material constraints in qualification, imported subcomponents, and local value-chain depth.<sup>58 251</sup>

- Margin and mix effect: Even where topline CAGR remains mid-single-digit, profit pools may grow faster in control valves, actuators, diagnostics, and certified service because digitalization shifts value from hardware-only supply toward lifecycle performance.<sup>136 71</sup>

### 8.3

## Long-Term Outlook Tied to Vision 2030 Milestones

---

The long-term market trajectory is strongest when mapped to concrete 2030 milestones already visible by August 25, 2026. Aramco is targeting about 80% growth in sales gas production capacity by 2030 versus 2021 levels, Jafurah is expected to reach 2.0 bscfd of sales gas by 2030, and SWPC projects urban water demand at 17.08 million m<sup>3</sup>/day by 2030, all of which create a durable installed base for industrial valves, actuators, and lifecycle services.<sup>52 249 50</sup>

- Vision 2030 demand anchor: The market should remain structurally supported through 2030 because gas, water, and non-oil industrialization are all explicit national priorities rather than isolated projects. This reduces the probability of a sharp post-2028 demand cliff and supports a more durable replacement and service cycle into 2032.<sup>251 58</sup>
- Localization milestone effect: Aramco announced in February 2026 that its flagship iktva program had achieved the 70% local content target and set a new 75% target for 2030. For valve suppliers, this implies that the market's future value will increasingly favor firms that localize assembly, testing, service, and eventually selected components, even if full metallurgy localization remains incomplete.<sup>160</sup>
- Technology milestone effect: By 2030, the market should be less defined by standalone valve hardware and more by connected asset performance. The cited arXiv studies indicate that predictive maintenance, digital twins, and machine-readable standards can improve uptime, maintenance planning, and specification quality, which should expand recurring revenue beyond initial equipment supply.<sup>136 137 71</sup>

The post-2030 to 2032 extension should therefore be viewed as a transition from project-led growth to installed-base monetization. New-build demand should remain important, but the more resilient opportunity will likely come from recertification, retrofits, fugitive-emissions upgrades, actuator modernization, and digitally enabled maintenance contracts across gas, desalination, and diversified industrial assets.<sup>250 135</sup>

Strategically, the market outlook aligned with Vision 2030 is positive but not uniform. Suppliers positioned in severe-service gas applications, desalination infrastructure, and smart aftermarket services should outperform, while firms limited to imported commodity valves without local qualification, digital capability, or service depth are likely to underperform the market's value growth through 2032.<sup>160 58 136</sup>

# 9

## References & Citations

## 9

## References & Citations

---

This section consolidates the source base used across the Saudi Arabia Industrial Valves Market study and distinguishes between primary evidence, secondary market intelligence, and the report's internally constructed tables and visual references. The reference architecture prioritizes official Saudi institutions, company disclosures, trade databases, standards bodies, and directly relevant technical papers, while treating commercial market reports as comparative secondary inputs rather than sole evidence anchors.<sup>53 50 58 214</sup>

## 9.1

### Primary Sources

---

- Official Saudi government and quasi-government sources: Core macro, infrastructure, and localization evidence was drawn from Saudi Aramco annual reports, Aramco news releases on Jafurah and Master Gas System awards, Saudi Water Partnership Company planning statements, Saudi Press Agency releases on NIDLP and Vision 2030 progress, and Invest Saudi or Ministry of Energy localization opportunity documents. These sources underpinned the report's treatment of gas expansion, desalination growth, local content policy, and industrial development priorities.<sup>53 143 250 50 58 21 32</sup>
- Trade and import evidence: Product-level import dependence was anchored in World Bank WITS trade pages for Saudi Arabia, especially HS 848130 and HS 848140, which were used to validate the scale of check valve and safety or relief valve imports. These were treated as the most defensible public trade references for import exposure and supply chain risk discussion.<sup>31 214</sup>
- Company and qualification sources: Competitive landscape and localization capability references relied on company primary materials from Emerson, SLB, AVK Saudi, Al Rushaid, and Flowserve, plus Aramco supplier qualification and ERTQA materials. These sources were used to verify local manufacturing footprints, service capabilities, and approval requirements rather than to infer total market share.<sup>106 123 116 98 258 99 163 223</sup>
- Standards and technical primary references: Compliance analysis was grounded in standards-body sources from API, ASME, and ISO, while digitalization and predictive maintenance references used directly relevant arXiv papers on valve specification digitization, control valve stiction prediction, and water-system digital twins. These were used to support the report's discussion of qualification barriers and smart-valve trends.<sup>179 182 181 187 188 71 136 137 135 138</sup>

## 9.2

### Secondary Sources

---

- Commercial market intelligence sources: Secondary market sizing, segmentation, and forecast comparisons were drawn from IMARC, Ken Research, MarkNtel Advisors, 6Wresearch, Research and Markets, and Euromonitor. These sources were used comparatively to reconcile divergent market estimates and identify differences in market scope, not as stand-alone proof of a single definitive market value.<sup>9 8 80 16 257 17</sup>
- Industry and ecosystem context sources: Additional secondary context came from Invest Saudi sector pages, Saudi Exchange market overview material, and selected industry publications that helped frame machinery localization, pipeline demand context, and domestic manufacturing



narratives. These sources were used cautiously and only where they complemented stronger primary evidence.<sup>41 22 228</sup>

- Methodological note on secondary use: Where secondary sources published company shares, market shares, or valuation figures without transparent underlying datasets, the report either triangulated them against primary evidence or explicitly labeled them as market estimates. This approach was especially important for reconciling the 2025 market size gap between IMARC, MarkNtel, and Ken Research, and for interpreting Euromonitor's broader industry production-value statistics.<sup>9 80 8 17</sup>

9.3

Data Tables and Visual References

The report used internally constructed tables derived from cited sources to improve comparability across inconsistent public datasets. These tables were analytical presentation tools rather than externally published originals, and each was built from the source set cited in the relevant section.<sup>9 8 80 143 50</sup>

Title — Report tables and source basis

| TABLE OR VISUAL REFERENCE                              | MAIN SOURCE BASIS                                 | RELEVANCE TO REPORT                                                                             |
|--------------------------------------------------------|---------------------------------------------------|-------------------------------------------------------------------------------------------------|
| 2025 market size reconciliation                        | IMARC, Ken Research, MarkNtel.                    | Reconciled conflicting market valuations and established the report's central analytical range. |
| Valve type segmentation 2026                           | Ken Research, IMARC, MarkNtel, 6Wresearch.        | Structured the product mix discussion where no single audited public share table was available. |
| Major international players in Saudi industrial valves | Emerson, SLB, Flowserve, Weir, AVK, Al Rushaid.   | Compared localization footprints, product strengths, and strategic positioning.                 |
| Major gas expansion projects shaping valve demand      | Aramco 2024 and 2026 gas project disclosures.     | Linked project capex and infrastructure scope to valve demand intensity by application.         |
| 2032 revenue outlook by segment and end use            | Aramco, SWPC, SPA, plus report scenario modeling. | Converted project and policy drivers into a risk-adjusted forward market view.                  |

Source: <sup>9 8 80 16 143 50</sup>

- Visual interpretation guidance: Readers should treat all market-share charts, forecast curves, and segmentation tables in the report as synthesized analytical exhibits unless a source explicitly published the same figure in identical form. This distinction is important because several visuals reconcile multiple sources with different market definitions, time horizons, and product boundaries.<sup>9 8 17</sup>
- Data integrity note: Where exact figures could not be verified from a current primary source, the report identified them as industry estimates or analytical syntheses rather than presenting them as official statistics. This applied in particular to some company-level market share claims and to broad import-versus-local production ratios for the full market.<sup>214 163 17</sup>



# Caspr.

ANALYTICAL AI — BUILT FOR BUSINESS ANALYSIS, NOT CONVERSATION.

## ABOUT CASPR.

Caspr is **Analytical AI** — purpose-built for business analysis, not conversation. A single prompt delivers a boardroom-ready report in under fifteen minutes, citing every insight to a credible, verifiable source.

Powered by **the Thinking Brain** — a rigorous research methodology that reasons through data and structures defensible conclusions — and **the Learning Brain**, which draws on real-time data feeds to ensure analysis reflects today's reality. Over one million curated sources: government databases, industry filings, news feeds, and published research. Not web-scraped noise.

Every claim cited. Every conclusion traceable. Built for the boardroom.

## CONTACT

WEB [caspr.ai](https://caspr.ai)  
EMAIL [hello@caspr.ai](mailto:hello@caspr.ai)  
SUPPORT [support@caspr.ai](mailto:support@caspr.ai)

## DISCLAIMER

This report has been prepared by Caspr for informational purposes only. The analysis, data, and conclusions contained herein are based on sources believed to be reliable at the time of preparation. Caspr makes no representation or warranty, express or implied, as to the accuracy, completeness, or fitness for purpose of any information in this report.

This report does not constitute investment, legal, financial, or professional advice of any kind. Recipients should seek independent professional advice before acting on any information or analysis contained in this report.

Caspr accepts no liability for any direct, indirect, or consequential loss or damage arising from the use of this report or reliance on its contents. The views and analysis expressed are those derived from Caspr's research methodology and do not represent the views of any third party whose data has been referenced.

All third-party source material is referenced for informational purposes. Reproduction of this report in whole or in part requires prior written permission from Caspr.

## METHODOLOGY

Analysis is generated using Caspr's Thinking Brain methodology, drawing on a curated database of over one million verified sources. Every factual claim in this report is cited to a primary source. Where calculations or derivations are Caspr's own, this is indicated as "Caspr analysis" alongside the underlying source data.