

Week 2 – Day 2

Transcribe

GenAI-Aug - S06-Transcriptions

POST https://api.groq.com/openai/v1/audio/transcriptions

Body

form-data

Key	Value	Description	Bulk Edit
model	whisper-large-v3		
file	Meeting Recording.mp3 (1).mpeg		
Key	Text	Value	Description

Body

```
{
  "text": " Hari here, I'm going to run the daily stand up meeting today. We can get started. Morning Hari, morning Sindhu. Radhakrishnan here. So yesterday I've been assigned with a couple of tickets related to balance transfer. So I have written manual test cases initially for that and got it signed off from the BA and PO in our team, and since the latest build is now available in QA, I have started testing those scenarios and monitoring how the system behaves for the different scenarios. So far, the system is good and there are no any defects and if there are any, I will raise it accordingly and once the execution is done, I will focus on converting those steps into automation scripts and see how it goes. So that's the update from my side. Thanks. Thank you Radhakrishnan. Good morning everyone. Sindhu here. Yesterday I have completed smoke and regression testing for the payments module and log3 defects in Jira. And today I will be continuing manual testing for the reports module and automating the transaction history flow in Selenium, and there is no blockers so far and waiting for a new build to proceed with revalidation. So that's all for my update. Thank you. Okay. Thank you, Sindhu. Thank you, guys. Thanks for your update. Thanks, everyone. Thank you.",
  "x_groq": {
    "id": "req_01m0ex4eyze3f817j7q154t49m"
  }
}
```

200 OK · 1.51 s · 1.23 KB

Save Response

Describe what you need. Press @ for

Multilingual

GenAI-Aug - HomeAssignment - S02-Multilingual

POST https://api.groq.com/openai/v1/chat/completions

Body

raw

```
{
  "messages": [
    {
      "role": "system",
      "content": "You are an API Specialist. Always respond in the same language as the user."
    },
    {
      "role": "user",
      "content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று சொல்லுங்கள்."
    }
  ]
}
```

200 OK · 5.23 s · 4.58 KB

Save Response

Describe what you need. Press @ for

Generate Test case

The screenshot displays a web browser window with a REST client interface. The main panel shows a POST request to `https://api.groq.com/openai/v1/chat/completions` with a body containing a prompt for generating a Java test case. The response is a 200 OK status with a JSON body containing a Java code snippet.

Request Body:

```
extra text.\n3) Use TestNG as the test runner.\n4) Use meaningful class, method, and variable names.\n5) Include imports required for Rest Assured, TestNG, and assertions.\n6) Use reusable base URI setup.\n7) Cover CRUD operations for Pet resource.\n8) Add assertions for status code and important response fields.\n9) Keep the code clean, executable, and production-style.\n10) Do NOT use placeholder comments.\n11) CONTEXT\nThe code will be used by QA engineers for API automation practice using Swagger Petstore.\n12) PERSONA\nYou are a Senior API Test Automation Architect creating enterprise-style reusable Rest Assured automation code.\n13) OUTPUT\nReturn ONLY executable Java code with:\n- One test class\n- @BeforeClass setup\n- Test methods for createPet, getPetById, updatePet, deletePet\n- Request body creation\n- Response validation\n- Rules\n- No markdown fences\n- No explanation text\n- No assumptions outside Swagger Petstore Pet API\n- Use business-readable method names\n- TARGET API\nSwagger Petstore\nResource: Pet\nOperations required:\n- Add a new pet\n- Find pet by ID\n- Update an existing pet\n- Delete a pet"
```

Response Body:

```
import io.restassured.response.Response;\nimport org.testng.annotations.BeforeClass;\nimport org.testng.annotations.Test;\nimport java.util.HashMap;\nimport java.util.Map;\nimport static org.hamcrest.Matchers.*;\n\npublic class PetApiTests {\n\n    private static final long PET_ID = System.currentTimeMillis();\n    private static final String INITIAL_PET_NAME = \"Fluffy\";\n    private static final String UPDATED_PET_NAME = \"FluffyUpdated\";\n    private static final String INITIAL_STATUS = \"available\";\n\n    private static final String UPDATED_STATUS = \"sold\";\n\n    @BeforeClass\n    public void setUp() {\n        RestAssured.baseURI = \"https://petstore.swagger.io/v2\";\n    }\n\n    @Test(priority = 1)\n    public void createPet() {\n        Map<String, Object> pet = new HashMap<>();\n        pet.put(\"id\", PET_ID);\n        pet.put(\"name\", INITIAL_PET_NAME);\n        pet.put(\"status\", INITIAL_STATUS);\n\n        Response response = RestAssured\n            .given()\n            .contentType\n            (ContentType.JSON)\n            .body(pet)\n            .when()\n            .post(\"/pet/\")\n            .then()\n            .statusCode\n            (200);\n    }\n}
```

Right Panel - Fixing the Issue:

how to fix this

to api.groq.com is failing because no valid API key is being sent in the Authorization header.

Looking at your workspace, you have Groq API keys stored in the vault:

- vault:groq_api_key_8zwb
- vault:groq_api_key_8wf3

You need to add a Bearer token Authorization header using one of those vault variables. Let me fix that for you.

Read S02- MultiLingual.request.yaml

Edit file Apply Edit Reje

Edit S02- MultiLingual.request.yaml

Replace

```
auth:\n  type: bearer\n  credentials:\n    - key: token\n      value: '{{vault:groq_api_key_8zwb}}'\n  order: 2000
```

Waiting for approval...

Describe what you need. Press @ for context, / for Skills.

@ Auto