

Web Programming with Java Mock 1

Total points 18/40

The respondent's email (**maheshpatil9691@gmail.com**) was recorded on submission of this form.

✗ Which tag should be used to pass information from JSP to included JSP? * 0/1

- ☐ Using <%jsp:page> tag
- ☒ Using <%jsp:param> tag
- ☐ Using <%jsp:import> tag
- ☐ Using <%jsp:useBean> tag

✗

Correct answer

- ☒ Using <%jsp:page> tag

✗ Servlet mapping defines *

0/1

- ☐ an association between a URL pattern and a servlet
- ☐ an association between a URL pattern and a request page
- ☐ an association between a URL pattern and a response page
- ☒ All of the above

✗

Correct answer

- ☒ an association between a URL pattern and a servlet

✗ Which version of Java introduced annotation? *

0/1

- ☐ Java 5
- ☐ Java 6
- ☐ Java 7
- ☒ Java 8

✗

Correct answer

- ☒ Java 5

✗ Which option is true for the role of BeanFactory in Spring Framework: *

0/1

- ☐ BeanFactory provides the configuration framework and basic functionality
- ☐ BeanFactory provides access to messages in i18n-style
- ☒ BeanFactory provides access to resources, such as URLs and files
- ☐ BeanFactory provides event propagation to beans implementing the ApplicationListener interface

✗

Correct answer

- ☒ BeanFactory provides the configuration framework and basic functionality

✓ What is the main component of the Spring framework? *

1/1

- ☐ Servlet API
- ☐ Hibernate ORM
- ☒ Spring Core Container
- ☐ Spring Data JPA

✓

✗ "out" is implicit object of which class in JSP? *

0/1

- ☐ javax.servlet.jsp.SessionWriter
- ☒ javax.servlet.jsp.PrintWriter
- ☐ javax.servlet.jsp.JspWriter

✗

Correct answer

- ☒ javax.servlet.jsp.JspWriter

✓ Which option is true about session scope? *

1/1

- ☐ Objects are accessible only from the page in which they are created
- ☒ Objects are accessible only from the pages which are in same session
- ☐ Objects are accessible only from the pages which are processing the same request
- ☐ Objects are accessible only from the pages which reside in same application

✓

✓ Which of the following is INCORRECT about dependency injection in Spring?

*1/1

- ☐ It helps in achieving loose coupling between objects.
- ☐ It helps in testing the module by injecting the dependent Mock Objects.
- ☐ It increases the scope of code reusability.
- ☒ It helps in managing database connections.

✓

✗ The getSession() method with "true" as its parameter [getSession(true)] *0/1
it will return the appropriate session object when

- ☐ the session is completed
- ☒ the session object is passed to another method ✗
- ☐ the session does not exists
- ☐ the session is existing

Correct answer

- ☒ the session is existing

✗ What is Inversion of Control in Spring? * 0/1

- ☒ A design pattern that allows for greater control over an application's objects ✗
- ☐ A technique for delegating control of the application to a central authority
- ☐ A method for controlling an application's flow of control from the inside out
- ☐ The term 'Inversion of Control' is not used in Spring

Correct answer

- ☒ A technique for delegating control of the application to a central authority

- ✓ Consider the following bean definition : * 1/1
- <bean id="test" class="com.dev.test.TestBean" />**
- Which of the below bean scope is applied in this bean?
- ☐ Session
 - ☐ Request
 - ☐ Prototype
 - ☒ Singleton ✓

- ✓ Choose the statement that best describes the relationship between JSP and servlets *1/1
- ☐ Servlets are built on JSP semantics and all servlets are compiled to JSP pages for runtime usage
 - ☐ Servlets and JSP are competing technologies for handling web requests. Servlets are being superseded by JSP, which is preferred. The two technologies are not useful in combination
 - ☒ JSPs are built on servlet semantics and all JSPs are compiled to servlets for runtime usage ✓
 - ☐ JSP and sevlets are unrelated technologies

- ✓ What is the purpose of the @Qualifier annotation in Spring? * 1/1
- ☐ It specifies the order of bean initialization among multiple beans
 - ☐ It marks a bean for automatic injection
 - ☒ It resolves ambiguity when multiple beans of the same type are present ✓
 - ☐ It marks a class to become a Spring bean

✗ What is the appropriate HTTP status code for a successful response in a RESTful API? *0/1

- ☒ 200 OK
- ☐ 201 Created
- ☐ 204 No Content
- ☐ All of the above



Correct answer

- ☒ All of the above

✓ Which of the following are the session tracking techniques? * 1/1

- ☐ URL rewriting, using session object, using response object, using hidden fields
- ☒ URL rewriting, using session object, using cookies, using hidden fields
- ☐ URL rewriting, using servlet object, using response object, using cookies
- ☐ URL rewriting, using request object, using response object, using session object



✗ _____ method can be used for any SQL statements(Select and Update both). *0/1

- ☐ executeQuery()
- ☒ executeUpdate()
- ☐ execute()
- ☐ All of the above

✗

Correct answer

- ☒ execute()

✓ What is the purpose of a PreparedStatement in JDBC? * 1/1

- ☐ To execute SQL queries and retrieve results
- ☒ To avoid SQL Injection
- ☐ To retrieve metadata about a database
- ☐ To handle exceptions in JDBC operations

✓

✓ Abbreviate the term JMS? * 1/1

- ☒ Java Message Service
- ☐ Java Monitor Service
- ☐ Java Message Session
- ☐ Java Monitor Session

✓

✓ AOP stands for? *

1/1

- ☐ Asynchronous oriented programming
- ☒ Aspect Oriented Programming
- ☐ All Oops Program
- ☐ None of the above



✗ What is the difference between PUT and PATCH methods in a RESTful API?

*0/1

- ☒ PUT is used to create a new resource, while PATCH is used to update an existing resource.
- ☐ PUT requires the entire resource data to be provided, while PATCH allows partial updates.
- ☐ PUT is used for partial updates, while PATCH is used for complete updates.
- ☐ There is no difference, PUT and PATCH can be used interchangeably.



Correct answer

- ☒ PUT is used for partial updates, while PATCH is used for complete updates.

✗ Which of the following is correct error when loading JAR file with duplicate name?

*0/1

- ☐ java.io.NullPointerException
- ☐ java.lang.ClassNotFound
- ☐ java.lang.ClassFormatError
- ☒ java.lang.DuplicateClassError

✗

Correct answer

- ☒ java.lang.ClassFormatError

PRN *

43

✗ Which resource(s) have their close() method called when this code runs? * 0/1

```
public static void runQuery(Connection conn) throws SQLException {  
    try (Statement stmt = conn.createStatement())  
    { ResultSet rs = stmt.executeQuery("select * from abcd");  
      rs.next();  
    }  
}
```

- ☐ No close() methods are called.
- ☐ Only Statement
- ☒ Only Statement and Connection
- ☐ Only Statement and ResultSet

✗

Correct answer

- ☒ Only Statement and ResultSet

✗ Which of the following annotation is used to avoid execution of Junits? * 0/1

- ☐ @NoTest
- ☐ @explicit
- ☐ @ignore
- ☒ @avoid

✗

Correct answer

- ☒ @ignore

✗ if isThreadSafe attribute of page directive is set as true, then generated servlet implements SingleThreadModel interface. *0/1

- ☒ true
- ☐ false

✗

Correct answer

- ☒ false

✗ Which HTTP method is used to create a new resource in RESTful API? * 0/1

- ☒ GET
- ☐ POST
- ☐ PUT
- ☐ DELETE

✗

Correct answer

- ☒ POST

✗ Sophia is using Spring Data JPA for the data layer implementations in her web application. She wrote a custom method in the repository. She is using 'update' query to implement the functionality of the method. Which one of the following annotation she should use on that method? *0/1

☒ @Updating

✗

☐ @Updated

☐ @Modifying

☐ @Modified

Correct answer

☒ @Modifying

✗ Which one of the following annotations is not used in Hibernate? * 0/1

☐ @Entity

☐ @Query

☐ @Column

☒ @Basic

✗

Correct answer

☒ @Query

✗ Select the option that is not a correct approach to create bean life cycle methods in Spring framework? *0/1

- ☐ By using Annotations
- ☐ By implementing Interfaces provided by Spring framework
- ☐ By extending classes provided by Spring framework
- ☒ By using XML configuration

✗

Correct answer

- ☒ By extending classes provided by Spring framework

✓ Which one of the following is correct for directive in JSP? * 1/1

- ☐ <%!directive%>
- ☐ <%directive%>
- ☐ <%=directive%>
- ☒ <%@directive%>

✓

✗ Can servlet class declare constructor with ServletConfig object as an argument? *0/1

- ☐ False
- ☒ True

✗

Correct answer

- ☒ False

✓ Spring is developed by *

1/1

- ☐ Red Hat Software
- ☐ Daniel Fernández
- ☐ Apache
- ☒ Pivotal Software



Name *

Mahesh Patil

✗ In a Hibernate based application, in order to interact with the database, we make use of various methods provided by EntityManager API. Which statement is false in the context of these methods? *0/1

- ☒ We can make use of the persist() method in order to have an object associated with the EntityManager. ✗
- ☐ We can use the findReference() method, if we just need the reference to the entity.
- ☐ We can use the detach() method to detach an entity from the persistence context.
- ☐ We can use the find() method to retrieve an object from the database.

Correct answer

- ☒ We can use the findReference() method, if we just need the reference to the entity.

✓ What is the purpose of the @Autowired annotation in Spring? *

1/1

- ☐ To define a bean in the Spring application context
- ☒ To inject dependencies into a bean
- ☐ To define the scope of a bean
- ☐ To define the lifecycle of a bean



✗ GET methods are great for sendingamounts of information that you do not mind having visible in a URL. *0/1

- ☐ negligible
- ☐ huge
- ☐ small
- ☒ both and b



Correct answer

- ☒ small

✓ When destroy() method of a filter is called? *

1/1

- ☐ The destroyer() method is called after the filter has executed
- ☒ The destroy() method is called only once at the end of the life cycle of a filter
- ☐ The destroy() method is called after the filter has executed doFilter method
- ☐ The destroy() method is called only once at the beginning of the life cycle of a filter



✓ Mary is working in a Hibernate based application as a web-application developer. She has two entities in her application: Student & Address. She is implementing a relation where One student can have multiple addresses and one address can accommodate multiple students in a bidirectional relationship. Mary doesn't want hibernate to create one additional table. Which of the following annotation and its attribute will she use to fulfil the given requirement? *1/1

- ☐ @ManyToMany and mappedBy
- ☐ @ManyToOne and mappedBy
- ☒ @OneToMany and MappedBy
- ☐ @OneToOne and MappedBy



✓ Which are the ioc container in spring? * 1/1

- ☐ BeanFactory
- ☐ ApplicationContext
- ☒ Both BeanFactory & ApplicationContext
- ☐ None of the above



✓ How can you enable asynchronous method execution in Spring? * 1/1

- ☐ Using the @Async annotation
- ☐ Using the <async-method-execution> tag
- ☒ Using the @EnableAsync annotation
- ☐ Setting the "async" attribute to "true" in XML configuration



✓ We can configure DispatcherServlet in _____ *

1/1

- ☐ web.xml
- ☐ .java file
- ☒ Both of the above
- ☐ .properties file



✗ Jacob is working on a web application where JPA is being used in data layer. He wrote a POJO class and wants this class to work as an entity to implement the ORM concept. What are the minimum required annotations he must use at the class to create a table in the database? *0/1

- ☐ @Id, @Entity
- ☒ @Table, @Entity, @Id
- ☐ @Column, @Entity, @Table
- ☐ @Id, @GeneratedValue



Correct answer

- ☒ @Id, @Entity

— — — .

