

✓ Identify the infinite loop. *

1/1

- ☐ for(;)
- ☐ for(int i = 0; i < 1; i--)
- ☐ for(int i = 0; ; i++)
- ☒ All of the above



✓ What is Truncation in Java? *

1/1

- ☐ Floating-point value assigned to a Floating type
- ☒ Floating-point value assigned to an integer type
- ☐ Integer value assigned to floating type
- ☐ None



✓ What is the implicit return type of constructor? *

1/1

- ☐ No return type
- ☒ A class object in which it is defined ✓
- ☐ void
- ☐ None

✓ Identify the correct way of declaring constructor. *

1/1

Public class Solution {}

- ☐ Solution(){}
- ☐ public Solution(){}
- ☐ Solution(void){}
- ☒ Both (A) and (B) ✓

✓ Identify the modifier which cannot be used for constructor. *

1/1

- ☐ public
- ☐ protected
- ☐ private
- ☒ static



✓ What is the variables declared in a class for the use of all methods of the class called? *1/1

- ☐ Object
- ☒ Instance variables
- ☐ Reference variable
- ☐ None



✓ Identify the keyword among the following that makes a variable belong to a class, rather than being defined for each instance of the class. *1/1

- ☐ final
- ☐ volatile
- ☒ static
- ☐ abstract



✓ Where does the system store parameters and local variables whenever a method is invoked? *1/1

- ☐ Heap
- ☒ Stack
- ☐ Array
- ☐ Tree



✓ Which of these is the correct method to create an array in java? *

1/1

- ☐ `int[] arr = {1, 3, 5};`
- ☐ `int[] arr;`
- ☐ `arr = new int[] {3, 1, 8};`
- ☐ `int arr[] = {1, 4, 6};`
- ☒ All of these



✓ What is the output of the following program. *

1/1

```
public class Solution{  
    public static void main(String[] args){  
        byte x = 127;  
        x++;  
        x++;  
        System.out.print(x);  
    }  
}
```

- ☒ -127



- ☐ 127
- ☐ 129
- ☐ 128

✓ What will be the output of following Java code? *

1/1

```
public class Main
{ public static void main(String arg[])
{ int i;
  for (i = 1; i <= 12; i += 2)
  { if (i == 8)
  { System.out.println(i);
    break;
  }
  }
}
}
```

☐ 1

☒ No output



☐ 8

☐ 1357911

✓ In which memory a String is stored, when we create a string using **new** operator?

*1/1

- ☐ Stack
- ☐ String memory
- ☒ Heap memory
- ☐ Random storage space



✓ Given that Student is a class, how many reference variables and objects are created by the following code?

*1/1

```
Student studentName, studentId;  
studentName = new Student();  
Student stud_class = new Student();
```

- ☒ Three reference variables and two objects are created.
- ☐ Two reference variables and two objects are created.
- ☐ One reference variable and two objects are created.
- ☐ Three reference variables and three objects are created.



✗ What is not the use of "this" keyword in Java? *

0/1

- ☐ Referring to the instance variable when a local variable has the same name
- ☐ Passing itself to the method of the same class
- ☒ Passing itself to another method ✗
- ☐ Calling another constructor in constructor chaining

Correct answer

- ☒ Passing itself to the method of the same class

✓ Which of the following for loop declaration is not valid? *

1/1

- ☒ for (int i = 99; i >= 0; i / 9) ✓
- ☐ for (int i = 7; i <= 77; i += 7)
- ☐ for (int i = 20; i >= 2; --i)
- ☐ for (int i = 2; i <= 20; i = 2 * i)