

✓ 10.

1/1

What will be the output?

```
1. public interface InfA{  
2.     protected String getName();  
3. }  
  
public class Test implements InfA{  
    public String getName(){  
        return "test-name";  
    }  
    public static void main (String[] args){  
        Test t = new Test();  
        System.out.println(t.getName());  
    }  
}
```

- ☐ test-name
- ☒ Compilation fails due to an error on lines 2
- ☐ Compilation fails due to an error on lines 1
- ☐ Compilation succeed but Runtime Exception
- ☐ None of these



What will happen after compiling this program code?

```
abstract class MyClass{ //line 1
    private int a, b;

    public void call(int a, int b){
        this.a = a;
        this.b = b;
        System.out.print(a+b);
    }
}

public class Test{
    public static void main(String args[]){
        MyClass m = new MyClass(); //line 2
        m.call(12,25);
    }
}
```

- ☐ Successful run and print 37
- ☐ Compilation error due to line 1
- ☒ Compilation error due to line 2
- ☐ Runtime error
- ☐ None of these



```
interface Test{  
    int p = 10; //line 1  
    public int q = 20; //line 2  
    public static int r = 30; //line 3  
    public static final int s = 40; //line 4  
}
```

Which of the above line will give compilation error?

☐ 1

☒ 2



☐ 3

☐ 4

✓ 6. What is the use of final keyword in Java?

1/1

- ☐ When a class is made final, a subclass of it can not be created.
- ☐ When a method is final, it can not be overridden.
- ☐ When a variable is final, it can be assigned value only once.
- ☒ All of the above ✓

✓ 7. In java declaring abstract is useful?

1/1

- ☐ To prevent developers from further extending the class.
- ☒ When it doesn't make sense to have objects of that class. ✓
- ☐ When default implementations of some methods are not desirable.
- ☐ To force developers to extend the class not to use its capabilities.
- ☐ When it makes sense to have objects of that class.

✓ 5.Determine the following code

1/1

```
interface A { }

class C { }

class D extends C { }

class B extends D implements A { }

public class Test extends Thread{
    public static void main(String[] args){
        B b = new B();
        if (b instanceof A)
            System.out.println("b is an instance
e of A");
        if (b instanceof C)
            System.out.println("b is an instance
e of C");
    }
}
```

- ☐ Nothing.
- ☐ b is an instance of A.
- ☐ b is an instance of C.
- ☒ b is an instance of A followed by b is an instance of C.



✓ 3. Which of the following declares an abstract method in abstract java class?

1/1

- ☐ public abstract method();
- ☒ public abstract void method();
- ☐ public void abstract Method();
- ☐ public void method() {}
- ☐ public abstract void method() {}



✓ 4. Which of the following is correct interface?

1/1

- ☐ interface A { void print() {} }
- ☐ abstract interface A { print(); }
- ☐ abstract interface A { abstract void print(); {} }
- ☒ interface A { void print(); }



✓ 1. Give the following piece of code

1/1

```
public class School{  
    public abstract double numberOfStudent();  
}
```

- ☐ The keywords public and abstract cannot be used together.
- ☐ The method numberOfStudent() in class School must have a body.
- ☐ You must add a return statement in method numberOfStudent().
- ☒ Class School must be defined abstract. ✓

✓ 2. Which of the following class definition defines a legal abstract class?

1/1

- ☐ class A { abstract void unfinished() {} }
- ☐ class A { abstract void unfinished(); }
- ☒ abstract class A { abstract void unfinished(); } ✓
- ☐ public class abstract A { abstract void unfinished(); }