

DBT Quiz

Total points 10/10 ?

Enter Name

om jairam bhalerao

Enter PRN

48

✓ 1. Which of the following is a NoSQL database? *

1/1

- ☐ MySQL
- ☒ MongoDB
- ☐ Oracle
- ☐ SQL Server



✓ 2. What is a MongoDB database? *

1/1

- ☒ A group of related collections
- ☐ A group of related documents
- ☐ A group of related tables
- ☐ A group of related data values



✓ 3. Which of the following is a collection in MongoDB? *

1/1

- ☐ A group of related fields
- ☐ A group of related tables
- ☒ A group of related documents
- ☐ None of the above



✓ 4. Which of the following is a command used to create a new database in MongoDB? *1/1

- ☐ create DATABASE_NAME
- ☒ use DATABASE_NAME
- ☐ show DATABASE_NAME
- ☐ create DATAASE_NAME



✓ 5. What is a document in MongoDB?

1/1

- ☐ A table
- ☐ A collection
- ☐ A row
- ☒ A record



✓ 6. What is sharding in MongoDB? *

1/1

- ☒ Splitting a database into smaller, more manageable pieces called shards ✓
- ☐ Combining multiple databases into a single, unified database
- ☐ Creating a backup copy of a database for disaster recovery purposes
- ☐ None of the above

✓ 7. Which of the following is not a feature of MongoDB? *

1/1

- ☐ Not support the use of Joins
- ☐ No use of any type of constraints
- ☐ No upfront Schema definition needed.
- ☒ Use of SQL ✓

✓ 8. Which of the following is true about the CAP theorem? *

1/1

- ☐ It states that a distributed system can provide all three guarantees: consistency, availability, and partition tolerance.
- ☐ It states that a distributed system can provide at most one out of three guarantees: consistency, availability, and partition tolerance.
- ☒ It states that a distributed system can provide at most two out of three guarantees: consistency, availability, and partition tolerance. ✓
- ☐ It states that a distributed system can provide none out of three guarantees: consistency, availability, and partition tolerance.



✓ 9. Which of the following MongoDB queries is used to display all documents in a collection named "customers"? *1/1

- ☐ db.customers.getAll();
- ☒ db.customers.find({});
- ☐ db.customers.showAll();
- ☐ db.customers.displayAll();



✓ 10. Which of the following commands is used to create a new collection named "orders" in MongoDB? *1/1

- ☒ db.createCollection("orders");
- ☐ db.newCollection("orders");
- ☐ db.addCollection("orders");
- ☐ db.collection("orders").create();



This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

Google Forms



