

WPT Quiz-6

Total points 10/12 ?

Enter name *

om bhalerao

Enter PRN *

48

✓ 1. _____ tag is an extension to HTML that can enclose any number of JavaScript statements. *1/1

☒ <SCRIPT>☐ <BODY>☐ <HEAD>☐ <TITLE>

✓ 2. What is the correct JavaScript syntax to write "Hello World"? * 1/1

☐ System.out.println("Hello World")☐ println ("Hello World")☒ console.log("Hello World")☐ response.write("Hello World")

✓ 3. What is the main advantage of using backticks (``) instead of single or double quotes for strings? *1/1

- ☐ Backticks are more performant in JavaScript.
- ☐ Backticks make the string more readable.
- ☐ There is no advantage; backticks are just an alternative syntax
- ☒ Backticks allow for string interpolation and multiline strings. ✓

✓ 4. Which of the following is the correct syntax for declaring a variable in JavaScript? *1/1

- ☐ var myVariable = 5;
- ☐ let myVariable = 5;
- ☐ const myVariable = 5;
- ☒ All of the above ✓



✓ 5. What will be the output of the following code *

1/1

```
let str1 = "";  
if (str1) {  
  console.log("true");  
} else {  
  console.log("false");  
}
```

- ☐ "true"
- ☒ "false"
- ☐ An error will occur.
- ☐ Nothing will be outputted.



✗ 6. What will be the output of the following code *

0/1

```
let str = "5";  
let i = 5;  
if (i === str) {  
  console.log("true");  
} else {  
  console.log("false");  
}
```

- ☒ true
- ☐ false
- ☐ An error will occur.
- ☐ Nothing will be outputted.



Correct answer

- ☒ false



✓ 7. Which of the following is a valid arrow function syntax in JavaScript? * 1/1

- ☐ function => myFunction() {}
- ☒ let myFunction = () => {}
- ☐ let myFunction = function() {}
- ☐ All of the above



✓ 8. What is the equivalent arrow function for the following regular function? *1/1

```
function add(a, b) {  
  return a + b;  
}
```

- ☒ let add = (a, b) => a + b;
- ☐ let add = (a, b) => { return a + b; }
- ☐ let add = function(a, b) { return a + b; }
- ☐ let add = function(a, b) => a + b;



✗ 9. How does an arrow function handle the this keyword compared to a regular function? *0/1

- ☒ Arrow functions have their own this context. ✗
- ☐ Arrow functions inherit the this value from the surrounding scope.
- ☐ Arrow functions cannot access the this keyword.
- ☐ Arrow functions always refer to the global this context.

Correct answer

- ☒ Arrow functions inherit the this value from the surrounding scope.

✓ 10. What will be the output of the following code? * 1/1

```
let add2 = (n1, n2) => n1 + n2;  
  
let total = add2(10, 20);  
console.log(total);
```

- ☒ 30 ✓
- ☐ 1020
- ☐ undefined
- ☐ Error: add2 is not defined



✓ 11. What will be the output of the following code? *

1/1

```
let x = 5;  
let y = 10;  
let result = x > y ? "x is greater" : "y is greater";  
console.log(result);
```

- ☐ "x is greater"
- ☒ "y is greater"
- ☐ true
- ☐ false



✓ 12. What will be the output of the following code? *

1/1

```
let greeting = "Hello";  
  
function greet() {  
  let greeting = "Hi";  
  console.log(greeting);  
}  
  
greet();
```

- ☐ Hello
- ☒ Hi
- ☐ undefined
- ☐ Error: greeting is not defined



This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)



Google Forms

