

Web based Java Programming End Module Exam

Total points 28/40 ?

The respondent's email (omjbhaleraowork@gmail.com) was recorded on submission of this form.

✗ Which tag is used to include Java code within a JSP page? *

0/1

- ☐ <%! %>
- ☐ <%# %>
- ☒ <%@ %>
- ☐ <% %>

✗

Correct answer

- ☒ <% %>

✓ Which method of the request object is used to extract values of the input fields in a form when it is submitted? *1/1

- ☒ getParameter
- ☐ getParameterNames
- ☐ getValues
- ☐ putValues

✓



✓ Which module of the Spring Framework provides support for handling web-based applications? *1/1

- ☐ Spring Core
- ☐ Spring AOP
- ☐ Spring Data
- ☒ Spring MVC



✗ ____ method obtains a byte-based output stream that enables binary data to be sent to the client. *0/1

- ☐ sendRedirect
- ☐ getOutput()
- ☐ getOutputStream()
- ☒ getWirter



Correct answer

- ☒ getOutputStream()

✓ Which driver is known as the thin driver in JDBC? * 1/1

- ☐ Type 1 Driver
- ☐ Type 2 Driver
- ☐ Type 3 Driver
- ☒ Type 4 Driver



✓ What is the purpose of the fetch attribute in an association mapping annotation in Hibernate? *1/1

- ☐ It defines the join type used in fetching associated entities.
- ☐ It specifies the order in which associated entities are loaded.
- ☒ It determines the level of lazy loading for the relationship. ✓
- ☐ It specifies the foreign key column name.

✓ What is the purpose of the Spring IoC container? * 1/1

- ☐ It manages the lifecycle of Spring beans.
- ☐ It provides a runtime environment for Spring applications.
- ☒ It handles the inversion of control and dependency injection. ✓
- ☐ It integrates Spring with external frameworks and libraries.

✓ What type of servlets use these methods doGet(), doPost(),doHead, doDelete(), doTrace()? *1/1

- ☐ Generic Servlets
- ☒ HttpServlets ✓
- ☐ All of the above
- ☐ None of the above



✓ Which annotation is used in Hibernate to define a foreign key relationship between two entities? *1/1

- ☐ @ForeignKey
- ☒ @JoinColumn
- ☐ @JoinTable
- ☐ @MappedBy



Last TWO Digits of PRN *

48

✓ In Hibernate, what does the cascade attribute in an association mapping annotation indicate? *1/1

- ☐ It specifies the fetch strategy for the relationship.
- ☐ It defines the order in which entities are fetched from the database.
- ☐ It determines the level of synchronization between associated entities.
- ☒ It specifies the actions to be cascaded from the parent entity to the associated entity.



✓ Which of the following is true about JSP? *

1/1

- ☒ It is a server-side technology for creating dynamic web pages. ✓
- ☐ It is a client-side technology for creating dynamic web pages.
- ☐ It is used for database management in Java applications.
- ☐ It is used for creating standalone desktop applications.

✓ During the execution phase, how does a JSP page handle a client's HTTP request? *1/1

- ☒ By generating dynamic content based on the request. ✓
- ☐ By redirecting the request to another JSP page.
- ☐ By serving a static HTML page to the client.
- ☐ By validating the request parameters.



✗ Which of the following are the principal stages in the life cycle of Java Servlet. *0/1

- i) Server Initialization
- ii) Servlet Execution
- iii) Servlet Destruction
- iv) Servlet Stop

- ☐ i, ii, and iii only
- ☒ i, iii, and iv only
- ☐ ii, iii, and iv only
- ☐ All i, ii, iii, and iv only

✗

Correct answer

- ☒ i, ii, and iii only

✓ Which directive is used to import Java classes or packages in a JSP page? *1/1

- ☐ <%! %>
- ☐ <%# %>
- ☒ <%@ %>
- ☐ <% %>

✓



✗ ____method obtains a character-based output stream that enables text data to be sent to the client. *0/1

- ☐ sendRedirect
- ☐ getOutput()
- ☒ getOutputStream()
- ☐ getWritter

✗

Correct answer

- ☒ getWritter

✓ State whether the following statements on the methods of HTTP servlet request are True or False. *1/1

i) For the getHeader method, the match between the given name and the request header is case insensitive.

ii) If there is no query string, getQueryString method returns null.

- ☒ i-True, ii-True
- ☐ i-True, ii-False
- ☐ i-False, ii-True
- ☐ i-False, ii-False

✓



✓ When destroy() method of a servlet is called? *

1/1

- ☒ The destroy() method is called only once at the end of the life cycle of a Servlet ✓
- ☐ The destroy() method is called after the servlet has executed doFilter method
- ☐ The destroy() method is called only once at the beginning of the life cycle of a Servlet
- ☐ The destroyer() method is called after the Servlet has executed

✗ Which phase of the JSP life cycle is responsible for converting the JSP code into a Java servlet? *0/1

- ☐ Translation
- ☐ Compilation
- ☒ Initialization
- ☐ Execution

✗

Correct answer

- ☒ Compilation

✓ Which of the following is not a core feature of the Spring Framework? *

1/1

- ☐ Inversion of Control (IoC) container
- ☐ Dependency Injection (DI)
- ☐ Aspect-oriented programming (AOP)
- ☒ Object-Relational Mapping (ORM) ✓



✗ Which JSP action is used to include the content of another JSP or HTML file in a JSP page? *0/1

- ☐ jsp:useBean
- ☐ jsp:include
- ☐ jsp:forward
- ☒ <c:forEach>

✗

Correct answer

- ☒ jsp:include

✓ Which JSP action is used to iterate over a collection of items? * 1/1

- ☐ jsp:useBean
- ☐ jsp:include
- ☐ jsp:forward
- ☒ <c:forEach>

✓

✓ Which tag is used to execute Java source code in JSP? * 1/1

- ☐ Expression tag
- ☒ Scriptlet tag
- ☐ Declaration tag
- ☐ None of the above

✓



✓ Which design principle does the Spring Framework primarily promote? * 1/1

- ☐ Don't Repeat Yourself (DRY)
- ☒ Separation of Concerns (SoC)
- ☐ Single Responsibility Principle (SRP)
- ☐ Open-Closed Principle (OCP)



✗ What is the primary architectural constraint of RESTful web services? * .../1

- ☒ Stateless communication
- ☐ Encrypted communication
- ☐ Peer-to-peer communication
- ☐ Synchronous communication



No correct answers

✗ The getSession(true) will return the appropriate session object when * 0/1

- ☐ the session is completed
- ☐ the session object is passed to another method
- ☒ the session does not exists
- ☐ the session is existing



Correct answer

- ☒ the session is existing



✗ What is the correct sequence of phases in the life cycle of a JSP page? * 0/1

- ☒ Initialization, Compilation, Execution, Destruction ✗
- ☐ Compilation, Initialization, Execution, Destruction
- ☐ Initialization, Execution, Compilation, Destruction
- ☐ Compilation, Execution, Initialization, Destruction

Correct answer

- ☒ Compilation, Initialization, Execution, Destruction

✓ Sessions is a part of the SessionTracking and it is for maintaining the client state at server side. *1/1

- ☒ True ✓
- ☐ False
- ☐ none
- ☐ all



✗ During which phase of the JSP life cycle are the implicit objects initialized?

*0/1

- ☐ Translation
- ☒ Compilation
- ☐ Initialization
- ☐ Execution

✗

Correct answer

- ☒ Initialization

✓ Which query language is commonly used with Spring Data JPA for defining database queries?

*1/1

- ☐ SQL (Structured Query Language)
- ☒ JPQL (Java Persistence Query Language)
- ☐ HQL (Hibernate Query Language)
- ☐ NoSQL (Not Only SQL)

✓

Name *

Om Jairam Bhalerao



✓ Which of the following annotations is used to specify the repository interface in Spring Data JPA? *1/1

- ☒ @Repository
- ☐ @Service
- ☐ @Entity
- ☐ @RepositoryRestResource



✓ JSP pages have access to implicit objects that are exposed automatically. One such object that is available is request. The request object is an instance of which class? *1/1

- ☐ HttpRequest
- ☐ ServletRequest
- ☐ Request
- ☒ HttpServletRequest



✓ RequestDispatcher object is used * 1/1

- ☒ to include other resources
- ☐ to include an image
- ☐ to include xml object
- ☐ to include e-mailing response



✓ Among the following options choose the one which shows the advantage *1/1 of using the JDBC connection pool.

- ☐ Using less memory
- ☒ Better performance
- ☐ Slower performance
- ☐ Using more memory



✓ What happens during the destruction phase of a JSP page? * 1/1

- ☐ The JSP page is deleted from the server.
- ☒ The JSP page is removed from memory.
- ☐ The JSP page is recompiled.
- ☐ The JSP page is invalidated.



✗ Which of the following methods are provided to enable the servlet to process the client's request. *0/1

- i) get_cookies()
- ii) getRequest()
- iii) getSession()
- iv) getHeader()

- ☐ i, ii, and iii only
- ☐ i, iii, and iv only
- ☒ ii, iii, and iv only
- ☐ All i, ii, iii, and iv only

✗

Correct answer

- ☒ i, iii, and iv only

✓ When does the destroy() method of a JSP page get called? * 1/1

- ☐ After the jspDestroy() method is called
- ☐ Before the jsplnit() method is called
- ☐ After the doPost() method is called
- ☒ When the server is shutting down or the JSP page is removed from the server ✓



✓ In which phase of the JSP life cycle are any declared variables or methods outside the JSP scriptlet executed? *1/1

- ☐ Translation
- ☐ Compilation
- ☒ Initialization
- ☐ Execution



✓ Which JSP tag library is commonly used for implementing the Model-View-Controller (MVC) architecture in JSP pages? *1/1

- ☒ JSP Standard Tag Library
- ☐ EL
- ☐ Custom Tag Library
- ☐ none



✓ Which cookie it is valid for single session only and it is removed each time when the user closes the browser? *1/1

- ☐ Persistent cookie
- ☒ Non-persistent cookie
- ☐ All the above
- ☐ None of the above



✗ The include() method of RequestDispatcher *

0/1

- ☒ sends a request to another resource like servlet, jsp or html ✗
- ☐ includes resource of file like servlet, jsp or html
- ☐ appends the request and response objects to the current servlet
- ☐ None of the above

Correct answer

- ☒ includes resource of file like servlet, jsp or html

This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

Google Forms





