

MS.Net Quiz-5

Total points 8/10

The respondent's email (**omjbhaleraowork@gmail.com**) was recorded on submission of this form.

✓ 1. What does the "?" symbol represent in C# when used with a data type? * 1/1

- ☐ It represents a generic type
- ☒ It represents a nullable type
- ☐ It represents an array type
- ☐ It represents a reference type



✓ 2. Which of the following is true about nullable types in C#? * 1/1

- ☐ Nullable types cannot be assigned a value of null
- ☐ Nullable types can only be used with value types
- ☐ Nullable types are reference types
- ☒ Nullable types can hold either a value or null



✗ 3. Which of the following is the correct syntax to declare an array in C#? * 0/1

- ☐ int[] array;
- ☒ int array[];
- ☐ array int[];
- ☐ int array;



Correct answer

- ☒ int[] array;

✓ 4. How do you access an element in an array in C#? *

1/1

- ☐ array(index)
- ☒ array[index]
- ☐ array.index
- ☐ array.index()



✓ 5. What is a jagged array in C#? *

1/1

- ☐ An array that can hold multiple data types
- ☐ An array that can change its size dynamically
- ☒ An array of arrays
- ☐ An array that supports negative indexing



✓ 6. Which of the following statements is true about jagged arrays in C#? * 1/1

- ☐ All the rows in a jagged array must have the same length
- ☒ A jagged array can have different lengths for its rows
- ☐ Jagged arrays cannot be multidimensional
- ☐ Jagged arrays can only hold value types



✓ 7. If you want to add an array in ArrayList then which method of ArrayList *1/1 will be used?

- ☐ Add
- ☒ AddRange
- ☐ AddArray
- ☐ None of the above.



✗ 8. Trace the output of given below code. *

0/1

```
int[] arr = {1,2,3,4,5 };  
ArrayList obj = new ArrayList();  
obj.Add("A");  
obj.Add("B");  
obj.AddRange(arr);  
  
foreach (object list in obj)  
{  
    Console.Write(list+" ");  
}
```

- ☐ A B 1 2 3 4 5
- ☒ Compile time error
- ☐ Run time error
- ☐ None of the above.

✗

Correct answer

- ☒ A B 1 2 3 4 5

✓ 9. In what order does a Stack retrieve items as you use its Pop method? * 1/1

- ☐ Random order
- ☐ First-in, first-out
- ☒ Last-in, first-out
- ☐ Last-in, last-out

✓



- ✓ 10. Read the given below code. What you will write at the place of question marks in line
foreach (??????<int, String> item in obj) ? *1/1

```
Dictionary<int, String> obj = new Dictionary<int, String>();  
obj[1] = "CareerRide.com";  
obj[2] = "XYZ.com";  
obj[3] = "PQR.com";
```

```
foreach (??????<int, String> item in obj)  
{  
    int id = item.Key;  
    string website = item.Value;  
    Console.WriteLine(" {0} = {1}", id, website);  
}
```

- ☐ Value
- ☒ KeyValuePair
- ☐ Key
- ☐ None of the above



This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#).

Google Forms





