



Shubham Kumbhar <kumbharshubham5640@gmail.com>

Fwd: MS .NET Technologies End Module Test

1 message

48_kochi_om_bhalerao <omjbhaleraowork@gmail.com>
To: kumbharshubham5640@gmail.com

Sun, Jul 23, 2023 at 11:02 PM

----- Forwarded message -----

From: **Google Forms** <forms-receipts-noreply@google.com>

Date: Tue, Jul 18, 2023 at 9:37 AM

Subject: MS .NET Technologies End Module Test

To: <omjbhaleraowork@gmail.com>

Thanks for filling out **MS .NET Technologies End Module Test**

Here's what was received.

MS .NET Technologies End Module Test

Email *

omjbhaleraowork@gmail.com

Enter PRN (last two digits) *

48

Enter Name *

Om Jairam Bhalerao

BLACKBOX AI

1. Due to garbage collector running in .Net what method should we not write?

- ☐ Constructor
- ☒ Destructor
- ☐ Dispose
- ☐ Finalize

2. Due to which of the following can .Net code run on different platforms?

- ☒ CLR
- ☐ CTS
- ☐ CLS
- ☐ JITters

3. Due to which of the following can one write code in different .Net languages and use similar data types?

- ☐ CLR
- ☒ CTS
- ☐ CLS
- ☐ JITters

4. Due to which of the following can different .Net languages have similar rules?

- ☐ CLR
- ☐ CTS

- ☒ CLS
- ☐ JITters

5. Reflection allows you to read the following from an assembly?

- ☐ Source Code
- ☒ Metadata
- ☐ IL
- ☐ CTS

6. In MVC the classes holding the data represent the

- ☒ Model
- ☐ View
- ☐ Controller
- ☐ None of the above

7. The following syntax is used to create an array of int :

- ☐ `int *arr = new int[5];`
- ☒ `int [] arr = new int(5);`
- ☐ `int [] arr = new int[5];`
- ☐ `int arr = new int[5];`

8. The following attribute requires the user to be logged in before he can access the action method

- ☐ [AllowAnonymous]
- ☐ [Authenticate]
- ☒ [Authorize]
- ☐ [LoggedIn]

9. When is the static constructor called?

- ☐ whenever an object is created
- ☒ when the class is loaded
- ☐ when Main is called
- ☐ whenever a static method is called

10 .How would the variable I be accessed from Main() function in Class2:

```
public class class1  
{  
  
    private static int I;  
  
}
```

- ☒ Cannot be accessed
- ☐ class1.I = 10
- ☐ obj.I = 10 ... where obj is an object of class1
- ☐ I = 10

11. On this line of code,
the following happens

```
int i = 100;
```

```
Session["i"] = i;
```

- ☒ Boxing happens
- ☐ Unboxing happens
- ☐ Typecasting happens
- ☐ Nothing happens

12. All generic

collection classes directly or indirectly use the following interface

- ☐ Collection<T>
- ☒ ICollection<T>
- ☐ Collection
- ☐ ICollection

13. All user defined

exceptions should inherit from the following class :

- ☒ Exception
- ☐ UserDefinedException
- ☐ SystemException
- ☐ ApplicationException

14. What is an
attribute?

- ☐ Attribute is a property of a class or method

- ☐ Attribute is a collection of styles and properties
- ☒ Attribute is an additional information about a class, assembly structure, method etc.
- ☐ Attribute is type meta data

15. System.Char represents a

- ☐ 8 bit Unicode character.
- ☒ 16 bit Unicode character.
- ☐ 32 bit Unicode character.
- ☐ 64 bit Unicode character.

16. It is possible for a derived class to define a member that has the same name as the member in its base class. Which of the following keywords would you use if your intent is to hide the base class member?

- ☐ virtual
- ☐ sealed
- ☐ override
- ☒ new

17. 'finally' block in the try..catch statement will execute

- ☐ when there is an exception in the try..catch block
- ☐ when there is exception in the catch block only
- ☐ when there is no exception
- ☒ irrespective of whether an exception occurs or not

18. Which class is used for writing to a text file with formatted output?

- ☐ File
- ☐ FileStream
- ☒ StreamWriter
- ☐ FileInfo

19. What is a ViewModel?

- ☐ A class that uses both the View and the Model
- ☐ A class that is used by both the View and the Model
- ☒ A class that is used to send custom data to the View
- ☐ A class that is used by the controller to pass to the Model

20. Which class do we inherit from while interacting with the Entity Framework

- ☐ Entity
- ☐ Framework
- ☒ DbContext
- ☐ DataContext

21. How do you specify a common layout for all Views

- ☐ set Layout ="LayoutName" in all Views
- ☒ set Layout ="LayoutName" in ViewStart file
- ☐ set Layout ="LayoutName" in Layout File

☐ set Layout ="LayoutName" in Controller

22. The following is the base class for ViewResult

- ☐ MVCResult
- ☒ ActionResult
- ☐ IActionResult
- ☐ ContentResult

23. Which of the following statements is true?

- ☐ A command can be executed from a closed connection
- ☐ A Datareader cannot contain more than one set of data
- ☐ A DataSet can only have one dataTable
- ☒ A DataAdapter need not have an open connection to call its fill method

24. What does the SoapFormatter serialize

- ☐ methods of a class
- ☐ public variables and properties of a class
- ☐ public and private variables of a class
- ☒ public and private properties of a class

25. To add a Primary key constraint on the DataTable

- ☐ pass a DataColumn array object to the PrimaryKey property for the DataSet
- ☐ pass a DataColumn object to the PrimaryKey property for the DataSet

- ☒ pass a DataColumn array object to the PrimaryKey property for the DataTable
- ☐ pass a DataColumn object to the PrimaryKey property for the DataTable

26. To see records from a DataTable in a sorted manner use...

- ☐ Sort property of DataTable
- ☒ Sort property of DataView
- ☐ Sort property of DataSet
- ☐ Sort property of DataColumn

27. How do you run a method in a new thread

- ☐ Create a thread object and pass a method as a parameter to the constructor
- ☐ call thread.Run()
- ☒ call thread.Start()
- ☐ call thread.BeginInvoke()

28. Which of these provides a read only, forward only way of reading records

- ☐ DataTable
- ☐ DataView
- ☐ DataSet
- ☒ SqlDataReader

29. Which of these does not require typecasting while accessing it

- ☒ ViewBag
- ☐ ViewData
- ☐ TempData
- ☐ Session variable

30. Which method of the DataSet returns the records whose RowState is not Unchanged

- ☐ AcceptChanges
- ☐ RejectChanges
- ☒ GetChanges
- ☐ Update

31. Which of these is available in a Redirect but not in subsequent requests?

- ☐ ViewBag
- ☐ ViewData
- ☒ TempData
- ☐ Session variable

32. What is MARS with respect to Sql Server

- ☐ A planet
- ☒ Allows multiple datareaders to be created at the same time
- ☐ Allows multiple datatables to be created at the same time
- ☐ Allows multiple datasets to be created at the same time

33. To delete a cookie, use the following code

- ☐ HttpContext.DeleteCookie(...)
- ☐ Session.Cookies.Delete(...)
- ☒ Response.Cookies.Delete(...)
- ☐ Request.Cookies.Delete(...)

34. The following data annotation specifies the primary key

- ☒ Key
- ☐ PrimaryKey
- ☐ Id
- ☐ Index

35. How can you keep waiting till a task (called t) finishes?

- ☐ t.Join
- ☐ t.WaitOne
- ☒ t.Wait
- ☐ t.Sleep

36. What is the default attribute for all action methods

- ☐ HttpGet
- ☐ HttpPost

☐ HttpPut☐ HttpDelete

37.

```
class BaseClass
```

```
{
```

```
    int a;
```

```
    public  
    BaseClass(int a)
```

```
{
```

```
    this.a  
    = a;
```

```
}
```

```
}
```

```
class DerivedClass : BaseClass
```

```
{
```

```
int b;

public
DerivedClass(int b)

{

    this.b =
b;

}

}

class Program{

static void Main(){ DerivedClass o = new
DerivedClass(10);}

}
```

What is the value in o.a after running this code?

- ☒ 0
- ☐ 10
- ☐ null
- ☐ code will not compile.

38. Which of these will cause deferred execution of a linq query?

- ☐ collection.ToList()
- ☐ collection.ToDictionary()
- ☐ collection.ToArray()
- ☒ collection.Select()

39. To add a new row to a Datatable ...

- ☐ call the Add method of the Rows collection of the DataSet
- ☐ call the Add method of the DataTable
- ☒ call the Add method of the Rows collection of the DataTable
- ☐ call the Add method of the DataSet

40. To show a partial view in [asp.net mvc core](#), we use

- ☐ Html.Partial("PartialView1")
- ☒ await Html.PartialAsync("PartialView1")
- ☐ Html.PartialAsync("PartialView1")
- ☐ Html.RenderView("PartialView1")

[Create your own Google Form](#)
[Report Abuse](#)