

SDM CCEE Mock

sanjutiwari9559@gmail.com [Switch account](#)



Your email will be recorded when you submit this form

* Indicates required question

Questions

What is the primary advantage of using microservices over a monolithic architecture? * 1 point

- ☐ a) Simplified deployment process
- ☐ b) Reduced network latency
- ☐ c) Improved code reusability
- ☐ d) Scalability and flexibility in development and deployment

What is the fundamental unit of Docker that encapsulates an application and its dependencies? * 1 point

- ☐ a) Docker Machine
- ☐ b) Docker Engine
- ☐ c) Docker Container
- ☐ d) Docker Image



Why is software engineering important in modern-day software development?

* 1 point

- ☐ a) It helps to create software that runs on any operating system.
- ☐ b) It ensures that software is delivered on time without any delays.
- ☐ c) It enables systematic development, leading to high-quality software.
- ☐ d) It eliminates the need for software documentation.

What is the purpose of a burndown chart in Agile development? *

1 point

- ☐ a) To track the progress of tasks in a sprint
- ☐ b) To display the total number of features in a project
- ☐ c) To document the feedback from stakeholders
- ☐ d) To measure the team's productivity over time

In object-oriented analysis, what is the primary focus? *

1 point

- ☐ a) Defining data structures and algorithms
- ☐ b) Identifying objects and their interactions
- ☐ c) Creating a detailed implementation plan
- ☐ d) Verifying the correctness of the system



What is the purpose of cohesion in software design? *

1 point

- ☐ a) To minimize dependencies between modules
- ☐ b) To ensure that modules perform a single, well-defined task
- ☐ c) To facilitate communication between different layers of the system
- ☐ d) To enhance reusability of modules

What is the primary goal of DevOps in software development? *

1 point

- ☐ a) To automate the testing process
- ☐ b) To ensure zero downtime during deployment
- ☐ c) To bridge the gap between development and operations teams
- ☐ d) To eliminate the need for continuous integration

Which of the following is a disadvantage of the Waterfall model? *

1 point

- ☐ a) It is difficult to determine when to move from one phase to another.
- ☐ b) It requires extensive documentation, which increases development time.
- ☐ c) It does not allow for iterative development and customer feedback.
- ☐ d) It is not suitable for large-scale projects.



What is a characteristic of a good software design? *

1 point

- ☐ a) High coupling between modules
- ☐ b) Low cohesion within modules
- ☐ c) High reusability and modularity
- ☐ d) Lack of abstraction

What is the main characteristic of a microservices architecture? *

1 point

- ☐ a) Monolithic codebase with tightly coupled modules
- ☐ b) Centralized database for all services
- ☐ c) Independent and loosely coupled services
- ☐ d) Dependent services managed by a single team

Which design principle advocates dividing a software system into small, independent, and manageable modules?

* 1 point

- ☐ a) Cohesion
- ☐ b) Coupling
- ☐ c) Modularity
- ☐ d) Layering



Which component of the DevOps ecosystem is responsible for automating the process of software deployment? * 1 point

- ☐ a) Configuration Management
- ☐ b) Continuous Integration (CI) Tools
- ☐ c) Infrastructure as Code (IaC)
- ☐ d) Continuous Deployment (CD) Tools

Which design principle promotes the idea that classes should be open for extension but closed for modification? * 1 point

- ☐ a) Encapsulation
- ☐ b) Inheritance
- ☐ c) Polymorphism
- ☐ d) Open-Closed Principle (OCP)

How does containerization differ from traditional virtualization? * 1 point

- ☐ a) Containers provide stronger isolation between applications compared to virtual machines.
- ☐ b) Containers include a full operating system, while virtual machines emulate the hardware of a physical machine.
- ☐ c) Containers are more resource-intensive than virtual machines.
- ☐ d) Containers allow for faster application deployment and have lower overhead compared to virtual machines



In the context of microservices, what is the purpose of service autonomy? * 1 point

- ☐ a) To allow services to share the same database for efficient data management
- ☐ b) To enable services to communicate directly with each other
- ☐ c) To make services self-contained and independently deployable
- ☐ d) To ensure services are tightly integrated to improve performance

What is the purpose of loading a web driver in Selenium? * 1 point

- ☐ a) To speed up web page loading time
- ☐ b) To enable communication between the browser and Selenium scripts
- ☐ c) To convert web pages into a specific programming language
- ☐ d) To capture screenshots of web pages for visual testing

Which tool is commonly used for visualizing the flow of work and limiting work in progress in Agile development? * 1 point

- ☐ a) Kanban board
- ☐ b) Gantt chart
- ☐ c) Product backlog
- ☐ d) Burnup chart



Which Agile practice allows the development team to inspect and adapt their processes during a project's life cycle?

* 1 point

- ☐ a) Sprint planning
- ☐ b) Daily stand-up meetings
- ☐ c) Retrospectives
- ☐ d) Backlog grooming

In Kubernetes, what is the purpose of a Service? *

1 point

- ☐ a) To define the desired state of a deployment
- ☐ b) To expose a set of pods to the internet or internal network
- ☐ c) To manage container logs and collect application metrics
- ☐ d) To package and distribute applications using Helm charts

What is the benefit of using Infrastructure as Code (IaC) in cloud development?

* 1 point

- ☐ a) IaC improves application performance and response time.
- ☐ b) IaC eliminates the need for version control of cloud resources.
- ☐ c) IaC enables automated provisioning and management of cloud resources.
- ☐ d) IaC simplifies the deployment of monolithic applications.



In Jira, what is a "sprint"? *

1 point

- ☐ a) A meeting where stakeholders provide feedback on the project progress
- ☐ b) A period during which the development team works to complete a set of tasks
- ☐ c) A visualization of project tasks on a board
- ☐ d) A report that shows the project's burn-down rate

Which step is typically the first in the requirements engineering process? *

1 point

- ☐ a) Requirements validation
- ☐ b) Requirements gathering
- ☐ c) Requirements negotiation
- ☐ d) Requirements documentation

What is the role of a Jenkins slave node in a Jenkins environment? *

1 point

- ☐ a) To execute the Jenkins server configuration and management tasks
- ☐ b) To store Jenkins build artifacts and reports
- ☐ c) To provide additional computing resources for executing Jenkins jobs
- ☐ d) To manage the version control system used in Jenkins



In Jira, what is the purpose of the "Epic" issue type? *

1 point

- ☐ a) To represent a large and complex user story
- ☐ b) To track defects and issues in the software
- ☐ c) To capture high-level project requirements
- ☐ d) To denote a task that has been completed

How can you select multiple options from a multi-select drop-down in Selenium?

* 1 point

- ☐ a) Use the 'selectByValue' method for each option to be selected
- ☐ b) Use the 'selectByIndex' method for each option to be selected
- ☐ c) Use the 'selectByVisibleText' method with multiple options to be selected
- ☐ d) Use the 'deselectAll' method followed by selecting each option individually

Which statement best describes the Agile Manifesto? *

1 point

- ☐ a) Comprehensive documentation over working software
- ☐ b) Following a plan over responding to change
- ☐ c) Individuals and interactions over processes and tools
- ☐ d) Contract negotiation over customer collaboration



Which Agile methodology emphasizes continuous delivery and frequent releases?

* 1 point

- ☐ a) Scrum
- ☐ b) Extreme Programming (XP)
- ☐ c) Kanban
- ☐ d) Lean Agile

Which activity is NOT part of the software process? *

1 point

- ☐ a) Software design
- ☐ b) Software testing
- ☐ c) Software marketing
- ☐ d) Software maintenance

What is the main benefit of containerization in software development? *

1 point

- ☐ a) Simplification of complex algorithms
- ☐ b) Improved hardware utilization
- ☐ c) Tight coupling between application and operating system
- ☐ d) Consistent deployment and portability across environments



Which service model provides users with the most control over the underlying infrastructure and allows them to manage virtual machines and networks?

* 1 point

- ☐ a) Infrastructure as a Service (IaaS)
- ☐ b) Platform as a Service (PaaS)
- ☐ c) Software as a Service (SaaS)
- ☐ d) Function as a Service (FaaS)

In which software development life cycle phase do developers write code and perform unit testing?

* 1 point

- ☐ a) Requirements gathering
- ☐ b) Design
- ☐ c) Implementation
- ☐ d) Testing

What is the primary goal of the Sprint Review in Agile development? *

1 point

- ☐ a) To inspect the progress made during the sprint and adjust the upcoming sprint plan
- ☐ b) To demonstrate completed work to stakeholders and gather feedback
- ☐ c) To analyze the team's performance and identify areas of improvement
- ☐ d) To conduct a retrospective and identify the impediments faced during the sprint



What is the key difference between Type 1 and Type 2 hypervisors? *

1 point

- ☐ a) Type 1 hypervisors run directly on the hardware, while Type 2 hypervisors run on top of the host operating system.
- ☐ b) Type 1 hypervisors are used for server virtualization, while Type 2 hypervisors are used for desktop virtualization.
- ☐ c) Type 1 hypervisors are open-source, while Type 2 hypervisors are proprietary.
- ☐ d) Type 1 hypervisors require a virtual machine monitor (VMM), while Type 2 hypervisors do not.

Which software development model is known for its sequential approach and has a corresponding testing model called the _____.

* 1 point

- ☐ a) Waterfall model
- ☐ b) Agile model
- ☐ c) V Model
- ☐ d) Spiral model

Which testing method focuses on examining the internal structure and code of the software?

* 1 point

- ☐ a) White-box testing
- ☐ b) Black-box testing
- ☐ c) Grey-box testing
- ☐ d) User acceptance testing



Which software development life cycle model is best suited for projects where requirements are likely to change frequently?

* 1 point

- ☐ a) V-Model
- ☐ b) Incremental model
- ☐ c) Spiral model
- ☐ d) Waterfall model

What is the primary use of YAML in the context of DevOps and containerization?

* 1 point

- ☐ a) To define the architecture of a microservices-based application
- ☐ b) To create a container image using Dockerfile
- ☐ c) To manage the configuration and deployment of infrastructure as code
- ☐ d) To monitor the performance of Kubernetes clusters

What is the recommended tool for creating a Kubernetes cluster on a cloud provider such as AWS or GCP?

* 1 point

- ☐ a) kubectl
- ☐ b) Minikube
- ☐ c) Helm
- ☐ d) kubeadm



What is the primary focus of the "Continuous Monitoring" phase in DevOps? * 1 point

- ☐ a) Automating the deployment process
- ☐ b) Gathering user feedback for continuous improvement
- ☐ c) Monitoring application performance and infrastructure health
- ☐ d) Ensuring continuous integration of code changes

Page 2 of 2

[Back](#)

[Submit](#)

[Clear form](#)

Never submit passwords through Google Forms.

This content is neither created nor endorsed by Google. [Report Abuse](#) - [Terms of Service](#) - [Privacy Policy](#)

Google Forms



