

- 1) In , we have a strict parent-child relationship only.
A) **hierarchical databases.** B) network databases
C) object oriented databases D) relational databases
- 2) The file in DBMS is called as in RDBMS.
A) console B) schema C) **table** D) object
- 3) What operator tests column for the absence of data?
A) **IS NULL operator** B) ASSIGNMENT operator
C) LIKE operator D) NOT operator
- 4) The refers to the way data is organized in and accessible from DBMS.
A) database hierarchy B) data organization
C) data sharing D) **data model**
- 5) is the powerful language for working with RDBMS.
A) Embedded Programs B) Dynamic Programs
C) **Query Language** D) Static Language Programs
- 6) A table can have only 0 or 1 primary key
A) **True** B) False
- 7) How many unique keys can a table have
A) 1 B) 0 C) 2 D) **Multiple**
- 8) SQL stands for
A) **Structured Query Language** C) Simple Query Language
B) Solid Query Language D) Science Query Language
- 9) Which is more secured
A) File System B) **RDBMS** C) Both D) None
- 10) Excel is -----
A) **DBMS** B) Database C) RDBMS D) ORDBMS
- 11) Oracle is -----
A) DBMS B) Database C) RDBMS D) **ORDBMS**
- 12) Office register is -----
A) DBMS B) **Database** C) RDBMS D) ORDBMS
- 13) Various Keywords supported by SQL are
A) **Insert** B) Update C) Select D) **All of the Above**
- 14) Which Databases supports SQL
A) **Oracle** B) SQL Server C) MySQL D) **All of the above**
- 15) Example of Non-Numerical Data is
A) **Employee Address** C) Examination Score

- B) Bank Balance
D) None of the Above
- 16) which of the following is a correct SQL query
A) Select * from emp where eid=100 , ename='a'
B) Select * from emp where eid=100 ename='a'
C) Select * where eid=100 and ename='a' from emp
D) **Select * from emp where eid=100 and ename='a'**
- 17) which of the following constraint is not supported by MySQL
A) Primary Key
B) Unique Key
C) **Check Constraint**
D) Not Null
- 18) How many null values can a unique key column have in MySQL
A) **Multiple**
B) 0
C) 1
D) 2
- 19) How many null values can a primary key column have in MySQL
A) Multiple
B) **0**
C) 1
D) 2
- 20) Can the child table foreign key column has null value?
A) **True**
B) False
- 21) which of the following query is used to delete data from table
A) Drop
B) **Delete**
C) Update
D) Alter
- 22) Does MySQL supports composite Primary keys?
A) **True**
B) False
- 23) Does MySQL supports composite Unique keys?
A) **True**
B) False
- 24) Does MySQL supports composite Foreign keys?
A) **True**
B) False
- 25) which of the following set operators are supported by MySQL
A) **Union**
B) Intersect
C) Minus
D) Except
- 26) which of the following joins are not supported by MySQL
A) **FULL**
B) Left
C) Right
D) Inner
- 27) which of the following joins will return highest number of rows?
A) **Cross Join**
B) Left Join
C) Inner Join
D) Right Join
- 28) does MySQL supports case statements?
A) **True**
B) False
- 29) Can we have a HAVING Clause in the query without group by clause?
A) True
B) **False**
- 30) What is the default sort done in MySQL when you order by clause?
A) **Ascending**
B) Descending
C) None
D) both

- A) LIKE %qpt
B) LIKE *ton
C) LIKE ton\$
D) LIKE ^. *ton\$

- A. REMOVE FROM CUSTOMER ...
- B. DROP FROM CUSTOMER ...
- C. DELETE FROM CUSTOMER WHERE ...**
- D. UPDATE FROM CUSTOMER ...

63. The SQL WHERE clause:

- A. limits the column data that are returned.
- B. limits the row data are returned.**
- C. Both A and B are correct.
- D. Neither A nor B are correct.

64. The command to eliminate a table from a database is:

- A. REMOVE TABLE CUSTOMER;
- B. DROP TABLE CUSTOMER;**
- C. DELETE TABLE CUSTOMER;
- D. UPDATE TABLE CUSTOMER

65. Which of the following is the correct order of keywords for SQL SELECT statements?

- A. SELECT, FROM, WHERE**
- B. FROM, WHERE, SELECT
- C. WHERE, FROM, SELECT
- D. SELECT, WHERE, FROM;

66. A subquery in an SQL SELECT statement is enclosed in:

- A. braces -- {...}.
- B. CAPITAL LETTERS.
- C. parenthesis -- (...) .**
- D. brackets -- [...].

67. Which of the following are the five built-in functions provided by SQL?

- A. COUNT, SUM, AVG, MAX, MIN**
- B. SUM, AVG, MIN, MAX, MULT
- C. SUM, AVG, MULT, DIV, MIN
- D. SUM, AVG, MIN, MAX, NAME

68. Which of the following do you need to consider when you make a table in SQL?

- A. Data types
- B. Primary keys
- C. Default values
- D. All of the above.**

69. Find the SQL statement below that is equal to the following: SELECT NAME FROM CUSTOMER WHERE STATE = 'VA';

- A. SELECT NAME IN CUSTOMER WHERE STATE IN ('VA');
- B. SELECT NAME IN CUSTOMER WHERE STATE = 'VA';
- C. SELECT NAME IN CUSTOMER WHERE STATE = 'V';
- D. SELECT NAME FROM CUSTOMER WHERE STATE IN ('VA');**

70. Which one of the following is used to define the structure of the relation ,deleting relations and relating schemas ?

- a) DML(Data Manipulation Language)
- b) DDL(Data Definition Language)**
- c) Query
- d) Relational Schema

71. Which one of the following provides the ability to query information from the database and to insert tuples into, delete tuples from, and modify tuples in the database ?

- a) DML(Data Manipulation Language)**
- b) DDL(Data Definition Language)
- c) Query
- d) Relational Schema

72. Create table employee (name varchar ,id integer)

What type of statement is this ?

- a) DML
- b) DDL**
- c) View
- d) Integrity constraint

73. To remove a relation from an SQL database, we use the _____ command.

- a) Delete
- b) Purge
- c) Remove
- d) Drop table**

74. Delete from r; r – relation

This command performs which of the following action ?

- a) Remove relation
- b) Clear relation entries
- c) Delete fields
- d) Delete rows**

75. A _____ consists of a sequence of query and/or update statements.

- a) Transaction**
- b) Commit
- c) Rollback
- d) Flashback

76. Which of the following makes the transaction permanent in the database ?

- a) View
- b) Commit**
- c) Rollback
- d) Flashback

77. In order to undo the work of transaction after last commit which one should be used ?

- a) View
- b) Commit
- c) Rollback**
- d) Flashback

78. Consider the following action:

Transaction.....

Commit;

Rollback;

What does Rollback do?

- a) Undoes the transactions before commit
- b) Clears all transactions
- c) Redoes the transactions before commit
- d) No action**

79. In case of any shut down during transaction before commit which of the following statement is done automatically ?

- a) View
- b) Commit
- c) Rollback**
- d) Flashback

80. Aggregate functions are functions that take a _____ as input and return a single value.

- a) Collection of values b) Single value c) Aggregate value d) Both a & b

81. Select _____

from instructor

where dept name= 'Comp. Sci.';

Which of the following should be used to find the mean of the salary ?

- a) Mean(salary) **b) Avg(salary)** c) Sum(salary) d) Count(salary)

82. All aggregate functions except _____ ignore null values in their input collection.

- a) Count(attribute) b) Count(*) c) Avg d) Sum

83. Which of the following should be used to find all the courses taught in the Fall 2009 semester but not in the Spring 2010 semester .

a) **Select distinct course id**

from section

where semester = 'Fall' and year= 2009 and

course id not in (select course id

from section

where semester = 'Spring' and year= 2010);

b) Select distinct course id

from instructor

```
where name not in ('Fall', 'Spring');
```

c) (Select course id

from section

where semester = 'Spring' and year= 2010)

d) Select count (distinct ID)

from takes

where (course id, sec id, semester, year) in (select course id, sec id, semester, year

from teaches

where teaches.ID= 10101);

84. The phrase “greater than at least one” is represented in SQL by _____.

- a) $< \text{all}$ b) $< \text{some}$ c) $> \text{all}$ **d) $> \text{any}$**

85. We can test for the nonexistence of tuples in a subquery by using the `NOT EXISTS` construct.

- a) Not exist b) **Not exists** c) Exists d) Exist

86. Which of the following is not a aggregate function ?

- a) Avg b) Sum c) With d) Min

87. The EXISTS keyword will be true if:

- a) Any row in the subquery meets the condition only.
b) All rows in the subquery fail the condition only.

- c) Both of these two conditions are met.
d) Neither of these two conditions is met.
88. To include integrity constraint in a existing relation use :
a) Create table b) Modify table **c) Alter table** d) Drop table
89. Which of the following is not a integrity constraint ?
a) Not null **b) Positive** c) Unique d) Check 'predicate'
90. Foreign key is the one in which the _____ of one relation is referenced in another relation.
a) Foreign key **b) Primary key** c) References d) Check constraint
91. Which of the following can be addressed by enforcing a referential integrity constraint?
a) All phone numbers must include the area code
b) Certain fields are required (such as the email address, or phone number) before the record is accepted
c) Information on the customer must be known before anything can be sold to that customer
d) When entering an order quantity, the user must input a number and not some text (i.e., 12 rather than 'a dozen')
92. The _____ condition allows a general predicate over the relations being joined.
a) On b) Using c) Set d) Where
93. Which of the join operations do not preserve non matched tuples.
a) Left outer join b) Right outer join **c) Inner join** d) Natural join
94. What type of join is needed when you wish to include rows that do not have matching values?
a) Equi-join b) Natural join **c) Outer join** d) All of the mentioned
95. How many tables may be included with a join?
a) One b) Two c) Three **d) All of the mentioned**
96. In SQL the statement select * from R, S is equivalent to
a) Select * from R natural join S **b) Select * from R cross join S**
c) Select * from R union join S d) Select * from R inner join S
97. A _____ indicates an absent value that may exist but be unknown or that may not exist at all.
a) Empty tuple b) New value **c) Null value** d) Old value
98. Select name
from instructor
where salary is not null;
Selects
a) Tuples with null value **b) Tuples with no null values**
c) Tuples with any salary d) All of the mentioned
99. The primary key must be
a) Unique b) Not null **c) Both a and b** d) Either a or b

PG DAC Data Base Technologies Question Bank

100. Which one of the following deletes all the entries but keeps the structure of the relation .

- a) Delete from r where P;
- b) Delete from instructor where dept name= 'Finance';
- c) Delete from instructor where salary between 13000 and 15000;
- d) Delete from instructor;

101. Which of the following deletes all tuples in the instructor relation for those instructors associated with a department located in the Watson building which is in department relation.

- a) Delete from instructor
where dept_name in 'Watson';
- b) Delete from department
where building='Watson';
- c) Delete from instructor
where dept_name in (select dept name
from department
where building = 'Watson');**
- d) Both a and c

102.. Update instructor
_____ salary= salary * 1.05;

Fill in with correct keyword to update the instructor relation.

- a) Where
- b) Set**
- c) In
- d) Select

103. Which of the following is the correct format for case statements .

- a) Case
when pred1 ... result1
when pred2 ... result2
...
when predn ... resultn
else result0
end
- b) Case
when pred1 then result1
when pred2 then result2
...
when predn then resultn
else result0
end**
- c) Case
when pred1 then result1
when pred2 then result2
...
when predn then resultn
else result0
- d) All of the mentioned

104. A collection of data designed to be used by different people is called a/an

- a) Organization
- b) Database**
- c) Relationship
- d) Schema

PG DAC Data Base Technologies Question Bank

105. Which of the following terms does refer to the correctness and completeness of the data in a database?

- a) Data security b) Data constraint c) Data independence **d) Data integrity**

106. The relationship between DEPARTMENT and EMPLOYEE is a

- a) One-to-one relationship **b) One-to-many relationship**
c) Many-to-many relationship d) Many-to-one relationship

107. If the state of the database no longer reflects a real state of the world that the database is supposed to capture, then such a state is called

- a) Consistent state b) Parallel state c) Durable state **d) Inconsistent state**

108. Each modification done in database transaction are first recorded into the

- a) Harddrive **b) Log** c) Disk d) Datamar

109. When the transaction finishes the final statement the transaction enters into

- a) Active state **b) Committed state** c) Partially committed state d) Abort state

110. Which of the following is an atomic sequence of database actions?

- a) Transaction** b) Concurrency c) Relations d) All of the mentioned

111. _____ means that data used during the execution of a transaction cannot be used by a second transaction until the first one is completed.

- a) Serializability b) Atomicity **c) Isolation** d) Time stamping

112. In SQL, which command is used to select only one copy of each set of duplicate rows

- A) SELECT DISTINCT** B) SELECT UNIQUE C) SELECT DIFFERENT D) All of the above

113. Composite key is made up of

- A) One column B) One super key C) One foreign key **D) Two or more columns**

114. What command is used to get back the privileges offered by the GRANT command?

- A) Grant **B) Revoke** C) Execute D) Run

115. Which of the following query is correct for using comparison operators in SQL?

- A) SELECT sname, coursename FROM studentinfo WHERE age>50 and <80;
B) SELECT sname, coursename FROM studentinfo WHERE age>50 and age <80;
C) SELECT sname, coursename FROM studentinfo WHERE age>50 and WHERE age<80;
D) None of the above

116. How to select all data from studentinfo table starting the name from letter 'r'?

- A) SELECT * FROM studentinfo WHERE sname LIKE 'r%';**
B) SELECT * FROM studentinfo WHERE sname LIKE '%r%';
C) SELECT * FROM studentinfo WHERE sname LIKE '%r';
D) SELECT * FROM studentinfo WHERE sname LIKE '_r%';

PG DAC Data Base Technologies Question Bank

117. Which of the following SQL query is correct for selecting the name of staffs from 'tblstaff' table where salary is 15,000 or 25,000?

- A) **SELECT sname from tblstaff WHERE salary IN (15000, 25000);**
- B) SELECT sname from tblstaff WHERE salary BETWEEN 15000 AND 25000;
- C) Both A and B
- D) None of the above

118. Select a query that retrieves all of the unique course name from the student table?

- A) **SELECT DISTINCT coursename FROM studentinfo;**
- B) SELECT UNIQUE coursename FROM studentinfo;
- C) SELECT DISTINCT coursename FROM TABLE studentinfo;
- D) SELECT INDIVIDUAL coursename FROM studentinfo;

119. Which query is used for sorting data that retrieves the all the fields from empinfo table and listed them in the ascending order?

- A) **SELECT * FROM empinfo ORDER BY age;**
- B) SELECT * FROM empinfo ORDER age;
- C) SELECT * FROM empinfo ORDER BY COLUMN age;
- D) SELECT * FROM empinfo SORT BY age;

120. Select the right statement to insert values to the stdinfo table.

- A) INSERT VALUES ("15", "Hari Thapa", 45, 5000) INTO stdinfo;
- B) INSERT VALUES INTO stdinfo ("15", "Hari Thapa", 45, 5000);
- C) INSERT stdinfo VALUES ("15", "Hari Thapa", 45, 5000);
- D) **INSERT INTO stdinfo VALUES ("15", "Hari Thapa", 45, 5000);**

121. How to Delete records from studentinfo table with name of student 'Hari Prasad'?

- A) DELETE FROM TABLE studentinfo WHERE sname='Hari Prasad';
- B) **DELETE FROM studentinfo WHERE sname='Hari Prasad';**
- C) DELETE FROM studentinfo WHERE COLUMN sname='Hari Prasad';
- D) DELETE FROM studentinfo WHERE sname LIKE 'Hari Prasad';

122. Which of the following statement is correct?

- A) **SQL processes sets of data as groups rather than as individual units**
- B) SQL processes sets of data as individual units rather than as groups
- C) SQL is not a data sublanguage
- D) SQL does not provide an interface to a relational database

123. Which is the default isolation level in MySQL

- A) **Repeatable Reads**
- B) Read Committed
- C) Read uncommitted
- D) Serializable

124. Which of the following isolation levels allow dirty reads?

- A) Repeatable Reads
- B) Read Committed
- C) **Read uncommitted**
- D) Serializable

125. Which of the following isolation levels doesn't allow phantom reads?

- A) Repeatable Reads
- B) Read Committed

C) Read uncommitted

d) Serializable

126. Which of the following isolation levels doesn't allow non-repeatable reads?

A) Repeatable Reads

B) Read Committed

C) both

D) none

127. How many primary keys are allowed in a table?

A) 0

B) 1

C) both

D) None

128. How many Unique keys are allowed in a table?

A) 0

B) Multiple

C) both

D) None

129. Can we create composite foreign keys?

A) True

B) False

130. Which of the following can be called inside queries?

A) Procedures

B) Functions

C) Triggers

D) All

131. What is used to fetch data row by row from a table-

A) Cursor

B) Variable

C) Both

D) None

132. Which is the default Isolation level in MySQL

A) Read Uncommitted

B) Read Committed

C) Repeatable Reads

D) Serializable

133. Which isolation level is supports dirty reads-

A) Read Uncommitted

B) Read Committed

C) Repeatable Reads

D) Serializable

134. Which isolation level doesn't support Phantom reads-

A) Read Uncommitted

B) Read Committed

C) Repeatable Reads

D) Serializable

135. Which isolation level does support Repeatable Reads-

A) Repeatable Reads

B) Serializable

C) None

D) Both

136. Which is the strictest isolation level-

A) Read Uncommitted

B) Read Committed

C) Repeatable Reads

D) Serializable

137. What is used to optimize search?

A) View

B) Group by Clause

C) Index

D) Procedure

138. Which is following query is correct-

A) Select from emp having count(*)=1

B) select 1 from emp group by deptid having count(*)=1

C) select from dept from emp group by deptname

D) None

139. Which of the following can be executed by users?

A) Procedures

B) functions

C) Both

D) None

PG DAC Data Base Technologies Question Bank

140. Which of the following cannot be executed by users-

- A) Triggers B) Functions C) Procedures D) None

141. Which of following commands can be used to start a transaction?

- A) Start Transaction B) Transaction C) Start Tran D) None

142. What is the command to all salaries which are null?

- A) select salary from emp where salary=null
B) select salary from emp where salary='null'
C) select salary from emp where salary is not null
D) select salary from emp where salary is null

143. What is the command show list of all users in mysql

- A) select user from mysql.user B) select user
C) show users D) select current_user()

144. What is the command show list the currently connected user in mysql session

- A) select user from mysql.user B) select user
C) show users D) select current_user()

145. How many Auto Increment columns can a table have?

- A) 0 B) 1 C) Both of the above D) Multiple

146. Can you create an Auto Increment on a unique Key

- A) True B) False

147. Which Normal form allows dependency of one non-key attribute on another non-key attribute?

- A) 2nd Normal form B) 3rd Normal form
c) 4th Normal form d) None

148. What is the level of Normalization present in Star Schema?

- A) 2nd Normal Form B) 3rd Normal Form
C) 4th Normal Form D) 1st Normal Form

149. What is the level of Normalization present in Snowflake Schema?

- A) 2nd Normal Form B) 3rd Normal Form
C) 4th Normal Form D) 1st Normal Form