

Daily Quiz Jun 6

Total points 12/15 ?

The respondent's email (omjbhaleraowork@gmail.com) was recorded on submission of this form.

✓ What does hibernate.hbm2ddl.auto create this means? * 1/1

- ☒ create tables automatically ✓
- ☐ create session object automatically
- ☐ create Session Factory object automatically
- ☐ None

Last TWO Digits of PRN *

48

✓ In the elements of Hibernate architecture is a factory of session and client of ConnectionProvider,It holds second level cache (optional) of data? *1/1

- ☐ Connection Provider
- ☐ Session
- ☒ Session Factory ✓
- ☐ Transaction



Name *

om bhalerao

✓ The Hibernate XML configuration file name is? *

1/1

- ☒ hibernate.cfg.xml
- ☐ hibernate.config.xml
- ☐ hibernate.cg.xml
- ☐ None



✓ How many layers are available in Hibernate architecture? *

1/1

- ☒ 3
- ☐ 4
- ☐ 5
- ☐ 2



✗ Which of the following methods hits database always? *

0/1

- ☐ load()
- ☐ loadDatabase()
- ☒ getDatabase()
- ☐ get()

✗

Correct answer

- ☒ get()

✗ Select the design pattern that should be followed while creating SessionFactory in hibernate?

*0/1

- ☒ Singleton
- ☐ Prototype
- ☐ Both
- ☐ None

✗

Correct answer

- ☒ Prototype

✓ Which of the following is not a Session method? *

1/1

- ☐ session.save()
- ☒ session.remove()
- ☐ session.saveOrUpdate()
- ☐ session.persist()

✓



✓ Which of the following is FALSE about Session in hibernate *

1/1

- ☐ Session is a lightweight non-threadsafe object
- ☒ You can share the session between threads
- ☐ Session represents a single unit-of-work with the database
- ☐ Session is the primary interface for the persistence service



✗ Which statement is correct? *

0/1

- ☒ Only the Session that you obtained with sf.getCurrentSession() is flushed and closed automatically
- ☐ Only the Session that you obtained with sf.openSession() is flushed and closed automatically
- ☐ Only the Session that you obtained with sf.getSession() is flushed and closed automatically
- ☐ None



Correct answer

- ☒ Only the Session that you obtained with sf.getSession() is flushed and closed automatically

✓ What is an ORM stands for? *

1/1

- ☐ Object Rate Mapping
- ☒ Object Relational Mapping
- ☐ Operating Related Mapping
- ☐ Operating Rate Mapping



✓ Which of the following are tags of hibernate.cfg.xml? *

1/1

- ☐ SQL variant to generate
- ☐ DTD
- ☐ JDBC connection
- ☒ All of these



✓ Which of the following are most common configuration methods of Hibernate Configuration

*1/1

- ☐ XML Configuration hibernate.cfg.xml
- ☒ Mapping files and XML Configuration hibernate.cfg.xml
- ☐ web.config
- ☐ pom.xml



✓ The QBC stands for *

1/1

- ☐ Query By Call
- ☐ Query By Column
- ☒ Query By Criteria
- ☐ Query By Code



✓ If a single table hosts all the instances of a class hierarchy, then it is known as *1/1

- ☐ Joined subclass strategy
- ☒ Single table per class hierarchy strategy
- ☐ Both
- ☐ None



✓ Select the inheritance model which is NOT available in Hibernate * 1/1

- ☐ Tables Per Concrete Class
- ☐ Table Per class hierarchy
- ☐ Table Per sub-class
- ☒ Table Per Object



This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

Google Forms





