

Web Java JDBC 2

Total points 13/15 ?

The respondent's email (omjbhaleraowork@gmail.com) was recorded on submission of this form.

✗ Which type of Statement can execute parameterized queries? *

0/1

- ☐ PreparedStatement
- ☐ ParameterizedStatement
- ☒ ParameterizedStatement and CallableStatement ✗
- ☐ All kinds of Statements (i.e. which implement a sub interface of Statement)

Correct answer

- ☒ PreparedStatement

✓ Which of the following interface provides the commit() and rollback() methods?

*1/1

- ☒ Connection Interface ✓
- ☐ Statement Interface
- ☐ ResultSet Interface
- ☐ RowSet Interface



✓ Which JDBC type represents a 64-bit signed integer value between -9223372036854775808 and 9223372036854775807? *1/1

- ☐ SMALLINT
- ☒ BIGINT
- ☐ TINYINT
- ☐ INTEGER



✓ Which of the following method is used to perform DML statements in JDBC? *1/1

- ☐ execute()
- ☐ executeQuery()
- ☐ executeResult()
- ☒ executeUpdate()



✓ Which method Drops all changes made since the previous commit/rollback? *1/1

- ☒ public void rollback()
- ☐ public void commit()
- ☐ public Connection rollback()
- ☐ public Statement createStatement()



Last TWO Digits of PRN *

48
.....

✓ What does setAutoCommit(false) do? *

1/1

- ☐ It does not commit transaction automatically after each query
- ☒ It explicitly commits the transaction
- ☐ It will not commit transactions automatically after each query
- ☐ It never commits the transactions



✓ Which of the following encapsulates an SQL which is passed to the database to be parsed, compiled, planned and executed?

*1/1

- ☐ DriverManager
- ☐ JDBC driver
- ☐ Connection
- ☒ Statement



✓ What is JDBC Save point? *

1/1

- ☐ A point where we can store queries
- ☒ An intermediate or checkpoint in a transaction
- ☐ A memory where we can store transaction
- ☐ A point where the JDBC application starts execution



✓ Which is used to call the stored procedures and functions? *

1/1

- ☒ CallableStatement Interface
- ☐ PreparedStatement Interface
- ☐ All the above
- ☐ None of the above



✓ Are ResultSets updateable? *

1/1

- ☐ No, ResultSets are never updateable. We must explicitly execute a DML statement to change the data in the underlying database
- ☒ Yes, but only if we indicate a concurrency strategy when executing the statement, and if the driver and database support this option
- ☐ Yes, but only if we call the method openCursor() on the ResultSet and if the driver and database support this option
- ☐ Yes, but only if the ResultSet is an object of class UpdateableResultSet and if the driver and database support this option



✓ Which of the following is an advantage of using PreparedStatement in Java?

*1/1

- ☐ Slow performance
- ☐ Encourages SQL injection
- ☒ Prevents SQL injection
- ☐ More memory usage



✓ In order to transfer data between a database and an application written in the Java programming language, the JDBC API provides which of these methods? *1/1

- ☐ Methods on the ResultSet class for retrieving SQL SELECT results as Java types.
- ☐ Methods on the PreparedStatement class for sending Java types as SQL statement parameters.
- ☐ Methods on the CallableStatement class for retrieving SQL OUT parameters as Java types.
- ☒ All mentioned above ✓

✗ Which method is used for an SQL statement that is executed frequently? * 0/1

- ☐ PreparedStatement
- ☒ CallableStatement ✗
- ☐ Statement
- ☐ d. None of the above

Correct answer

- ☒ PreparedStatement

✓ What is, in terms of JDBC, a DataSource? * 1/1

- ☐ A DataSource is the basic service for managing a set of JDBC drivers
- ☐ A DataSource is the Java representation of a physical data source
- ☐ A DataSource is a registry point for JNDI-services
- ☒ A DataSource is a factory of connections to a physical data source ✓



Name *

om bhalerao

✓ The performance of the application will be faster if you use PreparedStatement interface because query is compiled only once. *1/1

☒ True

☐ False



This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#).

Google Forms



