

DBT Mock Test - I

Total points 31/40 ?

The respondent's email (**maheshpatil9691@gmail.com**) was recorded on submission of this form.

Enter PRN *

43

Enter Name *

Mahesh Patil

✓ 1. Which of the following is the full form of DDL? *

1/1

- ☒ Data definition language
- ☐ Date deviation language
- ☐ Dynamic Data Language
- ☐ Detailed Data Language



✗ 2. Which of the following is the property of transaction that protects data from system failure *0/1

- ☒ Atomicity
- ☐ Isolation
- ☐ Durability
- ☐ Consistency

✗

Correct answer

- ☒ Durability

✓ 3. Which normalization form is based on the transitive dependency? * 1/1

- ☐ 1 NF
- ☐ 2 NF
- ☒ 3 NF
- ☐ 4 NF

✓



✗ 4. Which is the lowest level of abstraction that describes how the data are actually stored? *0/1

- ☐ Physical
- ☐ Abstract
- ☒ View
- ☐ User

✗

Correct answer

- ☒ Physical

✓ 5. For performing tasks like creating the structure of the relations, deleting relation, which of the following is used? *1/1

- ☐ TCL
- ☐ DML
- ☒ DDL
- ☐ DCL

✓



✗ 6. What is rows of a relation known as? *

0/1

- ☒ Degree
- ☐ Entity
- ☐ Tuple
- ☐ none

✗

Correct answer

- ☒ Tuple

✗ 7. MySQL programs are a set of command-line utilities that are provided with typical MySQL distributions. MySQL is designed to be a database. *0/1

- ☐ database and programming
- ☒ user and administrator
- ☐ client and server
- ☐ syntax and objects

✗

Correct answer

- ☒ client and server



✗ 8. During transaction before commit which of the following statement is done automatically in case of shutdown? *0/1

- ☐ Rollback
- ☒ Commit
- ☐ View
- ☐ Flashback

✗

Correct answer

- ☒ Rollback

✓ 9. Which of the following is the full form of TCL? * 1/1

- ☐ Ternary control language
- ☒ Transaction control language
- ☐ Transaction central language
- ☐ Transmission control language

✓

✓ 10. In SQL, which command is used to add new rows to a table? * 1/1

- ☐ ALTER TABLE
- ☐ ADD ROW
- ☒ INSERT
- ☐ APPEND

✓



✓ 11. Which command is used to remove an index from the database in SQL? *1/1

- ☐ DELETE INDEX
- ☒ DROP INDEX
- ☐ REMOVE INDEX
- ☐ ROLL BACK INDEX



✗ 12. In SQL, which command is used to make permanent changes made by statements issue since the beginning of a transaction? *0/1

- ☐ ZIP
- ☒ PACK
- ☐ COMMIT
- ☐ SAVE



Correct answer

- ☒ COMMIT

✓ 13. Two files may be joined into a third file if * 1/1

- ☐ They have a row in common
- ☒ They have a field in common
- ☐ They have no records with the same value in the common field
- ☐ Both (b) and (c)



✓ 14. A _____ means that one record in a particular record type is related to only one record of another record type. *1/1

- ☒ One-to-one relationship
- ☐ One-to-many relationship
- ☐ Many-to-one relationship
- ☐ Many-to-many relationship



✗ 15. If you want to organize a file in multiple ways, it is better to _____ the data rather than to sort it. *0/1

- ☐ Delete
- ☒ Join
- ☐ Sort Key
- ☐ Index



Correct answer

- ☒ Index

✓ 16. Who proposed the relational model? * 1/1

- ☐ Bill Gates
- ☒ E.F. Codd
- ☐ Herman Hollerith
- ☐ Charles Babbage



✓ 17. In an Entity-Relationship Diagram “Ellipses” represents * 1/1

- ☒ Attributes
- ☐ Weak entity set
- ☐ Relationship sets
- ☐ Multi-valued Attributes



✓ 18. A table that displays data redundancies yields _____ anomalies * 1/1

- ☐ Insertion
- ☐ Deletion
- ☐ Update
- ☒ All of the above



✓ 19. In SQL, GRANT command is used to * 1/1

- ☐ Allow user to access databases
- ☐ Allow user to create databases
- ☒ Grant system privileges, roles, and object privileges to uses and roles
- ☐ Choose auditing for specific SQL commands



✓ 20. Which of the following is true regarding Referential Integrity? * 1/1

- ☐ Every primary-key value must match a primary-key value in an associated table
- ☐ Every primary-key value must match a foreign-key value in an associated table
- ☒ Every foreign-key value must match a primary-key value in an associated table ✓
- ☐ Every foreign-key value must match a foreign-key value in an associated table

✓ 21. To see all the databases which command is used? * 1/1

- ☐ Show database;
- ☒ Show databases; ✓
- ☐ Show database();
- ☐ Show_all database;

✓ 22. Which of the following command is used to delete a database? * 1/1

- ☐ DELETE DATABASE_NAME;
- ☐ DROP DATABASE_NAME;
- ☒ DROP DATABASE DATABASE_NAME; ✓
- ☐ DELETE DATABASE DATABASE_NAME;



✓ 23. Which of the following is the correct syntax to add a field using alter command? *1/1

- ☐ ADD TABLE table_name ALTER field_name data type;
- ☐ ALTER TABLE table_name, field_name data type;
- ☐ ALTER TABLE field_name data type;
- ☒ ALTER TABLE table_name ADD field_name data type;



✓ 24. Suppose you have a table named to EMPLOYEE and inside this table you have a column named SALARY now if you are asked to change the column named SALARY to BASIC PAY, using alter command then which of the following statement you will write? *1/1

- ☒ ALTER TABLE employee CHANGE COLUMN 'salary' 'basic_pay' int;
- ☐ ALTER employee table CHANGE 'salary' ,'basic_pay' int;
- ☐ ALTER TABLE employee CHANGE 'salary' 'basic_pay' int;
- ☐ ALTER employee CHANGE COLUMN 'salary' into 'basic_pay' int;



✓ 25. Suppose you have two columns named emp_name and emp_department inside table emp_details and you are asked to update the value of these two columns where ID=4 then what statement you will write? *1/1

- ☐ UPDATE table emp_details SET column_name emp_name="ram", emp_department='Chemical' WHERE ID='4';
- ☐ UPDATE emp_details SET emp_name="ram" and emp_department='Chemical' WHERE ID='4';
- ☐ UPDATE table emp_details ALTER emp_name="ram", emp_department='Chemical' WHERE ID='4';
- ☒ UPDATE emp_details SET emp_name="ram", emp_department='Chemical' WHERE ID='4'; ✓

✓ 26. If you are asked to delete the entire data of a table without disturbing the table definition then in such case which statement you will use? *1/1

- ☐ DELETE
- ☒ TRUNCATE ✓
- ☐ DROP
- ☐ CLEAR

✓ 27. Which of the following is the correct syntax for using the TRUNCATE statement? *1/1

- ☐ TUNCATE TABLE-NAME;
- ☐ TRUNCATE TABLE-NAME DATABASE-NAME;
- ☒ TRUNCATE TABLE TABLE-NAME; ✓
- ☐ TRUNCATE DATABASE-NAME TABLE-NAME;



✓ 28. Suppose you have 100 records and you only want 10 records which of the following clause you will use? *1/1

- ☐ SET LIMIT
- ☒ LIMIT
- ☐ HAVING
- ☐ GROUP BY



✓ 29. What will the following statement return? * 1/1

`SELECT * FROM emp_details WHERE emp_name LIKE 'S%';`

- ☐ It will return the name who has s in between
- ☐ It will return the name ending with s
- ☒ It will return the name starting with s
- ☐ None of the above



✓ 30. State whether the statement is true or false? 'PRIMARY KEY and UNIQUE KEY both are the same' *1/1

- ☐ TRUE
- ☒ FALSE



✗ 31. The data model available within MongoDB allows us to represent _____. *0/1

- ☒ Hierarchical relationships ✗
- ☐ Able to handle complex structures
- ☐ Both A. and B.
- ☐ None of the mentioned above

Correct answer

- ☒ Both A. and B.

✓ 32. MongoDB stores documents in _____. * 1/1

- ☐ Store
- ☒ Collections ✓
- ☐ Indexes
- ☐ Table

✓ 33. A document is a set of _____. * 1/1

- ☐ Value-Key pairs
- ☐ Application pairs
- ☐ Activity pair set
- ☒ Key-value pairs ✓



✓ 34. Which command returns all of the documents in the customers collection? *1/1

- ☐ db.customers.all();
- ☐ db.find().customers();
- ☒ db.customers.find();
- ☐ db.customers.show();



✓ 35. Which command returns a specific document in the user's collection? *1/1

- ☒ db.users.find({_id: 1})
- ☐ db.users.seek({_id: 1})
- ☐ db.users.query({_id: 1})
- ☐ db.query.users({_id: 1})



✗ 36. Which query bypasses the first 5 customers and returns the next 10? *0/1

- ☒ db.customers.find({}, {skip: 5, limit: 10})
- ☐ db.customers.find({}, page(5).take(10))
- ☐ db.customers.find({}).skip(5).take(10)
- ☐ db.customers.find({}).skip(5).limit(10)



Correct answer

- ☒ db.customers.find({}).skip(5).limit(10)



✓ 37. How can you create a stored procedure in MySQL? *

1/1

- ☐ CREATE PROCEDURE P () AS BEGIN END;
- ☒ CREATE PROCEDURE P () BEGIN END;
- ☐ CREATE PROCP BEGIN END;
- ☐ CREATE PROC P AS O BEGIN END;



✓ 38. A trigger is a database object that is associated with a table, and that activates when a particular event occurs for the table. Which three events are these? *1/1

- ☐ DECLARE, SET, SELECT
- ☐ CREATE, ALTER, DROP
- ☐ OPEN, FETCH, CLOSE
- ☒ INSERT, UPDATE, DELETE



✓ 39. What is the difference between DROP and TRUNCATE? *

1/1

- ☐ They both refer to the same operation of deleting the table completely.
- ☐ They both refer to the same operation of clearing the table, but keeping its definition intact.
- ☐ TRUNCATE deletes table completely, removing its definition as well. DROP clears the table but does not delete the definition.
- ☒ DROP deletes table completely, removing its definition as well. TRUNCATE clears the table but does not delete the definition.



✓ 40. What is the requirement for using a subquery in the SELECT clause? * 1/1

- ☐ the subquery must use an aggregate function.
- ☐ the subquery must refer to the same table as the main query.
- ☒ the subquery must return a single value. ✓
- ☐ the subquery must return at least one value.

This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#).

Google Forms





