

DSA Daily Quiz 2

Total points 16/20 ?

Email *

omjbhaleraowork@gmail.com

Name *

om Jairam Bhalerao

Last TWO Digits of PRN *

48

✓ Stack and Queue both are _____ data structure. *

1/1

- ☒ Linear
- ☐ Non linear
- ☐ None



✗ In **Stack** insertions and deletions are allowed only at ____ end(s). *

0/1

- ☐ two
- ☒ none
- ☐ one
- ☐ one or two



Correct answer

- ☒ one

✓ In **queue** insertion are performed on _____ and deletion is performed *1/1 on _____.

- ☒ Rear, Front
- ☐ Front, Rear
- ☐ none



✓ In **Stack**, insertion operation is known as _____ whereas deletion operation is known as _____.

*1/1

- ☐ Enqueue, Dequeue
- ☒ Push, Pop
- ☐ Pop, Push
- ☐ Dequeue, Enqueue



✓ Insertion and Deletion operation in Queue is known as? *

1/1

- ☐ Push and Pop
- ☒ Enqueue and Dequeue
- ☐ Insert and Delete
- ☐ None



✓ A stack data structure cannot be used for *

1/1

- ☐ Implementation of Recursive Function
- ☒ Allocation Resources and Scheduling
- ☐ Reversing string
- ☐ Evaluation of string in postfix form



✓ Which of the following is the disadvantage of the array? *

1/1

- ☐ Stack and Queue data structures can be implemented through an array.
- ☐ Index of the first element in an array can be negative
- ☒ Wastage of memory if the elements inserted in an array are lesser than the allocated size
- ☐ Elements can be accessed sequentially.



✓ When the user tries to delete the element from the empty stack then the condition is said to be a ____ *1/1

- ☒ Underflow
- ☐ Garbage collection
- ☐ Overflow
- ☐ None of the above



✓ Which data structure is mainly used for implementing the recursive algorithm? *1/1

- ☐ Queue
- ☒ Stack
- ☐ Binary tree
- ☐ Linked list



✗ Which data structure is required to convert the infix to prefix notation? * 0/1

- ☐ Stack
- ☒ Linked list
- ☐ Binary tree
- ☐ Queue



Correct answer

- ☒ Stack



✓ Which of the following is not the correct statement for a stack data structure? *1/1

- ☐ Arrays can be used to implement the stack
- ☒ Stack follows FIFO
- ☐ Elements are stored in a sequential manner
- ☐ Top of the stack contains the last inserted element



✓ If the elements '1', '2', '3' and '4' are added in a stack, so what would be the order for the removal? *1/1

- ☐ 1234
- ☐ 2134
- ☒ 4321
- ☐ None of the above



✓ What is another name for the circular queue among the following options? *1/1

- ☐ Square buffer
- ☐ Rectangle buffer
- ☒ Ring buffer
- ☐ None of the above



✓ If the elements "A", "B", "C" and "D" are placed in a queue and are deleted one at a time, in what order will they be removed? *1/1

- ☒ ABCD
- ☐ DCBA
- ☐ DCAB
- ☐ ABDC



✓ A normal queue, if implemented using an array of size MAX_SIZE, gets full when? *1/1

- ☒ Rear = MAX_SIZE - 1
- ☐ Front = (rear + 1) mod MAX_SIZE
- ☐ Front = rear + 1
- ☐ Rear = front



✗ Queues serve major role in _____ * 0/1

- ☒ Simulation of recursion
- ☐ Simulation of arbitrary linked list
- ☐ Simulation of limited resource allocation
- ☐ Simulation of heap sort



Correct answer

- ☒ Simulation of limited resource allocation



✓ Which of the following is not the type of queue? *

1/1

- ☐ Ordinary queue
- ☒ Single ended queue
- ☐ Circular queue
- ☐ Priority queue



✓ In a circular queue, how do you increment the rear end of the queue? *

1/1

- ☐ rear++
- ☒ $(\text{rear}+1) \% \text{CAPACITY}$
- ☐ $(\text{rear} \% \text{CAPACITY})+1$
- ☐ rear-



✓ A data structure where elements can be added or removed at either end but not in the middle is called *1/1

- ☐ stacks
- ☐ queues
- ☒ dequeue
- ☐ linked lists





*

.../1



Option 1



No correct answers

This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#).

Google Forms



