

collection quiz

Total points 15/15

Email *

omkarkhade76@gmail.com

✓ 1. Which interface provides key-value pair?

1/1

- ☐ a. List
- ☐ b. Set
- ☒ c. Map
- ☐ d. Collection



✓ 2. What is the implementation of the List interface?

1/1

- ☐ a. HashMap
- ☐ b. HashSet
- ☒ c. LinkedList
- ☐ d. LinkedHashSet



✓ 3. What are the implementation classes of the Map interface?

1/1

- ☐ a. HashMap
- ☐ b. LinkedHashMap
- ☐ c. TreeMap
- ☒ d. All of above



✓ 4. Choose the correct option based on this program:

1/1

```
import java.util.*;  
class UtilitiesTest  
{  
    public static void main(String[] args)  
    {  
        List < int > intList = new ArrayList < > ();  
        intList.add(10);  
        intList.add(20);  
        System.out.println("The list is: " + intList);  
    }  
}
```

- ☐ A. It prints the following: The list is: [10, 20]
- ☐ B. It prints the following: The list is: [20, 10]
- ☒ C. It results in a compiler error
- ☐ D. It results in a runtime exception



✓ 5. Which Interface does not allow duplicates?

1/1

- ☐ a. List
- ☒ b. Set
- ☐ c. Map
- ☐ d. SortedMap



✓ 6. Which data structure ArrayList internally uses?

1/1

- ☐ a. LinkedList
- ☒ b. Array
- ☐ c. Doubly LinkedList
- ☐ d. None



✓ 7. HashSet internally uses?

1/1

- ☐ a. Set
- ☒ b. HashMap
- ☐ c. List
- ☐ d. Collection



✓ 8. Which is the root interface of the Java Collection framework hierarchy? 1/1

- ☒ a.Collection
- ☐ b.Root
- ☐ c.Collections
- ☐ d.List/Set



✓ 9. Which of these classes is not part of Java's collection framework? 1/1

- ☐ A. Maps
- ☒ B. Array
- ☐ C. Stack
- ☐ D. Queue



✓ 10. Which of these methods deletes all the elements from invoking collection? 1/1

- ☒ A. clear()
- ☐ B. reset()
- ☐ C. delete()
- ☐ D. refresh()



✓ 11. Choose the correct syntax of a Java Package below. 1/1

- ☒ package PACKAGE_NAME;
- ☐ package PACKAGE_NAME.*;
- ☐ pkg PACKAGE_NAME;
- ☐ pkg PACKAGE_NAME.*;



✓ 12. The package declaration statement should be the first statement in a Java file. State TRUE or FALSE. 1/1

- ☒ A) TRUE
- ☐ B) FALSE



✓ 13. Which is the default Java package that will be auto included (imported) in the classpath while Compiling and Running a Java program? 1/1

- ☐ A) [java.io](#)
- ☐ B) java.util
- ☐ C) [java.net](#)
- ☒ D) java.lang



✓ 14. package in java contents language utility classes such as vectors, hash tables, random numbers date etc. 1/1

- ☒ A) java.util
- ☐ B) java.awt
- ☐ C) java.net
- ☐ D) java.lang



✓ 15. A package is a collection of 1/1

- ☐ A) Classes
- ☐ B) interfaces
- ☐ C) editing tools
- ☒ D) classes and interfaces



This content is neither created nor endorsed by Google. - [Terms of Service](#) - [Privacy Policy](#)

Google Forms



