

SHETH L.U.J AND SIR M.V COLLEGE

PRACTICAL NO 3

SUBJECT - ETHICAL HACKING

AIM - Linux Network Analysis and ARP Poisoning

Ipcnfig

```
C:\Command Prompt
Microsoft Windows [Version 10.0.26200.8655]
(c) Microsoft Corporation. All rights reserved.

C:\Users\mvlu>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Unknown adapter McAfee VPN:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Local Area Connection* 1:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Local Area Connection* 2:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Wireless LAN adapter Wi-Fi:

    Connection-specific DNS Suffix  . :
    IPv6 Address. . . . . : 2405:201:5:80fc:73e0:4847:c0f1:daa4
    Temporary IPv6 Address. . . . . : 2405:201:5:80fc:55dc:7a6c:b26e:14d0
    Link-local IPv6 Address . . . . . : fe80::4f86:69c:f7a1:2981%15
    IPv4 Address. . . . . : 192.168.29.11
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : fe80::1a6d:cbff:feac:76e9%15
                                192.168.29.1

C:\Users\mvlu>ipconfig

Usage: ping [-t] [-a] [-n count] [-l size] [-f] [-l TTL] [-v TOS]
          [-r count] [-s count] [[-j host-list] | [-k host-list]]
          [-w timeout] [-R] [-S srcaddr] [-c compartment] [-p]
          [-4] [-6] target_name

Options:
    -t           Ping the specified host until stopped.
                  To see statistics and continue - type Control-Break;
                  To stop - type Control-C.
    -a           Resolve addresses to hostnames.
    -n count     Number of echo requests to send.
    -l size      Send buffer size.
    -f          Set Don't Fragment flag in packet (IPv4-only).
    -i TTL       Time To Live.
    -v TOS       Type Of Service (IPv4-only. This setting has been deprecated
                  and has no effect on the type of service field in the IP
                  Header).
    -r count     Record route for count hops (IPv4-only).
    -s count     Timestamp for count hops (IPv4-only).
    -j host-list Loose source route along host-list (IPv4-only).
    -k host-list Strict source route along host-list (IPv4-only).
    -w timeout   Timeout in milliseconds to wait for each reply.
    -R          Use routing header to test reverse route also (IPv6-only).
                  Per RFC 5095 the use of this routing header has been
                  deprecated. Some systems may drop echo requests if
                  this header is used.
    -S srcaddr   Source address to use.
    -c compartment Routing compartment identifier.
    -p          Ping a Hyper-V Network Virtualization provider address.
    -4          Force using IPv4.
    -6          Force using IPv6.

C:\Users\mvlu>ipconfig

Connection-specific DNS Suffix  . :
IPv6 Address. . . . . : 2405:201:5:80fc:73e0:4847:c0f1:daa4
Temporary IPv6 Address. . . . . : 2405:201:5:80fc:55dc:7a6c:b26e:14d0
Link-local IPv6 Address . . . . . : fe80::4f86:69c:f7a1:2981%15
IPv4 Address. . . . . : 192.168.29.11
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : fe80::1a6d:cbff:feac:76e9%15
                                192.168.29.1

C:\Users\mvlu>ipconfig

Usage: ping [-t] [-a] [-n count] [-l size] [-f] [-l TTL] [-v TOS]
          [-r count] [-s count] [[-j host-list] | [-k host-list]]
          [-w timeout] [-R] [-S srcaddr] [-c compartment] [-p]
          [-4] [-6] target_name

Options:
    -t           Ping the specified host until stopped.
                  To see statistics and continue - type Control-Break;
                  To stop - type Control-C.
    -a           Resolve addresses to hostnames.
    -n count     Number of echo requests to send.
    -l size      Send buffer size.
    -f          Set Don't Fragment flag in packet (IPv4-only).
    -i TTL       Time To Live.
    -v TOS       Type Of Service (IPv4-only. This setting has been deprecated
                  and has no effect on the type of service field in the IP
                  Header).
    -r count     Record route for count hops (IPv4-only).
    -s count     Timestamp for count hops (IPv4-only).
    -j host-list Loose source route along host-list (IPv4-only).
    -k host-list Strict source route along host-list (IPv4-only).
    -w timeout   Timeout in milliseconds to wait for each reply.
    -R          Use routing header to test reverse route also (IPv6-only).
                  Per RFC 5095 the use of this routing header has been
                  deprecated. Some systems may drop echo requests if
                  this header is used.
    -S srcaddr   Source address to use.
    -c compartment Routing compartment identifier.
    -p          Ping a Hyper-V Network Virtualization provider address.
    -4          Force using IPv4.
    -6          Force using IPv6.

C:\Users\mvlu>ipconfig

Active Connections

Proto Local Address Foreign Address State
TCP 127.0.0.1:63028 IT-11:63029 ESTABLISHED
TCP 127.0.0.1:63029 IT-11:63028 ESTABLISHED
```

Ping

```
C:\Command Prompt

Connection-specific DNS Suffix  . :
IPv6 Address. . . . . : 2405:201:5:80fc:73e0:4847:c0f1:daa4
Temporary IPv6 Address. . . . . : 2405:201:5:80fc:55dc:7a6c:b26e:14d0
Link-local IPv6 Address . . . . . : fe80::4f86:69c:f7a1:2981%15
IPv4 Address. . . . . : 192.168.29.11
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : fe80::1a6d:cbff:feac:76e9%15
                                192.168.29.1

C:\Users\mvlu>ipconfig

Usage: ping [-t] [-a] [-n count] [-l size] [-f] [-l TTL] [-v TOS]
          [-r count] [-s count] [[-j host-list] | [-k host-list]]
          [-w timeout] [-R] [-S srcaddr] [-c compartment] [-p]
          [-4] [-6] target_name

Options:
    -t           Ping the specified host until stopped.
                  To see statistics and continue - type Control-Break;
                  To stop - type Control-C.
    -a           Resolve addresses to hostnames.
    -n count     Number of echo requests to send.
    -l size      Send buffer size.
    -f          Set Don't Fragment flag in packet (IPv4-only).
    -i TTL       Time To Live.
    -v TOS       Type Of Service (IPv4-only. This setting has been deprecated
                  and has no effect on the type of service field in the IP
                  Header).
    -r count     Record route for count hops (IPv4-only).
    -s count     Timestamp for count hops (IPv4-only).
    -j host-list Loose source route along host-list (IPv4-only).
    -k host-list Strict source route along host-list (IPv4-only).
    -w timeout   Timeout in milliseconds to wait for each reply.
    -R          Use routing header to test reverse route also (IPv6-only).
                  Per RFC 5095 the use of this routing header has been
                  deprecated. Some systems may drop echo requests if
                  this header is used.
    -S srcaddr   Source address to use.
    -c compartment Routing compartment identifier.
    -p          Ping a Hyper-V Network Virtualization provider address.
    -4          Force using IPv4.
    -6          Force using IPv6.

C:\Users\mvlu>ipconfig

Active Connections

Proto Local Address Foreign Address State
TCP 127.0.0.1:63028 IT-11:63029 ESTABLISHED
TCP 127.0.0.1:63029 IT-11:63028 ESTABLISHED
```

NAME - UNNATI RATHOD

ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE
PRACTICAL NO 3
SUBJECT - ETHICAL HACKING

Netstat

```
Command Prompt
-p      Ping a Hyper-V Network Virtualization provider address.
-4      Force using IPv4.
-6      Force using IPv6.

C:\Users\mvlui>netstat

Active Connections

Proto Local Address           Foreign Address         State
TCP    127.0.0.1:63028         IT-11:63029            ESTABLISHED
TCP    127.0.0.1:63029         IT-11:63028            ESTABLISHED
TCP    127.0.0.1:63030         IT-11:63031            ESTABLISHED
TCP    127.0.0.1:63031         IT-11:63030            ESTABLISHED
TCP    127.0.0.1:63032         IT-11:63033            ESTABLISHED
TCP    127.0.0.1:63033         IT-11:63032            ESTABLISHED
TCP    127.0.0.1:63034         IT-11:63035            ESTABLISHED
TCP    127.0.0.1:63035         IT-11:63034            ESTABLISHED
TCP    127.0.0.1:63040         IT-11:63041            ESTABLISHED
TCP    127.0.0.1:63041         IT-11:63040            ESTABLISHED
TCP    192.168.29.11:7680      192.168.29.75:51459    TIME_WAIT
TCP    192.168.29.11:7680      192.168.29.120:60518   TIME_WAIT
TCP    192.168.29.11:7680      192.168.29.135:54640    TIME_WAIT
TCP    192.168.29.11:7680      192.168.29.135:54641    TIME_WAIT
TCP    192.168.29.11:7680      192.168.29.135:54643    TIME_WAIT
TCP    192.168.29.11:7680      192.168.29.135:54790    TIME_WAIT
TCP    192.168.29.11:49990     204.79.197.254:https    ESTABLISHED
TCP    192.168.29.11:51186     ec2-34-225-147-8:https   ESTABLISHED
TCP    192.168.29.11:51618     192.168.29.104:ms-do     ESTABLISHED
TCP    192.168.29.11:52462     13.107.3.254:https        ESTABLISHED
TCP    192.168.29.11:53094     ec2-34-192-91-189:https   ESTABLISHED
TCP    192.168.29.11:53114     ec2-52-45-202-97:https    ESTABLISHED
TCP    192.168.29.11:55499     72.153.5.96:https         ESTABLISHED
TCP    192.168.29.11:58632     server-18-172-64-32:https ESTABLISHED
TCP    192.168.29.11:58985     204.79.197.222:https      ESTABLISHED
TCP    192.168.29.11:59122     server-100-150-46-102:https ESTABLISHED
TCP    192.168.29.11:61313     20.150.179.227:8883       ESTABLISHED
TCP    192.168.29.11:62069     ec2-52-33-29-41:https     CLOSE_WAIT
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:49602 [2606:4700:8d71:d8b7:9ac5:dfc5:ac50]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:49681 [2603:1040:a06:6:]:https   ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:52438 [2600-140f-d800-0187-0000-0000-0000-0057]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:53550 [2600-140f-d800-0187-0000-0000-0000-0057]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:54412 [2620:1ec:46::254]:https   ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:54437 [2603:1046:c04:819::2]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:55500 [2603:1046:c04:819::2]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:56162 [2606:4700:8d70:70fa:ced7:65:b6d3:4cd4]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:59414 [2606:4700:8d70:70fa:ced7:65:b6d3:4cd4]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:64557 [2606:4700:8d72:7cbc:c2c5:d8a:5ff2:75c4]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:64975 lcdels-in-f188:5228       ESTABLISHED

C:\Users\mvlui>tracert www.google.com

Tracing route to www.google.com [2001:4860:4829:7700::]
over a maximum of 30 hops:
  0  0 ms  0 ms  0 ms  2405:201:5:80fc:1afd:cbff:feac:76e9
  1  227 ms  14 ms  36 ms  2405:201:5:80fc:1afd:cbff:feac:76e9
  2  *  *  *  Request timed out.
  3  9 ms  3 ms  3 ms  2405:203:400:100:172:31:2:22
  4  5 ms  7 ms  3 ms  2405:200:801:c00::1246
  5  7 ms  5 ms  3 ms  2405:200:803:2168:51:5
  6  *  *  *  Request timed out.
  7  9 ms  5 ms  5 ms  2405:200:801:c00::11fe
  8  *  *  *  Request timed out.
  9  6 ms  5 ms  7 ms  2001:4860:4829:7700::

Trace complete.

C:\Users\mvlui>
```

tracert www.google.com

```
Command Prompt

TCP    192.168.29.11:51186     ec2-34-225-147-8:https   ESTABLISHED
TCP    192.168.29.11:51618     192.168.29.104:ms-do     ESTABLISHED
TCP    192.168.29.11:52462     13.107.3.254:https        ESTABLISHED
TCP    192.168.29.11:53094     ec2-34-192-91-189:https   ESTABLISHED
TCP    192.168.29.11:53114     ec2-52-45-202-97:https    ESTABLISHED
TCP    192.168.29.11:55499     72.153.5.96:https         ESTABLISHED
TCP    192.168.29.11:58632     server-18-172-64-32:https ESTABLISHED
TCP    192.168.29.11:58985     204.79.197.222:https      ESTABLISHED
TCP    192.168.29.11:59122     server-100-150-46-102:https ESTABLISHED
TCP    192.168.29.11:61313     20.150.179.227:8883       ESTABLISHED
TCP    192.168.29.11:62069     ec2-52-33-29-41:https     CLOSE_WAIT
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:49602 [2606:4700:8d71:d8b7:9ac5:dfc5:ac50]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:49681 [2603:1040:a06:6:]:https   ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:52438 [2600-140f-d800-0187-0000-0000-0000-0057]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:53550 [2600-140f-d800-0187-0000-0000-0000-0057]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:54412 [2620:1ec:46::254]:https   ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:54437 [2603:1046:c04:819::2]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:55500 [2603:1046:c04:819::2]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:56162 [2606:4700:8d70:70fa:ced7:65:b6d3:4cd4]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:59414 [2606:4700:8d70:70fa:ced7:65:b6d3:4cd4]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:64557 [2606:4700:8d72:7cbc:c2c5:d8a:5ff2:75c4]:https ESTABLISHED
TCP    [2405:201:5:80fc:55dc:7a6c:b26e:14d0]:64975 lcdels-in-f188:5228       ESTABLISHED

C:\Users\mvlui>tracert www.google.com

Tracing route to www.google.com [2001:4860:4829:7700::]
over a maximum of 30 hops:
  1  227 ms  14 ms  36 ms  2405:201:5:80fc:1afd:cbff:feac:76e9
  2  *  *  *  Request timed out.
  3  9 ms  3 ms  3 ms  2405:203:400:100:172:31:2:22
  4  5 ms  7 ms  3 ms  2405:200:801:c00::1246
  5  7 ms  5 ms  3 ms  2405:200:803:2168:51:5
  6  *  *  *  Request timed out.
  7  9 ms  5 ms  5 ms  2405:200:801:c00::11fe
  8  *  *  *  Request timed out.
  9  6 ms  5 ms  7 ms  2001:4860:4829:7700::

Trace complete.

C:\Users\mvlui>
```

NAME - UNNATI RATHOD
ROLL NO - T109