

# SHETH L.U.J AND SIR M.V COLLEGE


## PRACTICAL NO 2

### SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU

#### AIM - WORKING WITH DATA SOURCES AND DATA PREPARATION IN TABLEAU


#### Step A: Connecting to Different Data Sources 1. Launch the Tableau Desktop application

##### 1. Launch the Tableau Desktop application



##### 2. Locate the blue Connect control panel on the far-left section of the start page

##### 3. Under the To a File sub-header, click on Text File (Tableau classifies .csv spreadsheet extensions as flat text files).



NAME - UNNATI RATHOD

ROLL NO - T109


SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU

The screenshot displays the Tableau Desktop interface. On the left sidebar, the 'Connections' section shows 'Orders' as a 'Text file'. The 'Files' section lists various CSV files including 'Categories.csv', 'Customers.csv', 'Geolocation.csv', 'Order Items.csv', 'Order Payments.csv', 'Orders.csv', 'Products.csv', 'Reviews.csv', and 'Sellers.csv'. The main workspace shows a data source named 'Orders.csv' with 8 fields and 99441 rows. A data preview table is visible, showing columns for Order Id, Customer Id, Order Status, Order Purchase Timestamp, and Order Approved At. The bottom status bar indicates the system is at 30°C, mostly cloudy, with a search bar and system icons.

| Order Id                     | Customer Id                 | Order Status | Order Purchase Timestamp | Order Approved At   |
|------------------------------|-----------------------------|--------------|--------------------------|---------------------|
| 91116032517d91c1180ea2bd...  | cbece3180303b43f336eaab...  | delivered    | 16-07-2017 09:50:00      | 16-07-2017 10:03:00 |
| f5299daf77d8dc1c9630692...   | 7ec3f2352e9aabb54e27488...  | delivered    | 25-11-2017 13:50:00      | 28-11-2017 15:34:00 |
| 28c89c82267d381a04c5021...   | 32f6ea59402a367c36b5e5ec... | delivered    | 20-04-2017 21:43:00      | 25-04-2017 08:02:00 |
| 460bbd1de438f2781234032...   | d47c07942091434330f8bf4...  | delivered    | 22-06-2018 11:57:00      | 23-06-2018 01:40:00 |
| 24940d1052df86d8e24f16e...   | d1de3f6a475d39044e793c94... | delivered    | 01-05-2017 13:31:00      | 01-05-2017 13:50:00 |
| 9863811d92f6a0e6fde407813... | 894344399c9fdb69219284f...  | delivered    | 16-05-2018 13:53:00      | 16-05-2018 15:18:00 |
| 779078ae80552fa400b11c2...   | f583831c572cc8560de2841f... | unavailable  | 13-06-2017 21:11:00      | 13-06-2017 21:22:00 |



NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU



NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU



NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU

Tableau - Book3

File Data Server Window Help

Connections

Orders  
Text file

Files

☐ Use Data Interpreter  
Data Interpreter might be able to clean your Text file workbook.

Categories.csv  
Customers.csv  
Geolocation.csv  
Order Items.csv  
Order Payments.csv  
Orders.csv  
Products.csv  
Reviews.csv  
Sellers.csv

New Union  
New Table Extension

Orders

Orders.csv is made of 2 tables. ①

Orders.csv Order Payments.csv

Join

Inner Left Right Full Outer

Data Source Order Payments.csv

Order Id = order id (Order ...)

Add new join clause

Orders.csv 12 fields 103886 rows

100 rows

Name Orders.csv

Description No description available.

Fields

| Type | Field Name                 | Phys...  | Rem...    |
|------|----------------------------|----------|-----------|
| Abc  | Order Id                   | Order... | order_id  |
| Abc  | Status                     | Order... | order_... |
| Abc  | Order Purchase Timestamp   | Order... | order_... |
| Abc  | Order Approved At          | Order... | order_... |
| Abc  | Order Delivered Carrier Da | Order... | order_... |

| Order Id                     | Status    | Order Purchase Timestamp | Order Approved At   | Order Delivered Carrier Da |
|------------------------------|-----------|--------------------------|---------------------|----------------------------|
| b81ef226f3fe1789b1e8b2aca... | delivered | 25-04-2018 22:01:00      | 25-04-2018 22:15:00 | 02-05-2018 15:20:00        |
| 190c1aac0c0643db9b7d0f0f...  | delivered | 10-03-2018 10:09:00      | 10-03-2018 10:28:00 | 12-03-2018 17:06:00        |
| 403b063e9e57ae6bcbcd9fa...   | delivered | 21-04-2018 15:49:00      | 24-04-2018 17:53:00 | 24-04-2018 19:37:00        |
| 3e9482fafca86df873bf05a9...  | delivered | 23-02-2018 16:19:00      | 23-02-2018 17:01:00 | 26-02-2018 20:12:00        |
| 790d7fdb41e9a2457520208...   | delivered | 15-01-2018 10:01:00      | 15-01-2018 10:30:00 | 16-01-2018 00:18:00        |
| 051d3d717e96b76b07fc9076...  | delivered | 25-01-2018 14:00:00      | 26-01-2018 03:18:00 | 29-01-2018 19:19:00        |
| 7ac0ea1aae0c98f853d0baf...   | delivered | 01-07-2018 17:46:00      | 05-07-2018 16:11:00 | 09-07-2018 12:16:00        |

Data Source Sheet 1

30°C Mostly cloudy

Search

ENG IN 16-07-2026 10:53

Tableau - Book3

File Data Server Window Help

Connections

Orders  
Text file

Files

☐ Use Data Interpreter  
Data Interpreter might be able to clean your Text file workbook.

Categories.csv  
Customers.csv  
Geolocation.csv  
Order Items.csv  
Order Payments.csv  
Orders.csv  
Products.csv  
Reviews.csv  
Sellers.csv

New Union  
New Table Extension

Orders

Orders.csv is made of 2 tables. ①

Orders.csv Order Payments.csv

Join

Inner Left Right Full Outer

Data Source Order Payments.csv

Order Id = order id (Order ...)

Add new join clause

Orders.csv 12 fields 103887 rows

100 rows

Name Orders.csv

Description No description available.

Fields

| Type | Field Name                 | Phys...  | Rem...    |
|------|----------------------------|----------|-----------|
| Abc  | Order Id                   | Order... | order_id  |
| Abc  | Status                     | Order... | order_... |
| Abc  | Order Purchase Timestamp   | Order... | order_... |
| Abc  | Order Approved At          | Order... | order_... |
| Abc  | Order Delivered Carrier Da | Order... | order_... |

| Order Id                     | Status    | Order Purchase Timestamp | Order Approved At   | Order Delivered Carrier Da |
|------------------------------|-----------|--------------------------|---------------------|----------------------------|
| b81ef226f3fe1789b1e8b2aca... | delivered | 25-04-2018 22:01:00      | 25-04-2018 22:15:00 | 02-05-2018 15:20:00        |
| a9810da82917af2d9aef1d27...  | delivered | 26-06-2018 11:01:00      | 26-06-2018 11:18:00 | 28-06-2018 14:18:00        |
| 25e8ea4e93396b6fa0d3dd7...   | delivered | 12-12-2017 11:19:00      | 14-12-2017 09:52:00 | 15-12-2017 20:13:00        |
| ba78997921bbcd1373bb41e...   | delivered | 06-12-2017 12:04:00      | 06-12-2017 12:13:00 | 07-12-2017 20:28:00        |
| 42fd880ba16b47b59251dd4...   | delivered | 21-05-2018 13:59:00      | 21-05-2018 16:14:00 | 22-05-2018 11:46:00        |
| 298fcd1f73eb413e4d26d01...   | delivered | 07-05-2018 13:20:00      | 07-05-2018 15:31:00 | 10-05-2018 13:35:00        |
| 771ee386b001f06208a7419e...  | delivered | 23-06-2017 13:11:00      | 23-06-2017 13:25:00 | 26-06-2017 17:33:00        |

Data Source Sheet 1

30°C Mostly cloudy

Search

ENG IN 16-07-2026 10:54



NAME - UNNATI RATHOD  
ROLL NO - T109

The screenshot shows the Tableau Desktop interface. On the left, the 'Data' pane lists two data sources: 'Orders' and 'Order Payments.csv'. The 'Columns' shelf is empty, and the 'Rows' shelf contains the 'Status' field. The 'Marks' card is set to 'Automatic'. The main view is 'Sheet 2', which displays a table of data. The status bar at the bottom indicates '8 marks' and '8 rows by 1 column'.

| Status      |
|-------------|
| approved    |
| canceled    |
| created     |
| delivered   |
| invoiced    |
| processing  |
| shipped     |
| unavailable |

NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU



NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU

The top screenshot shows the Tableau Desktop interface with the 'Customers' data source loaded. The data is displayed in a table with the following columns: Customer Id, Customer Unique Id, Customer Zip Code Prefix, Customer City, and Customer State. The data is sorted by Customer Id.

| Customer Id                 | Customer Unique Id          | Customer Zip Code Prefix | Customer City  | Customer State |
|-----------------------------|-----------------------------|--------------------------|----------------|----------------|
| 78b253918cda65d6ed0415f...  | 90343176d1f7a39a5dbel6b5... | 03437                    | sao paulo      | SP             |
| f0737b94fe6941ef04bd183d... | be96829792c86c92399dba...   | 66620                    | belem          | PA             |
| f84d4781159bcaacdd723594... | 5bd67e9507365c5d3e26872...  | 36021                    | juiz de fora   | MG             |
| 9fa910da52163bdfa603771d... | 6ccb05a350a2e27145d55bc...  | 31330                    | belo horizonte | MG             |
| #567b22d32e3d519877f41...   | faf4a24221fb5a48653e1bae... | 26900                    | miguel pereira | RJ             |
| 07e602a322750f5d364513...   | 27caa98e53666d29364fadf...  | 84220                    | senges         | PR             |
| 35b6010ad8b185e27365ae8...  | e31b80f478df67bee358c8d7... | 71805                    | brasilia       | DF             |



The bottom screenshot shows the Tableau Desktop interface with the 'Orders' data source loaded. The data is displayed in a table with the following columns: Order Id, Order Unique Id, Order Zip Code Prefix, Order City, and Order State. The data is sorted by Order Id.

| Order Id                    | Order Unique Id             | Order Zip Code Prefix | Order City     | Order State |
|-----------------------------|-----------------------------|-----------------------|----------------|-------------|
| 78b253918cda65d6ed0415f...  | 90343176d1f7a39a5dbel6b5... | 03437                 | sao paulo      | SP          |
| f0737b94fe6941ef04bd183d... | be96829792c86c92399dba...   | 66620                 | belem          | PA          |
| f84d4781159bcaacdd723594... | 5bd67e9507365c5d3e26872...  | 36021                 | juiz de fora   | MG          |
| 9fa910da52163bdfa603771d... | 6ccb05a350a2e27145d55bc...  | 31330                 | belo horizonte | MG          |
| #567b22d32e3d519877f41...   | faf4a24221fb5a48653e1bae... | 26900                 | miguel pereira | RJ          |
| 07e602a322750f5d364513...   | 27caa98e53666d29364fadf...  | 84220                 | senges         | PR          |
| 35b6010ad8b185e27365ae8...  | e31b80f478df67bee358c8d7... | 71805                 | brasilia       | DF          |

NAME - UNNATI RATHOD  
ROLL NO - T109





SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU





NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU





NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU



NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU



NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU




Tableau Desktop interface showing the 'Orders' data source. The 'Edit Data Source Filters' dialog box is open, showing a table of data. The table has columns: Order Id, Customer Id, Status, Order Purchase Timestamp, and Order Approved At. The table contains 10 rows of data.

| Order Id                     | Customer Id                 | Status    | Order Purchase Timestamp | Order Approved At   |
|------------------------------|-----------------------------|-----------|--------------------------|---------------------|
| b81ef226f3fe178961e8b2aca... | 0a8556ac6be936b46b3e89...   | delivered | 25-04-2018 22:01:00      | 25-04-2018 22:15:00 |
| a9810da82917af2d9aefd127...  | f2c7fc58a9de810828715166... | delivered | 26-06-2018 11:01:00      | 26-06-2018 11:18:00 |
| 25e8ea4e93396b6fa0d3dd7...   | 25b14b69de0b6e184ae6fe27... | delivered | 12-12-2017 11:19:00      | 14-12-2017 09:52:00 |
| ba78997921bbcdcd1373bb41e... | 7a5d8efaaa1081800628c30...  | delivered | 06-12-2017 12:04:00      | 06-12-2017 12:13:00 |
| 42fd880ba16b47b59251dd4...   | 15a6db88312dbb4674e451...   | delivered | 21-05-2018 13:59:00      | 21-05-2018 16:14:00 |
| 298fcd1f73eb413e4d26d01...   | a24e6f72471e9dbafcb292bc... | delivered | 07-05-2018 13:20:00      | 07-05-2018 15:31:00 |
| 771ee386b001f06208a7419e...  | 206c0fcc717333d169f9593...  | delivered | 23-06-2017 13:11:00      | 23-06-2017 13:25:00 |

NAME - UNNATI RATHOD  
ROLL NO - T109

SHETH L.U.J AND SIR M.V COLLEGE  
PRACTICAL NO 2  
SUBJECT - DATA VISUALIZATION WITH POWER BI AND TABLEAU

The screenshot displays the Tableau Desktop interface. A 'Filter [Status]' dialog box is open, showing a list of order statuses. The 'approved' status is selected. The background shows the 'Orders.csv' data source and a preview of the data table.

| Order Id                    | Customer Id                 | Status    | Order Purchase Timestamp | Order Approved At   |
|-----------------------------|-----------------------------|-----------|--------------------------|---------------------|
| ba78997921bbcd1373bb41e...  | 7a5d8efaaa1081800028c30...  | delivered | 06-12-2017 12:04:00      | 06-12-2017 12:13:00 |
| 42fd880ba16b47b59251d64...  | 15fd6fb8f8312abb4674e451... | delivered | 21-05-2018 13:59:00      | 21-05-2018 16:14:00 |
| 298fcd1f73eb413e4d26d01...  | a24e6f72471e9dbafcb292bc... | delivered | 07-05-2018 13:20:00      | 07-05-2018 15:31:00 |
| 771ee386b001f06208a7419e... | 206c0fcc717333d169f9593...  | delivered | 23-06-2017 13:11:00      | 23-06-2017 13:25:00 |

The bottom screenshot shows the Tableau Desktop interface with the 'Orders.csv' data source loaded. The 'Columns' shelf contains 'Payment Type' and the 'Rows' shelf contains 'SUM(Payment Value)'. The 'Marks' shelf is set to 'Automatic'. The 'Filters' shelf contains 'Payment Value', 'Payment Type', and 'Order Purchase Time...'. The 'Marks' shelf is set to 'Automatic'. The 'Columns' shelf contains 'Payment Type' and the 'Rows' shelf contains 'SUM(Payment Value)'. The 'Marks' shelf is set to 'Automatic'. The 'Filters' shelf contains 'Payment Value', 'Payment Type', and 'Order Purchase Time...'. The 'Marks' shelf is set to 'Automatic'.

NAME - UNNATI RATHOD  
ROLL NO - T109