

ASSIGNMENT 1

QUES: CREATE DATABASE?

```
mysql> create database assignment1;
```

Query OK, 1 row affected (0.03 sec)

```
mysql> use assignment1;
```

Database changed

QUES1:

```
mysql> create table countries(country_id int,country_name varchar(40),region_id int);
```

Query OK, 0 rows affected (0.03 sec)

```
mysql> desc countries;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id     | int           | YES  |     | NULL    |       |
| country_name   | varchar(40)   | YES  |     | NULL    |       |
| region_id      | int           | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

QUES2:

```
mysql> create table if not exists countries(country_id int,country_name
varchar(40),region int);
```

Query OK, 0 rows affected, 1 warning (0.01 sec)

```
mysql> desc countries;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id     | int           | YES  |     | NULL    |       |
| country_name   | varchar(40)   | YES  |     | NULL    |       |
| region_id      | int           | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

ASSIGNMENT 1

QUES3:

mysql> create table dup_contries like countries;

Query OK, 0 rows affected (0.08 sec)

```
mysql> desc dup_contries;
```

Field	Type	Null	Key	Default	Extra
country_id	int	YES		NULL	
country_name	varchar(40)	YES		NULL	
region_id	int	YES		NULL	

3 rows in set (0.00 sec)

QUES4:

mysql> create table dup_countries as select * from countries;

Query OK, 0 rows affected (0.09 sec)

Records: 0 Duplicates: 0 Warnings: 0

```
mysql> desc dup_countries;
```

Field	Type	Null	Key	Default	Extra
country_id	int	YES		NULL	
country_name	varchar(40)	YES		NULL	
region_id	int	YES		NULL	

3 rows in set (0.00 sec)

ASSIGNMENT 1

QUES5:

```
mysql> create table countries1(country_id int null, country_name varchar(40)
null, region int null);
```

Query OK, 0 rows affected (0.08 sec)

```
mysql> desc countries1;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id | int           | YES  |     | NULL    |       |
| country_name | varchar(40)   | YES  |     | NULL    |       |
| region      | int           | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

QUES6:

```
mysql> create table jobs(job_id varchar(10), job_title varchar(35), min_salary
decimal(6,0), max_salary decimal(6,0), check(max_salary <= 25000));
```

Query OK, 0 rows affected (0.04 sec)

```
mysql> desc jobs;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| job_id      | varchar(10)   | YES  |     | NULL    |       |
| job_title    | varchar(35)   | YES  |     | NULL    |       |
| min_salary   | decimal(6,0)  | YES  |     | NULL    |       |
| max_salary   | decimal(6,0)  | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.01 sec)
```

ASSIGNMENT 1

QUES7:

```
mysql> create table countries2( country_id int,country_name varchar(40),region_id  
int,check(country_name in('italy','india','china')));
```

Query OK, 0 rows affected (0.0 sec)

```
mysql> desc countries2;  
+-----+-----+-----+-----+-----+-----+  
| Field          | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| country_id     | int           | YES  |     | NULL    |       |  
| country_name   | varchar(40)   | YES  |     | NULL    |       |  
| region_id      | int           | YES  |     | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
3 rows in set (0.01 sec)
```

QUES8:

```
mysql> create table job_history(employee_id int,start_date date,end_date date,job_id  
varchar(10),department_id int);
```

Query OK, 0 rows affected (0.04 sec)

```
mysql> desc job_history;  
+-----+-----+-----+-----+-----+-----+  
| Field          | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| employee_id    | int           | YES  |     | NULL    |       |  
| start_date     | date          | YES  |     | NULL    |       |  
| end_date       | date          | YES  |     | NULL    |       |  
| job_id         | varchar(10)   | YES  |     | NULL    |       |  
| department_id  | int           | YES  |     | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
5 rows in set (0.00 sec)
```

ASSIGNMENT 1

QUES9:

```
mysql> create table countries4(country_id int unique,country_name  
varchar(40),region_id int);
```

Query OK, 0 rows affected (0.09 sec)

Field	Type	Null	Key	Default	Extra
country_id	int	YES	UNI	NULL	
country_name	varchar(40)	YES		NULL	
region_id	int	YES		NULL	

3 rows in set (0.00 sec)

QUES10:

```
mysql> create table jobs1(job_id int not null unique primary key,job_title varchar(35) not  
null default",min_salary decimal(6,0) default 8000,max_salary decimal(6,0) default  
null);
```

Query OK, 0 rows affected (0.09 sec)

```
mysql> desc jobs1;
```

Field	Type	Null	Key	Default	Extra
job_id	int	NO	PRI	NULL	
job_title	varchar(35)	NO			
min_salary	decimal(6,0)	YES		8000	
max_salary	decimal(6,0)	YES		NULL	

4 rows in set (0.00 sec)

ASSIGNMENT 1

QUES11:

```
mysql> create table countries5(country_id int primary key,country_name  
varchar(40),region_id int);
```

Query OK, 0 rows affected (0.09 sec)

```
mysql> DESC COUNTRIES5;
```

Field	Type	Null	Key	Default	Extra
country_id	int	NO	PRI	NULL	
country_name	varchar(40)	YES		NULL	
region_id	int	YES		NULL	

3 rows in set (0.01 sec)

QUES12:

```
mysql> create table countries6(country_id ,int auto_increment unique, country_name  
varchar(40), region_id int);
```

Query OK, 0 rows affected (0.05 sec)

```
mysql> desc countries6;
```

Field	Type	Null	Key	Default	Extra
country_id	int	NO	PRI	NULL	auto_increment
country_name	varchar(40)	YES		NULL	
region_id	int	YES		NULL	

3 rows in set (0.01 sec)

ASSIGNMENT 1

QUES13:

```
mysql> create table countries7(country_id int, country_name varchar(40), region_id  
int,unique(country_id,region_id));
```

Query OK, 0 rows affected (0.06 sec)

```
mysql> desc countries7;  
+-----+-----+-----+-----+-----+-----+  
| Field          | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| country_id     | int           | YES  | MUL | NULL    |       |  
| country_name   | varchar(40)   | YES  |     | NULL    |       |  
| region_id      | int           | YES  |     | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
3 rows in set (0.01 sec)
```