# Intellij IDEA

## **DEFAULT KEYMAP**



#### **Remember these Shortcuts**

| Smart code completion                  | ^û Space       |
|--|----------------|
| Search everywhere                      | Double û       |
| Show intention actions and quick-fixes | <b>ж</b> ←     |
| Generate code                          | <b>%N</b> , ^↩ |
| Parameter info                         | ₩P             |
| Extend selection                       | \# <b>↑</b>    |
| Shrink selection                       | \#\            |
| Recent files popup                     | ₩E             |
| Rename                                 | <b>☆ F6</b>    |
|  |                |

#### General

| Open corresponding tool window            | <b>₩0₩9</b>            |
|---|------------------------|
| Save all                                  | ₩S                     |
| Synchronize                               | <b>Y</b> ∑%            |
| Toggle maximizing editor                  | <b></b> # <b>û F12</b> |
| Inspect current file with current profile | で会り                    |
| Quick switch current scheme               | ^ §, ^ `               |
| Open Settings dialog                      | ₩,                     |
| Open Project Structure dialog             | ₩;                     |
| Find Action                               | <b>Ж</b> û <b>A</b>    |

## Debugging

| Step over/into             | F8/F7              |
|----------------------------|--------------------|
| Smart step into / Step out | <b>մ F7 /</b> մ F8 |
| Run to cursor              | <b>∵F9</b>         |
| Evaluate expression        | <b>∵F8</b>         |
| Resume program             | ∺∖R                |
| Toggle breakpoint          | <b></b>            |
| View breakpoints           | # û <b>F8</b>      |

### Search / Replace

| Search everywhere      | Double û     |
|------------------------|--------------|
| Find                   | ₩F           |
| Find next/previous     | ∺G/∺ûG       |
| Replace                | ₩R           |
| Find in path           | ∺ûF          |
| Replace in path        | Жû <b>R</b>  |
| Select next occurrence | ^ <b>G</b>   |
| Select all occurrences | ^ <b>∺ G</b> |
| Unselect occurrence    | ^ G          |

#### -Productivity Boosters

#### **Editing**

| Laiting   |                 |
|---|-----------------|
| Basic code completion                           | ^ Space         |
| Smart code completion                           | ^ û Space       |
| Complete statement                              | <b>第</b> ☆ ← ○  |
| Parameter info (within method call arguments)   | ЖР              |
| Quick documentation lookup                      | ^ J,            |
| External Doc                                    | <u></u>         |
| Brief Info                                      | ₩ + mouse       |
| Show descriptions of error at caret             | ₩ F1            |
| Generate code                                   | %N,^↩           |
| Override methods                                | ^0              |
| Implement methods                               | ^               |
| Surroundwith                                    | #√T             |
| Comment / uncomment with line comment           | ₩/              |
| Comment / uncomment with block comment          |                 |
| Extend selection                                | 77              |
| Shrink selection                                | <b>∠</b> †      |
| Context info                                    | ^û <b>Q</b>     |
| Show intention actions and quick-fixes          | 7-0             |
| Reformat code                                   | #7L             |
| Optimize imports                                | 0ブ^             |
| Auto-indent line(s)                             | 17^             |
| Indent / unindent selected lines                | →ı/û→ı          |
| Cut current line to clipboard                   | ЖX              |
| Copy current line to clipboard                  | ЖC              |
| Paste from clipboard                            | ₩V              |
| Paste from recent buffers                       | жû∨             |
| Duplicate current line                          | ЖD              |
| Delete line at caret                            | #≪              |
| Smart line join                                 | ^ <b>û</b> J    |
| Smart line split                                | <b>#</b> ₽      |
| Start new line                                  | ☆♪              |
| Toggle case for word at caret or selected block | <b>光</b> ① U    |
| Select till code block end / start              | <b>ж</b> 쇼]/ж쇼[ |
| Delete to word end                              | \\              |
| Delete to word start                            | \⊠              |
| Expand / collapse code block                    | <b>#+/#-</b>    |
| Expand all                                      | <b>光</b>        |
| Collapse all                                    | <b>光</b> ① -    |
| Close active editor tab                         | ₩W              |
|   |                 |

## Refactoring

| F5              |
|-----------------|
| FC              |
| F6              |
| <b>% Delete</b> |
| <b>☆ F6</b>     |
| ^T              |
| <b>% F6</b>     |
| N7%             |
| M✓Ж             |
| V√%             |
| ₩∖F             |
|                 |
| #√ <b>C</b>     |
|                 |

#### Navigation

| Go to class                               | жо                      |
|---|-------------------------|
| Go to file                                | <b>光</b> 🕜 O            |
| Go to symbol                              | #\~O                    |
| Go to next / previous editor tab          | ^←/^→                   |
| Go back to previous tool window           | F12                     |
| Go to editor (from tool window)           | <b>5</b>                |
| Hide active or last active window         | 合め                      |
| Go to line                                | ₩L                      |
| Recent files popup                        | ₩E                      |
| Navigate back / forward                   | 7 <b>%\</b> →7 <b>%</b> |
| Navigate to last edit location            | Ж৫≪                     |
| Select current file or symbol in any view | ₹ <b>F1</b>             |
| Go to declaration                         | ₩B, ₩Click              |
| Go to implementation(s)                   | ₩∖B                     |
| Open quick definition lookup              | ∵Space, %               |
| Go to type declaration                    | ^ <b>☆B</b>             |
| Go to super-method/super-class            | ₩U                      |
| Go to previous / next method              | ^ <b>↑</b> /^↓          |
| Move to code block end / start            | <b>#]/#</b> [           |
| File structure popup                      | ₩ F12                   |
| Type hierarchy                            | ^ H                     |
| Method hierarchy                          | ЖûH                     |
| Call hierarchy                            | H7^                     |
| Next / previous highlighted error         | F2 / ☆ F2               |
| Edit source / View source                 | F4/Ж↓                   |
| Show navigation bar                       | ∵ Home                  |
| Toggle bookmark                           | F3                      |
| Toggle bookmark with mnemonic             | <b>₹ F3</b>             |
| Go to numbered bookmark                   | ^0^9                    |
| Show bookmarks                            | ₩ <b>F3</b>             |

#### **Compile and Run**

| Make project                             | <b>%F9</b> |
|--|------------|
| Compile selected file, package or module | <b>ж</b>   |
| Select configuration and run / debug     | ^\R/D      |
| Run/Debug                                | ^R/D       |
| Run context configuration from editor    | ^ûR,^ûD    |

#### **Usage Search**

| Find usages / Find usages in file | ₹ <b>F7</b> /% |
|-----------------------------------|----------------|
| Highlight usages in file          | <b>ж</b>       |
| Show usages                       | <b>% ₹ F7</b>  |

## VCS / Local History

| Commit project to VCS   | ₩K         |
|-------------------------|------------|
| Update project from VCS | ЖT         |
| Push commits            | ЖûK        |
| 'VCS' quick popup       | ^ <b>V</b> |

#### **Live Templates**

| Surround with Live Template | #∠7 |
|-----------------------------|-----|
| Insert Live Template        | ЖJ  |