RAINFALL AND AGRICULTURAL PRODUCTIVITY



RAINFALL TREND

- Rainfall data observed over last 30 years from Jun to Sep (Indian rain seasons), shows reasonable steadiness (between 275 mm to 180 mm)
- There is a dip towards 2000 but well recovered in the following decade

CORRELATION BETWEEN RAINFALL AND OVERALL CROP YIELD



- The correlation between rainfall and overall yield shows that over last 3-4 decades Indian agriculture became more mechanized and independent of rainfall trend
- This is made possible due to better irrigation facilities and effective rain harvesting across the country





SCATTER PLOT FOR RAINFALL VS YIELD

- Upper Chart provides the correlation of base crops – rice, wheat, sugarcane, millets etc. shows the higher yield per hectare. This is due to high investment in Punjab, MP, UP, MH, West Bengal during green revolution
- Lower Chart shows the correlation of cash crops – cotton, groundnut, Linseed etc. These are high water consumption and seasonal crops. We need to work towards improving their productivity as well as spread across country

RECOMMENDATIONS

- More systematic investment towards cash crops – developing their irrigation system and digitization
- Spread the cultivation of millets to northern plains
- Seasonal adoption of cash crops in eastern states of the country for better national yields

LINK TO GITHUB REPOSITORY



https://github.com/ratnadeep01-gh/PowerBIAssignment