

HYPER LINK:

- In HTML, a hyperlink (or link) is created using the `<a>` (anchor) tag. The most critical part of a hyperlink is the `href` attribute, which specifies the destination URL or file path.

EXAMPLE:

```
<a href="https://example.com">
Clickable Link Text
</a>
```

- `target="_blank"`: This forces the browser to open the link in a new tab or window.
- `title="..."`: This creates a tooltip text that pops up when a user hovers their mouse cursor over the link.

Example:

```
<!DOCTYPE html>
<html>
<head>
  <title>Basic Link</title>
</head>
<body>

  <a href="https://google.com" target="_blank" title="Goes to Google">
    Click to visit Google
  </a>

</body>
</html>
```

ADDING IMAGES TO WED PAGE;

- for adding image in html we use this ``

while adding this images basically there are oversized and we have to adjust the length and width of the image by adding this `height="value"`, `width="value"` to the above tag.

if you add height to img then width automatically adjusted

sometimes when we type the img type wrong the the img won't visible then we use `alt = "your img details"` -> it will tell what was the img shows

SYNTAX:

```

```

EXAMPLE:

```
<!DOCTYPE html>
<html>
<head>
  <title>Image Link Example</title>
</head>
<body>

  <h1>Clickable Image Example</h1>
  <p>Click the image below to visit Wikipedia:</p>

  <!-- The <a> tag creates the link, and the <img> tag sits inside it -->
  <a href="https://wikipedia.org" target="_blank">
    
  </a>

</body>
</html>
```

ADDING AUDIO WEB PAGE IN HTML:

To insert audio in HTML, use the `<audio>` tag. Unlike the image tag, the audio tag is a container element that requires a closing `</audio>` tag, and it usually includes a controls attribute so users can play and pause it.

audio is added between `<audio>` `</audio>` tags

```
<audio controls>
  <source src = "your add of audio (mp3)">
</audio>
```

controls must be added without this audio cannot be played

- `autoplay`: Instructs the browser to start playing the track as soon as the page loads.
- `muted`: Starts the audio volume at zero. This allows the browser to bypass strict privacy rules and actually let the autoplay function work. The user can unmute it manually if they want to.
- `loop`: Ensures that when the song ends, it automatically restarts from the beginning without

stopping.