

18 Mei 2026

Nama: Naufal Yoga Pratama

JDT: 17

```
INSERT INTO penjual VALUES  
( 'GO', 'Galeri Olahraga'),  
( 'HS', 'Hello Store');
```

```
INSERT INTO pembeli VALUES  
( 'JM', 'Joko Morro'),  
( 'EK', 'Eko Kurniawan');
```

```
INSERT INTO alamat VALUES  
( 'BN', 'JM', 'Budi Nugraha', 'Jalan raya xxx', 'DKI  
Jakarta', 'Jakarta', 'Indonesia', '433333'),  
( 'RL', 'EK', 'Rully', 'Jalan raya baru', 'Jawa Barat',  
'Bandung', 'Indonesia', '432434');
```

```
INSERT INTO produk VALUES  
( 'P0001', 'GO', 'Bola Basket Size 7', 2300.00, 177900.00),  
( 'P0002', 'GO', 'Bola Basket Size 5', 500.00, 98900.00),  
( 'P0003', 'GO', 'Pentil Bola', 54.00, 9900.00),  
( 'P0004', 'GO', 'Pompa Bola', 198.00, 43900.00),  
( 'P0005', 'HS', 'Apple iPhone Pro Max', 1000.00,  
25000000.00),  
( 'P0006', 'HS', 'Apple Watch 8', 2000.00,  
8000000.00);
```

```
INSERT INTO pembayaran VALUES  
( 'DO', 'Debit Online'),  
( 'CC', 'Credit Card');
```

```
INSERT INTO kurir VALUES  
( 'SG', 'Sicepat - Gokil'),  
( 'JN', 'JNE');
```

```


INSERT INTO pesanan VALUES
(12345, '2023-04-01', 'GO', 'JM', 'BN', 'DO', 'SG', 1000.00),
(11111, '2023-04-02', 'HS', 'EK', 'RL', 'CC', 'JN', 1000.00),
(22222, '2023-04-03', 'GO', 'JM', 'BN', 'DO', 'SG', 1000.00);

```

```

INSERT INTO order_detail VALUES
(12345, 'P0001', 2),
(12345, 'P0002', 1),
(12345, 'P0003', 1),
(12345, 'P0004', 1),
(11111, 'P0005', 1),
(11111, 'P0006', 1),
(22222, 'P0001', 2);

```



CRUD

```
--
=====
-- 1. PRODUK
--
=====

-- CREATE
INSERT INTO produk (kode_produk, produk_nama, berat_produk,
harga_produk)
VALUES ('P0007', 'Sepatu Basket', 800.00, 450000.00);

-- READ ALL
SELECT * FROM produk;

-- READ BY PK
SELECT * FROM produk
WHERE kode_produk = 'P0007';

-- READ WITH FILTER & SORT
SELECT kode_produk, produk_nama, harga_produk
FROM produk
WHERE harga_produk < 100000
ORDER BY harga_produk ASC;

-- UPDATE
UPDATE produk
SET produk_nama = 'Sepatu Basket Pro',
    harga_produk = 500000.00
WHERE kode_produk = 'P0007';

-- DELETE
DELETE FROM produk
WHERE kode_produk = 'P0007';
```

```
--
=====
-- 2. PENJUAL
--
=====

-- CREATE
INSERT INTO penjual (kode_penjual, nama_penjual)
VALUES ('SP', 'Sport Planet');

-- READ ALL
SELECT * FROM penjual;
```

```

-- READ BY PK
SELECT * FROM penjual
WHERE kode_penjual = 'SP';

-- UPDATE
UPDATE penjual
SET nama_penjual = 'Sport Planet Official'
WHERE kode_penjual = 'SP';

-- DELETE
DELETE FROM penjual
WHERE kode_penjual = 'SP';

```

```

--
=====
-- 3. PEMBELI
--
=====

-- CREATE
INSERT INTO pembeli (kode_pembeli, nama_pembeli)
VALUES ('RD', 'Rudi Hartono');

-- READ ALL
SELECT * FROM pembeli;

-- READ BY PK
SELECT * FROM pembeli
WHERE kode_pembeli = 'RD';

-- UPDATE
UPDATE pembeli
SET nama_pembeli = 'Rudi Hartono Jr.'
WHERE kode_pembeli = 'RD';

-- DELETE
DELETE FROM pembeli
WHERE kode_pembeli = 'RD';

```

```

--
=====
-- 4. ALAMAT
--
=====

```

```

-- CREATE
INSERT INTO alamat (kode_alamat, kode_pembeli, alamat_nama,
alamat_jalan,
alamat_provinsi, alamat_kota,
alamat_negara, alamat_kodepos)
VALUES ('RD', 'JM', 'Rumah Utama', 'Jalan Sudirman No. 10',
'DKI Jakarta', 'Jakarta Selatan', 'Indonesia',
'12190');

-- READ ALL
SELECT * FROM alamat;

-- READ BY PK
SELECT * FROM alamat
WHERE kode_alamat = 'RD';

-- READ - Alamat beserta nama pemiliknya
SELECT a.kode_alamat, pb.nama_pembeli, a.alamat_nama,
a.alamat_jalan, a.alamat_kota, a.alamat_provinsi,
a.alamat_kodepos
FROM alamat a
JOIN pembeli pb ON a.kode_pembeli = pb.kode_pembeli;

-- READ - Semua alamat milik pembeli tertentu
SELECT * FROM alamat
WHERE kode_pembeli = 'JM';

-- UPDATE
UPDATE alamat
SET alamat_jalan = 'Jalan Sudirman No. 99',
alamat_kodepos = '12191'
WHERE kode_alamat = 'RD';

-- DELETE
DELETE FROM alamat
WHERE kode_alamat = 'RD';

```

```

--
=====
-- 5. PEMBAYARAN
--
=====

-- CREATE
INSERT INTO pembayaran (kode_pembayaran, metode_pembayaran)
VALUES ('TF', 'Transfer Bank');

-- READ ALL

```

```

SELECT * FROM pembayaran;

-- READ BY PK
SELECT * FROM pembayaran
WHERE kode_pembayaran = 'TF';

-- UPDATE
UPDATE pembayaran
SET metode_pembayaran = 'Transfer Bank BCA'
WHERE kode_pembayaran = 'TF';

-- DELETE
DELETE FROM pembayaran
WHERE kode_pembayaran = 'TF';

```

```

--
=====
-- 6. KURIR
--
=====

-- CREATE
INSERT INTO kurir (kode_kurir, nama_kurir)
VALUES ('GJ', 'GoJek Instant');

-- READ ALL
SELECT * FROM kurir;

-- READ BY PK
SELECT * FROM kurir
WHERE kode_kurir = 'GJ';

-- UPDATE
UPDATE kurir
SET nama_kurir = 'GoJek Same Day'
WHERE kode_kurir = 'GJ';

-- DELETE
DELETE FROM kurir
WHERE kode_kurir = 'GJ';

```

```

--
=====
-- 7. ORDERS
--
=====

```

```

-- CREATE
INSERT INTO orders (order_id, tanggal, kode_penjual,
kode_pembeli,
                    kode_alamat, kode_pembayaran, kode_kurir,
biaya_jasa)
VALUES (33333, '2023-05-01', 'GO', 'JM', 'BN', 'DO', 'SG',
2000.00);

-- READ ALL
SELECT * FROM orders;

-- READ BY PK
SELECT * FROM orders
WHERE order_id = 33333;

-- READ - Orders dengan JOIN semua tabel (tampilan lengkap)
SELECT
    o.order_id,
    o.tanggal,
    pj.nama_penjual,
    pb.nama_pembeli,
    a.alamat_kota,
    py.metode_pembayaran,
    k.nama_kurir,
    o.biaya_jasa
FROM orders o
JOIN penjual    pj  ON o.kode_penjual    = pj.kode_penjual
JOIN pembeli    pb  ON o.kode_pembeli    = pb.kode_pembeli
JOIN alamat      a   ON o.kode_alamat     = a.kode_alamat
JOIN pembayaran py   ON o.kode_pembayaran = py.kode_pembayaran
JOIN kurir       k   ON o.kode_kurir      = k.kode_kurir;

-- READ - Filter orders berdasarkan tanggal
SELECT * FROM orders
WHERE tanggal BETWEEN '2023-04-01' AND '2023-04-30'
ORDER BY tanggal DESC;

-- READ - Orders milik pembeli tertentu
SELECT o.order_id, o.tanggal, pj.nama_penjual, o.biaya_jasa
FROM orders o
JOIN penjual pj ON o.kode_penjual = pj.kode_penjual
WHERE o.kode_pembeli = 'JM'
ORDER BY o.tanggal DESC;

-- UPDATE - Ganti kurir dan metode bayar
UPDATE orders
SET kode_kurir      = 'JN',
    kode_pembayaran = 'CC'
WHERE order_id = 33333;

```

```
-- DELETE
DELETE FROM orders
WHERE order_id = 33333;
```

```
--
=====
-- 8. ORDER_DETAIL
--
=====

-- CREATE
INSERT INTO order_detail (order_id, kode_produk,
jumlah_produk)
VALUES (33333, 'P0003', 3);

-- CREATE beberapa sekaligus
INSERT INTO order_detail (order_id, kode_produk,
jumlah_produk)
VALUES
(33333, 'P0001', 1),
(33333, 'P0004', 2);

-- READ ALL
SELECT * FROM order_detail;

-- READ BY composite PK
SELECT * FROM order_detail
WHERE order_id = 33333 AND kode_produk = 'P0003';

-- READ - Detail order dengan nama produk + kalkulasi total
SELECT
    od.order_id,
    pr.produk_nama,
    pr.harga_produk,
    pr.berat_produk,
    od.jumlah_produk,
    (od.jumlah_produk * pr.harga_produk) AS total_harga,
    (od.jumlah_produk * pr.berat_produk) AS total_berat
FROM order_detail od
JOIN produk pr ON od.kode_produk = pr.kode_produk
WHERE od.order_id = 12345;

-- READ - Rekap grand total per order
SELECT
    od.order_id,
    COUNT(od.kode_produk) AS
jumlah_item,
```



```

        SUM(od.jumlah_produk)                                AS
total_qty,
        SUM(od.jumlah_produk * pr.harga_produk)            AS
grand_total_harga,
        SUM(od.jumlah_produk * pr.berat_produk)            AS
grand_total_berat
FROM order_detail od
JOIN produk pr ON od.kode_produk = pr.kode_produk
GROUP BY od.order_id
ORDER BY od.order_id;

-- UPDATE - Ubah jumlah produk
UPDATE order_detail
SET jumlah_produk = 5
WHERE order_id = 33333 AND kode_produk = 'P0003';

-- DELETE - Hapus satu item dari order
DELETE FROM order_detail
WHERE order_id = 33333 AND kode_produk = 'P0003';

-- DELETE - Hapus semua item dalam satu order
DELETE FROM order_detail
WHERE order_id = 33333;

```

```

SELECT
    o.order_id                                              AS
    "No. Order",
    o.tanggal                                              AS
    "Tanggal",
    pj.nama_penjual                                       AS
    "Penjual",
    pb.nama_pembeli                                       AS
    "Pembeli",
    CONCAT(a.alamat_jalan, ', ', a.alamat_kota, ', ',
           a.alamat_provinsi, ' ', a.alamat_kodepos)     AS
    "Alamat Tujuan",
    py.metode_pembayaran                                   AS
    "Metode Bayar",
    k.nama_kurir                                           AS
    "Kurir",
    pr.produk_nama                                         AS
    "Produk",
    pr.harga_produk                                        AS
    "Harga Satuan",
    pr.berat_produk                                        AS
    "Berat (g)",
    od.jumlah_produk                                        AS

```

```

"Qty",
    (od.jumlah_produk * pr.harga_produk)                AS
"Subtotal Harga",
    (od.jumlah_produk * pr.berat_produk)                AS
"Subtotal Berat (g)",
    o.biaya_jasa                                        AS
"Biaya Jasa"
FROM orders o
JOIN penjual    pj  ON o.kode_penjual    = pj.kode_penjual
JOIN pembeli    pb  ON o.kode_pembeli    = pb.kode_pembeli
JOIN alamat     a   ON o.kode_alamat     = a.kode_alamat
JOIN pembayaran py  ON o.kode_pembayaran =
py.kode_pembayaran
JOIN kurir      k   ON o.kode_kurir      = k.kode_kurir
JOIN order_detail od ON o.order_id       = od.order_id
JOIN produk     pr  ON od.kode_produk    = pr.kode_produk
ORDER BY o.order_id, pr.produk_nama;

```