

รูปสี่ท้ายเล่ม

เรื่องที่ 2 หน้า 19





Figure 2. Cumulative incidence of blindness among different screening interval groups

เรื่องที่ 5 หน้า 48




รูปที่ 1A แสดงเนื้องอกสีน้ำตาลเข้มที่ตาขาวร่วมกับมีเส้นเลือดมาเลี้ยงในก้อน (ลูกศร) โดยก้อนอยู่บริเวณกระຈกตาและเยื่อตาต้านหัวตา




รูปที่ 1B แสดงรอยโรคที่ตาขาวที่มีลักษณะแบนสีน้ำตาลบริเวณเยื่อตาต้านทางตา (ลูกศร)


เรื่องที่ 5 หน้า 49



รูปที่ 2 แสดงรอยโรคที่ตาซ้ายมีลักษณะแบนสีน้ำตาลบริเวณเยื่อตาด้านทางตาเช่นเดียวกับตาขวา (ลูกศร)



รูปที่ 3A ลักษณะทางพยาธิวิทยาของเนื้องอกกำลังขยายต่ำ แสดงลักษณะของเนื้องอก papilloma เซลล์เนื้องอกเป็นเยื่อผิวหนัง squamous epithelium มี basal cells เพิ่มจำนวนอยู่ชั้นฐาน และมี squamous cells คลุมอยู่ด้านนอกของเนื้องอก (ลูกศรสีขาว) และมีเส้นเลือดเป็นแกนกลาง (fibrovascular core) (ลูกศรสีดำ) (Haematoxylin and eosin; x100)



รูปที่ 3B ลักษณะทางพยาธิวิทยาของเนื้องอกกำลังขยายสูง แสดงเม็ดสี (dark brown pigments) อยู่ภายในเซลล์ชั้นฐาน (basal cells) ที่เพิ่มจำนวนขึ้น (ลูกศรสีขาว) ส่วนชั้นผิวบนของเนื้องอกเป็นเซลล์เยื่อผิวหนังชนิดแบนรูปหลายเหลี่ยม (squamous cells) และมี goblet cells แทรกอยู่ (ลูกศรสีดำ) เซลล์เนื้องอกไม่มีลักษณะของ dysplasia (Haematoxylin and eosin; x400)



What is AstaREAL® Astaxanthin?

The Astaxanthin of Choice

It's the world's leading astaxanthin branded ingredient for human health and personal care.

Astaxanthin is related to other colourful members of the carotenoid family such as lutein, zeaxanthin, beta-carotene, and lycopene, but that is where the similarity ends.

Astaxanthin's chemical structure allows it to uniquely span and protect cell membranes and other similar structures against lipid attack by quickly neutralizing reactive oxygen species (a.k.a Free Radicals).

Astaxanthin is documented with high potencies for neutralizing oxygen radicals. For example, it is 550 times more powerful than Vitamin E or 40 times more powerful than beta-carotene against singlet oxygen radicals.

Furthermore, astaxanthin has been classified as a "pure anti-oxidant" unlike other popular carotenoids which may show "pro-oxidative" characteristics under certain conditions.

Astaxanthin's potent antioxidant properties give rise to a number of health related benefits.

Randomized, double-blind placebo controlled studies using AstaREAL® astaxanthin on human health are rapidly gaining worldwide interest. These include studies which may offer improvements to visual health, physical endurance, stomach health and many more*.

Find out more why AstaREAL® astaxanthin should become part of your own branded nutritional supplements or anti-aging products.



Natural Astaxanthin Detected in the Iris/Ciliary Body of Eye

Natural astaxanthin extract (AstaREAL®) derived from *Haematococcus* microalgae was detected in iris/ciliary body of New Zealand Albino (NZW) Rabbit Eyes 24 hours after ingestion. This validated a HPLC detection method and the site of action says a new study.

Astaxanthin has been reported to have many benefits in the eye. Several human clinical studies reported the alleviation of eye fatigue (by improving accommodation function) in visual display terminal (VDT) workers after oral supplementation for one month. Furthermore, astaxanthin showed anti-inflammatory action in experimental rat models. However, up to now there has been no intraocular kinetic information.

Study Details

In a collaboration between the Ophthalmology Department of Kanazawa Medical University, Japan, and Fuji Chemical Industry, Japan, researchers investigated the ocular and blood serum levels of astaxanthin in 24 NZW albino rabbits. After administering a 100 mg/kg single oral dose, astaxanthin was determined by careful extraction followed by HPLC analysis over a period of 168 hours.

Results

According to the astaxanthin detection system, the time taken to reach maximum presence (T_{max}) in serum and iris/ciliary body was 9 hours (at C_{max} 61.3 ng/mL) and 24 hours (at C_{max} 79.3) respectively. Astaxanthin was not detected in the anterior chamber of the eye. In other human studies with oral intake of astaxanthin, the T_{max} in serum ranged between 9 and 12 hours. With an HPLC detection limit of 2 ng/mL, astaxanthin was not detected in the anterior chamber. It remains possible though that astaxanthin may still be present but at a very low concentration.




Figure 1 Pupillary Constriction Ratio Before and After Astaxanthin Supplementation.

Subjective Symptoms

The results of the questionnaire show several positive effects such as near vision difficulty, eye strain blurred vision and shoulder and lower back stiffness. The percentage of subjects who answered either slightly improved or better were 65%, 77.2%, 61.1% and 63.2% respectively.

Conclusion

The effects of aging on our eyes are inevitable. However, vision problems such as age-related accommodation loss (Presbyopia) are readily manageable. Eye glasses is the normal way, however this latest investigative study suggests that astaxanthin supplementation may help slow down the progression of presbyopia or improve near vision of people above 40 years of age. The improvement of accommodation function was 12.5% in both eyes ($p < 0.01$) and subjects generally claimed reduction of eye strain and better near vision.

Reference

Kajita et al., 2009. The effects of a dietary supplement containing astaxanthin on the accommodative functions of the eye in middle-aged and older people. Medical Consultation & New Remedies, 46 (3):89-92 (Japanese).

Visit www.astareal.com for more details on the results.

AstaREAL

AstaREAL is a trademark or registered trademark of Fuji Chemical Industry Co., Ltd in Japan, United States of America, Europe and/or other countries.

สนใจข้อมูลเพิ่มเติม ติดต่อที่ Realikare



บริษัท โกลด์ จำกัด

8/9 หมู่ 7 ซอยวัดสตูล ถนนบางนา-ตราด กม.9 ต.บางแก้ว อ.บางพลี จ.สมุทรปราการ 10540 โทร. 02-3159133-36 แฟกซ์ 02-3165399

www.gowell.co.th www.fujichemical.co.jp www.astareal.com

SHIN-NIPPON

TOPSALE TECHNOMADICAL
EMAIL : PRAPON_TOPSALE@HOTMAIL.COM
TEL : 02-5878081-2, 02-5858696 FAX : 02-5873731

AUTOREFRACTOR



- Accuref 8001
- Accuref-K 9001
- Accuref-K 9003D
- Nvision-K 5001



NON CONTACT TONOMETER



- NCT-10



REFRACTOR



- BR-7
- BR-10
- ST-10



CHAIR AND STAND



- OU-1200
- OU-2500
- TC-450



SLIT LAMP



- SL-500
- SL-95
- SL-102
- SL-203
- SL-40, 45
- SL-45DX



HAND HELD SLIT LAMP



- XL-1



KERATOMETER



- SO-11/21



CHART PROJECTOR



- CP-30/CP-30Z
- CP-500
- LCD-700



PD METER



- PD-82II



RADIUS GAUGE



- RG Series



LENSMETER




- LM-15
- LM-25
- LM-25D



AUTO LENSMETER



- SLM-4000
- SLM-5000
- SLM-6000



TRIAL LENS SET & TRIAL FRAME



- Trial Lens Set Series & Trial Frame



OPERATION MICROSCOPE



- OP-2



CORNEAL TOPOGRAHER



- CT-1000



ได้รับการแต่งตั้งให้เป็นตัวแทนจำหน่าย ยี่ห้อ SHIN-NIPPON จากประเทศญี่ปุ่น แต่เพียงผู้เดียวในประเทศไทย
ผู้แทนจำหน่าย อุปกรณ์ทางการแพทย์เกี่ยวกับสายตา จากประเทศญี่ปุ่น
รับปรึกษา ดูแลเครื่องมืออักษรมะตาต่างๆ มีบริการหลังการขาย โดยช่างผู้ชำนาญงาน



AIJINOMOTO.
AIJINOMOTO TRADING, INC.

บริหารงานโดย
คุณประพนธ์ รัชฎาธิศวงศ์ (โทร 081-8117797)

บริษัท ท็อปเซลส์ เทคโนโลยีคัล จำกัด
11 ซอยนอมจิด ถนน ริมคลองประปา เขต บางซื่อ กรุงเทพฯ 10800

C.Optical Manager Ophthalmic Product line up

Canon

R-F10
Auto Refractor

Coming soon!



TX-F
Full Auto Non Contact
Tonometer



CR-1 Mark II
Myd retinal camera



CF-1
Myd retinal camera



CX-1
Myd & Non-myd retinal camera

New!



C.Optical International.co.,ltd.

Canon



บริษัทได้รับการแต่งตั้ง เป็นตัวแทนจำหน่ายสินค้า

ยี่ห้อ **Canon** จำนวน 4 รายการ

แต่เพียงผู้เดียวในประเทศไทย

1. เครื่องถ่ายภาพจอประสาทตา รุ่น CX-1
2. เครื่องถ่ายภาพจอประสาทตา รุ่น CR-1 Mark II
3. เครื่องถ่ายภาพจอประสาทตา รุ่น CF-1
4. เครื่องวัดสายตาอัตโนมัติ รุ่น R-F10

**** บริหารงาน โดย นายชาญ ชาญพัชรรุ่งโรจน์ ****

โทร. 081-612-0543, 081-831-5504

9 October 2009

C.Optical International Co., Ltd.,
92 Soi Krungthoburi 6
Krungthoburi Road
Banglampoolang Klongsan
Bangkok 10600
Thailand

Dear Sirs/Madam,

This is to certify that M/s. C. Optical International Co., Ltd., having its principal business place at 92 Soi Krungthoburi 6 Krungthoburi Road, Banglampoolang Klongsan Bangkok 10600 Thailand, is the authorized and exclusive distributor for Canon Medical Ophthalmology Equipments, in Thailand, for the following range of products.

1. Canon Digital Retinal Camera, CX-1
2. Canon Digital Retinal Camera, CR-1 Mark II
3. Canon Digital Retinal Camera, CF-1
4. Canon Auto Refractometer, R-F10

บริษัท ซี.ออปติคอลล อินเตอร์เนชั่นแนล จำกัด

92 ซ.กรุงธนบุรี 6 ถ.กรุงธนบุรี แขวงบางลำภูล่าง เขตคลองสาน กทม.10600

โทร. 02-860-9891-2 โทรสาร 02-860-9155 E-mail : coptical@truemail.co.th



ราชวิทยาลัยจักษุแพทย์แห่งประเทศไทย

หนังสือการประชุมวิชาการ ครั้งที่ 25

25th Scientific Meeting

The Royal College of Ophthalmologists of Thailand



July 16 - 18, 2010

The Zign Hotel, Pattaya, Chonburi

<http://www.rcopt.org>

E-mail: admin@rcopt.org