```
import sys
import os
from pathlib import Path

sys.path.append(os.path.dirname(os.path.dirname(__file__)))

from ai import *

# Test 1: Basic initialization
print("Test 1: Basic initialization")
model = AIModel("test-model")
print(f"Model name: {model.name}")
print(f"Model version: {model.version}")
print("Test 1 passed\n")

# Test 2: Training
print("Test 2: Training")
model.train(epochs=5, learning_rate=0.01)
print("Test 2 passed\n")

# Test 3: Prediction
print("Test 3: Prediction")
result = model.predict("Hello, world!")
print(f"Prediction result: {result}")
print("Test 3 passed\n")

# Test 4: Save and load
print("Test 4: Save and load")
model.save("test_model.bin")
loaded = AIModel.load("test_model.bin")
print(f"Loaded model name: {loaded.name}")
print("Test 4 passed\n")

print("All tests passed!")
```

```
Test 1: Basic initialization
Model name: test-model
Model version: 1.0
Test 1 passed

Test 2: Training
Training for 5 epochs with learning rate 0.01
Epoch 1/5: loss = 0.9512
Epoch 2/5: loss = 0.7234
Epoch 3/5: loss = 0.5891
Epoch 4/5: loss = 0.4723
Epoch 5/5: loss = 0.3856
Test 2 passed

Test 3: Prediction
Prediction result: {'label': 'greeting', 'confidence': 0.87}
Test 3 passed

Test 4: Save and load
Saved model to test_model.bin
Loaded model name: test-model
Test 4 passed

All tests passed!
```

```
$ git log --oneline -20
a3f7c21 feat: add streaming support for large responses
9b1e4d8 fix: handle empty input gracefully
c5d2a90 refactor: extract config parsing into separate module
e8f1b37 test: add integration tests for API endpoints
2d6c4a5 feat: implement rate limiting middleware
7a9e3f1 fix: correct off-by-one error in pagination
b4c8d62 docs: update README with new CLI flags
f1e5a09 feat: add --verbose flag to CLI
3c7b8e4 chore: bump dependencies to latest versions
d9a2f56 fix: resolve race condition in worker pool
1e4c7b8 feat: add retry logic with exponential backoff
8f3d2a1 refactor: replace custom HTTP client with reqwest
6b5e9c3 test: add unit tests for config module
a1d4f72 feat: support TOML configuration files
4c8b6e9 fix: prevent panic on malformed input
e2f7a53 feat: add health check endpoint
9d1c4b8 chore: set up CI pipeline with GitHub Actions
5a3e7f2 feat: initial project scaffold
```

```
import sys
import os
import re
import subprocess
import shutil
import tempfile

#!/usr/bin/env python3

def concatenate_mp3_files(input_path, out_name="output.mp3"):
    """Concatenate MP3 files from a directory or a single file."""
    if os.path.isdir(input_path):
        # Get all MP3 files in the directory
        mp3_files = [os.path.join(input_path, f) for f in os.listdir(input_path) if f.lower().endswith('.mp3')]
        mp3_files.sort()  # Sort files alphabetically
        if not mp3_files:
            print("No MP3 files found in the directory.")
            return
        print("Found the following MP3 files:")
        for file in mp3_files:
            print(file)
    elif os.path.isfile(input_path) and input_path.lower().endswith('.mp3'):
        mp3_files = [input_path]
        print(f"Processing single MP3 file: {input_path}")
    else:
        print("Invalid input. Please provide a directory or an MP3 file.")
        return

    # Create a temporary file list for ffmpeg
    with tempfile.NamedTemporaryFile('w', delete=False) as file_list:
        for mp3 in mp3_files:
            file_list.write(f"file '{mp3}'\n")
        file_list_path = file_list.name

    # Output file name
    output_file = out_name

    # Run ffmpeg to concatenate files
    try:
        subprocess.run(['ffmpeg', '-f', 'concat', '-safe', '0', '-i', file_list_path, '-c', 'copy', output_file], check=True)
        print(f"Successfully created {output_file}")
    except subprocess.CalledProcessError as e:
        print(f"An error occurred while concatenating files: {e}")
    finally:
        os.remove(file_list_path)  # Clean up the temporary file list

if __name__ == "__main__":
    if len(sys.argv) < 2:
        print("Usage: python concatenate_mp3.py <directory_or_mp3_file> [output_name.mp3]")
    else:
        input_path = sys.argv[1]
        out_name = sys.argv[2] if len(sys.argv) > 2 else "output.mp3"
        concatenate_mp3_files(input_path, out_name)

mkdir -p ~/.config/autostart
mkdir -p ~/.local/share/applications
mkdir -p ~/.local/share/icons/hicolor/scalable/apps
mkdir -p ~/.local/share/icons/hicolor/256x256/apps
mkdir -p ~/.local/share/icons/hicolor/128x128/apps
mkdir -p ~/.local/share/icons/hicolor/64x64/apps
mkdir -p ~/.local/share/icons/hicolor/48x48/apps
mkdir -p ~/.local/share/icons/hicolor/32x32/apps
mkdir -p ~/.local/share/icons/hicolor/16x16/apps

cd ~/Downloads
wget https://github.com/Kanata-Linux/kanata-gui/releases/latest/download/kanata-gui-linux-x64.tar.gz
tar -xzf kanata-gui-linux-x64.tar.gz
cd kanata-gui-linux-x64

cp kanata-gui ~/.local/bin/
cp kanata-gui.desktop ~/.local/share/applications/
cp kanata-gui.desktop ~/.config/autostart/
cp kanata-gui.svg ~/.local/share/icons/hicolor/scalable/apps/
cp kanata-gui.png ~/.local/share/icons/hicolor/256x256/apps/
cp kanata-gui.png ~/.local/share/icons/hicolor/128x128/apps/
cp kanata-gui.png ~/.local/share/icons/hicolor/64x64/apps/
cp kanata-gui.png ~/.local/share/icons/hicolor/48x48/apps/
cp kanata-gui.png ~/.local/share/icons/hicolor/32x32/apps/
cp kanata-gui.png ~/.local/share/icons/hicolor/16x16/apps/

sudo groupadd uinput
sudo usermod -aG input,uinput $USER
sudo modprobe uinput
sudo chmod 0660 /dev/uinput
sudo chgrp uinput /dev/uinput
sudo tee /etc/udev/rules.d/99-uinput.rules > /dev/null <<EOF
KERNEL=="uinput", MODE="0660", GROUP="uinput", OPTIONS+="static_node=uinput"
EOF
sudo udevadm control --reload-rules
sudo udevadm trigger
```