

User Manual — Knowledge Hub

Your second brain, organized.

This manual covers every Knowledge Hub feature: how to use each tool, where to find everything, and the configuration and administration options available in this version.

1. Introduction


Knowledge Hub is the team's second brain: a single private place for notes, tasks, ABAP code, technical documentation, client/SAP system registries, and much more. This manual covers every feature available in this version, screen by screen.

The application is organized into three fixed zones, visible on almost every screen:

- **Sidebar (left):** main navigation, resizable and customizable — plus the logo, Trash, Settings, and your account card.
- **Header (top):** search/quick actions, shortcuts to SAP News, SAP transactions, screen capture, activity, whiteboard, notifications, focus mode, and the app lock button.
- **Footer:** rotating SAP news ticker (Portuguese and international sources).

2. Getting Started

Registration is invite-only: an account can only be created with an invite code generated by an administrator (section 25.4). Enter your email, name, password, and the code you received.

The image shows a registration form titled "Create your Knowledge Hub" with the subtitle "Your second brain, organized." The form is centered on a dark blue background. It contains five input fields: "Name" (placeholder: "Your name"), "Email" (placeholder: "you@example.com"), "Password" (placeholder: "At least 8 characters"), "Confirm password" (placeholder: "Repeat password"), and "Invite code" (placeholder: "Code from your admin"). Below the fields is a purple "CREATE ACCOUNT" button. At the bottom, there is a link: "Already have an account? Sign in". In the top right corner of the dark blue area, there are language selection buttons for "PT" and "EN".


Registration screen, with the invite-code field

Every account has a role — Member, Admin, or Super Admin — which determines what you see in Settings > Team & Administration (section 25.4). If an admin pauses your

account, you see a dedicated screen explaining the situation; your data stays saved and intact, only access is on hold until you are reactivated.


3. Home

The homepage is a configurable dashboard made of blocks you can show, hide, and drag freely between the left and right columns (the "Add block" button at the top).



Home: Quick Capture, Continue Where I Left Off, Recent Notes and Favorites

- **Quick Capture:** shortcuts for a new note, new task, voice note, and your SAP me portal.
- **Continue Where I Left Off:** the last items you edited or created (notes, tasks, issues), with a "Continue" button and a small button to mark as done without leaving Home.
- **My Tasks:** tasks and project issues mixed into the same list, by due date.
- **Issues by Status:** donut chart with the distribution of issues.
- **Recent Notes, Favorites, Maybe you forgot:** quick access and keyword-based resurfacing of relevant older content.
- **Weekly Summary, SAP News, VPS Disk Usage, Tags Heatmap:** additional informational blocks, all optional.




Remaining blocks: Issues by Status, Weekly Summary, SAP News, VPS and Tags Heatmap


4. Global Header

The header is always visible and gives quick access to actions and tools that cut across the whole app.

- **Search / Ctrl+K:** global search (notes, tasks, voice notes, issues...) and a list of quick actions (new note, switch theme, go to a page).
- **SAP News:** dedicated icon that opens the SAP news feed.
- **SAP Transactions:** quick T-code search with one-click copy to clipboard.
- **Screen Capture:** snipping tool with annotations (section 22).
- **Activity:** popup to pick a date or period and see tasks completed and issues closed in that range.
- **Whiteboard:** opens the infinite whiteboard (section 20).
- **Notifications:** bell with a counter, warns about overdue or upcoming issues.
- **Focus Mode:** hides the sidebar, header, and news ticker for total focus.
- **Lock:** the purple padlock button ends your session immediately — use it whenever you step away from the computer.



Global search with quick actions



Activity popup: pick a period and see what was completed


5. Sidebar

The sidebar is dynamic: drag the handle on its right edge to make it wider or narrower, depending on what you need to see. In Settings you can reorder items, hide them, group them into collapsible groups, or switch to icon-only mode (more compact).

6. Notes

Notes is a full block-based editor, Notion-style: title, icon, optional cover, tags, and a body split into independent blocks you can reorder.

- **Block types:** text (with bold/italic/underline, font and size), heading, checklist with a progress bar, code with ABAP/SQL/JS/JSON syntax highlighting, terminal, image, file, embedded PDF, link with favicon, toggle (collapsible) block, nested sub-page, and automatic table of contents.
- **Organization:** nested folders, drag-and-drop between folders, tags, favorites, AI tag suggestions, and automatic filing.
- **Sharing:** generates a public read-only link, no login required.
- **History:** automatic and manual snapshots, with restore to any earlier version.
- **Links:** link notes to issues, tasks, and code (section 19), and detect unlinked mentions in the text.



Note editor: checklist with percentage, heading, and ABAP code block





Image block, attached file, embedded PDF, link, and toggle

7. Voice Notes


Record your voice (microphone) or the computer's audio directly in the browser. Each recording can be transcribed (Groq Whisper) with one click, and from the transcript, AI suggests tasks to create automatically.



Voice Notes: recording, transcription, and task suggestions

8. Tasks


A personal task list with priority, due date, associated project, notes, and recurrence (daily/weekly/monthly). Any task can be saved as a reusable template.



Tasks: list with priority and detail of the selected task

9. Tags


Reusable tags, each with its own color, to organize Notes and other content across the app.




Tags page

10. Passwords

A password vault with zero-knowledge encryption: everything is encrypted and decrypted in the browser with a master password that is never sent to the server. The first time you set up the vault you receive a one-time recovery key — it is the only way to regain access if you forget the master password, so it must be saved somewhere safe immediately.



Vault locked, waiting for the master password




Recovery key, shown only once when setting up the vault


The vault locks itself automatically after a configurable period of inactivity.

11. Projects

Each project has a scope, company, manager, contacts, dates, and status (Active/Paused/Completed), and acts as the central point for grouping related Tasks, Issues, and Transport Requests.




Projects list



Project detail

12. Project Issues

Project issue management with configurable statuses and priorities (Settings), table or Kanban view, resizable/sortable columns, and an AI status-report generator.




Project Issues: table with colored status and priority


13. Code Library

A catalog of ABAP programs/classes/function modules. Each folder can contain code snippets, characteristics, tables, data elements, and domains — and can link to other

related folders. AI auto-documentation generates an explanation of the code with one click.




Code Library: folder list



Detail of a program, with snippet and characteristics

14. Artifacts


A space for saving standalone HTML pages (dashboards, prototypes, visual reports), organized in folders, with a snapshot history.



Artifacts

15. Documentation

Documentation generates Word/PDF documents from pre-configured templates (for example, Functional Technical Specification, Requirements Gathering, Configuration Guide), with a dynamic form per template — text, syntax-highlighted code blocks, and images — and multiple saved versions on every export.



Documentation: folders and generated documents

Dynamic fill-in form for a template

Important: the available templates (Functional Technical Specification, Requirements Gathering, Configuration Guide, ...) are configured by the app administrator — a regular user cannot create a new document type directly in the interface. If you need a new documentation template (a new document type, or a change to an existing one's structure), request it from the app administrator: the request is reviewed and, if approved, the new template is added in a future deploy and becomes available to everyone.

16. SAP Transactions


A personal catalog of T-codes, SuccessFactors apps, and admin tools, filterable by module (ABAP, Basis, HCM, SuccessFactors, Other), with usage counts and favorites.

TRANSAÇÃO	DESCRIÇÃO	MÓDULO	PROGRAMA	TIPO
SE38	Editor ABAP — criar e executar programas	ABAP	—	Transação Standard
SE80	Object Navigator — pacotes e objetos de desenvolvimento	ABAP	—	Transação Standard
SE11	ABAP Dictionary — tabelas, estruturas e domínios	ABAP	—	Transação Standard
SE16N	Data Browser — visualizar/filtrar conteúdo de tabelas	ABAP	—	Transação Standard
PA20	Visualizar dados mestre de RH	HCM - PA	SAPKPS8A	Transação Standard
PA30	Manter dados mestre de RH	HCM - PA	SAPKPS8A	Transação Standard
SH30	Manutenção de tabelas de customizing	Basis	RSVTPT0T	Customizing (SPRO)
SPRO	SAP Reference IMG — customizing central	Basis	—	Customizing (SPRO)
Employee Cent...	Registo e manutenção de dados de colaboradores	SuccessFactors - EC	—	Admin Tool (SF)
PPOME	Alterar estrutura organizativa	HCM - OM	SAPLRHCH	Transação Standard
Manage Comp...	Configurar planos de compensação	SuccessFactors - Comp	—	Admin Tool (SF)
Candidate Pro...	Perfil e histórico de candidatura (Recruiting)	SuccessFactors - Recruiting	—	Admin Tool (SF)
SE18 / SE19	BAdI Builder — definição e implementação de BAdIs	ABAP	—	Transação Standard
SE37	Function Builder — criar/testar módulos de função	ABAP	—	Transação Standard

17. SAP Registries

Four interlinked registries to document each client's landscape, also feeding into the Calendar and generated Documentation.

- **Clients:** company, industry, and notes — root of the landscape.
- **SAP Systems:** fields aligned with the SAP GUI "System Entry" dialog (SID, instance number, SAProuter, application server), or just a URL for web-based systems (SuccessFactors, Fiori).
- **Transport Requests:** release status for QAS/PRD and planned date — automatically shown on the Calendar.
- **Contacts:** key people (Basis, key users, functional consultants) associated with a client and/or system.



Clients

Início

Notas

Notas de Voz

Tarefas

Etiquetas

Passwords

Projetos

Project Issues

Artifacts

Biblioteca de Código

Documentação

Transações SAP

Calendário

Grafo de Conhecimento

Cientes

Sistemas SAP

Ordens de Transporte

Contactos

API Playground

Pesquisar notas, tarefas, notas de voz...

Ctrl K

Transações SAP

Sistemas SAP

Registro de landscape — parâmetros de ligação SAP GUI e ambiente por cliente

Sistema, SID, cliente...

+ Novo Sistema

SISTEMA	CLIENTE	ID SIST.	AMBIENTE	SERV. APLICAÇÃO	INSTÂNCIA	
ECP - DEV	ITGest	J06	DEV	vac1J06	00	
ECP - PRD	ITGest	J0P	PRD	vac1J0P	02	
ECP - QAS	ITGest	J0Q	QAS	vac1J0Q	01	
SuccessFactors - Produção	Global Retail SA	-	PRD	-	-	

SAP Systems, with SAP GUI-style fields



Cel K

Transações SAP

Ordens de Transporte

Registro vivo e pesquisável de ordens de transporte por projeto e sistema

+ Nova Ordem

Todos
Otimização de Processos MM
Portal de Autoatendimento RH
Migração S/4HANA

CÓDIGO	DESCRIÇÃO	PROJETO	SISTEMA	ESTADO
J0GK900125	Correção de idoc de faturação	Migração S/4HANA	ECP - DEV	Liberada QAS PRD
J0GK900124	Nova variante de relatório ZMM_STOCK_REPORT	Migração S/4HANA	ECP - QAS	Liberada QAS PRD
J0GK900123	Ajuste de determinação de conta contábilística	Migração S/4HANA	ECP - DEV	Liberada QAS PRD

- Início
- Notas (4)
- Notas de Voz
- Tarefas (7)
- Etiquetas (6)
- Passwords
- Projetos (2)
- Project Issues (5)
- Artifacts (1)
- Biblioteca de Código (2)
- Documentação
- Transações SAP
- Calendário
- Grafo de Conhecimento
- Clientes
- Sistemas SAP (4)
- Ordens de Transporte (3)
- Contactos (3)
- API Playground

Transport Requests, linked to a project and system

NOME	FUNÇÃO	CLIENTE	SISTEMA	EMAIL	TELEFONE
João Ramos	Basis Lead	Consultoria Exemplo	—	joao.ramos@exemplo.pt	+351 912 345 678
Pedro Costa	Gestor de Projeto	Global Retail SA	—	pedro.costa@globalretail.com	—
Sofia Almeida	Key User FI	Consultoria Exemplo	ECP - PRD	sofia.almeida@exemplo.pt	—

Contacts

18. Calendar


A monthly view that automatically pulls together Task due dates, Issue due dates, and planned Transport Request dates — no need to create events manually.

SEG	TER	QUA	QUI	SEX	SAB	DOM
27	28	29	30			
3 Responder a email do cliente	4	5 Reunião semanal de acompanhamento	6 Levantamento de			
10	11 JOGK900125 — Correção de idoc de faturação	12	13			
17	18	19	20			
24	25	26	27			
31	1	2	3			

Calendar: planned tasks and transport requests

19. Knowledge Graph

A visualization of the links you create between Notes, Issues, Tasks, and Code — from the "Links" panel on each of those screens, or by accepting an automatic similarity suggestion.




Knowledge Graph with linked items

20. Whiteboard

An infinite whiteboard (Obsidian-Canvas style), accessible from the header. Supports multiple boards, freehand drawing, formatted text, shapes (rectangle, ellipse, arrow) with solid fill or outline-only, and cards that reference existing notes or tasks.


- **Select / Pan:** the select tool also pans the board when you click empty space — no need to switch tools to navigate.
- **Transparent shapes:** an unfilled shape is only "clickable" by its border, letting you click through to whatever is underneath.



Whiteboard with shapes and text

21. API Playground


A personal API testing tool, Postman-style: requests organized in folders, with headers, query params, body (JSON/text/form), and authentication (bearer, basic, API key), executed directly from the browser, with the last response saved as an example.



API Playground: saved request with headers


22. Screen Capture

Works like the Windows Snipping Tool: you capture the entire screen at once (the browser asks you to pick the screen/window/tab to share) and the app shows it immediately, ready to use — drag to crop just an area, or use the full capture.



Full capture, ready to crop or use as-is


After cropping (or not), you get annotation tools — pen, text, rectangle, ellipse, arrow, and eraser, with colors and widths — and you can save the result as a new note or copy it directly to the clipboard, to paste into another app.



Annotations over the capture, before saving or copying

23. AI Agents


Connect any AI provider (Anthropic, OpenAI) with a name and an API key, in Settings > Integrations. Once you have at least one active agent, a floating chat widget appears on every page.



Connecting an AI agent in Settings > Integrations

- **Normal chat:** free-form conversation, with history saved per agent.


- **Workspace mode:** the AI answers based on real content saved in your account (notes, code, issues, tasks) and shows the sources used in the reply.



Chat widget with an agent, in Workspace mode

24. Trash

A single recovery point for deleted Notes, Tasks, Voice Notes, and Documentation. Restore item by item or all at once, and configure in Settings how many days until items are auto-purged.




Trash

25. Settings

Settings is split into four tabs.

25.1 Appearance


- Light/dark theme, accent color (palette or color wheel), font family and size, density (comfortable/compact), corner style, custom logo and favicon.



Settings — Appearance

25.2 Account & Security

- Profile and photo, exporting your data as JSON, changing your password, two-factor authentication (TOTP, with QR code and recovery codes), and a list of active sessions with the option to remotely end each one.




25.3 Integrations


- Connection to the Hostinger VPS (read-only, encrypted token) for the disk-usage block on Home, and management of AI Agents (section 23).

25.4 Team & Administration

- Team: invite members — everyone shares the same data (Notes, Tasks, Tags, Voice Notes, Issues, and Artifacts).
- Administration (Admin/Super Admin): generate and revoke invite codes, and manage accounts — change role, pause/reactivate, or restrict which Documentation templates each account can access.
- Template Management: rename the Documentation templates available in the workspace (section 15) — creating new template types is still done by the administrator outside the interface, on user request.
- Activity Log (visible only to the Super Admin): a record of every write action across all teams, filterable by type, with configurable purging of old entries.



Settings — Team & Administration: invites and account management



Template Management and Activity Log

26. PWA and Offline Mode

Knowledge Hub can be installed as an app (PWA) on your phone or computer, and keeps working offline for content already visited, syncing again once the connection returns.

27. Mobile Access

On small screens, the sidebar gives way to a bottom tab bar, with a "More" menu for the rest of the navigation — every page listed in this manual has been adapted to work correctly on mobile.