

$\bigcirc O(n)$

 $ed\mathbf{\chi}$



That is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? $O(1)$ $O(logn)$ $O(n)$	0	O(nlogn)
g(n))? O(1) O(logn) O(n) O(nlogn) O(n²) ✓ hat is the cost of removing the largest element in a BST? O(1) O(logn) O(n) O(nlogn) O(n²) ✓	0	$O(n^2)$
g(n))? O(1) O(logn) O(n) O(nlogn) O(n²) ✓ hat is the cost of removing the largest element in a BST? O(1) O(logn) O(n) O(nlogn) O(n²) ✓	~	
 O(logn) O(n) O(nlogn) O(n²) ✓ hat is the cost of removing the largest element in a BST? O(1) O(logn) O(n) O(nlogn) O(n²) ✓ hat is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(n) O(nlogn) O(n²) ✓ Hat is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(logn) O(logn) O(logn) O(logn) O(nlogn) 		
O(n) O(nlogn) O(n²) ✓ hat is the cost of removing the largest element in a BST? O(1) O(logn) O(nlogn) O(nlogn) O(n²) ✓ hat is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(nlogn)	0	O(1)
$O(nlogn)$ O(n^2) hat is the cost of removing the largest element in a BST? O(1) O($logn$) O(n^2) Anat is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O($logn$) O(n^2) Anat is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O($logn$) O(n^2) Anat is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O($logn$) O($logn$) O($logn$)	•	O(logn)
Anat is the cost of removing the largest element in a BST? O(1) O(logn) O(n) O(nlogn) O(n²) ✓ That is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(n) O(n) O(nlogn) O(n²) ✓ That is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(nlogn) O(nlogn) O(nlogn)	0	O(n)
hat is the cost of removing the largest element in a BST? O(1) O(logn) O(n) O(nlogn) O(n^2) hat is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(n) O(nlogn) O(n) O(nlogn) O(nlogn) O(n2) hat is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(nlogn) O(nlogn)	0	O(nlogn)
 O(1) O(logn) O(nlogn) O(nlogn) ✓ hat is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(nlogn) O(n²) ✓ hat is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(logn) O(nlogn) 	0	$O(n^2)$
 O(1) O(logn) O(nlogn) O(nlogn) O(n²) ✓ hat is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(nlogn) O(n²) ✓ hat is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(nlogn) O(nlogn) 	~	
 O(logn) O(n) O(nlogn) ✓ hat is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the acking/Array)? O(1) O(logn) O(nlogn) O(nlogn) O(n²) ✓ Hat is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(logn) O(nlogn) 	/hat	is the cost of removing the largest element in a BST?
 O(n) O(nlogn) O(n²) ✓ hat is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(n) O(nlogn) O(n²) ✓ Ant is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(n) O(nlogn) 	0	O(1)
 O(nlogn) O(n²) ✓ that is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(n) O(nlogn) O(n²) ✓ that is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(logn) O(nlogn) 	0	O(logn)
That is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(n) O(nlogn) O(n^2) That is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(logn) O(logn)	•	O(n)
that is the cost of retrieving the maximum element in a MinHeap (assume that you have no access to the ackingArray)? O(1) O(logn) O(n) O(nlogn) O(n^2) That is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(nlogn) O(nlogn)	0	O(nlogn)
O(1) O(logn) O(n) O(nlogn) O(n^2) At is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(logn) O(nlogn)	0	$O(n^2)$
O(1) O(logn) O(n) O(nlogn) O(n^2) At is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? O(1) O(logn) O(logn) O(nlogn)	~	
$O(logn)$ $O(n)$ $O(nlogn)$ $O(n^2)$ That is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? $O(1)$ $O(logn)$ $O(nlogn)$		
$O(n)$ $O(nlogn)$ $O(n^2)$ That is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? $O(1)$ $O(logn)$ $O(nlogn)$	0	O(1)
● $O(nlogn)$ $O(n^2)$ That is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? $O(1)$ $O(logn)$ • $O(nlogn)$	0	O(logn)
$O(n^2)$ That is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? $O(1)$ $O(\log n)$ $O(n\log n)$	0	O(n)
hat is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? $O(1)$ $O(logn)$ $O(n)$	•	O(nlogn)
That is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8? $O(1)$ $O(logn)$ $O(n)$	0	$O(n^2)$
O(1) $O(logn)$ $O(n)$ $O(nlogn)$	~	
O(logn) $O(n)$ $O(nlogn)$	/hat	is the cost of adding to an external chaining HashMap using keys whose hash function always returns 8?
lacktriangle O(n) $O(nlogn)$	0	O(1)
\bigcirc $O(nlogn)$	0	O(logn)
	•	O(n)
$\bigcirc \alpha(2)$	0	O(nlogn)
$\cup O(n^2)$	0	$O(n^2)$



© Todos los Derechos están Reservados



edX

Acerca de Afiliados edX para negocios Open edX Carreras Noticias

Legal

Condiciones de Servicio y Código de Honor Política de privacidad Políticas de Accesibilidad Política de marcas Mapa del Sitio Política de cookies Opciones de privacidad

Contáctanos

Centro de ideas Contáctenos Centro de Ayuda Seguridad Kit Multimedia















© 2023 edX LLC. All rights reserved. 深圳市恒宇博科技有限公司 <u>粤ICP备</u> 17044299号-2