

## LAYERED MACHINE LEARNING FOR SHORT-TERM WATER DEMAND FORECASTING.

**Autores:** Candelieri, Antonio<sup>1</sup> *candelieri@milanoricerche.it*  
Soldi, Davide<sup>1</sup>  
Archetti, Francesco<sup>1,2</sup>

**Fuente:** Environmental Engineering & Management Journal (EEMJ). Sep2015, Vol. 14 Issue 9, p2061-2072. 12p.

**Tipo de documento:** Article

**Descriptores:** \*Water demand management  
\*Water consumption  
\*Water distribution  
\*Water treatment plants  
Machine learning  
Support vector machines

**Palabras clave proporcionadas por el autor:** Short-term water demand forecasting  
Support Vector Machines regression  
time-series clustering

**Resumen:** Water Distribution Networks (WDN) are large-scale systems whose management is a complex task, with increasing environmental and socio-economic implications worldwide, and with a renewed considerable attention by all stakeholders: local authorities, regulators, environmental groups and the scientific community. WDM managers need to reliably estimate the water demand in the short-term (typically 1 day ahead), in order to operate their reservoirs and treatment plants appropriately to meet demand while reducing costs, in particular energy-related costs for caption, treatment and pumping. In this paper the authors propose a fully adaptive, data-driven and self-learning approach to forecast short term urban water demand in two stages: i) identifying and characterizing typical daily consumption patterns (based, at least, on hourly demand data) and ii) dynamically generating a set of forecasting models for each typical pattern identified at the previous stage. This schema permits to deal with nonlinear variability of the water demand at different levels, automatically characterizing periodicity (e.g., seasonality) and behaviour-related differences among different types of days and hour of the day. The approach has been validated on the urban water demand data acquired through the SCADA system of the Metropolitana Milanese (MM) partner, the urban water distribution utility in Milan, Italy. Moreover, the approach has been developed in order to work also at individual (customer) level, exploiting the new available technological solutions for smart metering (i.e., Automatic Metering Readers, AMRs) now being installed in MM. [ABSTRACT FROM AUTHOR]

*Copyright of Environmental Engineering & Management Journal (EEMJ) is the property of Environmental Engineering & Management Journal and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use. This abstract may be abridged. No warranty is given about the accuracy of the copy. Users should refer to the original published version of the material for the full abstract. (Copyright applies to all Abstracts.)*

**Afiliaciones del** <sup>1</sup>Consorzio Milano Ricerche, via Roberto Cozzi 53, Milan, Italy  
**autor:** <sup>2</sup>Department of Computer Science, Systems and Communication, University of Milano-Bicocca, viale Sarca 336, 20126, Milano, Italy

**ISSN:** 1582-9596

**Número de** 111094223  
**acceso:**