

Git & GitHub

Meu passo a passo aprendendo Git e GitHub


Raul Ferreira Barros

RA: 325122436

Este documento mostra, em ordem, tudo que eu fiz durante a prática: primeiro configurei o Git no meu computador e criei meu primeiro repositório, e depois pratiquei como trabalhar com branches (uma espécie de "versão paralela" do projeto) até juntar tudo de volta na branch principal.

Passo 1 — Instalando e configurando o Git

Conferi a versão do Git instalada e configurei meu nome, e-mail e editor padrão.



```
MINGW64:/c/Users/325122436
325122436@UNA19DT424236 MINGW64 ~
$ git --version
git version 2.55.0.windows.5

325122436@UNA19DT424236 MINGW64 ~
$ --system
bash: --system: command not found

325122436@UNA19DT424236 MINGW64 ~
$ git config --global user.name "Raul Ferreira Barros"

325122436@UNA19DT424236 MINGW64 ~
$ git config --global user.email "raulfb487@gmail.com"

325122436@UNA19DT424236 MINGW64 ~
$ git config --global core.editor notepad


325122436@UNA19DT424236 MINGW64 ~
$ git config user.name
Raul Ferreira Barros

325122436@UNA19DT424236 MINGW64 ~
$ git config user.email
raulfb487@gmail.com

325122436@UNA19DT424236 MINGW64 ~
```

Passo 2 — Conferindo se ficou tudo certo

Olhei todas as configurações de uma vez para confirmar que estava tudo salvo certo.



```
MINGW64; c:/Users/325122436
$ config core.editor
bash: config: command not found


325122436@UNA19DT424236 MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Raul Ferreira Barros
user.email=raulfb487@gmail.com
core.editor=notepad

325122436@UNA19DT424236 MINGW64 ~
$ ^C

325122436@UNA19DT424236 MINGW64 ~
$ !
```

Passo 3 — Criando meu primeiro repositório

Iniciei um repositório novo, criei um arquivo simples e fiz meu primeiro commit.



```
MINGW64:/c:/Users/325122436/Downloads/Pratica - GIT
325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT
$ git init
Initialized empty Git repository in C:/Users/325122436/Downloads/Pratica - GIT/.git/

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (master)
$ git add .

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (master)
$ git commit -m "Primeiro Commit"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (master)
$ echo "Meu primeiro projeto no Git" > README.md

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (master)
$ git add .
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (master)
$ git commit -m "Primeiro commit"
[master (root-commit) 610af2f] Primeiro commit
```

Passo 4 — Enviando tudo para o GitHub

Renomeei a branch para "main", conectei ao GitHub e enviei o primeiro commit.

```
MINGW64:/c:/Users/325122436/Downloads/Pratica - GIT
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (master)
$ git commit -m "Primeiro commit"
[master (root-commit) 610af2f] Primeiro commit
1 file changed, 1 insertion(+)
create mode 100644 README.md

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (master)
$ git branch -M main

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (main)
$ git remote add origin https://github.com/raulfb487/pratica_git.git

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (main)
$ git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 247 bytes | 247.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/raulfb487/pratica_git.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

325122436@UNA19DT424236 MINGW64 ~/Downloads/Pratica - GIT (main)
```

Passo 5 — Tentando criar uma branch que já existia

A branch "funcionalidade-login" já existia, então só troquei para ela em vez de criar de novo.

```
MINGW64:/c/Users/325122436/Downloads/aula-git-github
daa3cdf..7776475  main -> main

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git checkout -b funcionalidade-login
fatal: a branch named 'funcionalidade-login' already exists

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ echo "Tela de login em desenvolvimento" > login.html

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git add login.html
warning: in the working copy of 'login.html', LF will be replaced by CRLF the next time Git touches it

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git commit -m "Adicionando tela de login inicial"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git checkout funcionalidade-login
Switched to branch 'funcionalidade-login'

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ echo "Tela de
```

Passo 6 — Conferindo o repositório no GitHub

Olhei como estava o repositório "aula-git-github" no GitHub antes de continuar.

The screenshot shows the GitHub interface for a repository named "aula-git-github" owned by "raulfb487". The repository is public and has 1 branch (main) and 0 tags. The commit history shows 2 commits: ".gitignore" and "README.md" (both initial commits 23 minutes ago) and "teste.txt" (added 9 minutes ago). The README file is displayed with the title "aula-git-github". The right sidebar contains sections for "About" (no description), "Releases" (no releases published), "Packages" (no packages published), and "Contributors" (1 contributor: raulfb487).

raulfb487 / aula-git-github

Code Issues Pull requests Actions Projects Wiki Security and quality Insights Settings

aula-git-github Public

main 1 Branch 0 Tags

Go to file Add file Code

raulfb487 Adicionando arquivo de teste daa3cdf · 9 minutes ago 2 Commits

.gitignore	Initial commit	23 minutes ago
README.md	Initial commit	23 minutes ago
teste.txt	Adicionando arquivo de teste	9 minutes ago

README

aula-git-github

About

No description, website, or topics provided.

Readme Activity 0 stars 0 watching 0 forks

Releases

No releases published [Create a new release](#)

Packages


No packages published [Publish your first package](#)

Contributors 1

raulfb487

Passo 7 — Editando o arquivo dentro da branch certa

Mudei o arquivo de login só dentro da branch "funcionalidade-login".



```
daa3cdf..7776475  main -> main

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git checkout -b funcionalidade-login
fatal: a branch named 'funcionalidade-login' already exists

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ echo "Tela de login em desenvolvimento" > login.html

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git add login.html
warning: in the working copy of 'login.html', LF will be replaced by CRLF the next time Git touches it

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git commit -m "Adicionando tela de login inicial"
On branch main
Your branch is up to date with 'origin/main'.


nothing to commit, working tree clean

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git checkout funcionalidade-login
Switched to branch 'funcionalidade-login'

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$
```


Passo 8 — Confirmando que deu certo

O terminal confirmou que a alteração no arquivo foi feita sem erros.



```
MINGW64:/c/Users/325122436/Downloads/aula-git-github
$ git checkout -b funcionalidade-login
fatal: a branch named 'funcionalidade-login' already exists

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ echo "Tela de login em desenvolvimento" > login.html

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git add login.html
warning: in the working copy of 'login.html', LF will be replaced by CRLF the next time Git touches it

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git commit -m "Adicionando tela de login inicial"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean


325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git checkout funcionalidade-login
Switched to branch 'funcionalidade-login'

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ echo "Tela de login em desenvolvimento - versão funcionalidade" > login.html

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$
```

Passo 9 — Vendo o que mudou

O Git mostrou que o arquivo tinha sido alterado, mas ainda não estava pronto pra salvar.



```
MINGW64:/c/Users/325122436/Downloads/aula-git-github

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git commit -m "Adicionando tela de login inicial"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git checkout funcionalidade-login
Switched to branch 'funcionalidade-login'

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ echo "Tela de login em desenvolvimento - versão funcionalidade" > login.html

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ git status
On branch funcionalidade-login
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   login.html

no changes added to commit (use "git add" and/or "git commit -a")

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$
```

Passo 10 — Salvando a alteração

Coloquei o arquivo na fila e criei uma nova versão com uma mensagem explicando a mudança.

```
MINGW64:/c/Users/325122436/Downloads/aula-git-github
Switched to branch 'funcionalidade-login'

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ echo "Tela de login em desenvolvimento - versão funcionalidade" > login.html

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ git status
On branch funcionalidade-login
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   login.html

no changes added to commit (use "git add" and/or "git commit -a")

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ git add login.html
warning: in the working copy of 'login.html', LF will be replaced by CRLF the next time Git touches it

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ git commit -m "Atualizando tela de login na branch funcionalidade"
[funcionalidade-login edc9e2f] Atualizando tela de login na branch funcionalidade
1 file changed, 1 insertion(+), 1 deletion(-)

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$
```

Passo 11 — Enviando a branch para o GitHub

Enviei a branch pro GitHub e recebi a dica de como abrir um Pull Request.

```
MINGW64:/c/Users/325122436/Downloads/aula-git-github
$ git add login.html
warning: in the working copy of 'login.html', LF will be replaced by CRLF the next time Git touches it
325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ git commit -m "Atualizando tela de login na branch funcionalidade"
[funcionalidade-login edc9e2f] Atualizando tela de login na branch funcionalidade
1 file changed, 1 insertion(+), 1 deletion(-)
325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ git push origin funcionalidade-login
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 348 bytes | 348.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'funcionalidade-login' on GitHub by visiting:
remote:   https://github.com/raulfb487/aula-git-github/pull/new/funcionalidade-login
remote:
To https://github.com/raulfb487/aula-git-github.git
 * [new branch]      funcionalidade-login -> funcionalidade-login
325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$
```

Passo 12 — Juntando tudo na branch principal

Depois do merge no GitHub, atualizei minha branch principal local com as novidades.

```
MINGW64:/c/Users/325122436/Downloads/aula-git-github
remote:
remote: Create a pull request for 'funcionalidade-login' on GitHub by visiting:
remote:   https://github.com/raulfb487/aula-git-github/pull/new/funcionalidade-login
remote:
To https://github.com/raulfb487/aula-git-github.git
* [new branch]      funcionalidade-login -> funcionalidade-login

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (funcionalidade-login)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$ git pull
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 908 bytes | 113.00 KiB/s, done.
From https://github.com/raulfb487/aula-git-github
   7776475..fa9a4d1  main      -> origin/main
Updating 7776475..fa9a4d1
Fast-forward
 login.html | 2 +-
 1 file changed, 1 insertion(+), 1 deletion(-)

325122436@UNA19DT424236 MINGW64 ~/Downloads/aula-git-github (main)
$
```