Jutge.org

The Virtual Learning Environment for Computer Programming

Nursery school

P24730_en

In the nursery school El Peixet the learning motivation and the didactic interaction are encouraged with paradigmatic pedagogical techniques. In particular, each time that a teachear ask a question, the first student that answers (whatever) is given a carrot. and, if the answer is absurd enough, instead of a carrot he is given a sweet.

Write a program that reads a list with the given presents, and prints the sorted list of the teachers, from best to worst. Is considered the best teacher who have given more sweets. In a event of a tie, wins who have given more carrots. If there still is a tie, the name of the teacher is used to break the tie: the shortest wins and, in a event of a tie, the smallest alphabetically.

Input

Input consists of a natural n followed by an empty line and of n cases, separated by lines in white. Each case consists of a natural $t \ge 1$ that indicates the number of teachers. t lines follow, each one with the name of the teacher, the number of given sweets, and the number of given carrots. All the names of the same case are different.

Output

For each case, print the sorted list of the teachers, from best to worst. It must print each name in a different line, and an empty line at the end of each case.

Sample input

2 8 John 3 7 Peter 4 2 Mark 2 9 Frank 1 9 Anna 2 9 Joseph 2 9 Tom 2 9 Michael 3 8 2 Generous 100 100 Stingy 0 0

Sample output

Peter
Michael
John
Tom
Anna
Mark
Joseph
Frank
Generous
Stingy

Problem information

Author: Salvador Roura Translator: Carlos Molina

Generation: 2013-09-02 15:31:03

© *Jutge.org*, 2006–2013. http://www.jutge.org