The Virtual Learning Environment for Computer Programming

## F008B. Addition of fractions

P93090\_en

Your task is to write a program that computes the result of adding a sequence of fractions.

Using the definition

```
struct Fraction {
    int num, den; // always strictly positive
};
```

your program must include and use the function

```
Fraction addition (const Fraction & x, const Fraction & y);
```

that returns the addition of x and y, without common factors in the numerator and denominator.

### Input

The input is a sequence of one or more simplified fractions separated by plus signs, ended with an equal sign. Each fraction consists of its numerator, a bar, and its denominator. Numerators and denominators are natural strictly positive.

# Output

Your program must print the simplified fraction corresponding to the sum of all the given fractions.

#### **Observations**

- In order to avoid overflows, use the function addition() to accumulate the partial calculations.
- Inefficient calculation of the greatest common divisor will be negatively valued.
- Using vectors is not allowed to solve this problem.

Sample input 1	Sample output 1
1/2 + 1/2 =	1/1
Sample input 2	Sample output 2 71/20
1/2 + 2/3 + 3/4 + 4/5 + 5/6 =	71/20
Sample input 3	Sample output 3
1/10125 + 1/8000 + 1000/999 =	<b>Sample output 3</b> 4801073/4795200
	4801073/4795200 <b>Sample output 4</b> 9/4

# **Problem information**

Author : Professorat de P1 Translator : Carlos Molina Generation : 2013-09-02 15:10:11

© *Jutge.org*, 2006–2013. http://www.jutge.org