Linearity_INA_LM

INA193

LM2904


4.00
3.00
2.00
1.00
0.00


Output Voltage (V)


0.00
5.00
10.00
15.00
20.00


Input current (A)


Shunt Tina TI





Temp_10A
LM2904
INA193
2.09
2.06
2.04
2.01
1.99
Voltage (V)
0.00
25.00
50.00
75.00
100.00
Temperature (C)



5.10m
Vout_INA
4.30m
Temp_10mA
300.00m
Vout_LM
0.00
0.00
25.00
50.00
75.00
100.00
Temperature (C)


3.03
Vout_INA
2.99
Temp_15A
2.40
Vout_LM
2.10
0.00
25.00
50.00
75.00
100.00
Temperature (C)



Tolerance_INA193
INA193
4.00
3.00
2.00
1.00
0.00
Voltage (V)
0.00
5.00
10.00
15.00
20.00
Input current (A)


3.00
2.00
1.00
0.00
-1.00
Voltage (V)
0.00
5.00
10.00
15.00
20.00
Input current (A)
LM2904
Tolerance_LM2904


Drill Drawing View (Scale 1:1)




View from Top side (Scale 1:1)




Realistic View




View from Top side (Scale 1:1)




<---- **Here is the shut on the board**







Title	Input Stage	
Size: A4	Number	Revision
Date: 6/19/2026		Sheet of
File: D:\UTCN\..\Input Stage.SchDoc		Drawn By:




Title	Power Supply	
Size: A4	Number:	Revision:
Date: 6/19/2026		Sheet of
File: D:\UTCN\..\Power Supply.SchDoc		Drawn By:




Title	Microcontroller	
Size: A4	Number	Revision
Date: 6/19/2026		Sheet of
File: D:\UTCN\..\Microcontroller.SchDoc		Drawn By:



Title	Pump Driver	
Size: A4	Number:	Revision:
Date: 6/19/2026		Sheet of
File: D:\UTCN\..\Pump Driver.SchDoc		Drawn By:



Title: Shunt Measurement		
Size: A4	Number:	Revision:
Date: 6/19/2026		Sheet of
File: D:\UTCN\..\Shunt.SchDoc		Drawn By:


L1
D1
C1
L2
D2
C13
C12
C11
U2
C36
S1
R6
R5
R3
C7
R2
R7
R4
C9
C8
U1
C2
R8
R10
C14
C15
R9
C23
C26
C22
C24
R27
C28
R24
D5
R23
C6
C4
C3
C5
R1
C36
C10
U5
C29
C45
C30
Y1
C43
C39
R29
C31
C32
Q1
R33
Q3
Q4
D8
R35
R34
C25
C40
C44
C47
C41
C27
R25
R26
C17
D3
R19
R15
R16
R18
R17
R13
C16
R14
R11
R12
U3
D4
R37
D7
C48
Q2
D6
R36
R20
C18
R22
R21
U4
C21
C19
C20
J1