

# Data Science

A quick overview of Machine Learning, Data Mining, Information Retrieval and Complex Networks

## **BIO**

IT Coordinator II at IPEA

MSc student at PESC/UFRJ



https://github.com/raulsenaferreira

www.raulferreira.com.br





Information retrieval is a sub-field of computer science that deals with **ANALYTIC** automated storage and retrieval of documents. [1]

Applications: Web Search engines, public libraries ...

Fields: Music information retrieval [2], text retrieval [3], temporal IR [4] ...

Metrics: Precision and recall, Precision @ K, DCG, NDCG, TF-IDF ...

**Databases**: CSTNews corpus [14], Cystic fibrosis [15], Gutenberg Corpus [16], Wikipedia [17]



**Precision**: Fraction of retrieved documents that are relevant to the quanta A

**Recall**: Fraction of the documents that are relevant to the query that are successfully retrieved

**F1**: (Precision \* Recall) / (Precision + Recall)

**Precision @ K**: Top K relevant results on the first search results page

**TF-IDF**: (Term frequency & Inverse document frequency) = tf \* idf

NDCG: (DCG / IDCG)

Important libraries and techniques:

Porter Stemmer [6]

Apache Lucene [8]

Natural Language Toolkit (NLTK) [10]

Apache Solr [18]

Elastic (Former ElasticSearch) [19]



Books and resources to study Information Retrieval:

NLTK book [5]

Introduction to Information Retrieval [7]

Vector Spaces [9]

PyLucene 4.0 (in 60 seconds) tutorial [10]







Implementing a retrieval system (in memory) following the vector modeNALYTICS

https://github.com/raulsenaferreira/Systems-Engineering/tree/master/BRI/Work\_1

Challenges and current research:

Mathematical information retrieval [11]

Text-based intelligent systems [12]

Intelligent information retrieval [13]





Network science (also known as Complex networks) is the study of the collection, management, analysis, interpretation, and presentation of relational data [1]

**Applications**: Crime prediction [17], Vulnerable communities detection [18], Virus spreading prediction, Game Theory, Recommender Systems ...

**Fields**: Neuroscience [6], Public Health [5], Web Search Ranking [7], Network Security [8], Recommender Systems [9], Social Networks [12]...




**Metrics**: Power Law [13], degree correlation [15], Page Rank [16], Betweeness, Closeness, Assortativity ...

**Databases**: Stanford Large Network Dataset Collection [19], AWS Public Datasets [20], UCI Network Data Repository [21], Barabasi's Research Group data sets [22]

The degree distributions are all plotted on a double logarithmic scale, often called a log-log plot.

The main reason is that when nodes with widely different degrees coexist, a linear plot is unable to display them all.



ANALYTICS

Power Law (long tail) =>  $p(k) \sim k^{-\gamma}$ 

20% of the population is 80% popular

Ex: The speeds of cars on a highway,

the weights of apples in a store, air pressure, sea

www, protein interactions ...

**Scale-Free Networks**: Network whose degree distribution follows a power law. Hubs are bigger than other nodes.



Small World: "6 degrees of Kevin Bacon" [27]





**Small World**: Milgran experiment => 6 degrees of separation

Milgram asked the participants to record in the package each step of the path, and the mean number of hops of completed paths was about 5.9. This led to the popularization of the idea that there are no more than about 6 steps between each pair of people in the world.

Ex: Facebook has an 3.5 degrees of separation

Do you want to know your degree of separation? (I have 3.37 degrees)

https://research.facebook.com/blog/three-and-a-half-degrees-of-separation/

ANALYTICS em tudo

Scale-free networks are robust against fails

Scale-free networks are weak against directed attacks

http://barabasi.com/networksciencebook/chapter/8#robustness



#### **Metric:**

**Node degree** = # of degrees

**Clustering coefficient** = Probability to form triangles inside the graph

Many algorithms to **measure the importance** of nodes. Ex:

Page Rank (Google)

HITS



#### **Metrics:**

**Assortativity =>** Nodes tend to link with another node with similar degree


Varies between -1 and 1

-1 = Node tend to connect with other nodes with different node degree

1 = Node tend to connect with other nodes with equal node degree

#### **Communities:**

Communities extracted from the call pattern of the consumers
of the largest Belgian
mobile phone company





#### **Communities:**

Plays a important role in big data problems

Communities can say most things about a network.

Helps to show hidden patterns inside a network.

Stochastic block models are the most common techniques to find communities

My recent experiment tries to find risk social profiles (people murdered by narcotraffic reasons) inside a network made by missing people



Network science theory can be applied to knowledge discovery problems


Also can be applied to machine learning problems

#### Ex:

Complex network + collaborative filtering = Trust-based Collaborative Filtering

#### Trust-Based Collaborative Filtering







Source: [Carbone et al.,2003]

2017 / 08







Important Libraries/Techniques:

GraphTool [2]

Stanford Network Analysis Project (SNAP) [3]

Powerlaw.py [14]



ANALYTICS em tudo

Books and resources:

Network Science by Albert-Lásló Barabási [12]

Connected (book) [4]

Statistical mechanics of complex networks [10]

Scale Free Networks [11]



Investigating some networks (dolphins, political books, political blogs)

https://github.com/raulsenaferreira/Systems-Engineering/blob/master/Redes%20C omplexas/dolphin.py

ANALYTICS em tudo

Challenges and current research:

The current and future challenges [23]

Using graph theory to understand the brain [24]

Fingerprinting in wireless networks [25]





Data mining is the process of discovering interesting patterns and knowledge from a large amounts of data [1]

**Applications**: Customer segmentation, disease patterns, fraud detection, news categorization, market basket, bio informatics ...

**Fields**: Anomaly detection, Association rule mining, Clustering, Regression, Classification, streaming mining, graph mining ...

Metrics: RMSE, MAE, AUC ...

Databases: KDNuggets data repository [2], UCI KDD archive [3]



#### **Metrics:**

$$MAE = \frac{1}{n} \sum_{j=1}^{n} |y_j - \hat{y}_j|$$

(Mean Absolute Error)

RMSE = 
$$\sqrt{\frac{1}{n}\sum_{j=1}^{n}(y_j-\hat{y}_j)^2}$$
 (Root Mean Squared Error)

RMSE amplifies and severely punishes large errors



Cross Validation: Measuring the predictive performance of a statistical model


**K-Fold:** Train with K-1 folds and test with the remaining fold. Make it interactively to all folders (K times)

**Holdout:** Train with a fixed part of data ( $\frac{2}{3}$ ) and test with the remaining data ( $\frac{1}{3}$ )

**Leave-one-out:** Makes the same of K-Fold but instead a fold, it makes the interaction through all observations


#### **Association rules**

The most common algorithm is called Apriori





#### **Probabilistic Graphical Models (PGM)**







#### **Logistic Regression**

Measures the relationship between the categorical dependent variable and one or more independent variables by estimating probabilities using a **logistic function** 


Logistic function = 
$$\log \left( \frac{p(y=1)}{1-(p=1)} \right) = \beta_0 + \beta_1 \cdot x_2 + \beta_2 \cdot x_2 + \dots + \beta_p \cdot x_m$$

Often used with continuous data




#### **Naive Bayes**

Naive Bayes assumes conditional independence among discrete variables



What if we have continuous variables?

Naïve Bayes + continuous variables = **Gaussian Nayve Bayes** Eg., image classification:  $X_i$  is real-valued i<sup>th</sup> pixel






#### **Gaussian Nayve Bayes**

x came from A or B?





#### **Kernel density estimation (KDE)**

Non parametric statistical method

Has many kernel methods


Gaussian kernel is the most common

Estimates the PDF

(Probability Density Function)








**K-NN** (K-Nearest Neighbors)

K neighbors near from the data votes to

determine what the class of the unlabeled data






Source: http://www.statsoft.com/textbook/k-nearest-neighbors

ANALYTICS em tudo

**Dimensionality reduction techniques:** 

**SVD** (Singular Value Decomposition)




$$A_k = U_k \times S_k \times V_k^T$$

# ANALYTICS em tudo

#### **Dimensionality reduction techniques:**

#### **PCA (Principal Component Analysis)**





Naive Bayes, Gaussian Naive Bayes, K-NN, PGM, Statistical recommendation

https://github.com/raulsenaferreira/Systems-Engineering/tree/master/Data%20Mining/Tests

Dimensionality reduction and Clustering

https://github.com/raulsenaferreira/Systems-Engineering/tree/master/Data%20Mining/Work 1

Challenges and current research:

IoT Big Data Stream Mining [4]

Data mining and machine learning in cybersecurity [5]







Machine learning is a type of artificial intelligence (AI) that provides computered tudo with the ability to learn without being explicitly programmed [1]

**Applications**: Help students in online education, classify diseases, recommend movies, recognize faces, predicting city traffic [9]

**Fields**: Classification, Regression, Supervised learning, Unsupervised learning, Semi-supervised learning

Metrics: RMSE, MAE, NDCG, AUC ...

**Databases**: UC Irvine Machine Learning Repository [2], Movie Lens [3], Kaggle datasets [4], Epinions [13]



#### **Classifiers**

**Kind of problems**: text categorization, fraud detection, optical character recognition, market segmentation, natural-language processing, machine vision



### **Binary classifiers**

0 or 1 (Yes or No) classification problems

#### **Multi-class classifiers**

More than two states, ex:


Predicting weather condition (rain, snow, tornado, heat...)



ANALYTICS

Overfitting: Too tight. Model too complex. Needs less parameters.

**Underfitting:** Too relaxed. Model too simple. Needs more parameters.




Source: http://docs.aws.amazon.com/machine-learning/latest/dg/model-fit-underfitting-vs-overfitting.html

#### **Supervised Learning**

classification

regression





Supervised Learning Algorithms


**Unsupervised Learning** 

clustering

dimensionality reduction

association rule learning





Unsupervised Learning Algorithms


Semi-supervised learning

classification

regression

(Assuming unlabeled data)





Semi-supervised Learning Algorithms



#### **Ensemble methods** [15]

Use many algorithms to predict, producing multiple models and combining them achieving improved results.

Majority Voting, Weighted Voting, Simple Averaging, Weighted Averaging

**Bagging** 


**Boosting** 



#### **Bagging**

Uses bootstrap technique: Statistical method for estimating a quantity from a data sample

Bootstrap Aggregation = **Bagging => Random Forests** 







#### **Boosting**

Family of algorithms which converts weak learner to strong learners

AdaBoost

**Gradient Tree Boosting** 

**XGBoost** 

#### **Active learning**

Uncertainty Sampling, QBC

Basically cut the cardinality of the data

Reduce the computational effort to train the model





#### **Deep Learning algorithms**

#### **Convolutional Neural Networks**

Often applied for video classification (face recognition, image representation) [10]

#### **Recurrent Neural Networks**

Applied to speech recognition tasks (NLP problems, translation) [11]

#### **Stacked Denoising Autoencoders**

Applied to extract representative features for learning tasks [12]





#### Some experiments:

- 1. Simple recommending (by user, item and global average)
  - a. <a href="https://github.com/raulsenaferreira/Systems-Engineering/blob/master/TEBD%20VI/secondList.">https://github.com/raulsenaferreira/Systems-Engineering/blob/master/TEBD%20VI/secondList.</a>
    <a href="mailto:il">il</a>
- 2. K-NN and Improved Regularized SVD recommenders
  - a. <a href="https://github.com/raulsenaferreira/Systems-Engineering/blob/master/TEBD%20VI/thirdList.jl">https://github.com/raulsenaferreira/Systems-Engineering/blob/master/TEBD%20VI/thirdList.jl</a>
  - b. <a href="https://github.com/raulsenaferreira/Systems-Engineering/tree/master/Data%20Mining/Recommender">https://github.com/raulsenaferreira/Systems-Engineering/tree/master/Data%20Mining/Recommender</a>
- 3. Kaggle competitions
  - a. <a href="https://github.com/raulsenaferreira/Kaggle/tree/master/Animal\_Shelter">https://github.com/raulsenaferreira/Kaggle/tree/master/Animal\_Shelter</a>
  - b. <a href="https://github.com/raulsenaferreira/Kaggle/tree/master/Titanic\_Comptetition">https://github.com/raulsenaferreira/Kaggle/tree/master/Titanic\_Comptetition</a>
- 4. Semi-supervised Learning

2017 / 08

Challenges and current research:

Explaining Deep learning models [5]

Learning in non-stationary environments (concept drift) [6]

Efficient Transfer Learning algoritms [7]

Transductive / Semi-Supervised Learning in stream data [8]



# My current research





A Fast Semi-supervised learning framework for non-stationary environments em tudo

- Concept drift
- Semi-supervised machine learning
- Non-parametric statistical methods
- Active learning
- Temporal Series
- Unlabeled data


## Interested in dig deeper?



Complex networks and knowledge discovery applied to missing people problem

- Unstructured and heterogeneous data
- Data integration
- ETL processes
- Kernel methods
- Communities detection
- Graph theory

## **Network Science**



Very similar structures!

Pink edges = missing people in Rio de Janeiro and São Paulo; Black edges = common profile of people murdered by narcotraffic



2017 / 08 Stochastic block model with K = 3

## Interested in dig deeper?

ANALYTICS em tudo

Big Data processing for fraud detection with Open government data

- Ensemble methods
- Data sparsity in classification problems
- Pre-processing
- Several datasets and billion of registers

### Get in touch

raulsf@cos.ufrj.br

raulsenaferreira@gmail.com

https://br.linkedin.com/in/raulsenaferreira

https://github.com/raulsenaferreira



## References - Information Retrieval



- 1. Frakes, W. B., & Baeza-Yates, R. (1992). Information retrieval: data ALYTICS structures and algorithms.
- 2. <a href="http://www.cs.bu.edu/~snyder/cs591/Handouts/MusicRetrievalSurvey.pdf">http://www.cs.bu.edu/~snyder/cs591/Handouts/MusicRetrievalSurvey.pdf</a>
- 3. <a href="https://en.wikipedia.org/wiki/Document retrieval">https://en.wikipedia.org/wiki/Document retrieval</a>
- 4. Alonso, O., Strötgen, J., Baeza-Yates, R. A., & Gertz, M. (2011). Temporal Information Retrieval: Challenges and Opportunities. TWAW, 11, 1-8.
- 5. <a href="http://www.nltk.org/book/">http://www.nltk.org/book/</a>
- 6. <a href="https://github.com/sangheestyle/bisonlucene/blob/master/PorterStemmerAnalyzer.py">https://github.com/sangheestyle/bisonlucene/blob/master/PorterStemmerAnalyzer.py</a>
- 7. <a href="http://www-nlp.stanford.edu/IR-book/">http://www-nlp.stanford.edu/IR-book/</a>
- 8. <a href="http://lucene.apache.org/pylucene/">http://lucene.apache.org/pylucene/</a>
- 9. <a href="http://www.facom.ufu.br/%7Ealbertini/1sem2013/ori/slides/07vector-site20df7">http://www.facom.ufu.br/%7Ealbertini/1sem2013/ori/slides/07vector-site20df7</a> / 08

## References - Information Retrieval



- 10. http://graus.nu/blog/pylucene-4-0-in-60-seconds-tutorial/
- 11. Schubotz, M., Youssef, A., Markl, V., & Cohl, H. S. (2015, August). Challenges of Mathematical Information Retrievalin the NTCIR-11 Math Wikipedia Task. In Proceedings of the 38th International ACM SIGIR Conference on Research and Development in Information Retrieval (pp. 951-954). ACM.
- 12. Jacobs, P. S. (2014). Text-based intelligent systems: Current research and practice in information extraction and retrieval. Psychology Press.
- 13. Lewis, David D. "Learning in intelligent information retrieval." Machine Learning: Proceedings of the Eighth International Workshop. 2014.

## References - Information Retrieval



- 14. http://conteudo.icmc.usp.br/pessoas/taspardo/sucinto/cstnews.htmanalyTICS
- 15. <a href="http://people.ischool.berkeley.edu/~hearst/irbook/cfc.html">http://people.ischool.berkeley.edu/~hearst/irbook/cfc.html</a>
- 16. http://www.nltk.org/book/ch02.html
- 17. <a href="https://en.wikipedia.org/wiki/Wikipedia:Database\_download">https://en.wikipedia.org/wiki/Wikipedia:Database\_download</a>
- 18. <a href="http://lucene.apache.org/solr/">http://lucene.apache.org/solr/</a>
- 19. <a href="https://www.elastic.co/">https://www.elastic.co/</a>
- 20. <a href="http://snowballstem.org/">http://snowballstem.org/</a>

## References - NetSci



- 1. Brandes, Ulrik, et al. "What is network science?." Network Science 1.01 em tudo (2013): 1-15.
- 2. <a href="https://graph-tool.skewed.de/">https://graph-tool.skewed.de/</a>
- 3. http://snap.stanford.edu/
- 4. <a href="http://www.connectedthebook.com/">http://www.connectedthebook.com/</a>
- 5. <a href="http://www.ted.com/talks/nicholas\_christakis\_the\_hidden\_influence\_of\_social\_networks">http://www.ted.com/talks/nicholas\_christakis\_the\_hidden\_influence\_of\_social\_networks</a>
- 6. <a href="http://www.ted.com/talks/sebastian\_seung">http://www.ted.com/talks/sebastian\_seung</a>
- 7. Massimo Franceschet, PageRank: Standing on the Shoulders of Giants. Communications of the ACM, Vol. 54 No. 6 (2011)
- R. Albert, H. Jeong, A.-L. Barabási, Error and attack tolerance of complex networks, Nature 406, 378-482 (2000).





- 9. O'Donovan, John, and Barry Smyth. "Trust in recommender systems." em tude Proceedings of the 10th international conference on Intelligent user interfaces. ACM, 2005.
- 10.http://www.barabasilab.com/pubs/CCNR-ALB\_Publications/200201-30\_RevModernPhys-StatisticalMech/200201-30\_RevModernPhys-StatisticalMech.pdf
- 11.<u>http://www3.nd.edu/~networks/Publication%20Categories/01%20Review%20Articles/ScaleFree\_Scientific%20Ameri%20288,%2060-69%20(2003).pdf</u>
- 12. <a href="http://barabasi.com/networksciencebook/">http://barabasi.com/networksciencebook/</a>
- 13. Duncan J. Watts, Six Degrees: The Science of a Connected Age. W. W. 2017 / 08 Norton & Company, 2003.





- 14. <a href="https://github.com/raulsenaferreira/Systems-Engineering/tree/master/Redes-492">https://github.com/raulsenaferreira/Systems-Engineering/tree/master/Redes-492</a>
  <a
- 15.<u>http://ocw.mit.edu/courses/engineering-systems-division/esd-342-network-representations-of-complex-engineering-systems-spring-2010/readings/MITESD\_342S10\_ntwk\_metrics.pdf</u>
- 16. Page, Lawrence, et al. "The PageRank citation ranking: bringing order to the web." (1999).
- 17. http://efavdb.com/predicting-san-francisco-crimes/





- 18. Ferreira, R. S. "Complex Networks Applied to Missing People Problem: Arcase study about the missing people phenomenon in Brazil" 2016 (to appear)
- 19.http://snap.stanford.edu/data/
- 20. <a href="https://aws.amazon.com/datasets/">https://aws.amazon.com/datasets/</a>
- 21. <a href="http://networkdata.ics.uci.edu/index.php">http://networkdata.ics.uci.edu/index.php</a>
- 22. <a href="http://www3.nd.edu/~networks/resources.htm">http://www3.nd.edu/~networks/resources.htm</a>
- 23. Holder, Lawrence B., et al. "Current and Future Challenges in Mining Large Networks: Report on the Second SDM Workshop on Mining Networks and Graphs." ACM SIGKDD Explorations Newsletter 18.1 (2016): 39-45.

### References - NetSci



- 24. Mears, David, and Harvey B. Pollard. "Network science and the human brain!" Using graph theory to understand the brain and one of its hubs, the amygdala, in health and disease." Journal of neuroscience research (2016).
- 25. Xu, Qiang, et al. "Device fingerprinting in wireless networks: challenges and opportunities." IEEE Communications Surveys & Tutorials 18.1 (2016): 94-104.
- 26. Clauset, Aaron, Cosma Rohilla Shalizi, and Mark EJ Newman. "Power-law distributions in empirical data." SIAM review 51.4 (2009): 661-703.
- 27. <a href="https://en.wikipedia.org/wiki/Six Degrees of Kevin Bacon">https://en.wikipedia.org/wiki/Six Degrees of Kevin Bacon</a>

# References - Data Mining



- Han, Jiawei, Jian Pei, and Micheline Kamber. Data mining: concepts and techniques. Elsevier, 2011
- 2. <a href="http://www.kdnuggets.com/datasets/index.html">http://www.kdnuggets.com/datasets/index.html</a>
- 3. <a href="http://kdd.ics.uci.edu/">http://kdd.ics.uci.edu/</a>
- De Francisci Morales, Gianmarco, et al. "IoT Big Data Stream Mining." Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining. ACM, 2016.
- 5. Dua, Sumeet, and Xian Du. Data mining and machine learning in cybersecurity. CRC press, 2016.

# References - Machine Learnign



- 1. <a href="http://whatis.techtarget.com/definition/machine-learning">http://whatis.techtarget.com/definition/machine-learning</a>
- 2. <a href="http://archive.ics.uci.edu/ml/">http://archive.ics.uci.edu/ml/</a>
- 3. <a href="http://grouplens.org/datasets/movielens/">http://grouplens.org/datasets/movielens/</a>
- 4. <a href="https://www.kaggle.com/datasets">https://www.kaggle.com/datasets</a>
- 5. Ribeiro, Marco Tulio, Sameer Singh, and Carlos Guestrin. "" Why Should I Trust You?": Explaining the Predictions of Any Classifier." arXiv preprint arXiv:1602.04938 (2016).
- 6. Sugiyama, Masashi, and Motoaki Kawanabe. Machine learning in non-stationary environments: Introduction to covariate shift adaptation. MIT Press, 2012.





- 7. Lu, Jie, et al. "Transfer learning using computational intelligence: a survey. \*Ludo\* Knowledge-Based Systems 80 (2015): 14-23.
- 8. Marian Puscas, Mihai, et al. "Unsupervised tube extraction using transductive learning and dense trajectories." Proceedings of the IEEE International Conference on Computer Vision. 2015.
- 9.http://research.ibm.com/cognitive-computing/machine-learning-applications/index.shtml#fbid=\_tr0VGk0FtR
- 10. Krizhevsky, Alex, Ilya Sutskever, and Geoffrey E. Hinton. "Imagenet classification with deep convolutional neural networks." Advances in neural information processing systems. 2012.

# References - Machine learning



- 11. Graves, Alex, Abdel-rahman Mohamed, and Geoffrey Hinton. "Speech em tudo recognition with deep recurrent neural networks." 2013 IEEE international conference on acoustics, speech and signal processing. IEEE, 2013.
- 12. Vincent, Pascal, et al. "Stacked denoising autoencoders: Learning useful representations in a deep network with a local denoising criterion." Journal of Machine Learning Research 11.Dec (2010): 3371-3408.
- 13. http://www.epinions.com/
- 14. <a href="http://www.cs.princeton.edu/~schapire/talks/picasso-minicourse.pdf">http://www.cs.princeton.edu/~schapire/talks/picasso-minicourse.pdf</a>
- 15. Dietterich, Thomas G. "Ensemble methods in machine learning." International workshop on multiple classifier systems. Springer Berlin Heidelberg, 2000.