



ALLIED COMMAND OPERATIONS · ALLIED COMMAND TRANSFORMATION

MDO Secure Communications — Multi-Domain CIS Use Cases and IER

Maritime · Land · Air — Technical Report · NAF v4.1 · AJP-6 IER · C3 Taxonomy Baseline 7

ACO/ACT-MDO-CIS-UC-2026-001 · 0.1 (DRAFT) · 2026-06-03

DOCUMENT REFERENCE	ACO/ACT-MDO-CIS-UC-2026-001
VERSION / ISSUE	0.1 (DRAFT)
ISSUE DATE	2026-06-03
CLASSIFICATION	NATO UNCLASSIFIED
RELEASABILITY	REL TO NATO and FMN Mission Partners
ORIGINATOR	MDO Secure-CIS Working Group
APPROVAL AUTHORITY	SHAPE J6 / ACT Capability Development (endorsement pending)
POINT OF CONTACT	MDO CIS WG — point of contact TBD
DISTRIBUTION	ACO (SHAPE J6), ACT (Capability Development), NCIA, FMN Spiral 5/6 community of interest. Draft — not for public release.

Caveat. Working draft for ACO/ACT staffing. PFL and C3 service (CI-...) identifiers are validated against the NISP Baseline 16 Catalogue (5 SEP 2024); CapElem R.x.NNN identifiers and KPIs are illustrative (a C3 Taxonomy construct, not in NISP B16). Content awaits SME review.

REVISION HISTORY			
VERSION	DATE	AUTHOR	SUMMARY
0.1	2026-06-03	MDO CIS WG	Initial draft — Maritime/Land/Air consolidation; C2D2E folded transversally into three aggregate Use Cases; C3 Taxonomy Baseline 7 integrated; ACO/ACT Technical-Report structure.

Contents

1. Executive Summary (BLUF)
2. 1 · Introduction
3. 2 · Background
4. 3 · Methodology and Limitations
5. 4 · Use-Case Framework
6. 5 · Use Cases by Domain
7. 6 · Findings and Recommendations
8. 7 · Traceability and Compliance
9. 8 · Annexes


Executive Summary

Bottom line. This report consolidates NATO tactical CIS Information-Exchange Use Cases for the **Maritime, Land** and **Air** domains (65 Use Cases) on a single AJP-6 IER framework, with resilience for Denied/Degraded/Intermittent/Limited environments and AI-enabled communications (C2D2E) carried transversally, and aligned to the NATO C3 Taxonomy Baseline 7.

Key risks. (1) PFL and C3 (CI-...) service identifiers have been validated against the NISP Baseline 16 Catalogue (5 SEP 2024) and confirmed real; the CapElem R.x.NNN identifiers are not NISP B16 identifiers and remain illustrative; (2) C2D2E (DDIL + AI) requirements anticipate FMN Spiral 6 and need endorsement; (3) most Use Cases remain in DRAFT review status; (4) Annex-C serial coverage is partial in the available source.

Decision asks for ACO / ACT. Endorse the tri-domain scope and the Use-Case Framework (TC01–TC11); task subject-matter-expert review of the DRAFT Use Cases; direct validation of CapElem / PFL identifiers against the gated NISP / MC catalogue.

The figures below are computed live from the editable dataset: Use-Case counts by domain, classification mix, LPI/LPD risk distribution and governance review status. The cross-domain table lists every Use Case with its normalised Technical-Constraint facets and can be filtered and exported to Word or JSON.



1 · Introduction

This Technical Report presents a Governance, Risk and Compliance (GRC) view of NATO tactical Communication and Information System (CIS) **Information-Exchange Use Cases** across the **Maritime**, **Land** and **Air** domains, prepared for review by **Allied Command Operations (ACO)** and **Allied Command Transformation (ACT)**.

Each Use Case follows the canonical **UC-X-*nnn*** naming (X = domain letter) and is characterised by the eleven **Technical Constraints (TC01–TC11)**, with the AJP-6 six-dimension Information Exchange Requirement (IER) carried at TC06. Resilience for operating in Denied, Degraded, Intermittent and Limited (DDIL) environments with AI-enabled communications — the former C2D2E theme — is now carried transversally inside each domain.

2 · Background

NATO Federated Mission Networking (FMN) and the C3 Taxonomy (Baseline 7.0) frame interoperable C2 across domains. The Military Committee directives — **MC 0195/13 (Maritime)**, **MC 0640 (Land)** and **MC 0655 / 0695 (Air)** — specify the domain IER tables that this report consolidates.

The deliverable is a single self-contained, air-gapped HTML application: every entity (Use Case, IER, Capability Element, vendor, echelon, reference) is editable through schema-driven CRUD, every figure on the dashboard is computed live, and the entire configuration round-trips as one JSON / JSON-LD file.

3 · Methodology and Limitations

Methodology. Use Cases were extracted from the source Military-Committee directive reports (MC 0195/13, MC 0640, MC 0655 / 0695), normalised to the canonical UC-X-nnn framework and the eleven Technical Constraints (TC01–TC11), and consolidated into one schema-driven dataset with full traceability to the AJP-6 six-dimension IER.

Assumptions. Federated Mission Networking (FMN) Spiral 5/6 context applies; the C3 Taxonomy Baseline 7 (AC/322-WP(2025)0097-REV2-AS1) is authoritative for service classification; Brigade-and-below / tactical echelons are in scope, with upstream echelons shown only as reach-back.

Validation. PFL and C3 service (CI-...) identifiers were **validated against the NISP Baseline 16 Catalogue (5 SEP 2024, 352 pp)**; PFL-00403, the CI-1062 Land profile inventory and every CI-... code used are confirmed present (see the Findings register, REC-001). **Limitations.** The CapElem R.x.NNN identifiers and KPIs are **illustrative** — NISP B16 carries no CapElem construct (it is a C3 Taxonomy artefact), so they are marked illustrative on every record (FIND-003); Annex-C serial coverage is partial (the available Draft MC 0640 copy terminates mid-table); the dataset awaits subject-matter-expert review and formal approval.

4 · Use-Case Framework

The Use-Case Framework names every Use Case **UC-X-*nnn*** (X = domain letter) and constrains it with eleven Technical Constraints **TC01–TC11**, each mapped to the Use-Case field that carries it. The table below is the authoritative mapping; it is itself editable.

The three domains share a common **12-slot capability template**, organised over three echelon tiers (Component/HQ · Tactical · Platform/unit), so that **UC-X-NN denotes the same capability in every domain** (e.g. UC-L-005, UC-M-005 and UC-A-005 are all the air- and missile-defence Use Case). Each domain instantiates the slot with its own systems and doctrine, and a thirteenth transversal slot carries the C2D2E (DDIL + AI) Use Case. This symmetry makes the report balanced and lets a reader compare the same capability across Land, Maritime and Air at a glance. The slot map below is the authoritative pattern.

KEY	CONSTRAINT	USE-CASE FIELD	AUTHORITY	DEFINITION
UC	Use Case ID — UC-X- <i>nnn</i> (X = domain letter)	<i>id</i>	C3 Taxonomy / NAF v4	Ranges UC-X-001...UC-X- <i>nnn</i> , related one-by-one to the corresponding Serials / Capability Elements (CapElem). X is the operational domain (M-L-A).
DESC	Description	<i>sub</i>	Natural language	Plain-language statement of the Use Case, e.g. "Ship in the Arctic (C2D2E) under EW/IW threat must send Secret formal messages to a mission-partner shore HQ".
TC01	Frequencies	<i>equipment</i>	C3 Taxonomy / EMCON	Specific frequency bands (HF, VHF, UHF, SHF, EHF) and SATCOM segments, managed via Emission Control (EMCON). Mapped to the NATO C3 Taxonomy Communications Services branch (C3-COMMS, 91 artefacts): the bearer is a Transmission Service (CO-..., e.g. wireless LOS/BLOS, wired, optical), complemented as required by the Communication Access and Transport Services of the same branch.
TC02	Temporal Window	<i>timewindow</i>	COPD	Operational link duration and Required Time of Arrival (RTA) for data packets.
TC03	Environment — Track Identity	<i>env</i>	STANAG 4162	Track identity values per STANAG 4162: Unknown, Assumed Friend, Friend, Neutral, Hostile.
TC04	Zones and Cols	<i>zones</i>	C3 Taxonomy	Designated NATO geographical zones or specific Communities of Interest (Col), drawn from the C3 Domain and Functional services (CI-...).
TC05	Collaboration with NNN / IO	<i>releasability</i>	FMN	Coordination with Non-NATO Nations (NNN) and International Organisations (IO); adhere to the applicable FMN (Federated Mission Network) Spiral.
TC06	IER	<i>ier</i>	MC 0195/13	Information Exchange Requirements; describe the desired performances.
TC07	Availability	<i>avail</i>	AJP-6	Levels of operational continuity for the desired availability.
TC08	Classification	<i>cls</i>	NATO security policy	Data sensitivity: NATO Unclassified, NATO Restricted, NATO Secret or Mission Secret — across Red (classified) and Black (unclassified) interfaces.

KEY	CONSTRAINT	USE-CASE FIELD	AUTHORITY	DEFINITION
TC09	Risk (LPI/LPD)	lpi	JP-3.6 · AJP-3.1	Low Probability of Intercept / Detection to mitigate ESM threats; for transmission services relying on SNR (Signal-to-Noise Ratio) performance indicators.
TC10	Environmental Conditions	climate	AECTP-230 · STANAG 4866	Climatic categories A1–A3 (hot dry), B1–B3 (wet), C0–C4 (cold), M1–M3 (maritime).
TC11	Attack Surface	attackSurface	NATO AC/322	Proactive measures for Physical Security, EMSEC (Emission Security / TEMPEST) and Cyber Defence per NATO AC/322 directives.

Use-Case slot symmetry (UC-X-NN)

SLOT	TIER	CAPABILITY THEME	LAND · UC-L-NN	MARITIME · UC-M-NN	AIR · UC-A-NN
01	Component / HQ	Formal messaging and tasking	Formal Messaging (Bde HQ)	Formal Messaging (MCC)	Air Tasking Order (ATO)
02	Component / HQ	Recognized picture	Recognized Ground Picture (RGP)	Recognized Maritime Picture (RMP)	Recognized Air Picture (RAP)
03	Component / HQ	Situational awareness	Land SA and Blue Force Tracking	Maritime SA and White Shipping	Airspace Control (ACO)
04	Tactical	Operations / manoeuvre coordination	Combined-arms manoeuvre	Anti-Surface / Anti-Submarine Warfare (PWC)	Tactical air control / intercept (CRC)
05	Tactical	Air and missile defence	Ground-Based Air Defence (GBAD)	Anti-Air Warfare (AAWC)	Integrated Air and Missile Defence (IADS)
06	Tactical	Fires / strike / targeting	Joint Fires and Call For Fire	Naval Surface Fire Support	Dynamic targeting
07	Tactical	ISTAR and electronic warfare	ISTAR and EW tasking	Maritime ISR / EW and SUBOPAUTH	AEW and C and EW
08	Tactical	Specialised operations / suppression	Engineer obstacle and route	Mine Counter-Measures (MCM)	Suppression of Enemy Air Defences (SEAD/DEAD)
09	Tactical	Recovery and personnel	CASEVAC / MEDEVAC and PR	Amphibious operations and recovery	Combat SAR / Personnel Recovery
10	Platform / unit	Logistics and sustainment	Logistics reporting (LOGSITREP)	Replenishment at Sea	Air logistics and air-to-air refuelling
11	Platform / unit	Platform ISR	Land ISR — UAS / FMV	Maritime ISR — MPA / RPAS	ISR / RPAS full-motion video
12	Platform / unit	Cross-domain integration	Cross-domain integration	Cross-domain integration	Space / SATCOM / PNT enabler

SLOT	TIER	CAPABILITY THEME	LAND · UC-L-NN	MARITIME · UC-M-NN	AIR · UC-A-NN
13	Transversal	C2D2E (DDIL + AI)	AI adaptive frequency hopping	Resilient C2 and EMCON / LPI-LPD	Resilient C2 and EMCON / LPI-LPD

5 · Use Cases by Domain

L · Land – MC 0640 (13)

UC	ECHOLON	C2D2E	TITLE	CLS	PREC	RISK
UC-L-001	Brigade		Formal Messaging between Brigade HQ and units in C2D2E	NS	Immediate	3/5
UC-L-002	Brigade		Recognized Ground Picture compilation and dissemination	NS	Immediate	3/5
UC-L-003	Brigade		Land Situational Awareness and Blue Force Tracking (NFFI / FFT)	NR	Priority	2/5
UC-L-004	Battle Group		Combined-arms manoeuvre coordination	NS	Immediate	4/5
UC-L-005	Battle Group		Ground-Based Air Defence (GBAD) coordination	NS	Flash	4/5
UC-L-006	Battle Group		Joint Fires — Call For Fire and deep-fires coordination	NS	Flash	4/5
UC-L-007	Battle Group		ISTAR and Electronic Warfare tasking (EWCC)	NS	Priority	3/5
UC-L-008	Battle Group		Engineer — obstacle, route and counter-mobility coordination	NR	Priority	2/5
UC-L-009	Battle Group		CASEVAC / MEDEVAC and Personnel Recovery coordination	NR	Flash	3/5
UC-L-010	Company		Logistics and sustainment reporting (LOGSITREP)	NR	Routine	2/5
UC-L-011	Company		Land ISR — UAS / sensor full-motion-video dissemination	NS	Priority	3/5
UC-L-012	Company		Cross-domain integration with Joint, Air and Maritime	MS	Immediate	4/5

UC	ECHOLON	C2D2E	TITLE	CLS	PREC	RISK
UC-L-013	Brigade	C2D2E (DDIL + AI)	C2D2E (DDIL + AI) — AI-managed adaptive frequency hopping and dynamic spectrum access · land tactical (Brigade and below)	NS	Immediate	5/5

M · Maritime – MC 0195/13 (13)

UC	ECHOLON	C2D2E	TITLE	CLS	PREC	RISK
UC-M-001	Maritime Component — MCC		Formal Messaging between Maritime Component and units in C2D2E	NS	Immediate	3/5
UC-M-002	Maritime Component — MCC		Recognized Maritime Picture compilation and dissemination	NS	Immediate	3/5
UC-M-003	Maritime Component — MCC		Maritime Situational Awareness and White Shipping (NCAGS)	NR	Priority	2/5
UC-M-004	Task Force / Group — CTF / CTG · PWC		Anti-Surface and Anti-Submarine Warfare coordination (PWC)	NS	Immediate	4/5
UC-M-005	Task Force / Group — CTF / CTG · PWC		Anti-Air Warfare coordination (AAWC)	NS	Flash	4/5
UC-M-006	Task Force / Group — CTF / CTG · PWC		Naval Surface Fire Support and strike coordination	NS	Flash	4/5
UC-M-007	Task Force / Group — CTF / CTG · PWC		Maritime ISR and EW tasking and submarine coordination (SUBOPAUTH)	NS	Priority	4/5
UC-M-008	Task Force / Group — CTF / CTG · PWC		Mine Counter-Measures operations coordination	NR	Priority	3/5
UC-M-009	Task Force / Group — CTF / CTG · PWC		Amphibious operations and recovery (CATF / CLF)	NS	Immediate	4/5
UC-M-010	Platform / Unit — PSC · SS · MCM · MPA · MH		Replenishment at Sea and logistics coordination	NR	Routine	2/5
UC-M-011	Platform / Unit — PSC · SS · MCM · MPA · MH		Maritime ISR — MPA / helicopter / RPAS feed dissemination	NS	Priority	3/5

UC	ECHOLON	C2D2E	TITLE	CLS	PREC	RISK
UC-M-012	Platform / Unit — PSC · SS · MCM · MPA · MH		Cross-domain integration with Joint, Air and Land	MS	Immediate	 4/5
UC-M-013	Maritime Component — MCC	C2D2E (DDIL + AI)	C2D2E (DDIL + AI) — resilient C2 and EMCON/LPI-LPD posture · maritime task group	NS	Immediate	 5/5

A · Air – MC 0655 / 0695 (13)

UC	ECHOLON	C2D2E	TITLE	CLS	PREC	RISK
UC-A-001	Air Ops Centre — JFAC / CAOC		Air Tasking Order production and formal messaging in C2D2E	NS	Immediate	 3/5
UC-A-002	Air Ops Centre — JFAC / CAOC		Recognized Air Picture compilation and distribution	NS	Immediate	 3/5
UC-A-003	Air Ops Centre — JFAC / CAOC		Airspace Control (ACO) and air situational awareness	NS	Immediate	 2/5
UC-A-004	Tactical control — CRC / ASOC / AEW and C		Tactical air control and intercept (CRC)	NS	Flash	 4/5
UC-A-005	Tactical control — CRC / ASOC / AEW and C		Integrated Air and Missile Defence coordination (IADS)	NS	Flash	 4/5
UC-A-006	Tactical control — CRC / ASOC / AEW and C		Dynamic / time-sensitive targeting (air-to-ground)	NS	Flash	 4/5
UC-A-007	Tactical control — CRC / ASOC / AEW and C		AEW and C wide-area picture and EW tasking	NS	Priority	 4/5
UC-A-008	Tactical control — CRC / ASOC / AEW and C		Suppression / Destruction of Enemy Air Defences (SEAD / DEAD)	NS	Flash	 5/5
UC-A-009	Tactical control — CRC / ASOC / AEW and C		Combat SAR and Personnel Recovery coordination	NR	Flash	 3/5
UC-A-010	Platform / unit — Wing · GBAD · ISR		Air logistics and air-to-air refuelling coordination	NR	Priority	 2/5

UC	ECHOLON	C2D2E	TITLE	CLS	PREC	RISK
UC-A-011	Platform / unit — Wing · GBAD · ISR		ISR / RPAS full-motion-video downlink and dissemination	NS	Priority	3/5
UC-A-012	Platform / unit — Wing · GBAD · ISR		Space / SATCOM / PNT enabler and cross-domain integration	MS	Immediate	4/5
UC-A-013	Air Ops Centre — JFAC / CAOC	C2D2E (DDIL + AI)	C2D2E (DDIL + AI) — resilient C2 and EMCON/LPI-LPD posture · air	NS	Immediate	5/5

6 · Findings and Recommendations

ID	TYPE	PRIORITY	TITLE	OWNER	STATUS	LINKED UCS / AREA
REC-001	Recommendation	High	Validate CapElem / PFL identifiers against NISP Baseline 16	ACT CapDev / NCIA	Accepted	PFL-* references; CapElem (all)
REC-002	Recommendation	High	Endorse C2D2E (DDIL + AI) requirements for FMN Spiral 6	FMN Spiral 6 SMT	Open	UC-M-013, UC-L-039, UC-A-013
REC-003	Recommendation	Medium	Schedule SME review of all DRAFT Use Cases	Domain G6 / A6 owners	Open	
FIND-001	Finding	Medium	Annex-C serial coverage is partial	MDO CIS WG	Open	
FIND-002	Finding	Low	Track-identity and climatic categories seeded deterministically	Domain owners	Open	
FIND-003	Finding	Medium	CapElem R.x.NNN identifiers are illustrative (mapped to C3 Taxonomy B7 branches)	ACT CapDev	In progress	CapElem (all domains) → c3Taxonomy
FIND-004	Finding	Low	CapElem catalogue specialised and aggressively filtered by primary domain	Domain G6 / A6 owners	In progress	CapElem (R.I.105, R.C.442/443/445)

7 · Traceability and Compliance

L · LAND

13

13 serial-mapped · 0 reviewed

M · MARITIME

13

13 serial-mapped · 0 reviewed

A · AIR

13

13 serial-mapped · 0 reviewed

DOMAIN	UC	DIRECTIVE	ANNEX-C SERIAL	ECHELON	CLS	REVIEW	STANDARDS CITED
L	UC-L-001	MC 0640	L-1	Brigade	NS	DRAFT	STANAG 4774, APP-11
L	UC-L-002	MC 0640	L-2	Brigade	NS	DRAFT	STANAG 4162
L	UC-L-003	MC 0640	L-3	Brigade	NR	DRAFT	-
L	UC-L-004	MC 0640	L-4	Battle Group	NS	DRAFT	-
L	UC-L-005	MC 0640	L-5	Battle Group	NS	DRAFT	-
L	UC-L-006	MC 0640	L-6	Battle Group	NS	DRAFT	-
L	UC-L-007	MC 0640	L-7	Battle Group	NS	DRAFT	STANAG 4774
L	UC-L-008	MC 0640	L-8	Battle Group	NR	DRAFT	-
L	UC-L-009	MC 0640	L-9	Battle Group	NR	DRAFT	-
L	UC-L-010	MC 0640	L-10	Company	NR	DRAFT	-
L	UC-L-011	MC 0640	L-11	Company	NS	DRAFT	-

DOMAIN	UC	DIRECTIVE	ANNEX-C SERIAL	ECHOLON	CLS	REVIEW	STANDARDS CITED
L	UC-L-012	MC 0640	L-12	Company	MS	DRAFT	STANAG 4774
L	UC-L-013	MC 0640	L-13	Brigade	NS	DRAFT	STANAG 4774, STANAG 5630, AJP-3.20, JP-3.6
M	UC-M-001	MC 0195/13	M-1	Maritime Component — MCC	NS	DRAFT	STANAG 5516, STANAG 4774, APP-11
M	UC-M-002	MC 0195/13	M-2	Maritime Component — MCC	NS	DRAFT	STANAG 4162, APP-11
M	UC-M-003	MC 0195/13	M-3	Maritime Component — MCC	NR	DRAFT	—
M	UC-M-004	MC 0195/13	M-4	Task Force / Group — CTF / CTG · PWC	NS	DRAFT	STANAG 5516, STANAG 5522, STANAG 4162
M	UC-M-005	MC 0195/13	M-5	Task Force / Group — CTF / CTG · PWC	NS	DRAFT	—
M	UC-M-006	MC 0195/13	M-6	Task Force / Group — CTF / CTG · PWC	NS	DRAFT	—
M	UC-M-007	MC 0195/13	M-7	Task Force / Group — CTF / CTG · PWC	NS	DRAFT	STANAG 4774
M	UC-M-008	MC 0195/13	M-8	Task Force / Group — CTF / CTG · PWC	NR	DRAFT	—
M	UC-M-009	MC 0195/13	M-9	Task Force / Group — CTF / CTG · PWC	NS	DRAFT	—
M	UC-M-010	MC 0195/13	M-10	Platform / Unit — PSC · SS · MCM · MPA · MH	NR	DRAFT	—
M	UC-M-011	MC 0195/13	M-11	Platform / Unit — PSC · SS · MCM · MPA · MH	NS	DRAFT	—

DOMAIN	UC	DIRECTIVE	ANNEX-C SERIAL	ECHOLON	CLS	REVIEW	STANDARDS CITED
M	UC-M-012	MC 0195/13	M-12	Platform / Unit — PSC · SS · MCM · MPA · MH	MS	DRAFT	STANAG 4774
M	UC-M-013	MC 0195/13	M-13	Maritime Component — MCC	NS	DRAFT	STANAG 4774, STANAG 4778, STANAG 4711, JP- 3.6
A	UC-A-001	MC 0655 / 0695	A-1	Air Ops Centre — JFAC / CAOC	NS	DRAFT	STANAG 4774, APP-11
A	UC-A-002	MC 0655 / 0695	A-2	Air Ops Centre — JFAC / CAOC	NS	DRAFT	STANAG 5516, STANAG 4162
A	UC-A-003	MC 0655 / 0695	A-3	Air Ops Centre — JFAC / CAOC	NS	DRAFT	—
A	UC-A-004	MC 0655 / 0695	A-4	Tactical control — CRC / ASOC / AEW and C	NS	DRAFT	—
A	UC-A-005	MC 0655 / 0695	A-5	Tactical control — CRC / ASOC / AEW and C	NS	DRAFT	—
A	UC-A-006	MC 0655 / 0695	A-6	Tactical control — CRC / ASOC / AEW and C	NS	DRAFT	—
A	UC-A-007	MC 0655 / 0695	A-7	Tactical control — CRC / ASOC / AEW and C	NS	DRAFT	STANAG 4774
A	UC-A-008	MC 0655 / 0695	A-8	Tactical control — CRC / ASOC / AEW and C	NS	DRAFT	—
A	UC-A-009	MC 0655 / 0695	A-9	Tactical control — CRC / ASOC / AEW and C	NR	DRAFT	—
A	UC-A-010	MC 0655 / 0695	A-10	Platform / unit — Wing · GBAD · ISR	NR	DRAFT	—
A	UC-A-011	MC 0655 / 0695	A-11	Platform / unit — Wing · GBAD · ISR	NS	DRAFT	—

DOMAIN	UC	DIRECTIVE	ANNEX-C SERIAL	ECHELON	CLS	REVIEW	STANDARDS CITED
A	UC-A-012	MC 0655 / 0695	A-12	Platform / unit — Wing · GBAD · ISR	MS	DRAFT	STANAG 4774
A	UC-A-013	MC 0655 / 0695	A-13	Air Ops Centre — JFAC / CAOC	NS	DRAFT	STANAG 4774, JP-3.6

8 • Annexes

The annexes hold the supporting material: the Standards and References register (STANAG / AAP / AJP / ATDLP / PFL), the NAF v4 / ADatP-47 overrides retained as a reference table, the per-domain vendor and NAF-architecture mapping, Capability Elements, echelons, scenarios, Tactical Data Links, the Acronyms and Abbreviations annex, and the global GRC catalogs (classifications, precedence, track identity, climatic categories, mission types and FMN objectives).

Acronyms and abbreviations

C3 TAXONOMY GROUP	ACRONYM	EXPANSION	SOURCE
C3 Business Process — Govern (standards)	AAP	Allied Administrative Publication	AAP-15
C3 Business Process — Govern (standards)	AJP	Allied Joint Publication	AAP-15
C3 Business Process — Govern (standards)	COPD	Comprehensive Operations Planning Directive	COPD v3
C3 Business Process — Govern (standards)	MC	Military Committee	—
C3 Business Process — Govern (standards)	NISP	NATO Interoperability Standards and Profiles	AC/322
C3 Business Process — Govern (standards)	PFL	Profile	NISP
C3 Business Process — Govern (standards)	STANAG	Standardization Agreement	AAP-15
C3 Business Roles (organisations)	ACO	Allied Command Operations	AAP-15
C3 Business Roles (organisations)	ACT	Allied Command Transformation	AAP-15
C3 Business Roles (organisations)	JFAC	Joint Force Air Component	AJP-3.3
C3 Business Roles (organisations)	MCC	Maritime Component Command	AJP-3.1
C3 Capabilities — Command and Control	C2	Command and Control	AAP-06
C3 Capabilities — Command and Control	C2D2E	Command and Control in Denied / Degraded Environments	—
C3 Capabilities — Command and Control	COP	Common Operational Picture	AAP-06
C3 Capabilities — Command and Control	DDIL	Denied, Degraded, Intermittent and Limited	—
C3 Capabilities — Command and Control	RAP	Recognised Air Picture	AAP-06
C3 Capabilities — Command and Control	RGP	Recognised Ground Picture	AAP-06
C3 Capabilities — Command and Control	RMP	Recognised Maritime Picture	AAP-06
C3 Capabilities — CIS	CapElem	Capability Element	C3 Taxonomy
C3 Capabilities — CIS	CIS	Communication and Information Systems	AAP-06
C3 Capabilities — CIS	COI	Community of Interest	AAP-06
C3 Capabilities — CIS	FMN	Federated Mission Networking	—

C3 TAXONOMY GROUP	ACRONYM	EXPANSION	SOURCE
C3 Capabilities — CIS	IER	Information Exchange Requirement	AJP-6
C3 Capabilities — CIS	NAF	NATO Architecture Framework	—
C3 Capabilities — Battlespace Management and EW	EMCON	Emission Control	AAP-06
C3 Capabilities — Battlespace Management and EW	EW	Electronic Warfare	AAP-06
C3 Capabilities — Battlespace Management and EW	LPI/LPD	Low Probability of Intercept / Detection	JP-3.6
C3 Capabilities — Battlespace Management and EW	SEAD	Suppression of Enemy Air Defences	AJP-3.3
C3 Communications Services	JREAP	Joint Range Extension Applications Protocol	STANAG 5518
C3 Communications Services	NFFI	NATO Friendly Force Information	STANAG 5527
C3 Communications Services	TDL	Tactical Data Link	AAP-06
C3 Communications Services	VMF	Variable Message Format	MIL-STD-6017
Report framework and method	BLUF	Bottom Line Up Front	—
Report framework and method	RTM	Requirements Traceability Matrix	—
Report framework and method	TC	Technical Constraint	—
Report framework and method	UC	Use Case	—

Standards and references

SHORT NAME	TYPE	TITLE
STANAG 5511	STANAG	Tactical Data Exchange — Link 11/11B (ATDLP-5.11)
STANAG 5516	STANAG	Tactical Data Exchange — Link 16 (ATDLP-5.16)
STANAG 5518	STANAG	Interoperability Standard for JREAP (ATDLP-5.18)
STANAG 5522	STANAG	Tactical Data Exchange — Link 22
ATDLP-7.33	ATDLP	Tactical Data Link SOPs
ATDLP-5.11	ATDLP	Link 11/11B message standard
ATDLP-5.16	ATDLP	Link 16 message standard
ATDLP-5.18	ATDLP	JREAP message standard

SHORT NAME	TYPE	TITLE
STANAG 4774	STANAG	Confidentiality Metadata Label Syntax
STANAG 4778	STANAG	Metadata Binding Mechanism
STANAG 4711	STANAG	Protected Core Networking (PCN)
STANAG 5651	STANAG	ESSOR High Data Rate Waveform
STANAG 5630	STANAG	NBWF — Narrowband Waveform
STANAG 5634	STANAG	NBWF VARC / MELPe profile
STANAG 4691	STANAG	MarLOS line-of-sight waveform
STANAG 5527	STANAG	NFFI — NATO Friendly Force Information
STANAG 4162	STANAG	Identification Data Combining Process (track identity)
AJP-5	AJP	Allied Joint Doctrine for Operational-level Planning
AJP-6	AJP	Allied Joint Doctrine for Communication and Information Systems
AJP-3.3	AJP	Allied Joint Doctrine for Air and Space Operations
AJP-3.20	AJP	Allied Joint Doctrine for Cyberspace Operations
AJP-10	AJP	Allied Joint Doctrine for Strategic Communications
AAP-06	AAP	NATO Glossary of Terms and Definitions
AAP-15	AAP	NATO Glossary of Abbreviations
APP-11	APP	NATO Message Text Formatting System (FORMETS)
APP-7	APP	Joint Brevity Words
PFL-00403	PFL	Land Tactical C2 Information Exchange Profile (FMN Spiral 5) — CI-1062 [NISP B16 confirmed]
PFL-00136	PFL	BSP for Land Domain Services (Basic) — CI-1062 [NISP B16 confirmed]
PFL-00222	PFL	Land C2 Information Exchange Profile (FMN Spiral 3) — CI-1062 [NISP B16 confirmed]
PFL-00291	PFL	Land C2 Information Exchange Profile (FMN Spiral 4) — CI-1062 [NISP B16 confirmed]
PFL-00292	PFL	Land Tactical C2 Information Exchange Profile (FMN Spiral 4) — predecessor of PFL-00403 [NISP B16 confirmed]
PFL-00402	PFL	MIP4 Profile (FMN Spiral 5) — distinct from PFL-00403 [NISP B16 confirmed]
PFL-00405	PFL	MIP 4 / JDSSDM Mediation Profile (FMN Spiral 5) [NISP B16 confirmed]
PFL-00312	PFL	Tactical Interoperability Network Interconnection (FMN Spiral 4) [NISP B16 confirmed]
PFL-00446	PFL	IP Access to Tactical Radio (FMN Spiral 5) — AEP-76 Vol V [NISP B16 confirmed]

SHORT NAME	TYPE	TITLE
PFL-00406	PFL	NVG / JDSSDM Mediation Profile (FMN Spiral 5) [NISP B16 confirmed]
PFL-00408	PFL	ADatP-36 / JDSSDM Mediation Profile (FMN Spiral 5) [NISP B16 confirmed]
PFL-00293	PFL	Maritime C2 Information Exchange Profile (FMN Spiral 4) — CI-1067 [NISP B16 confirmed]
NISP Baseline 16	Other	NATO Interoperability Standards and Profiles — Baseline 16 Catalogue (5 SEP 2024). Authoritative source validated for the PFL / CI identifiers in this report.
MC 0593	MC	Minimum Level of C2 Service Capabilities (Joint)
MC 0640	MC	Land Tactical IER directive
MC 0195	MC	Maritime IER directive
MC 0655	MC	Air IER directive
MC 0695	MC	Air Tactical IER / VeVA MN
COPD	Other	Comprehensive Operations Planning Directive v3
AECTP-230	Other	Climatic Conditions (Allied Environmental Conditions and Test Publication)
STANAG 4866	STANAG	Climatic categories codification (May 2009)
AJP-3.1	AJP	Allied Joint Doctrine for Electronic Warfare
JP-3.6	Other	Electronic Warfare (LPI/LPD requirements)
AC/322	Other	NATO C3 Board directives (security / EMSEC)
C3 Taxonomy B7	Other	NATO C3 Taxonomy Baseline 7 — AC/322-WP(2025)0097-REV2-AS1, approved by the Digital Policy Committee 13 May 2026; 1689 artefacts; CC BY-NC 4.0; Tidepedia Baseline 100186