<u>PROJECT</u>

<u>APPYINTERN</u>

Name – Raushan kumar

Session – 2021-24

Semester – 6th

Reg no – 130201119402721/21

Exam Roll no – 221974

Class Roll no – 27

Name – Ajit Kumar

Session – 2021-24

Semester – 6th

Reg no – 130201119401721/21

Exam Roll no – 221965

Class Roll no – 17

Name – Munna Kumar

Session – 2021-24

Semester – 6th

Reg no – 130201119401321/21

Exam Roll no – 221961

Class Roll no – 13

Name – Krishna Kumar Chaurasiya

Session – 2021-24

Semester – 6th

Reg no – 130201119401821/21

Exam Roll no – 221966

Class Roll no – 18

Basic Feature Of Application:-

I have created the AppyIntern app. The purpose of this application is for HR to manage the applications of interns and users. I have used React.js, TypeScript, Bootstrap, CSS, and JavaScript to create the application. The features available in this application include creating an account and then logging in. Once logged in, users see the home page, the about us page, and the contact page. On the home page, there are logout and login features. When HR logs in, they see the home page, about us page, database page, and the data of those who have applied for internships and jobs at this company.

Features Of The Pages

1. **According To Client**

Create Account:-

The create account page is available for clients and HR. I have used React.js and TypeScript to created this page. When users fill in their details and click the submit button, the data goes to local storage. The main feature is that when users visit the login page next time, they see their name displayed at the top. Once an account is created, the data is saved in local storage, so it is available anytime the user returns to the application. The create account page is responsive, using Bootstrap to ensure it displays clearly on laptops, tablets, and phones.

Login Page:-

The login page is available for clients and HR. I have used React.js, TypeScript, and Bootstrap to created this page. The data is stored in local storage, and users must fill in the correct data to log in. If incorrect data is entered, the application displays a message asking users to fill in the correct data. The backend logic checks the data in local storage; if the email ID and password match, the user is allowed to log in. If either the email ID or password is incorrect, login is denied. The login page is responsive, using Bootstrap to ensure it displays clearly on laptops, tablets, and phones.

Navbar Section:-

The navbar section is available for clients and HR. I have used React.js, TypeScript, and Bootstrap to created the navbar section. The top of the page features login and logout options. The login page is available only for HR and admin. Admins can log in to see data on how many people have registered and applied for internships and jobs. The navbar also includes links to the home page, about us page, and contact page, which are available for clients and users. The navbar is responsive and usable on all devices, with a toggle bar for smaller devices.

1. **Login and Logout:**
   - The login and logout buttons are prominently displayed at the top, allowing HR users to securely access and exit the application.
2. **Navigation Links:**
   - The navbar includes links to essential sections of the application such as Home, About, Dashboard, Create Jobs, Login Data, Job Application, Contact

Detail, and Internship Application. These links help HR navigate through the different functionalities of the application efficiently.

3. **Admin Access:**
   o Certain features like Dashboard and Create Jobs are restricted to admin users. Admins can view and manage data related to job postings, applications, and user registrations.
4. **Responsive Design:**
   o The navbar is fully responsive, ensuring it works seamlessly on various devices, including desktops, tablets, and smartphones. For smaller devices, a toggle bar is available to maintain accessibility.
5. **User-Specific Data:**
   o When HR users log in, the navbar displays options tailored to their role, such as viewing applicant data and managing job postings. This ensure

Home Section:-

The home section is available for clients and HR. I have used React.js, TypeScript, and Bootstrap to created the home section. Features of this page include displaying the user's name with a message like "Welcome Raushan Kumar," where "Welcome" is static and the name is dynamic. The page also shows the user's profile picture and email ID, and sections for internships and jobs where candidates can see their application status. The home page is fully responsive and displays clearly on both laptops and phones.

About Section:-

The about section is available for both users and admins. This page allows users to read about the application and understand its features and how to use it.

Contact Section:-

The contact section is available for both clients and admins. I have used React.js and Bootstrap to created this page. Users can fill out their name, email, and message to inform admins of any problems. Admins can then see these details and try to solve the issues.

2.According to Admin:-

Dashboard Section:-

The dashboard section is available only for admins. I have used React.js, TypeScript, and Bootstrap to created this page. Admins can see the status of applications, how many people have applied for jobs, and whether they are experienced or freshers. The dashboard shows how many applications are currently coming in for jobs.

Create Job Section:-

The create job section is available only for admins. I have used React.js, TypeScript, and Bootstrap to created this page. Admins can create new job and internship listings according to the needs of their organization. Users can fill out applications based on their skills and submit them. Admins can see candidate details, match their skills to the job description, and mark them as selected. Users can then see their application status as selected. The create job page is responsive, displaying clearly on both large and small devices.

Login Page Section:

The login data section is available only for admin. The feature of this page allows admins to log in and see user information. I have used React.js, TypeScript, and Bootstrap to created this page. The features available on this page are exclusively for admins. Admins can log in, view all information related to job creation by clients, and have the authority to select or reject applications. I have used bootstrap to make a responsive of this page.

Create Job Section:

The Create Job section is available only for admins. Admins can log in to this page to create new job and internship postings. Here are some key details:

1. **Access Control:**
   o Only admins have access to this section. This ensures that job and internship creation is managed securely and centrally.
2. **Job and Internship Creation:**
   o Admins can use this section to create new job positions and internship opportunities. The form allows them to specify details such as job title, description, requirements, and other relevant information.
3. **Technologies Used:**
   o This section is built using React.js, TypeScript, and Bootstrap. These technologies ensure that the page is responsive and user-friendly.
4. **Responsive Design:**
   o The Create Job page is designed to be fully responsive, allowing admins to use it efficiently on various devices, including desktops, tablets, and smartphones.

Login Data Page:

The Login Data page is available only for admins. This page provides a comprehensive overview of user login information. Here are the key details:

1. **Access Control:**
   o Only admins can access this section, ensuring that sensitive user information is protected and managed securely.
2. **User Information:**
   o Admins can view detailed information about users, including their names, email addresses, and login dates. This helps in monitoring and managing user activity within the application.

3. **Technologies Used:**
   o The Login Data page is created using React.js, TypeScript, and Bootstrap. These technologies ensure that the page is efficient, interactive, and responsive.
4. **User Management:**
   o Admins can see a list of users who have logged into the application, along with their login timestamps. This feature is crucial for tracking user engagement and identifying any unauthorized access.
5. **Responsive Design:**
   o The Login Data page is designed to be fully responsive, making it accessible and easy to use on various devices, including desktops, tablets, and smartphones.

Job Application Page:

The Job Application page is available only for admins. This page allows admins to view and manage job applications submitted by users.

1. **Access Control:**
   o Only admins can access this section.
2. **Job Listings Management:**
   o Admins can view a list of all job applications, including details such as job title, description, requirements, and application deadlines.
3. **Application Review:**
   o Admins can review the applications submitted by users, filter them based on different criteria, and manage the application status.
4. **Technologies Used:**
   o This page is built using React.js, TypeScript, and Bootstrap, ensuring a seamless and efficient experience.
5. **Responsive Design:**
   o The Job Application page is fully responsive, making it easy for admins to navigate and manage applications on various devices, including desktops, tablets, and smartphones.

Contact Detail Page:

The Contact Detail page is available only for admins. This page allows admins to view and respond to queries submitted by users.

1. **Access Control:**
   o Only admins can access this section.
2. **Query Management:**
   o Admins can view the contact form submissions, which include user queries and issues, and provide appropriate responses or solutions.
3. **Technologies Used:**
   o The Contact Detail page is created using React.js and Bootstrap, ensuring a responsive and accessible design.
4. **Admin Response:**
   o Admins can manage and track user queries, ensuring that all concerns are addressed promptly and efficiently.

5. **Responsive Design:**
   - o The Contact Detail page is designed to be fully responsive, allowing admins to access and manage queries on various devices, including desktops, tablets, and smartphones.

Internship Application Page:

The Internship Application page is available only for admins. This page provides admins with tools to manage internship applications submitted by users.

1. **Access Control:**
   - o Only admins can access this section.
2. **Internship Listings Management:**
   - o Admins can view a list of all internship applications, including details such as internship title, description, requirements, and application deadlines.
3. **Application Review:**
   - o Admins can review internship applications, filter them based on different criteria, and manage the application status.
4. **Technologies Used:**
   - o The Internship Application page is built using React.js, TypeScript, and Bootstrap, ensuring a seamless and efficient experience.
5. **Responsive Design:**
   - o The Internship Application page is fully responsive, making it easy for admins to navigate and manage applications on various devices, including desktops, tablets, and smartphones.

Code of application:-

Home page:-

```
import React, { useState,useEffect } from 'react';
import './Registationform';
import { closeSync } from 'fs';
// import myImage from './';
interface FormState {
  Fullname: string;
  email: string;
  message: string;
}
interface FormData {
```

```typescript
    fullname: string;
    Emailid: string;
    phone: string;
    college: string;
    course: string;
    skill:string;
    field: string;
    role: string;
    year: string;
    semester: string;
    state: string;
    district: string;
    current: string;
    permanent: string;
    resume: File | null;
    letter: File | null;
}
interface JobFormValues {
    jfullname: string;
    jemailid: string;
    jphone: string;
    jcollege: string;
    jcource: string;
    jfield: string;
    jrole: string;
    jerole: string;
    jyear: string;
    jstate: string;
    jdistrict: string;
    jexperience: string;
    jcompany: string;
    jlocation: string;
    jresume: File | null;
    jletter: File | null;
    jcurrent: string;
    jparmanent: string;
}


const Home: React.FC = (data) => {
  const [formData, setFormData] = useState<FormData>({
    fullname: '',
    Emailid: '',
    phone: '',
    college: '',
    course: '',
    skill:'',
```

```
      field: '',
      role: '',
      year: '',
      semester: '',
      state: '',
      district: '',
      current: '',
      permanent: '',
      resume: null,
      letter: null,
    });
    const [JobFormValues, setJobFormValues] = useState<JobFormValues>({
      jfullname: '',
      jemailid: '',
      jphone: '',
      jcollege: '',
      jcource: '',
      jfield: '',
      jrole: '',
      jerole: '',
      jyear: '',
      jstate: '',
      jdistrict: '',
      jexperience: '',
      jcompany: '',
      jlocation: '',
      jresume: null,
      jletter:null,
      jcurrent: '',
      jparmanent: '',
    });
    const [isEditFormVisible, setIsEditFormVisible] = useState<boolean>(false);
    const [isintenshipform, setintenshipform] = useState<boolean>(false);
    const [isjobform, setjobform] = useState<boolean>(false);
    const submit = () => {
      alert("Your response has been submitted successfully! Please wait for
admin approval.");
    }
    const handleChange = (e: React.ChangeEvent<HTMLInputElement |
HTMLTextAreaElement>) => {
      const { name, value} = e.target;

      setFormData(prevState => ({
        ...prevState,
        [name]: value
      }));
    };
```

```
  const handleChangejob = (e: React.ChangeEvent<HTMLInputElement |
HTMLTextAreaElement>) => {
    const { name, value} = e.target;

    setJobFormValues(prevState => ({
      ...prevState,
      [name]: value
    }));
  };
   const handlejobdata=()=>
    {
      Object.entries(JobFormValues).forEach(([key, value]) => {
        localStorage.setItem(key, value instanceof File ? value.name : value);
      });
    }
  const takeinternshipvalue=()=>
    {
      // localStorage.setItem("fullname");
      Object.entries(formData).forEach(([key, value]) => {
        localStorage.setItem(key, value instanceof File ? value.name : value);
      });
    }

  const toggleEditForm = () => {
    setIsEditFormVisible(prevState => !prevState);
  }
  const toggleapplicationform = () => {
    setintenshipform(prevState => !prevState);
  }

  const togglejobform = () => {
    setjobform(prevState => !prevState);
  }

  //registation data
  const [registrationDataList, setRegistrationDataList] = useState<{ key:
string, data: FormState }[]>([]);

  useEffect(() => {
    // Load saved form data from local storage when the component mounts
    const keys = Object.keys(localStorage).filter(key =>
key.startsWith('contactFormData_'));
    const dataList = keys.map(key => ({
      key,
      data: JSON.parse(localStorage.getItem(key)!)
    }));
    setRegistrationDataList(dataList);
  }, []);
```

```jsx
        //job data
        let userData = localStorage.getItem("contactFormDataList");
        if (userData !== null) {
        let userObj = JSON.parse(userData);
        let userName = userObj.name;
        console.log(userName);
        }

        return (
          <div className='home'>
            <h1>Welcome {localStorage.getItem('name')}</h1>
            <hr />
            <div className='profilesection'>
              <p className="profile"></p>
              {/* <p>{userName}</p> */}
              <p><b>{localStorage.getItem('name')}</b></p>
              <p><b>{localStorage.getItem('email')}</b></p>
              <p className='applicationstatus'><b>{localStorage.getItem('status')
}</b></p>
              <button onClick={toggleEditForm}
className='esitnamesection'>Edit</button>
            </div>
            {isEditFormVisible && (
              <div className='editform'>
                <form className='contacteditform'>
                <button onClick={toggleEditForm} className='editcross-button col-
1'>X</button>
                  <h1 className='editformheading'>Edit form</h1><hr></hr>
                  <label>Name:</label>
                  <input type="text" name="name" />

                  <label>Email:</label>
                  <input type="email" name="email" />
                  <label>Phone:</label>
                  <input type="Phone" name="Phone" />
                  <label>Qualification:</label>
                  <input type="Phone" name="quqlification" />

                  <label>Address:</label>
                  <textarea name="message" />

                  <button type="submit"className='editprofile-button col-4'
onClick={submit}>Submit</button>
                </form>
              </div>
            )}
            <div className="row d-flex  mx-5 my-5">
              <h1 className='internship-heading'>Internship</h1>
```

```jsx
        <div className='box'>
        <div className="col-md-6  ">
        <strong><strong><b>Title:</b></strong>{localStorage.getItem('internn
ame')}</strong><br></br>
        <strong><strong><b>Skill:</b></strong>{localStorage.getItem('interne
mail')}</strong><br></br>
        <strong><strong><b>Location:</b></strong>{localStorage.getItem('inte
rnmessage')}</strong><br></br>
        <strong><strong><b>Salary:</b></strong>{localStorage.getItem('intern
salary')}</strong>
        <div className="d-grid gap-2 col-6">
          <a className="viewmore-button btn-white bg-white" href="#">View
more</a>
          <button onClick={toggleapplicationform} className='apply-button-
form'>Apply</button>
        </div>
        </div>
      </div>
      <div className='box'>
      <div className="col-md-6">
      <strong><strong><b>Title:</b></strong>Salesforce Development
Internship</strong><br></br>
        <strong><strong><b>Skill:</b></strong>Javascript , Typescript , Html
,Css ,Bootstrap</strong><br></br>
        <strong><strong><b>Location:</b></strong>India</strong><br></br>
        <strong><strong><b>Salary:</b></strong>Performance Based</strong>
        <div className="d-grid gap-2 col-6">
          <a className="viewmore-button btn-white bg-white" href="#">View
more</a>
          <button onClick={toggleapplicationform} className='apply-button-
form'>Apply</button>
        </div>
        </div>
      </div>
    </div>
    {isintenshipform && (
    <div className='applicationform-internship'>
      <h1 className='headinginternship'>Internship Application
form</h1><hr></hr>
        <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>
            Enter your Name:-
          </strong>
          <input type="text" name="fullname" onChange={handleChange}/>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>
```

```jsx
          Enter your Email Id:-
        </strong>
        <input type="email" name="Emailid" onChange={handleChange}/>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>
          Enter your Phone:-
        </strong>
        <input type="Phone" name="Phone" onChange={handleChange} />
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>
          Enter your Collage:-
        </strong>
        <input type="text" name="college" onChange={handleChange} />
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>
          Enter your Cource:-
        </strong>
        <input type="text" name="cource" onChange={handleChange}/>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>
          Enter your Field:-
        </strong>
        <input type="text" name="field" onChange={handleChange}/>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>
          Enter your Role:-
        </strong>
        <input type="text" name="role" onChange={handleChange}/>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>
          Enter your Year:-
        </strong>
        <input type="text" name="year" onChange={handleChange}/>
      </div>
    </div>
    <div className='row d-flex'>
```

```jsx
          <div className='col-lg-6 col-sm-12'>
            <strong>
              Enter your Semester:-
            </strong>
            <input type="Phone" name="semester" onChange={handleChange} />
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>
              Enter your Skill:-
            </strong>
            <input type="text" name="Skill" onChange={handleChange}/>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>
              Enter your state:-
            </strong>
            <input type="text" name="state" onChange={handleChange}/>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>
              Enter your District:-
            </strong>
            <input type="text" name="district" onChange={handleChange}/>
          </div>
        </div>
        <div className='row d-flex p-4'>
          <div className='col-lg-6 col-sm-12'>
            <strong>
              Enter your Resume:-
            </strong>
            <input type="file" name="resume" onChange={handleChange}/>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>
              Enter your Cover Letter:-
            </strong>
            <input type="file" name="letter" onChange={handleChange}/>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>
              Enter your Current Address:-
            </strong>
            <textarea name="current" onChange={handleChange}/>
          </div>
```

```jsx
          <div className='col-lg-6 col-sm-12'>
            <strong>
              Enter your Parmanent Address:-
            </strong>
            <textarea  name="permanent" onChange={handleChange}/>
          </div>
        </div>
        <button className='col-4 text-center'
onClick={takeinternshipvalue}>Submit</button>

      </div>
      )}
      <div className="row d-flex  mx-5 my-5">
        <h1 className='internship-heading'> Opening Job</h1>
        <div className='box'>
        <div className="col-md-6  ">
        <strong><strong><b>Title:</b></strong>{localStorage.getItem('jobname')
}</strong><br></br>
          <strong><strong><b>Skill:</b></strong>J{localStorage.getItem('jobema
il')}</strong><br></br>
          <strong><strong><b>Location:</b></strong>{localStorage.getItem('jobm
essage')}</strong><br></br>
          <strong><strong><b>Salary:</b></strong>{localStorage.getItem('jobsal
ary')}</strong>
          <div className="d-grid gap-2 col-6">
            <a className="viewmore-button btn-white bg-white" href="#">View
more</a>
            <button onClick={togglejobform} className='apply-button-
form'>Apply</button>
          </div>
          </div>
        </div>
        <div className='box'>
        <div >
        <strong><strong><b>Title:</b></strong>Salesforce Development
Internship</strong><br></br>
        <div className='d-flex'>
          <strong className='col-lg-6 col-md-12 col-sm-
12'><strong><b>Skill:</b></strong>Javascript , Typescript , Html ,Css
,Bootstrap</strong><br></br>
          <strong className='col-lg-6 col-md-12 col-sm-12 '><strong><b>Start
Date:</b></strong>Javascript , Typescript , Html ,Css
,Bootstrap</strong><br></br>
          </div>
          <div className='d-flex'>
          <strong className='col-6'><strong><b>Location:</b></strong>India
</strong><br></br>
```

```
            <strong className='col-6 '><strong><b>End
Date:</b></strong>Javascript , Typescript , Html ,Css
,Bootstrap</strong><br></br>
            </div>
            <strong><strong><b>Salary:</b></strong>Performance Based</strong>
            <div className="d-grid gap-2 col-6">
              <a className="viewmore-button btn-white bg-white" href="#">View
more</a>
              <button onClick={toggleapplicationform} className='apply-button-
form'>Apply</button>
            </div>
            </div>
          </div>
        </div>
        {isjobform && (
        <div className='job-application-form'>
            <h1 className='headinginternship'>Job Application form</h1><hr></hr>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Name:-
              </strong>
              <input type="text" name="jfullname" onChange={handleChangejob}/>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Email Id:-
              </strong>
              <input type="email" name="jemailid" onChange={handleChangejob} />
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Phone:-
              </strong>
              <input type="Phone" name="jphone" onChange={handleChangejob} />
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Collage:-
              </strong>
              <input type="text" name="jcollege" onChange={handleChangejob}  />
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>
```

```
        Enter your Cource:-
      </strong>
      <input type="text" name="jcource" onChange={handleChangejob}/>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>
        Enter your Field:-
      </strong>
      <input type="text" name="jfield" onChange={handleChangejob}/>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>
        Enter your Role:-
      </strong>
      <input type="text" name="jrole" onChange={handleChangejob} />
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>
        Enter your Year:-
      </strong>
      <input type="text" name="jyear" onChange={handleChangejob} />
    </div>
  </div>


  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>
        Enter your state:-
      </strong>
      <input type="text" name="jstate" onChange={handleChangejob} />
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>
        Enter your District:-
      </strong>
      <input type="text" name="jdistrict" onChange={handleChangejob} />
    </div>
  </div>

  <h1 className='headinginternship'>Experience</h1><hr></hr>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>
        How many year of experience:-
      </strong>
```

```jsx
                    <input type="Phone" name="jexperience"
onChange={handleChangejob}/>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Role:-
              </strong>
              <input type="text" name="jerole" onChange={handleChangejob} />
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Company Name:-
              </strong>
              <input type="Phone" name="jcompany"  onChange={handleChangejob}/>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Job Location:-
              </strong>
              <input type="text" name="jlocation" onChange={handleChangejob} />
            </div>
          </div>
          <div className='row d-flex p-4'>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Resume:-
              </strong>
              <input type="file" name="jresume" onChange={handleChangejob} />
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Cover Letter:-
              </strong>
              <input type="file" name="jletter" onChange={handleChangejob}/>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Current Address:-
              </strong>
              <textarea name="jcurrent" onChange={handleChangejob}/>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>
                Enter your Parmanent Address:-
```

```jsx
                    </strong>
                    <textarea  name="jparmanent" onChange={handleChangejob}/>
                  </div>
                </div>
                <button onClick={handlejobdata}>submit</button>
              </div>
              )}

              {/* //registation data */}
              <div className="registration-data">
              <h2>Registration Data</h2>
              {registrationDataList.length > 0 ? (
                <table>
                  <thead>
                    <tr>
                      <th>Fullname</th>
                      <th>Email</th>
                      <th>Message</th>
                    </tr>
                  </thead>
                  <tbody>
                    {registrationDataList.map(item => (
                      <tr key={item.key}>
                        <td>{item.data.Fullname}</td>
                        <td>{item.data.email}</td>
                        <td>{item.data.message}</td>
                      </tr>
                    ))}
                  </tbody>
                </table>
              ) : (
                <p>No registration data found.</p>
              )}
            </div>

          </div>
      );
    };
  };

export default Home;
```

Navbar section:-

```jsx
import React, {useState} from 'react';
import'./App.css';
import { Link } from 'react-router-dom'
```

```tsx
// export interface adminlogin
// {
//   adminusername:any;
//   adminpassword:any;

// }


const Navbar: React.FC = () => {
  const [isOpen, setIsOpen] = useState(false);
  const toggleloginadmin = () => {
    setIsEditFormVisible(prevState => !prevState);
  }
  const [isEditFormVisible, setIsEditFormVisible] = useState<boolean>(false);

  const toggleMenu = () => {
    setIsOpen(isOpen=>!isOpen);
  }
  const logout=()=>{
    localStorage.removeItem("signUp")
    window.location.reload()
}
// const deleteAccount=()=>{
//     localStorage.clear()
//     window.location.reload()
// }
const [isnavbarFormVisible, setisnavbarFormVisible] = useState(false);
  const [adminusername, setUsername] = useState('');
  const [adminpassword, setPassword] = useState('');
  const [error, setError] = useState('');

  const showdata = () => {
    if (adminusername === '8877742073' && adminpassword === 'kss@123') {
      setisnavbarFormVisible(true);
      setError('');
      alert("Login Successfully");
    } else {
      setError('Incorrect Username or Password');
    }
  };
  const showdatauser=()=>
    {
      setisnavbarFormVisible(prevState => !prevState);
    }
  return (
    <div className="navabrmaindiv">
    <nav className="navbar">
      <Link className='menu' to="">Contact Form</Link>
      <div className="hamburger" onClick={toggleMenu}>
```

```jsx
                ☰
            </div>
            <div className={`menu ${isOpen ? 'open' : ''}`}>
                {/* <Link className='menu' to="/home">Home</Link>

                    <Link className='menu' to="/about">About</Link>
                    <Link className='menu' to="/contact">Contact</Link> */}
                    <button className='login' onClick={toggleloginadmin}>Login</button>
                    <button onClick={logout} className="logout">LogOut</button>
                     {/* <button onClick={deleteAccount}
className="delete">Delete</button> */}
                </div>
            </nav>
            <div className="columnavbaritem">

            <Link className='link' to="/home">Home</Link>
                <Link className='link' to="/about">About</Link>
                <Link className='link' to="/contact">Contact</Link>
                <Link className='link' to="/arives">Feedback</Link>

                {isnavbarFormVisible && (
                  <div className='hrlogin-navbar'>
                    <strong>Inter Application</strong>
                    <Link className='link' to="/home">Home</Link>
                    <Link className='link' to="/about">About</Link>
                <Link className='link' to="/Dashbord">Dashbord</Link>
                <Link className='link' to="/Registationform">Create Jobs</Link>
                <Link className='link' to="/aboutus">Login Data</Link>
                <Link className='link' to="/a">Job Application</Link>
                <Link className='link' to="/Contactus">Contact Detail</Link>
                <Link className='link' to="/RegistationDatads">Internship
Application</Link>
                <button onClick={showdatauser}>LogOut</button>
                </div>
                )}


        </div>
        {isEditFormVisible && (
    <div className='admimform'>
    <button className='editcross-button col-1'
onClick={toggleloginadmin}>X</button>
    <h1 className='text-center'>Admin Login</h1><hr></hr>
    <strong>Username</strong>
    <input
      type='text'
      value={adminusername}
      onChange={(e) => setUsername(e.target.value)}
```

```
    />
    <strong>Password</strong>
    <input
      type='password'
      value={adminpassword}
      onChange={(e) => setPassword(e.target.value)}
    />
    <button onClick={showdata} className='admin-login'>Submit</button>
    {error && <p style={{ color: 'red' }}>{error}</p>}
  </div>
      )}


    </div>
  );
};


export default Navbar;
```

About page:-

```
import React from 'react';
// import myImage from '../image/aboutUsImage.jpg';

const About: React.FC = () => {
  return (
    <div className='about'>
        <img
src="https://t3.ftcdn.net/jpg/01/28/44/76/240_F_128447604_6deYSrg6bgH2F3YaoU0i
cdhvxNu4ReDN.jpg" alt="Logo" className='img-flud' id="aboutusimage"/>
      <h1>About Me</h1>
      <p>I am raushan kumar
        student of LND College BCA final semester. Recedently my 5th semester
exam has been completed. I have completed
        10th and 12th from shri mahiveer +2 high school pipra , east
champaran. I belong to East champaran , bihar.
        Currently I live at agarwa in Motihari
        . I have created online job serching website in learning period of
BCA. the perpus of this webste is anyone can
        compain in any query. I have used three different programming language
like HTML , CSS and JavaScript used HTML
        for bast structure of the webste and used CSS for bast design of the
webste like this any people are open the
        website and websute are see different color and stylest of the website
and used javascript to working of the
```

```
        website like any people are click the button how will open the next
page of the website and will open different
        structure.Finally website are work.Currently , I have paeticipated
second version of CYBERANYA organiged by
        depaetment of bachelor of computer application(BCA) of LND college.
many competiton has been organised by
        CYBERNAYA. I have participated in three different competiton like
software development( Name of competiton is
        HACKATHON competition) , PPT competition and Business idea. I have
participated in HACKATHON competition, In
        this event , I have created job searching website in python language.
The perpus of this website is anyone can
        search job in any city by this website while sitting at home in any
field.And second competition is PPT
        presentation, I have participated in PPt presentation competition . In
this event i,I have make a project of
        ANDROID SCAM and last competition of Business idea ,I have
paeticipated in this event and make a project of
        labour management system. It felt great to participated in CYBERANYA
as it was biggest technical fest of east
        champaran. My strangths are good communication skill , positive
thinking , problem solving skill and analystics
        skill. In short time my goal is Fullstack web development and in large
time my goal is Sinear software
        Developer.</p>
    </div>
  );
};

export default About;
```

Contact data section:-

```
import React, { useState } from 'react';

interface ContactForm {
  cname: string;
  cemail: string;
  cmessage: string;
}

const ContactUs: React.FC = () => {
  const [contactForm, setContactForm] = useState<ContactForm>({
    cname: '',
    cemail: '',
    cmessage: '',
  });
```

```tsx
  const handleChange = (e: React.ChangeEvent<HTMLInputElement |
HTMLTextAreaElement>) => {
    const { name, value } = e.target;
    setContactForm({
      ...contactForm,
      [name]: value,
    });
  };

  const submit = (e: React.FormEvent) => {
    e.preventDefault(); // Prevent the default form submission behavior

    // Save each field individually to local storage
    localStorage.setItem('cname', contactForm.cname);
    localStorage.setItem('cemail', contactForm.cemail);
    localStorage.setItem('cmessage', contactForm.cmessage);

    alert('Your response has been submitted successfully! Please wait while
the admin checks.');
  };

  return (
    <div className='contactform'>
      <form className='contact' onSubmit={submit}>
        <h1 className='contact-heading'>Contact List</h1>
        <label>Name:</label>
        <input type="text" name="cname" value={contactForm.cname}
onChange={handleChange} />

        <label>Email:</label>
        <input type="text" name="cemail" value={contactForm.cemail}
onChange={handleChange} />

        <label>Message:</label>
        <textarea name="cmessage" value={contactForm.cmessage}
onChange={handleChange} />

        <button type="submit" className='contactsubmitbutton col-
4'>Submit</button>
      </form>
    </div>
  );
};

export default ContactUs;
```

Internship Application Data:-

```tsx
import React, { useEffect, useState } from 'react';

const RegistrationData: React.FC = () => {
  const [isEditFormVisible, setIsEditFormVisible] = useState<boolean>(false);
  const [isFormVisible, setIsFormVisible] = useState<boolean>(false);
  const [isseeFormVisible, setIsseeFormVisible] = useState<boolean>(false);
  const toggleEditForm = () => {
    setIsEditFormVisible(prevState => !prevState);
  }
  const submitForm = () => {
    setIsFormVisible(prevState => !prevState);
  }
  const submitFormbutton = () => {
    setIsseeFormVisible(prevState => !prevState);
  }
  const resume = localStorage.getItem('fullname');
  const today = new Date();
  const formattedDate = today.toDateString();

  return (
    <div className="interndata">
      <div className='datalistintern'>
        <strong>Date</strong>
        <strong><b>Name</b></strong>
        <strong><b>Email</b></strong>
        <strong><b>Action</b></strong>
      </div>
      <div className='datalistjobpage'>
        <p>{formattedDate}</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
        <strong><button onClick={toggleEditForm} className='view-job-
applcation-detail'>view</button></strong>
      </div>
      {isEditFormVisible && (
        <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>FullName : {localStorage.getItem('fullname')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong> Email id : {localStorage.getItem('Emailid')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
```

```jsx
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Year : {localStorage.getItem('year')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Semester : {localStorage.getItem('semester')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('state')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('district')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('current')}
</strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
        </div>
      </div>
```

```jsx
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
          {/* <img src={resume} alt="Logo" className='img-flud'
id="aboutusimage"/> */}
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>{formattedDate}</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
        <strong><button onClick={submitFormbutton} className='view-job-
applcation-detail'>view</button></strong>
        </div>
        {isseeFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
```

```jsx
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
```

```jsx
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('resume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter :{localStorage.getItem('letter')}</strong>
        </div>
      </div>
      <div className='status'>
      <div className='row d-flex'>

        <h1>Status</h1><hr></hr>
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="select"/>Select
        </div>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Reject
        </div>
      </div>
      </div>
      </div>
      )}
    <div className='datalistjobpage'>
      <p>Tue Jun 11 2024</p>
    <strong>Abhishek kumar</strong>
    <strong>kumarabhishek@gmail.com</strong>
    <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
    </div>
    {isFormVisible && (
    <div className='viewalldata'>
        <h1 className='text-center'>Candidate Detail</h1><hr></hr>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>FullName : {localStorage.getItem('fullname')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong> Email id : {localStorage.getItem('Emailid')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Phone : {localStorage.getItem('Phone')} </strong>
      </div>
```

```jsx
            <div className='col-lg-6 col-sm-12'>
              <strong>College : {localStorage.getItem('college')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Course : {localStorage.getItem('course')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Skill : {localStorage.getItem('skill')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Field : {localStorage.getItem('field')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Role : {localStorage.getItem('role')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Year : {localStorage.getItem('year')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Semester : {localStorage.getItem('semester')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>State : {localStorage.getItem('state')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>District : {localStorage.getItem('district')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Current Address : {localStorage.getItem('current')}
</strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
```

```jsx
          <strong>Resume : {localStorage.getItem('resume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter :{localStorage.getItem('letter')}</strong>
        </div>
      </div>
      <div className='status'>
      <div className='row d-flex'>

        <h1>Status</h1><hr></hr>
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="select"/>Select
        </div>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Reject
        </div>
      </div>
      </div>
      </div>
      )}
      <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong>Abhishek kumar</strong>
      <strong>kumarabhishek@gmail.com</strong>
      <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : Abhishek kumar </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : kumarabhishek@gmail.com</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
```

```
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Year : {localStorage.getItem('year')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Semester : {localStorage.getItem('semester')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('state')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('district')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('current')}
</strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('resume')} </strong>
        </div>
```

```
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>Abhishek kumar</strong>
        <strong>kumarabhishek@gmail.com</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : Abhishek kumar </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : kumarabhishek@gmail.com</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
```

```jsx
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Course : {localStorage.getItem('course')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Skill : {localStorage.getItem('skill')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Field : {localStorage.getItem('field')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Role : {localStorage.getItem('role')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Year : {localStorage.getItem('year')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Semester : {localStorage.getItem('semester')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>State : {localStorage.getItem('state')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>District : {localStorage.getItem('district')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Current Address : {localStorage.getItem('current')}
</strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Resume : {localStorage.getItem('resume')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Letter :{localStorage.getItem('letter')}</strong>
```

```
            </div>
          </div>
          <div className='status'>
          <div className='row d-flex'>


            <h1>Status</h1><hr></hr>
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
            <div className='col-lg-4 col-sm-12'>
              <input type='checkbox' name="select"/>Select
            </div>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Reject
            </div>
          </div>
          </div>
          </div>
          )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>Abhishek kumar</strong>
        <strong>kumarabhishek@gmail.com</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : kumarabhishek@gmail.com</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
```

```jsx
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Year : {localStorage.getItem('year')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Semester : {localStorage.getItem('semester')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('state')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('district')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('current')}
</strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('resume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter :{localStorage.getItem('letter')}</strong>
        </div>
      </div>
```

```jsx
      <div className='status'>
      <div className='row d-flex'>

        <h1>Status</h1><hr></hr>
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="select"/>Select
        </div>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Reject
        </div>
      </div>
      </div>
      </div>
      )}
      <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong>{localStorage.getItem('fullname')}</strong>
      <strong>kumarabhishek@gmail.com</strong>
       <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : {localStorage.getItem('fullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : {localStorage.getItem('Emailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
```

```jsx
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>
```

```jsx
            <h1>Status</h1><hr></hr>
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
            <div className='col-lg-4 col-sm-12'>
              <input type='checkbox' name="select"/>Select
            </div>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Reject
            </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
```

```jsx
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Field : {localStorage.getItem('field')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Role : {localStorage.getItem('role')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Year : {localStorage.getItem('year')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Semester : {localStorage.getItem('semester')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>State : {localStorage.getItem('state')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>District : {localStorage.getItem('district')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Current Address : {localStorage.getItem('current')}
</strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Resume : {localStorage.getItem('resume')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Letter :{localStorage.getItem('letter')}</strong>
            </div>
          </div>
          <div className='status'>
          <div className='row d-flex'>

            <h1>Status</h1><hr></hr>
```

```jsx
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
      </div>
      </div>
      </div>
      )}
      <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong>{localStorage.getItem('fullname')}</strong>
      <strong>{localStorage.getItem('Emailid')}</strong>
       <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : {localStorage.getItem('fullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : {localStorage.getItem('Emailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
```

```jsx
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Field : {localStorage.getItem('field')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Role : {localStorage.getItem('role')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Year : {localStorage.getItem('year')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Semester : {localStorage.getItem('semester')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>State : {localStorage.getItem('state')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>District : {localStorage.getItem('district')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Current Address : {localStorage.getItem('current')}
</strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Resume : {localStorage.getItem('resume')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Letter :{localStorage.getItem('letter')}</strong>
  </div>
</div>
<div className='status'>
<div className='row d-flex'>

  <h1>Status</h1><hr></hr>
  <p>Match to job description</p>
  <div className='col-lg-4 col-sm-12'>
```

```jsx
          <input type='checkbox' name="Reject"/>Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="select"/>Select
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
        </div>
      </div>
    </div>
  </div>
  )}
    <div className='datalistjobpage'>
      <p>Tue Jun 11 2024</p>
  <strong>{localStorage.getItem('fullname')}</strong>
  <strong>{localStorage.getItem('Emailid')}</strong>
   <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
    </div>
    {isFormVisible && (
    <div className='viewalldata'>
        <h1 className='text-center'>Candidate Detail</h1><hr></hr>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>FullName : {localStorage.getItem('fullname')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong> Email id : {localStorage.getItem('Emailid')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Phone : {localStorage.getItem('Phone')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>College : {localStorage.getItem('college')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Course : {localStorage.getItem('course')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Skill : {localStorage.getItem('skill')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
```

```
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
```

```jsx
            <div className='col-lg-4 col-sm-12'>
              <input type='checkbox' name="select"/>Select
            </div>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Reject
            </div>
          </div>
        </div>
      </div>
      )}
      <div className='datalistjobpage'>
         <p>Tue Jun 11 2024</p>
      <strong>{localStorage.getItem('fullname')}</strong>
      <strong>{localStorage.getItem('Emailid')}</strong>
       <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : {localStorage.getItem('fullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : {localStorage.getItem('Emailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
```

```jsx
            <div className='col-lg-6 col-sm-12'>
              <strong>Role : {localStorage.getItem('role')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Year : {localStorage.getItem('year')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Semester : {localStorage.getItem('semester')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>State : {localStorage.getItem('state')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>District : {localStorage.getItem('district')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Current Address : {localStorage.getItem('current')}
</strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Resume : {localStorage.getItem('resume')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Letter :{localStorage.getItem('letter')}</strong>
            </div>
          </div>
          <div className='status'>
          <div className='row d-flex'>

            <h1>Status</h1><hr></hr>
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
            <div className='col-lg-4 col-sm-12'>
              <input type='checkbox' name="select"/>Select
```

```
        </div>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Reject
        </div>
      </div>
      </div>
      </div>
      )}
      <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong>{localStorage.getItem('fullname')}</strong>
      <strong>{localStorage.getItem('Emailid')}</strong>
       <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : {localStorage.getItem('fullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : {localStorage.getItem('Emailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
```

```jsx
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
```

```jsx
      <input type='checkbox' name="Reject"/>Reject
    </div>
  </div>
  </div>
  </div>
  )}
  <div className='datalistjobpage'>
    <p>Tue Jun 11 2024</p>
  <strong>{localStorage.getItem('fullname')}</strong>
  <strong>{localStorage.getItem('Emailid')}</strong>
   <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
  </div>
  {isFormVisible && (
  <div className='viewalldata'>
      <h1 className='text-center'>Candidate Detail</h1><hr></hr>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>FullName : {localStorage.getItem('fullname')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong> Email id : {localStorage.getItem('Emailid')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Phone : {localStorage.getItem('Phone')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>College : {localStorage.getItem('college')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Course : {localStorage.getItem('course')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Skill : {localStorage.getItem('skill')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Field : {localStorage.getItem('field')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Role : {localStorage.getItem('role')}</strong>
    </div>
  </div>
```

```
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Year : {localStorage.getItem('year')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Semester : {localStorage.getItem('semester')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>State : {localStorage.getItem('state')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>District : {localStorage.getItem('district')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Current Address : {localStorage.getItem('current')}
</strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Resume : {localStorage.getItem('resume')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Letter :{localStorage.getItem('letter')}</strong>
  </div>
</div>
<div className='status'>
<div className='row d-flex'>

  <h1>Status</h1><hr></hr>
  <p>Match to job description</p>
  <div className='col-lg-4 col-sm-12'>
  <input type='checkbox' name="Reject"/>Inprocess
  </div>
  <div className='col-lg-4 col-sm-12'>
    <input type='checkbox' name="select"/>Select
  </div>
  <div className='col-lg-4 col-sm-12'>
  <input type='checkbox' name="Reject"/>Reject
  </div>
```

```jsx
                </div>
            </div>
        </div>
        )}
        <div className='datalistjobpage'>
            <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>FullName : {localStorage.getItem('fullname')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong> Email id : {localStorage.getItem('Emailid')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Phone : {localStorage.getItem('Phone')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>College : {localStorage.getItem('college')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Course : {localStorage.getItem('course')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Skill : {localStorage.getItem('skill')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Field : {localStorage.getItem('field')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Role : {localStorage.getItem('role')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
```

```jsx
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
```

```jsx
        </div>
      )}
      <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong>{localStorage.getItem('fullname')}</strong>
      <strong>{localStorage.getItem('Emailid')}</strong>
       <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : {localStorage.getItem('fullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : {localStorage.getItem('Emailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Year : {localStorage.getItem('year')} </strong>
        </div>
```

```jsx
            <div className='col-lg-6 col-sm-12'>
              <strong>Semester : {localStorage.getItem('semester')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>State : {localStorage.getItem('state')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>District : {localStorage.getItem('district')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Current Address : {localStorage.getItem('current')}
</strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Resume : {localStorage.getItem('resume')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Letter :{localStorage.getItem('letter')}</strong>
            </div>
          </div>
          <div className='status'>
          <div className='row d-flex'>

            <h1>Status</h1><hr></hr>
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
            <div className='col-lg-4 col-sm-12'>
              <input type='checkbox' name="select"/>Select
            </div>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Reject
            </div>
          </div>
          </div>
          </div>
        )}
```

```jsx
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
```

```
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('state')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('district')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('current')}
</strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('resume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter :{localStorage.getItem('letter')}</strong>
        </div>
      </div>
      <div className='status'>
      <div className='row d-flex'>

        <h1>Status</h1><hr></hr>
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="select"/>Select
        </div>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Reject
        </div>
      </div>
      </div>
      </div>
      )}
      <div className='datalistjobpage'>
        <p>{formattedDate}</p>
```

```
            <strong>{localStorage.getItem('fullname')}</strong>
            <strong>{localStorage.getItem('Emailid')}</strong>
             <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
```

```jsx
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
        </div>
        )}
    </div>
  );
};
```

```
export default RegistrationData;
```

Job Application Data code:-

import React, { useEffect, useState } from 'react';

import emailjs from 'emailjs-com';

const RegistrationData: React.FC = () => {

 const [IsEditFormVisible, setIsEditFormVisible] = useState<boolean>(false);

 const [isEditVisible, setIsEditVisible] = useState<boolean>(false);

 const toggleEditForm = () => {

  setIsEditFormVisible(prevState => !prevState);

 }

 const toggleForm = () => {

  setIsEditVisible(prevState => !prevState);

 }

 const [status, setStatus] = useState('');

 const handleChange = (e: React.ChangeEvent<HTMLInputElement>) => {

  setStatus(e.target.value);

  localStorage.setItem("status",e.target.value);

  const selectedStatus = e.target.value;

  setStatus(selectedStatus);

  if (selectedStatus === 'Status:-Selected') {

   sendEmail();

  }

 };

 // const handleChange = (event) => {

 //   const selectedStatus = event.target.value;

 //   setStatus(selectedStatus);

 //   if (selectedStatus === 'Status:-Selected') {

```jsx
//    sendEmail();
//  }
// };
const sendEmail = () => {
  const email = localStorage.getItem('jemailid');
  const fullName = localStorage.getItem('jfullname');


  const templateParams = {
    to_name: fullName,
    to_email: email,
    message: 'Congratulations! You have been selected.',
    // Add other necessary params here
  };
  emailjs.send('your_service_id', 'your_template_id', templateParams, 'your_user_id')
  .then((response) => {
    console.log('Email sent successfully!', response.status, response.text);
  })
  .catch((err) => {
    console.error('Failed to send email. Error:', err);
  });
};


//date section
  const today = new Date();
  const formattedDate = today.toDateString();


  return (
    <div className="interndata">
      <div className='datalistintern'>
        <strong>Date</strong>
        <strong><b>Name</b></strong>
```

```
<strong><b>Email</b></strong>

<strong><b>Action</b></strong>

</div>

<div className='datalistjobpage'>

  <p>{formattedDate}</p>

<strong> {localStorage.getItem('jfullname')}</strong>

<strong> {localStorage.getItem('jemailid')}</strong>

<strong><button onClick={toggleEditForm} className='view-job-applcation-
detail'>view</button></strong>

</div>

{IsEditFormVisible && (

<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

    <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>
```

```jsx
        <div className='col-lg-6 col-sm-12'>

          <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>year : {localStorage.getItem('jyear')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>State : {localStorage.getItem('jstate')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>District : {localStorage.getItem('jdistrict')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Experience : {localStorage.getItem('jexperience')}</strong>

        </div>

      </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>

</div>

<div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input
```

```jsx
              type='radio'

              name='status'

              value='Status:-Inprocess'

              checked={status === 'Status:-Inprocess'}

              onChange={handleChange}

          /> Inprocess

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

              type='radio'

              name='status'

              value='Status:-Selected'

              checked={status === 'Status:-Selected'}

              onChange={handleChange}

          /> Select

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

              type='radio'

              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

          /> Reject

        </div>

      </div>

    </div>

        </div>


        )}

        <div className='datalistjobpage'>
```

```jsx
      <p>{formattedDate}</p>

      <strong> Raushan Kumar</strong>

      <strong> kumarraushan91628@gmail.com</strong>

      <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>
```

```
            <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

    </div>

    <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

            <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

            <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

    </div>

    <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

            <strong>year : {localStorage.getItem('jyear')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

            <strong>State : {localStorage.getItem('jstate')}</strong>

        </div>

    </div>

    <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

            <strong>District : {localStorage.getItem('jdistrict')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

            <strong>Experience : {localStorage.getItem('jexperience')}</strong>

        </div>

    </div>

    <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

            <strong>Company : {localStorage.getItem('jcompany')} </strong>

        </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}
```

```jsx
          onChange={handleChange}

        /> Inprocess

      </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Rejected'

        checked={status === 'Status:-Rejected'}

        onChange={handleChange}

      /> Reject

    </div>

  </div>


</div>

    </div>

    )}

     <div className='datalistjobpage'>

      <p>{formattedDate}</p>

    <strong> Abhishek kumar</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>
```

```jsx
    <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :Abhishek kumar </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>
```

```jsx
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('jresume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter : {localStorage.getItem('jletter')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
        </div>
      </div>
      <div className='status'>
    <div className='row d-flex'>
     <h1>Status</h1>
     <hr />
     <p>Match to job description</p>
     <div className='col-lg-4 col-sm-12'>
       <input
         type='radio'
         name='status'
         value='Status:-Inprocess'
         checked={status === 'Status:-Inprocess'}
         onChange={handleChange}
       /> Inprocess
     </div>
```

```jsx
        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Selected'

            checked={status === 'Status:-Selected'}

            onChange={handleChange}

          /> Select

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>

    </div>

      </div>


    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> Abhishek kumar</strong>

    <strong> Abhishek656kumar@outlook.com</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (
```

```jsx
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Fullname :Abhishek kumar </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

       <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>District : {localStorage.getItem('jdistrict')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Experience : {localStorage.getItem('jexperience')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Company : {localStorage.getItem('jcompany')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Location : {localStorage.getItem('jlocation')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```jsx
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter : {localStorage.getItem('jletter')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
          </div>
        </div>
        <div className='status'>
      <div className='row d-flex'>
        <h1>Status</h1>
        <hr />
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
            value='Status:-Inprocess'
            checked={status === 'Status:-Inprocess'}
            onChange={handleChange}
          /> Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
```

```jsx
          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>


  </div>

    </div>

    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> Abhishek kumar</strong>

    <strong> abhishekkumar8778@gmail.com</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>
```

```
<div className='col-lg-6 col-sm-12'>

  <strong>Fullname :Abhishek kumar </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>Phone : {localStorage.getItem('jphone')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>College : {localStorage.getItem('jcollege')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>Cource : {localStorage.getItem('jcource')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>Field : {localStorage.getItem('jfield')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>Role : {localStorage.getItem('jrole')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>Job Role : {localStorage.getItem('jerole')}</strong>

</div>

</div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>
```

```jsx
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
          </div>
        </div>
        <div className='status'>
      <div className='row d-flex'>
        <h1>Status</h1>
        <hr />
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
            value='Status:-Inprocess'
            checked={status === 'Status:-Inprocess'}
            onChange={handleChange}
          /> Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
            value='Status:-Selected'
            checked={status === 'Status:-Selected'}
            onChange={handleChange}
          /> Select
```

```jsx
      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>

  </div>

    </div>


    )}

      <div className='datalistjobpage'>

       <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>
```

```
            <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

    </div>

    <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

            <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

            <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

    </div>

    <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

            <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

            <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

    </div>

    <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

            <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

            <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

    </div>

    <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

            <strong>year : {localStorage.getItem('jyear')} </strong>

        </div>
```

```
    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Company : {localStorage.getItem('jcompany')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Resume : {localStorage.getItem('jresume')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Letter : {localStorage.getItem('jletter')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```jsx
      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Inprocess'

      checked={status === 'Status:-Inprocess'}

      onChange={handleChange}

    /> Inprocess

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Selected'

      checked={status === 'Status:-Selected'}

      onChange={handleChange}

    /> Select

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'
```

```
              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

            /> Reject

          </div>

        </div>


      </div>

         </div>

         )}

          <div className='datalistjobpage'>

           <p>Tue Jun 11 2024</p>

          <strong> {localStorage.getItem('jfullname')}</strong>

          <strong> {localStorage.getItem('jemailid')}</strong>

           <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

          </div>

          {isEditVisible && (

          <div className='viewalldata'>

            <button onClick={toggleEditForm} className='editcross-button'>X</button>

            <h1 className='text-center'>Candidate Detail</h1><hr></hr>

          <div className='row d-flex'>

           <div className='col-lg-6 col-sm-12'>

            <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

           </div>

           <div className='col-lg-6 col-sm-12'>

            <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

           </div>

          </div>

          <div className='row d-flex'>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Role : {localStorage.getItem('jrole')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```jsx
      </div>
     <div className='status'>
    <div className='row d-flex'>
     <h1>Status</h1>
     <hr />
     <p>Match to job description</p>
     <div className='col-lg-4 col-sm-12'>
       <input
        type='radio'
        name='status'
        value='Status:-Inprocess'
        checked={status === 'Status:-Inprocess'}
        onChange={handleChange}
      /> Inprocess
     </div>
     <div className='col-lg-4 col-sm-12'>
       <input
        type='radio'
        name='status'
        value='Status:-Selected'
        checked={status === 'Status:-Selected'}
        onChange={handleChange}
      /> Select
     </div>
     <div className='col-lg-4 col-sm-12'>
       <input
        type='radio'
        name='status'
        value='Status:-Rejected'
        checked={status === 'Status:-Rejected'}
        onChange={handleChange}
```

```jsx
                    /> Reject

                </div>

            </div>

        </div>


        )}
        <div className='datalistjobpage'>

          <p>Tue Jun 11 2024</p>

        <strong> {localStorage.getItem('jfullname')}</strong>

        <strong> {localStorage.getItem('jemailid')}</strong>

          <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

        </div>

        {isEditVisible && (

        <div className='viewalldata'>

          <button onClick={toggleEditForm} className='editcross-button'>X</button>

            <h1 className='text-center'>Candidate Detail</h1><hr></hr>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

            <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

          </div>

        </div>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Phone : {localStorage.getItem('jphone')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>
```

```
      <strong>College : {localStorage.getItem('jcollege')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>
```

```jsx
        <div className='col-lg-6 col-sm-12'>

          <strong>Experience : {localStorage.getItem('jexperience')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Company : {localStorage.getItem('jcompany')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Location : {localStorage.getItem('jlocation')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Resume : {localStorage.getItem('jresume')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Letter : {localStorage.getItem('jletter')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

        </div>

      </div>

      <div className='status'>

    <div className='row d-flex'>

      <h1>Status</h1>
```

```jsx
<hr />
<p>Match to job description</p>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Inprocess'
    checked={status === 'Status:-Inprocess'}
    onChange={handleChange}
  /> Inprocess
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Selected'
    checked={status === 'Status:-Selected'}
    onChange={handleChange}
  /> Select
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Rejected'
    checked={status === 'Status:-Rejected'}
    onChange={handleChange}
  /> Reject
</div>
</div>
```

```jsx
        </div>

      </div>

      )}

      <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

        <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

      </div>

      <div className='row d-flex'>
```

```
      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Role : {localStorage.getItem('jrole')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>District : {localStorage.getItem('jdistrict')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>
```

```jsx
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Company : {localStorage.getItem('jcompany')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Location : {localStorage.getItem('jlocation')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Resume : {localStorage.getItem('jresume')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Letter : {localStorage.getItem('jletter')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
  </div>
</div>
<div className='status'>
<div className='row d-flex'>
  <h1>Status</h1>
  <hr />
  <p>Match to job description</p>
  <div className='col-lg-4 col-sm-12'>
    <input
```

```
      type='radio'

      name='status'

      value='Status:-Inprocess'

      checked={status === 'Status:-Inprocess'}

      onChange={handleChange}

    /> Inprocess

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Selected'

      checked={status === 'Status:-Selected'}

      onChange={handleChange}

    /> Select

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Rejected'

      checked={status === 'Status:-Rejected'}

      onChange={handleChange}

    /> Reject

  </div>

 </div>

</div>

  </div>


  )}

  <div className='datalistjobpage'>
```

```
<p>Tue Jun 11 2024</p>

<strong> {localStorage.getItem('jfullname')}</strong>

<strong> {localStorage.getItem('jemailid')}</strong>

 <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

</div>

{isEditVisible && (

<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>
```

```jsx
              <strong>Field : {localStorage.getItem('jfield')}</strong>
          </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('jrole')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Job Role : {localStorage.getItem('jerole')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>year : {localStorage.getItem('jyear')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('jstate')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('jdistrict')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Experience : {localStorage.getItem('jexperience')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Company : {localStorage.getItem('jcompany')} </strong>
        </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}
```

```jsx
          onChange={handleChange}

        /> Inprocess

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>


  </div>

    </div>

    )}

      <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>
```

```
    <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

     </div>

    </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>
```

```jsx
      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Resume : {localStorage.getItem('jresume')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Letter : {localStorage.getItem('jletter')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

        </div>

      </div>

      <div className='status'>

    <div className='row d-flex'>

     <h1>Status</h1>

     <hr />

     <p>Match to job description</p>

     <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Inprocess'

          checked={status === 'Status:-Inprocess'}

          onChange={handleChange}

        /> Inprocess

      </div>
```

```jsx
                <div className='col-lg-4 col-sm-12'>

                  <input

                    type='radio'

                    name='status'

                    value='Status:-Selected'

                    checked={status === 'Status:-Selected'}

                    onChange={handleChange}

                  /> Select

                </div>

                <div className='col-lg-4 col-sm-12'>

                  <input

                    type='radio'

                    name='status'

                    value='Status:-Rejected'

                    checked={status === 'Status:-Rejected'}

                    onChange={handleChange}

                  /> Reject

                </div>

              </div>

            </div>

                </div>


            )}

              <div className='datalistjobpage'>

                <p>Tue Jun 11 2024</p>

              <strong> {localStorage.getItem('jfullname')}</strong>

              <strong> {localStorage.getItem('jemailid')}</strong>

                <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

              </div>

            {isEditVisible && (
```

```
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>
```

```
      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>District : {localStorage.getItem('jdistrict')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Company : {localStorage.getItem('jcompany')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```jsx
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter : {localStorage.getItem('jletter')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
        </div>
      </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
```

```
          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>


  </div>

    </div>

    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>
```

```jsx
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
        </div>
      </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
```

```
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
            value='Status:-Rejected'
            checked={status === 'Status:-Rejected'}
            onChange={handleChange}
          /> Reject
        </div>
      </div>
    </div>
      </div>


      )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong> {localStorage.getItem('jfullname')}</strong>
        <strong> {localStorage.getItem('jemailid')}</strong>
          <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isEditVisible && (
        <div className='viewalldata'>
          <button onClick={toggleEditForm} className='editcross-button'>X</button>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Fullname :{localStorage.getItem('jfullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
```

```jsx
      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>
```

```
      <div className='col-lg-6 col-sm-12'>

       <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

     </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

       <strong>District : {localStorage.getItem('jdistrict')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

       <strong>Experience : {localStorage.getItem('jexperience')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

       <strong>Company : {localStorage.getItem('jcompany')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

       <strong>Location : {localStorage.getItem('jlocation')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

       <strong>Resume : {localStorage.getItem('jresume')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

       <strong>Letter : {localStorage.getItem('jletter')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

       <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```jsx
      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'
```

```
          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>


    </div>

      </div>

      )}

      <div className='datalistjobpage'>

       <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

         <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

         <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>
```

```jsx
            <div className='col-lg-6 col-sm-12'>

              <strong>Phone : {localStorage.getItem('jphone')} </strong>

            </div>

            <div className='col-lg-6 col-sm-12'>

              <strong>College : {localStorage.getItem('jcollege')}</strong>

            </div>

          </div>

          <div className='row d-flex'>

            <div className='col-lg-6 col-sm-12'>

              <strong>Cource : {localStorage.getItem('jcource')} </strong>

            </div>

            <div className='col-lg-6 col-sm-12'>

              <strong>Field : {localStorage.getItem('jfield')}</strong>

            </div>

          </div>

          <div className='row d-flex'>

            <div className='col-lg-6 col-sm-12'>

              <strong>Role : {localStorage.getItem('jrole')} </strong>

            </div>

            <div className='col-lg-6 col-sm-12'>

              <strong>Job Role : {localStorage.getItem('jerole')}</strong>

            </div>

          </div>

          <div className='row d-flex'>

            <div className='col-lg-6 col-sm-12'>

              <strong>year : {localStorage.getItem('jyear')} </strong>

            </div>

            <div className='col-lg-6 col-sm-12'>

              <strong>State : {localStorage.getItem('jstate')}</strong>

            </div>

          </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```jsx
    </div>
  <div className='status'>
<div className='row d-flex'>
 <h1>Status</h1>
 <hr />
 <p>Match to job description</p>
 <div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Inprocess'
    checked={status === 'Status:-Inprocess'}
    onChange={handleChange}
  /> Inprocess
 </div>
 <div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Selected'
    checked={status === 'Status:-Selected'}
    onChange={handleChange}
  /> Select
 </div>
 <div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Rejected'
    checked={status === 'Status:-Rejected'}
    onChange={handleChange}
```

```jsx
        /> Reject

      </div>

    </div>

  </div>

    </div>


    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

       <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

       <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

       <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>
```

```
      <strong>College : {localStorage.getItem('jcollege')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>
```

```
          <div className='col-lg-6 col-sm-12'>

            <strong>Experience : {localStorage.getItem('jexperience')}</strong>

          </div>

        </div>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Company : {localStorage.getItem('jcompany')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

            <strong>Location : {localStorage.getItem('jlocation')}</strong>

          </div>

        </div>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Resume : {localStorage.getItem('jresume')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

            <strong>Letter : {localStorage.getItem('jletter')}</strong>

          </div>

        </div>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

            <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

          </div>

        </div>

        <div className='status'>

      <div className='row d-flex'>

        <h1>Status</h1>
```

```jsx
<hr />
<p>Match to job description</p>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Inprocess'
    checked={status === 'Status:-Inprocess'}
    onChange={handleChange}
  /> Inprocess
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Selected'
    checked={status === 'Status:-Selected'}
    onChange={handleChange}
  /> Select
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Rejected'
    checked={status === 'Status:-Rejected'}
    onChange={handleChange}
  /> Reject
</div>
</div>
```

```jsx
          </div>
        </div>
      )}
      <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong> {localStorage.getItem('jfullname')}</strong>
      <strong> {localStorage.getItem('jemailid')}</strong>
       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isEditVisible && (
      <div className='viewalldata'>
        <button onClick={toggleEditForm} className='editcross-button'>X</button>
         <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
         <strong>Fullname :{localStorage.getItem('jfullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
         <strong>Email Id :{localStorage.getItem('jemailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
         <strong>Phone : {localStorage.getItem('jphone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
         <strong>College : {localStorage.getItem('jcollege')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
```

```jsx
        <div className='col-lg-6 col-sm-12'>

          <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>year : {localStorage.getItem('jyear')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>State : {localStorage.getItem('jstate')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>District : {localStorage.getItem('jdistrict')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Experience : {localStorage.getItem('jexperience')}</strong>

        </div>

      </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>

</div>

<div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input
```

```jsx
              type='radio'

              name='status'

              value='Status:-Inprocess'

              checked={status === 'Status:-Inprocess'}

              onChange={handleChange}

            /> Inprocess

          </div>

          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Selected'

              checked={status === 'Status:-Selected'}

              onChange={handleChange}

            /> Select

          </div>

          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

            /> Reject

          </div>

        </div>

      </div>

        </div>


    )}

      <div className='datalistjobpage'>
```

```jsx
        <p>Tue Jun 11 2024</p>

        <strong> {localStorage.getItem('jfullname')}</strong>

        <strong> {localStorage.getItem('jemailid')}</strong>

         <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

        </div>

        {isEditVisible && (

        <div className='viewalldata'>

          <button onClick={toggleEditForm} className='editcross-button'>X</button>

          <h1 className='text-center'>Candidate Detail</h1><hr></hr>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

            <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

          </div>

        </div>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Phone : {localStorage.getItem('jphone')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

            <strong>College : {localStorage.getItem('jcollege')}</strong>

          </div>

        </div>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Cource : {localStorage.getItem('jcource')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>
```

```jsx
          <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>year : {localStorage.getItem('jyear')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>State : {localStorage.getItem('jstate')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>District : {localStorage.getItem('jdistrict')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Experience : {localStorage.getItem('jexperience')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Company : {localStorage.getItem('jcompany')} </strong>

        </div>
```

```
    <div className='col-lg-6 col-sm-12'>

      <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Resume : {localStorage.getItem('jresume')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Letter : {localStorage.getItem('jletter')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

    </div>

  </div>

  <div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Inprocess'

      checked={status === 'Status:-Inprocess'}
```

```jsx
          onChange={handleChange}

        /> Inprocess

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>


</div>

    </div>

    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>
```

```
        <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>
```

```jsx
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Resume : {localStorage.getItem('jresume')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Letter : {localStorage.getItem('jletter')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
            </div>
          </div>
          <div className='status'>
        <div className='row d-flex'>
          <h1>Status</h1>
          <hr />
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
            <input
              type='radio'
              name='status'
              value='Status:-Inprocess'
              checked={status === 'Status:-Inprocess'}
              onChange={handleChange}
            /> Inprocess
          </div>
```

```jsx
          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Selected'

              checked={status === 'Status:-Selected'}

              onChange={handleChange}

            /> Select

          </div>

          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

            /> Reject

          </div>

        </div>

      </div>

        </div>


      )}

       <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (
```

```jsx
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>District : {localStorage.getItem('jdistrict')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Company : {localStorage.getItem('jcompany')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```
      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'
```

```jsx
            value='Status:-Selected'

            checked={status === 'Status:-Selected'}

            onChange={handleChange}

          /> Select

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>


    </div>

      </div>

      )}

       <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Role : {localStorage.getItem('jrole')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>
```

```jsx
      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

        </div>

      </div>

      <div className='status'>

    <div className='row d-flex'>

      <h1>Status</h1>

      <hr />

      <p>Match to job description</p>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Inprocess'

          checked={status === 'Status:-Inprocess'}

          onChange={handleChange}

        /> Inprocess

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select
```

```jsx
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input
              type='radio'
              name='status'
              value='Status:-Rejected'
              checked={status === 'Status:-Rejected'}
              onChange={handleChange}
            /> Reject
          </div>
        </div>
      </div>
        </div>


        )}
          <div className='datalistjobpage'>
            <p>Tue Jun 11 2024</p>
          <strong> {localStorage.getItem('jfullname')}</strong>
          <strong> {localStorage.getItem('jemailid')}</strong>
            <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>
          </div>
          {isEditVisible && (
          <div className='viewalldata'>
            <button onClick={toggleEditForm} className='editcross-button'>X</button>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Fullname :{localStorage.getItem('jfullname')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
```

```jsx
          <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>year : {localStorage.getItem('jyear')} </strong>

        </div>
```

```
    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```jsx
      </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

    </div>

  </div>

  <div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Inprocess'

      checked={status === 'Status:-Inprocess'}

      onChange={handleChange}

    /> Inprocess

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Selected'

      checked={status === 'Status:-Selected'}

      onChange={handleChange}

    /> Select

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'
```

```
                name='status'

                value='Status:-Rejected'

                checked={status === 'Status:-Rejected'}

                onChange={handleChange}

              /> Reject

          </div>

        </div>


      </div>

          </div>

          )}

          <div className='datalistjobpage'>

           <p>Tue Jun 11 2024</p>

        <strong> {localStorage.getItem('jfullname')}</strong>

        <strong> {localStorage.getItem('jemailid')}</strong>

          <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

          </div>

          {isEditVisible && (

          <div className='viewalldata'>

            <button onClick={toggleEditForm} className='editcross-button'>X</button>

            <h1 className='text-center'>Candidate Detail</h1><hr></hr>

          <div className='row d-flex'>

            <div className='col-lg-6 col-sm-12'>

             <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

            </div>

            <div className='col-lg-6 col-sm-12'>

             <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

            </div>

          </div>

          <div className='row d-flex'>
```

```jsx
        <div className='col-lg-6 col-sm-12'>

          <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>year : {localStorage.getItem('jyear')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>State : {localStorage.getItem('jstate')}</strong>

        </div>

      </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```jsx
      </div>
    <div className='status'>
  <div className='row d-flex'>
   <h1>Status</h1>
   <hr />
   <p>Match to job description</p>
   <div className='col-lg-4 col-sm-12'>
     <input
       type='radio'
       name='status'
       value='Status:-Inprocess'
       checked={status === 'Status:-Inprocess'}
       onChange={handleChange}
     /> Inprocess
   </div>
   <div className='col-lg-4 col-sm-12'>
     <input
       type='radio'
       name='status'
       value='Status:-Selected'
       checked={status === 'Status:-Selected'}
       onChange={handleChange}
     /> Select
   </div>
   <div className='col-lg-4 col-sm-12'>
     <input
       type='radio'
       name='status'
       value='Status:-Rejected'
       checked={status === 'Status:-Rejected'}
       onChange={handleChange}
```

```jsx
                    /> Reject

                </div>

            </div>

        </div>


            )}

            <div className='datalistjobpage'>

                <p>Tue Jun 11 2024</p>

            <strong> {localStorage.getItem('jfullname')}</strong>

            <strong> {localStorage.getItem('jemailid')}</strong>

                <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

            </div>

            {isEditVisible && (

            <div className='viewalldata'>

                <button onClick={toggleEditForm} className='editcross-button'>X</button>

                <h1 className='text-center'>Candidate Detail</h1><hr></hr>

            <div className='row d-flex'>

                <div className='col-lg-6 col-sm-12'>

                    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

                </div>

                <div className='col-lg-6 col-sm-12'>

                    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

                </div>

            </div>

            <div className='row d-flex'>

                <div className='col-lg-6 col-sm-12'>

                    <strong>Phone : {localStorage.getItem('jphone')} </strong>

                </div>

                <div className='col-lg-6 col-sm-12'>
```

```jsx
        <strong>College : {localStorage.getItem('jcollege')}</strong>
      </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Cource : {localStorage.getItem('jcource')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Field : {localStorage.getItem('jfield')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Role : {localStorage.getItem('jrole')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Job Role : {localStorage.getItem('jerole')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>year : {localStorage.getItem('jyear')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>State : {localStorage.getItem('jstate')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>District : {localStorage.getItem('jdistrict')} </strong>
    </div>
```

```
  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>

</div>

<div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>
```

```jsx
<hr />
<p>Match to job description</p>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Inprocess'
    checked={status === 'Status:-Inprocess'}
    onChange={handleChange}
  /> Inprocess
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Selected'
    checked={status === 'Status:-Selected'}
    onChange={handleChange}
  /> Select
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Rejected'
    checked={status === 'Status:-Rejected'}
    onChange={handleChange}
  /> Reject
</div>
</div>
```

```jsx
        </div>

      </div>

      )}

    <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

      <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

      </div>

      <div className='row d-flex'>
```

```
      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Role : {localStorage.getItem('jrole')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>District : {localStorage.getItem('jdistrict')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>
```

```jsx
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Company : {localStorage.getItem('jcompany')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Location : {localStorage.getItem('jlocation')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Resume : {localStorage.getItem('jresume')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Letter : {localStorage.getItem('jletter')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
  </div>
</div>
<div className='status'>
<div className='row d-flex'>
  <h1>Status</h1>
  <hr />
  <p>Match to job description</p>
  <div className='col-lg-4 col-sm-12'>
    <input
```

```
      type='radio'

      name='status'

      value='Status:-Inprocess'

      checked={status === 'Status:-Inprocess'}

      onChange={handleChange}

    /> Inprocess

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Selected'

      checked={status === 'Status:-Selected'}

      onChange={handleChange}

    /> Select

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Rejected'

      checked={status === 'Status:-Rejected'}

      onChange={handleChange}

    /> Reject

  </div>

 </div>

</div>

  </div>


  )}

  <div className='datalistjobpage'>
```

```
<p>Tue Jun 11 2024</p>

<strong> {localStorage.getItem('jfullname')}</strong>

<strong> {localStorage.getItem('jemailid')}</strong>

 <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

</div>

{isEditVisible && (

<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

   <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Phone : {localStorage.getItem('jphone')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>College : {localStorage.getItem('jcollege')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Cource : {localStorage.getItem('jcource')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>
```

```
        <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}
```

```
      onChange={handleChange}

    /> Inprocess

  </div>

  <div className='col-lg-4 col-sm-12'>

   <input

    type='radio'

    name='status'

    value='Status:-Selected'

    checked={status === 'Status:-Selected'}

    onChange={handleChange}

   /> Select

  </div>

  <div className='col-lg-4 col-sm-12'>

   <input

    type='radio'

    name='status'

    value='Status:-Rejected'

    checked={status === 'Status:-Rejected'}

    onChange={handleChange}

   /> Reject

  </div>

 </div>


</div>

  </div>

  )}

   <div className='datalistjobpage'>

    <p>Tue Jun 11 2024</p>

  <strong> {localStorage.getItem('jfullname')}</strong>

  <strong> {localStorage.getItem('jemailid')}</strong>
```

```jsx
      <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>
```

```
      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Resume : {localStorage.getItem('jresume')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Letter : {localStorage.getItem('jletter')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

        </div>

      </div>

      <div className='status'>

    <div className='row d-flex'>

     <h1>Status</h1>

     <hr />

     <p>Match to job description</p>

     <div className='col-lg-4 col-sm-12'>

       <input

         type='radio'

         name='status'

         value='Status:-Inprocess'

         checked={status === 'Status:-Inprocess'}

         onChange={handleChange}

       /> Inprocess

     </div>
```

```jsx
          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Selected'

              checked={status === 'Status:-Selected'}

              onChange={handleChange}

            /> Select

          </div>

          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

            /> Reject

          </div>

        </div>

      </div>

        </div>


      )}

        <div className='datalistjobpage'>

          <p>Tue Jun 11 2024</p>

        <strong> {localStorage.getItem('jfullname')}</strong>

        <strong> {localStorage.getItem('jemailid')}</strong>

          <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

        </div>

      {isEditVisible && (
```

```jsx
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

   <h1 className='text-center'>Candidate Detail</h1><hr></hr>
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>
```

```
      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>District : {localStorage.getItem('jdistrict')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Company : {localStorage.getItem('jcompany')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```jsx
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Letter : {localStorage.getItem('jletter')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
            </div>
          </div>
          <div className='status'>
        <div className='row d-flex'>
          <h1>Status</h1>
          <hr />
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
            <input
              type='radio'
              name='status'
              value='Status:-Inprocess'
              checked={status === 'Status:-Inprocess'}
              onChange={handleChange}
            /> Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input
              type='radio'
              name='status'
```

```jsx
          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>


  </div>

    </div>

    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> Golu Kumar</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>
```

```jsx
        <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :Golu Kumar </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

      </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>
```

```jsx
    </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
    </div>
  </div>
  <div className='status'>
<div className='row d-flex'>
  <h1>Status</h1>
  <hr />
  <p>Match to job description</p>
  <div className='col-lg-4 col-sm-12'>
    <input
      type='radio'
      name='status'
      value='Status:-Inprocess'
      checked={status === 'Status:-Inprocess'}
      onChange={handleChange}
    /> Inprocess
  </div>
  <div className='col-lg-4 col-sm-12'>
    <input
      type='radio'
      name='status'
      value='Status:-Selected'
      checked={status === 'Status:-Selected'}
      onChange={handleChange}
    /> Select
```

```
      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>

  </div>

    </div>


    )}

      <div className='datalistjobpage'>

       <p>Tue Jun 11 2024</p>

      <strong> Golu Kumar</strong>

      <strong> Abhishekkumar@gmail.com</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :Golu Kumar </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>
```

```
      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

    </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>
```

```
<div className='col-lg-6 col-sm-12'>

  <strong>State : {localStorage.getItem('jstate')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>District : {localStorage.getItem('jdistrict')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Experience : {localStorage.getItem('jexperience')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Company : {localStorage.getItem('jcompany')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Location : {localStorage.getItem('jlocation')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Resume : {localStorage.getItem('jresume')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Letter : {localStorage.getItem('jletter')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```jsx
      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'
```

```jsx
        name='status'

        value='Status:-Rejected'

        checked={status === 'Status:-Rejected'}

        onChange={handleChange}

      /> Reject

    </div>

  </div>


</div>

  </div>

  )}

   <div className='datalistjobpage'>

    <p>Tue Jun 11 2024</p>

   <strong> Abhishek Kumar</strong>

   <strong> Abhishekkumar91776@yahoo.com</strong>

    <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

   </div>

   {isEditVisible && (

   <div className='viewalldata'>

     <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Fullname :Golu Kumar </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Email Id :golukumar91776@yahoo.com</strong>

    </div>

   </div>

   <div className='row d-flex'>
```

```
    <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```jsx
      </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
```

```
                    /> Reject

                </div>

            </div>

        </div>

            </div>


        )}

        <div className='datalistjobpage'>

         <p>Tue Jun 11 2024</p>

        <strong> {localStorage.getItem('jfullname')}</strong>

        <strong> golukumar91776@yahoo.com</strong>

         <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

        </div>

        {isEditVisible && (

        <div className='viewalldata'>

           <button onClick={toggleEditForm} className='editcross-button'>X</button>

            <h1 className='text-center'>Candidate Detail</h1><hr></hr>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

           <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

           <strong>Email Id :golukumar91776@yahoo.com</strong>

          </div>

        </div>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

           <strong>Phone : {localStorage.getItem('jphone')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>
```

```
        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Role : {localStorage.getItem('jrole')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>District : {localStorage.getItem('jdistrict')} </strong>

      </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Company : {localStorage.getItem('jcompany')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>
```

```jsx
<hr />
<p>Match to job description</p>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Inprocess'
    checked={status === 'Status:-Inprocess'}
    onChange={handleChange}
  /> Inprocess
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Selected'
    checked={status === 'Status:-Selected'}
    onChange={handleChange}
  /> Select
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Rejected'
    checked={status === 'Status:-Rejected'}
    onChange={handleChange}
  /> Reject
</div>
</div>
```

```jsx
        </div>
      </div>
      )}
      <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong> {localStorage.getItem('jfullname')}</strong>
      <strong> golukumar91776@yahoo.com</strong>
       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isEditVisible && (
      <div className='viewalldata'>
        <button onClick={toggleEditForm} className='editcross-button'>X</button>
        <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Fullname :{localStorage.getItem('jfullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Email Id :golukumar91776@yahoo.com</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('jphone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('jcollege')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
```

```jsx
        <div className='col-lg-6 col-sm-12'>

          <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>year : {localStorage.getItem('jyear')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>State : {localStorage.getItem('jstate')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>District : {localStorage.getItem('jdistrict')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Experience : {localStorage.getItem('jexperience')}</strong>

        </div>

      </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>

</div>

<div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input
```

```jsx
        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Rejected'

        checked={status === 'Status:-Rejected'}

        onChange={handleChange}

      /> Reject

    </div>

  </div>

</div>

    </div>


    )}

    <div className='datalistjobpage'>
```

```
<p>Tue Jun 11 2024</p>

<strong> {localStorage.getItem('jfullname')}</strong>

<strong> golukumar91776@yahoo.com</strong>

 <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

</div>

{isEditVisible && (

<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Phone : {localStorage.getItem('jphone')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>College : {localStorage.getItem('jcollege')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Cource : {localStorage.getItem('jcource')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>
```

```jsx
            <strong>Field : {localStorage.getItem('jfield')}</strong>
          </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('jrole')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Job Role : {localStorage.getItem('jerole')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>year : {localStorage.getItem('jyear')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('jstate')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('jdistrict')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Experience : {localStorage.getItem('jexperience')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Company : {localStorage.getItem('jcompany')} </strong>
        </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}
```

```jsx
                    onChange={handleChange}

                  /> Inprocess

                </div>

                <div className='col-lg-4 col-sm-12'>

                  <input

                    type='radio'

                    name='status'

                    value='Status:-Selected'

                    checked={status === 'Status:-Selected'}

                    onChange={handleChange}

                  /> Select

                </div>

                <div className='col-lg-4 col-sm-12'>

                  <input

                    type='radio'

                    name='status'

                    value='Status:-Rejected'

                    checked={status === 'Status:-Rejected'}

                    onChange={handleChange}

                  /> Reject

                </div>

              </div>


            </div>

              </div>

              )}

              <div className='datalistjobpage'>

                <p>Tue Jun 11 2024</p>

              <strong> {localStorage.getItem('jfullname')}</strong>

              <strong> {localStorage.getItem('jemailid')}</strong>
```

```jsx
<strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>
```

```jsx
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('jresume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter : {localStorage.getItem('jletter')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
        </div>
      </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
```

```jsx
        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Selected'

            checked={status === 'Status:-Selected'}

            onChange={handleChange}

          /> Select

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>

    </div>

      </div>


    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (
```

```jsx
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

     <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Company : {localStorage.getItem('jcompany')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Letter : {localStorage.getItem('jletter')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
      </div>
    </div>
    <div className='status'>
  <div className='row d-flex'>
    <h1>Status</h1>
    <hr />
    <p>Match to job description</p>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Inprocess'
        checked={status === 'Status:-Inprocess'}
        onChange={handleChange}
      /> Inprocess
    </div>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
```

```
        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Rejected'

        checked={status === 'Status:-Rejected'}

        onChange={handleChange}

      /> Reject

    </div>

  </div>


  </div>

    </div>

    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>
```

```jsx
    </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
    </div>
  </div>
  <div className='status'>
<div className='row d-flex'>
  <h1>Status</h1>
  <hr />
  <p>Match to job description</p>
  <div className='col-lg-4 col-sm-12'>
    <input
      type='radio'
      name='status'
      value='Status:-Inprocess'
      checked={status === 'Status:-Inprocess'}
      onChange={handleChange}
    /> Inprocess
  </div>
  <div className='col-lg-4 col-sm-12'>
    <input
      type='radio'
      name='status'
      value='Status:-Selected'
      checked={status === 'Status:-Selected'}
      onChange={handleChange}
    /> Select
```

```jsx
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input
              type='radio'
              name='status'
              value='Status:-Rejected'
              checked={status === 'Status:-Rejected'}
              onChange={handleChange}
            /> Reject
          </div>
        </div>
      </div>
        </div>


      )}
        <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong> {localStorage.getItem('jfullname')}</strong>
      <strong> {localStorage.getItem('jemailid')}</strong>
        <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isEditVisible && (
      <div className='viewalldata'>
        <button onClick={toggleEditForm} className='editcross-button'>X</button>
        <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
```

```
          <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

       </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Role : {localStorage.getItem('jrole')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>
```

```
    <div className='col-lg-6 col-sm-12'>

     <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```jsx
      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'
```

```jsx
            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>


    </div>

      </div>

      )}

       <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

        <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

         <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

         <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

         <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```jsx
      </div>
    <div className='status'>
  <div className='row d-flex'>
    <h1>Status</h1>
    <hr />
    <p>Match to job description</p>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Inprocess'
        checked={status === 'Status:-Inprocess'}
        onChange={handleChange}
      /> Inprocess
    </div>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Selected'
        checked={status === 'Status:-Selected'}
        onChange={handleChange}
      /> Select
    </div>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Rejected'
        checked={status === 'Status:-Rejected'}
        onChange={handleChange}
```

```jsx
        /> Reject

      </div>

    </div>

  </div>

    </div>


    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

       <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>
```

```
      <strong>College : {localStorage.getItem('jcollege')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Company : {localStorage.getItem('jcompany')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>
```

```
<hr />
<p>Match to job description</p>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Inprocess'
    checked={status === 'Status:-Inprocess'}
    onChange={handleChange}
  /> Inprocess
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Selected'
    checked={status === 'Status:-Selected'}
    onChange={handleChange}
  /> Select
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Rejected'
    checked={status === 'Status:-Rejected'}
    onChange={handleChange}
  /> Reject
</div>
</div>
```

```jsx
        </div>

      </div>

      )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

  </div>
```

```jsx
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Company : {localStorage.getItem('jcompany')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Location : {localStorage.getItem('jlocation')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Resume : {localStorage.getItem('jresume')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Letter : {localStorage.getItem('jletter')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
  </div>
</div>
<div className='status'>
<div className='row d-flex'>
  <h1>Status</h1>
  <hr />
  <p>Match to job description</p>
  <div className='col-lg-4 col-sm-12'>
    <input
```

```jsx
              type='radio'

              name='status'

              value='Status:-Inprocess'

              checked={status === 'Status:-Inprocess'}

              onChange={handleChange}

            /> Inprocess

          </div>

          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Selected'

              checked={status === 'Status:-Selected'}

              onChange={handleChange}

            /> Select

          </div>

          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

            /> Reject

          </div>

        </div>

      </div>

        </div>


      )}

        <div className='datalistjobpage'>
```

```
<p>Tue Jun 11 2024</p>

<strong> {localStorage.getItem('jfullname')}</strong>

<strong> {localStorage.getItem('jemailid')}</strong>

 <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

</div>

{isEditVisible && (

<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Phone : {localStorage.getItem('jphone')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>College : {localStorage.getItem('jcollege')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Cource : {localStorage.getItem('jcource')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>
```

```jsx
        <strong>Field : {localStorage.getItem('jfield')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Role : {localStorage.getItem('jrole')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Job Role : {localStorage.getItem('jerole')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>year : {localStorage.getItem('jyear')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>State : {localStorage.getItem('jstate')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>District : {localStorage.getItem('jdistrict')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Experience : {localStorage.getItem('jexperience')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Company : {localStorage.getItem('jcompany')} </strong>
      </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}
```

```
                    onChange={handleChange}

                  /> Inprocess
                </div>
                <div className='col-lg-4 col-sm-12'>
                  <input
                    type='radio'
                    name='status'
                    value='Status:-Selected'
                    checked={status === 'Status:-Selected'}
                    onChange={handleChange}
                  /> Select
                </div>
                <div className='col-lg-4 col-sm-12'>
                  <input
                    type='radio'
                    name='status'
                    value='Status:-Rejected'
                    checked={status === 'Status:-Rejected'}
                    onChange={handleChange}
                  /> Reject
                </div>
              </div>


            </div>
            </div>
            )}


          </div>


      );
    };
```

export default RegistrationData;

Login Code section:-

```jsx
import React from 'react';

const Aboutus: React.FC = () => {
  const today = new Date();
  const formattedDate = today.toDateString();
  return (
    <div className='Aboutus'>
        <div className='datalistlogin'>
        <strong><b>Date</b></strong>
        <strong><b>Name</b></strong>
        <strong><b>Email</b></strong>
        <strong><b>Password</b></strong>
        </div>
        <div className='datalistloginpage'>
          <p>{formattedDate}</p>
        <strong>{localStorage.getItem('name')}</strong>
        <strong>{localStorage.getItem('email')}</strong>

        <strong>{localStorage.getItem('password')}</strong>
        </div>
        <div className='datalistloginpage'>
          <p>{formattedDate}</p>
        <strong>{localStorage.getItem('name')}</strong>
        <strong>{localStorage.getItem('email')}</strong>

        <strong>{localStorage.getItem('password')}</strong>
        </div>
        <div className='datalistloginpage'>
          <p>Tue Jun 11 2024</p>
        <strong>Abhishek Kumar</strong>
        <strong>Abhishekkumarhhj@gmail.com</strong>

        <strong>Kumar@123</strong>
        </div>

        <div className='datalistloginpage'>
        <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('name')}</strong>
        <strong>{localStorage.getItem('email')}</strong>

        <strong>{localStorage.getItem('password')}</strong>
        </div>
```

```
<div className='datalistloginpage'>
  <p>Tue Jun 11 2024</p>
<strong>Abhishek Kumar</strong>
<strong>Abhishekkumarhhj@gmail.com</strong>

<strong>Kumar@123</strong>
</div>
<div className='datalistloginpage'>
<p>Tue Jun 11 2024</p>
<strong>{localStorage.getItem('name')}</strong>
<strong>{localStorage.getItem('email')}</strong>

<strong>{localStorage.getItem('password')}</strong>
</div>
<div className='datalistloginpage'>
  <p>Tue Jun 11 2024</p>
<strong>Abhishek Kumar</strong>
<strong>Abhishekkumarhhj@gmail.com</strong>

<strong>Kumar@123</strong>
</div>
<div className='datalistloginpage'>
  <p>Tue Jun 11 2024</p>
<strong>Abhishek Kumar</strong>
<strong>Abhishekkumarhhj@gmail.com</strong>

<strong>Kumar@123</strong>
</div>
<div className='datalistloginpage'>
  <p>Tue Jun 11 2024</p>
<strong>Abhishek Kumar</strong>
<strong>Abhishekkumarhhj@gmail.com</strong>

<strong>Kumar@123</strong>
</div>
<div className='datalistloginpage'>
  <p>Tue Jun 11 2024</p>
<strong>Abhishek Kumar</strong>
<strong>Abhishekkumarhhj@gmail.com</strong>

<strong>Kumar@123</strong>
```

```
          </div>
          <div className='datalistloginpage'>
            <p>Tue Jun 11 2024</p>
          <strong>Abhishek Kumar</strong>
          <strong>Abhishekkumarhhj@gmail.com</strong>

          <strong>Kumar@123</strong>
          </div>
          <div className='datalistloginpage'>
            <p>Tue Jun 11 2024</p>
          <strong>Abhishek Kumar</strong>
          <strong>Abhishekkumarhhj@gmail.com</strong>

          <strong>Kumar@123</strong>
          </div>

      </div>
    );
};

export default Aboutus;
```

Contact Data code:-

```
import React from 'react';
// import my from './image/';

const About: React.FC = () => {
  return (
    <div className='hrdashbord'>
      <div className='row d-flex'>
      <div className='divcol1 col-lg-4 col-md-12 col-sm-12'>
      <h1 className='dashbord-text-form-count'>Freshers</h1>
      <strong className='applicationcount'>1</strong>
      </div>
      <div className='divcol1 col-lg-4 col-md-12 col-sm-12'>
      <h1 className='dashbord-text-form-count'>Experience</h1>
      <strong className='applicationcount'>1</strong>
      </div>
      <div className='divcol1 col-lg-4 col-md-12 col-sm-12'>
      <h1 className='dashbord-text-form-count'>Total</h1>
      <strong className='applicationcount'>2</strong>
      </div>
      </div>
      <img
src="https://static.vecteezy.com/system/resources/thumbnails/008/329/474/small
_2x/dashboard-icon-style-free-vector.jpg" className='img-flud'/>
```

```
        <img
src="https://static.vecteezy.com/system/resources/thumbnails/008/329/474/small
_2x/dashboard-icon-style-free-vector.jpg"   className='img-flud'/>
    </div>
  );
};


export default About;
```

Signup and login code:-

```
import React, { useEffect, useRef, useState } from "react";
// import Home from "./ing";
import Home from "./Navbar";

// Define an interface for local storage items
interface LocalStorageItems {
  signUp: string | null;
  email: string | null;
  password: string | null;
  name: string | null;
}

// Define an interface for the props (even if empty for now)
interface SignInSignupProps {}

const SignInSignupWithLocalStorage: React.FC<SignInSignupProps> = (props) => {
  const name = useRef<HTMLInputElement>(null);
  const email = useRef<HTMLInputElement>(null);
  const password = useRef<HTMLInputElement>(null);
  const [showHome, setShowHome] = useState<boolean>(false);
  const [show, setShow] = useState<boolean>(false);

  // Initialize local storage items using the interface
  const localStorageItems: LocalStorageItems = {
    signUp: localStorage.getItem("signUp"),
    email: localStorage.getItem("email"),
    password: localStorage.getItem("password"),
    name: localStorage.getItem("name"),
  };

  useEffect(() => {
    if (localStorageItems.signUp) {
      setShowHome(true);
    }
    if (localStorageItems.email) {
      setShow(true);
```

```jsx
    }
  }, [localStorageItems.signUp, localStorageItems.email]);

  const handleClick = () => {
    if (name.current?.value && email.current?.value &&
password.current?.value) {
      localStorage.setItem("name", name.current.value);
      localStorage.setItem("email", email.current.value);
      localStorage.setItem("password", password.current.value);
      localStorage.setItem("signUp", email.current.value);
      alert("Account created successfully!!");
      window.location.reload();
    }
  };
  const deleteAccount=()=>{
    localStorage.clear()
    window.location.reload()
}

  const handleSignIn = () => {
    if (email.current?.value === localStorageItems.email &&
password.current?.value === localStorageItems.password) {
      localStorage.setItem("signUp", email.current.value);
      window.location.reload();
    } else {
      alert("Please Enter valid Credential");
    }
  };

  return (
    <div>
      {showHome ? (
        <Home />
      ) : (
        show ? (
          <div className="loginandsinguform">
            <h1>Hello {localStorageItems.name}</h1>
            <div className="input_space">
              <p>Enter your name:-</p>
              <input placeholder="Email" type="text" ref={email} />
            </div>
            <div className="input_space">
              <p>Enter your Password:-</p>
              <input placeholder="Password" type="password" ref={password} />
            </div>
            <div className="login-and-signup-button">
              <button onClick={handleSignIn}>Sign In</button>
```

```jsx
                        <button onClick={deleteAccount} className="delete">Sign
Up</button>
                    </div>
                </div>
            ) : (
                <div className="loginandsinghform">
                    <h1> Signup Form</h1>
                    <div className="input_space">
                        <p>Enter your Name:-</p>
                      <input placeholder="Name" type="text" ref={name} />
                    </div>
                    <div className="input_space">
                        <p>Enter your Email Id:-</p>
                      <input placeholder="Email" type="text" ref={email} />
                    </div>
                    <div className="input_space">
                        <p>Enter your Password:-</p>
                      <input placeholder="Password" type="password" ref={password} />
                    </div>
                    <div className="input_space">
                        <p>Enter your Conform Password:-</p>
                      <input placeholder="Conform Password" type="password"/>
                    </div>
                    <div className="login-and-signup-button">
                    <button onClick={handleSignIn}>Login</button>
                    <button onClick={handleClick}>Sign Up</button>
                    </div>
                </div>
            )
        )}
    </div>
  );
};

export default SignInSignupWithLocalStorage;
```

Create Job section:-

```tsx
import React, { useState } from 'react';
import './App.css';

interface FormState {
  internname: string;
  internemail: string;
  internmessage: string;
  internsalary: string; // Assuming salary is a string based on your form
}
```

```typescript
interface JobFormState {
  jobname: string;
  jobemail: string;
  jobmessage: string;
  jobsalary: string; // Assuming salary is a string based on your form
}

const App: React.FC = () => {
  const [formState, setFormState] = useState<FormState>({
    internname: '',
    internemail: '',
    internmessage: '',
    internsalary: ''
  });

  const [jobFormState, setJobFormState] = useState<JobFormState>({
    jobname: '',
    jobemail: '',
    jobmessage: '',
    jobsalary: ''
  });

  const handleChange = (e: React.ChangeEvent<HTMLInputElement |
HTMLTextAreaElement>) => {
    const { name, value } = e.target;
    setFormState(prevState => ({
      ...prevState,
      [name]: value
    }));
  };

  const handleChangedata = (e: React.ChangeEvent<HTMLInputElement |
HTMLTextAreaElement>) => {
    const { name, value } = e.target;
    setJobFormState(prevState => ({
      ...prevState,
      [name]: value
    }));
  };

  const handleSubmit = (e: React.FormEvent<HTMLFormElement>) => {
    e.preventDefault();
    // Additional validation or processing logic can be added here

    // Clear form state or perform any post-submission actions

    // For now, we assume we only want to save the data to localStorage
```

```
  };

  const createjobapplication = () => {
    // Save job form data to local storage with specific key-value pairs
    localStorage.setItem('jobname', jobFormState.jobname);
    localStorage.setItem('jobemail', jobFormState.jobemail);
    localStorage.setItem('jobmessage', jobFormState.jobmessage);
    localStorage.setItem('jobsalary', jobFormState.jobsalary);

    // Optional: Clear form fields after submission
    setJobFormState({
      jobname: '',
      jobemail: '',
      jobmessage: '',
      jobsalary: ''
    });
  };

  const createinternshipapplication = () => {
    // Save internship form data to local storage with specific key-value
pairs
    localStorage.setItem('internname', formState.internname);
    localStorage.setItem('internemail', formState.internemail);
    localStorage.setItem('internmessage', formState.internmessage);
    localStorage.setItem('internsalary', formState.internsalary);

    // Optional: Clear form fields after submission
    setFormState({
      internname: '',
      internemail: '',
      internmessage: '',
      internsalary: ''
    });
  };

  // Toggle form visibility
  const [isinternshipform, setisinternshipform] = useState<boolean>(false);
  const [isjobform, setjobform] = useState<boolean>(false);

  const createinternship = () => {
    setisinternshipform(prevState => !prevState);
  };

  const createjob = () => {
    setjobform(prevState => !prevState);
  };

  return (
```

```jsx
    <div className="registration">
      <button onClick={createinternship} className='creatinternshipbutton col-
2'>+ Create Internship</button>
      {/* Internship Form section */}
      {isinternshipform && (
        <form onSubmit={handleSubmit} className='formsection'>
          <button onClick={createinternship} className='editcross-button col-
1'>X</button>
          <div className="form">
            <h2 className='creat-internship-form'>Create Internship
form</h2><hr></hr>
            <label htmlFor="internname">Name:</label>
            <input
              type="text"
              id="internname"
              name="internname"
              value={formState.internname}
              onChange={handleChange}
            />
          </div>
          <div className="form">
            <label htmlFor="internemail">Email:</label>
            <input
              type="email"
              id="internemail"
              name="internemail"
              value={formState.internemail}
              onChange={handleChange}
            />
          </div>
          <div className="form">
            <label htmlFor="internmessage">Message:</label>
            <input
              type='text'
              id="internmessage"
              name="internmessage"
              value={formState.internmessage}
              onChange={handleChange}
            />
          </div>
          <div className="form">
            <label htmlFor="internsalary">Salary:</label>
            <input
              type='text'
              id="internsalary"
              name="internsalary"
              value={formState.internsalary}
              onChange={handleChange}
```

```jsx
          />
        </div>
        {/* Button section */}
        <button type="submit" onClick={createinternshipapplication}
className="create-internship col-3">Submit</button>
      </form>
    )}
    {/* Display data section */}
    <h2 className='internship-heading'>Internship</h2>
    {/* Display saved internship data here */}
    <div className='box'>
      <div className="col-md-6  ">
        <strong><strong><b>Title:</b></strong>{localStorage.getItem('internn
ame')}</strong><br></br>
        <strong><strong><b>Skill:</b></strong>{localStorage.getItem('interne
mail')}</strong><br></br>
        <strong><strong><b>Location:</b></strong>{localStorage.getItem('inte
rnmessage')}</strong><br></br>
        <strong><strong><b>Salary:</b></strong>{localStorage.getItem('intern
salary')}</strong>
      </div>
    </div>
    <div className='box'>
    <div className="col-md-6">
      <strong><strong><b>Title:</b></strong>Salesforce Development
Internship</strong><br></br>
      <strong><strong><b>Skill:</b></strong>Javascript , Typescript , Html
,Css ,Bootstrap</strong><br></br>
      <strong><strong><b>Location:</b></strong>India</strong><br></br>
      <strong><strong><b>Salary:</b></strong>Performance Based</strong>
      </div>
      </div>

    <button onClick={createjob} className='creatinternshipbutton col-2'>+
Create Job</button>
    {/* Job Form section */}
    {isjobform && (
      <form onSubmit={handleSubmit} className='formsection'>
      <button onClick={createjob} className='editcross-button col-
1'>X</button>
      <div className="form">
        <h2 className='creat-internship-form'>Create Job
form</h2><hr></hr>
          <label htmlFor="jobname">Name:</label>
          <input
            type="text"
            id="jobname"
            name="jobname"
```

```jsx
                    value={jobFormState.jobname}
                    onChange={handleChangedata}
                  />
                </div>
                <div className="form">
                  <label htmlFor="jobemail">Email:</label>
                  <input
                    type="email"
                    id="jobemail"
                    name="jobemail"
                    value={jobFormState.jobemail}
                    onChange={handleChangedata}
                  />
                </div>
                <div className="form">
                  <label htmlFor="jobmessage">Message:</label>
                  <input
                    type='text'
                    id="jobmessage"
                    name="jobmessage"
                    value={jobFormState.jobmessage}
                    onChange={handleChangedata}
                  />
                </div>
                <div className="form">
                  <label htmlFor="jobsalary">Salary:</label>
                  <input
                    type='text'
                    id="jobsalary"
                    name="jobsalary"
                    value={jobFormState.jobsalary}
                    onChange={handleChangedata}
                  />
                </div>
                {/* Button section */}
                <button type="submit" onClick={createjobapplication}
className="create-internship col-3">Submit</button>
              </form>
            )}
            {/* Display data section */}
            <h2 className='internship-heading'>Job</h2>
            <div className='box'>
              <div className="col-md-6  ">
                <strong><strong><b>Title:</b></strong>{localStorage.getItem('jobname
')}</strong><br></br>
                <strong><strong><b>Skill:</b></strong>J{localStorage.getItem('jobema
il')}</strong><br></br>
```

```
            <strong><strong><b>Location:</b></strong>{localStorage.getItem('jobm
essage')}</strong><br></br>
            <strong><strong><b>Salary:</b></strong>{localStorage.getItem('jobsal
ary')}</strong>
            </div>
        </div>
        <div className='box'>
        <div className="col-md-6">
        <strong><strong><b>Title:</b></strong>Salesforce Development
Internship</strong><br></br>
            <strong><strong><b>Skill:</b></strong>Javascript , Typescript , Html
,Css ,Bootstrap</strong><br></br>
            <strong><strong><b>Location:</b></strong>India</strong><br></br>
            <strong><strong><b>Salary:</b></strong>Performance Based</strong>
            </div>
            </div>
    </div>
  );
};


export default App;
```

Dashbord Section:-

```
import React, { useState } from 'react';
import './App.css';

interface FormState {
  internname: string;
  internemail: string;
  internmessage: string;
  internsalary: string; // Assuming salary is a string based on your form
}

interface JobFormState {
  jobname: string;
  jobemail: string;
  jobmessage: string;
  jobsalary: string; // Assuming salary is a string based on your form
}

const App: React.FC = () => {
  const [formState, setFormState] = useState<FormState>({
    internname: '',
    internemail: '',
    internmessage: '',
    internsalary: ''
```

```
  });

  const [jobFormState, setJobFormState] = useState<JobFormState>({
    jobname: '',
    jobemail: '',
    jobmessage: '',
    jobsalary: ''
  });

  const handleChange = (e: React.ChangeEvent<HTMLInputElement |
HTMLTextAreaElement>) => {
    const { name, value } = e.target;
    setFormState(prevState => ({
      ...prevState,
      [name]: value
    }));
  };

  const handleChangedata = (e: React.ChangeEvent<HTMLInputElement |
HTMLTextAreaElement>) => {
    const { name, value } = e.target;
    setJobFormState(prevState => ({
      ...prevState,
      [name]: value
    }));
  };

  const handleSubmit = (e: React.FormEvent<HTMLFormElement>) => {
    e.preventDefault();
    // Additional validation or processing logic can be added here

    // Clear form state or perform any post-submission actions

    // For now, we assume we only want to save the data to localStorage
  };

  const createjobapplication = () => {
    // Save job form data to local storage with specific key-value pairs
    localStorage.setItem('jobname', jobFormState.jobname);
    localStorage.setItem('jobemail', jobFormState.jobemail);
    localStorage.setItem('jobmessage', jobFormState.jobmessage);
    localStorage.setItem('jobsalary', jobFormState.jobsalary);

    // Optional: Clear form fields after submission
    setJobFormState({
      jobname: '',
      jobemail: '',
      jobmessage: '',
```

```
      jobsalary: ''
    });
  };

  const createinternshipapplication = () => {
    // Save internship form data to local storage with specific key-value
pairs
    localStorage.setItem('internname', formState.internname);
    localStorage.setItem('internemail', formState.internemail);
    localStorage.setItem('internmessage', formState.internmessage);
    localStorage.setItem('internsalary', formState.internsalary);

    // Optional: Clear form fields after submission
    setFormState({
      internname: '',
      internemail: '',
      internmessage: '',
      internsalary: ''
    });
  };

  // Toggle form visibility
  const [isinternshipform, setisinternshipform] = useState<boolean>(false);
  const [isjobform, setjobform] = useState<boolean>(false);

  const createinternship = () => {
    setisinternshipform(prevState => !prevState);
  };

  const createjob = () => {
    setjobform(prevState => !prevState);
  };

  return (
    <div className="registration">
      <button onClick={createinternship} className='creatinternshipbutton col-
2'>+ Create Internship</button>
      {/* Internship Form section */}
      {isinternshipform && (
        <form onSubmit={handleSubmit} className='formsection'>
          <button onClick={createinternship} className='editcross-button col-
1'>X</button>
          <div className="form">
            <h2 className='creat-internship-form'>Create Internship
form</h2><hr></hr>
            <label htmlFor="internname">Name:</label>
            <input
              type="text"
```

```jsx
            id="internname"
            name="internname"
            value={formState.internname}
            onChange={handleChange}
          />
        </div>
        <div className="form">
          <label htmlFor="internemail">Email:</label>
          <input
            type="email"
            id="internemail"
            name="internemail"
            value={formState.internemail}
            onChange={handleChange}
          />
        </div>
        <div className="form">
          <label htmlFor="internmessage">Message:</label>
          <input
            type='text'
            id="internmessage"
            name="internmessage"
            value={formState.internmessage}
            onChange={handleChange}
          />
        </div>
        <div className="form">
          <label htmlFor="internsalary">Salary:</label>
          <input
            type='text'
            id="internsalary"
            name="internsalary"
            value={formState.internsalary}
            onChange={handleChange}
          />
        </div>
        {/* Button section */}
        <button type="submit" onClick={createinternshipapplication}
className="create-internship col-3">Submit</button>
      </form>
    )}
    {/* Display data section */}
    <h2 className='internship-heading'>Internship</h2>
    {/* Display saved internship data here */}
    <div className='box'>
      <div className="col-md-6  ">
        <strong><strong><b>Title:</b></strong>{localStorage.getItem('internn
ame')}</strong><br></br>
```

```jsx
            <strong><strong><b>Skill:</b></strong>{localStorage.getItem('interne
mail')}</strong><br></br>
            <strong><strong><b>Location:</b></strong>{localStorage.getItem('inte
rnmessage')}</strong><br></br>
            <strong><strong><b>Salary:</b></strong>{localStorage.getItem('intern
salary')}</strong>
          </div>
        </div>
        <div className='box'>
        <div className="col-md-6">
        <strong><strong><b>Title:</b></strong>Salesforce Development
Internship</strong><br></br>
          <strong><strong><b>Skill:</b></strong>Javascript , Typescript , Html
,Css ,Bootstrap</strong><br></br>
          <strong><strong><b>Location:</b></strong>India</strong><br></br>
          <strong><strong><b>Salary:</b></strong>Performance Based</strong>
          </div>
          </div>

      <button onClick={createjob} className='creatinternshipbutton col-2'>+
Create Job</button>
      {/* Job Form section */}
      {isjobform && (
        <form onSubmit={handleSubmit} className='formsection'>
          <button onClick={createjob} className='editcross-button col-
1'>X</button>
          <div className="form">
           <h2 className='creat-internship-form'>Create Job
form</h2><hr></hr>
            <label htmlFor="jobname">Name:</label>
            <input
              type="text"
              id="jobname"
              name="jobname"
              value={jobFormState.jobname}
              onChange={handleChangedata}
            />
          </div>
          <div className="form">
           <label htmlFor="jobemail">Email:</label>
           <input
              type="email"
              id="jobemail"
              name="jobemail"
              value={jobFormState.jobemail}
              onChange={handleChangedata}
            />
          </div>
```

```jsx
            <div className="form">
              <label htmlFor="jobmessage">Message:</label>
              <input
                type='text'
                id="jobmessage"
                name="jobmessage"
                value={jobFormState.jobmessage}
                onChange={handleChangedata}
              />
            </div>
            <div className="form">
              <label htmlFor="jobsalary">Salary:</label>
              <input
                type='text'
                id="jobsalary"
                name="jobsalary"
                value={jobFormState.jobsalary}
                onChange={handleChangedata}
              />
            </div>
            {/* Button section */}
            <button type="submit" onClick={createjobapplication}
className="create-internship col-3">Submit</button>
        </form>
      )}
      {/* Display data section */}
      <h2 className='internship-heading'>Job</h2>
      <div className='box'>
        <div className="col-md-6  ">
          <strong><strong><b>Title:</b></strong>{localStorage.getItem('jobname
')}</strong><br></br>
          <strong><strong><b>Skill:</b></strong>J{localStorage.getItem('jobema
il')}</strong><br></br>
          <strong><strong><b>Location:</b></strong>{localStorage.getItem('jobm
essage')}</strong><br></br>
          <strong><strong><b>Salary:</b></strong>{localStorage.getItem('jobsal
ary')}</strong>
        </div>
      </div>
      <div className='box'>
      <div className="col-md-6">
      <strong><strong><b>Title:</b></strong>Salesforce Development
Internship</strong><br></br>
      <strong><strong><b>Skill:</b></strong>Javascript , Typescript , Html
,Css ,Bootstrap</strong><br></br>
      <strong><strong><b>Location:</b></strong>India</strong><br></br>
      <strong><strong><b>Salary:</b></strong>Performance Based</strong>
      </div>
```

```
            </div>
        </div>
    );
};

export default App;
```

Css code:-

```css
:root{
  --primary-color: #3498db;
  --secondary-color: #2ecc71;
  --main-color-black:black;
  --main-color-white:white;
  --main-color-red:red;
  --logout-button-bg-color: #ff0000;
  --logout-button-hover-bg-color: #cc0000;
  --main-color-blue:blue;
  --main-color-darkblue:darkblue;
  --main-color-green:green;
  --main-color-aque:aqua;
  --main-color-aquamarine: aquamarine;
  --main-color-purple-sm-white: rgb(236, 237, 238);
  --main-color-purple-bg-white: rgb(234, 234, 240);
  --main-color-purple-md-white:#b4acac;
  --text-align-center: center;
  --text-align-right: right;
  --text-align-left: left;
  --padding:0.3rem;
  --button-align-left: end;
  --font-weight: bold;
}


.navbar {
    display: flex;
    justify-content: space-between;
    /* align-items: center; */
    background:var( --main-color-black);
    padding: 2rem;
    text-decoration: none;
    color:var(--main-color-white);
    position: fixed;
    top: 0;
    width: 100%;
    z-index: 1000;
    margin-right: 200px;
```

```css
}
.logout
{
  color: var(--main-color-white);
  background-color: var(--logout-button-bg-color);
  padding: var(--padding);
}
.logout:hover
{
  color: var(--main-color-white);
  background-color: var(--logout-button-hover-bg-color);
}
.login
{
  color: var(--main-color-white);
  background-color: var(--main-color-blue);
  padding: var(--padding);
}
.login:hover
{
  color: var(--main-color-white);
  background-color: var(--main-color-darkblue);
}


.hamburger {
  display: none;
  cursor: pointer;
  font-size: 1.5rem;
  padding: 1rem;
  text-align: end;
  justify-content: end;
  text-align: end;
  color: var(--main-color-white);
}

.menu {
  display: flex;
  gap: 2rem;
  color: var(--main-color-white);
  margin-right: 35px;
  text-decoration: none;
  padding: 0.5rem;
}

.menu-link {
  text-decoration: none;
  color: var(--main-color-white);
```

```css
    font-size: 1.2rem;
  }
  .link
  {
    text-decoration: none;
    color: var(--main-color-white);
    gap: 2rem;
    margin-top: 10%;
  }

  .menu-link:hover {
    color:var( --main-color-green);
  }
  img{
    text-align: center;
    margin: auto;
    width: 400px;
  }
  .about,.home
  {
    text-align: center;
    justify-content: center;
    align-items: center;
    margin-top: 100px;
    margin-left: 20%;
  }
 .contact
{
  display: flex;
  flex-direction: column;
  width: 600px;
  gap:0.5rem;
  margin: auto;
  background-color: var( --main-color-purple-md-white);
  padding: 2rem;
  margin-top: 100px;
  border-radius: 10%;
  margin-right: 20%;
  font-weight: var(--font-weight);
}
.contact-heading
{
  text-align:var( --text-align-center) ;
}
.contactsubmitbutton
{
  text-align:var( --text-align-center) ;
  justify-content: var( --text-align-center);
```

```css
    align-items: var( --text-align-center);
    color: var(--main-color-white);
    background-color: var(--main-color-blue);
    padding: var(--padding);
    position: var(--button-align-left);
}
.contacteditform
{
  display: flex;
  flex-direction: column;
  text-align: start;
  width: 600px;
  gap:0.5rem;
  margin: auto;
  background-color: var( --main-color-purple-md-white);
  padding: 2rem;
  margin-top: 100px;
  margin-right: 30%;
  position: absolute;
  font-weight: var(--font-weight);
}
.esitnamesection
{
  color: var(--main-color-white);
  background-color: var( --secondary-color);
  padding: var(--padding);
}
.editformheading
{
  text-align:var( --text-align-center) ;
  font-weight: var(--font-weight);
}
.editprofile-button
{
  color: var(--main-color-white);
  background-color: var(--main-color-blue);
  padding: var(--padding);
}
.editcross-button
{
  color: var(--main-color-white);
  background-color: var(--main-color-red);
}
.internship-heading
{
  text-align:var( --text-align-center) ;
  font-weight: var(--font-weight);
  color: var(--main-color-darkblue);
```

```css
}
.viewmore-button
{
  color: var(--main-color-green);
  text-align: var(--text-align-center);
  text-decoration: none;
  font-weight: var(--font-weight);
}
.apply-button-form
{
  color: var(--main-color-white);
  background-color: var(--main-color-blue);
  padding: var(--padding);
}
/* button
{
  color: var(--main-color-white);
  background-color:var(--main-color-blue);
  padding: 1rem;
} */
.columnavbaritem {
  text-align:center;
  justify-content:center;
  align-items: center;
  display: flex;
  flex-direction: column;
  width: 20%;
  background-color:var( --main-color-black);
 color: var(--main-color-white);
  font-size: 20px;
  gap: 3rem;
  position: fixed;
  padding: 1rem;
  z-index: 1000;
  top: 0%;
  margin: auto;
  height: 100%;

}
.hrlogin-navbar
{
  text-align: start;
  justify-content: start;
  display: flex;
  flex-direction: column;
  width: 20%;
  background-color:var( --main-color-black);
 color: var(--main-color-white);
```

```css
    font-size: 20px;
  gap: 1.2rem;
  position: fixed;
  padding: 1rem;
  z-index: 1000;
  top: 0%;
  margin: auto;
  height: 100%;
}
.profilesection {
  text-align: start;
  justify-content: start;
  align-items: start;
  display: flex;
  flex-direction: column;
  margin-left: 8%;
}
.profile
{
  border: 1px solid var( --main-color-black);
  border-radius: 50%;
  padding: 2rem;
  width: 8%;
  height: 10%;
  background-color: var( --main-color-purple-md-white);
}
.registration
{
  margin-left: 22%;
  display: flex;
  flex-direction: column;
  /* width: 500px; */
}
.interndata
{
  margin-left: 20%;
}
.form
{
  display: flex;
  flex-direction: column;
}
.formsection
{
  background-color:var( --main-color-purple-md-white);
  padding: 2rem;
  margin-top: 2%;
  width: 50%;
```

```css
  gap: 1rem;
}
.box
{
  text-align: start;
  justify-content: start;
  align-items: start;
  border:  1px solid var( --main-color-black);
  gap:2rem;
  margin-bottom: 2rem;
}
.Aboutus
{
margin-left: 20%;
}
.datalistlogin
{
  display: flex;
  flex-direction: row;
  gap: 25%;
  padding: 1rem;
  background-color:  var( --main-color-purple-md-white);
}
.datalistintern
{
  display: flex;
  flex-direction: row;
  gap: 25%;
  padding: 1rem;
  background-color: var( --main-color-purple-md-white);
}
.datalistloginpage
{
  display: flex;
  flex-direction: row;
  gap: 15%;
  padding: 1rem;
}
.datalistjobpage
{
  display: flex;
  flex-direction: row;
  gap: 15%;
  padding: 1rem;
}
.loginandsinguform
{
  text-align: start;
```

```css
    justify-content: center;
    align-items: center;
    display: flex;
    flex-direction: column;
    gap:1rem;
    background-color: var( --main-color-purple-md-white);
    width: 600px;
    margin: auto;
    margin-top: 5rem;
    border-radius: 5%;
    padding: 3rem;
    font-weight: bold;
}
.input_space,input[type="text"],[type="email"],[type="Phone"],input[type="pass
word"],textarea
{
    width: 500Px;
    padding: 0.4rem;
}
.loginandsinghform
{
    margin-left: 20%;
    text-align: start;
    justify-content: center;
    align-items: center;
    display: flex;
    flex-direction: column;
    gap:1rem;
    background-color: var( --main-color-purple-md-white) ;
    width: 600px;
    margin: auto;
    margin-top: 5rem;
    border-radius: 5%;
    padding: 3rem;
    font-weight: bold;
}
.login-and-signup-button
{
    display: flex;
    gap: 1rem;
    background-color:var(--main-color-blue);
    padding: 1rem;
    font-weight: bold;
    border-radius: 10%;


}
.hrdashbord
{
```

```css
    margin-left: 21%;
    margin-right: 1%;
    margin-top: 2%;
    text-align: center;
    justify-content: center;
    align-items: center;
    gap: 1rem;
    row-gap: 1rem;
}
.row
{
    row-gap: 1rem;
    /* column-gap: 0.01rem; */
}
.divcol1
{
    border: 1px solid var( --main-color-black);
    column-gap: 1rem;
    border-radius: 10%;
    padding: 4rem;
    background-color: var( --main-color-aque);
}
.applicationcount
{
    font-weight: bold;
    font-size: 40px;
}
.applicationform-internship
{
    background-color: var( --main-color-aquamarine);
    position: absolute;
    text-align: start;
    padding: 2rem;
}
.job-application-form
{

    background-color: var( --main-color-aquamarine);
    position: absolute;
    text-align: start;
    padding: 2rem;
}
.headinginternship
{
    text-align: center;
}
.datalistjobpage
{
```

```css
  padding: 2rem;
  position: relative;
  /* background-color: var(--main-color-aque); */
}
.viewalldata
{
  margin-left: 2%;
  margin-right: 2%;
  background-color: var( --main-color-aque);
  padding: 3rem;
  gap: 2rem;
  font-size: 30px;
  border: 2px solid var( --main-color-black);
  color:var(--main-color-blue);
}
.status
{
  text-align: center;
  margin-top: 10px;
  color:var( --main-color-darkblue);
}
.admimform
{
  margin-left: 30%;
  display: flex;
  flex-direction: column;
  margin-top: 10%;
  position: absolute;
  background-color: var(  --main-color-purple-md-white);
  padding: 2rem;
  gap: 1rem;
}
.applicationstatus
{
  background-color:var(--main-color-blue);
  color: var(--main-color-white);
  /* border-radius: 40%; */
  padding: 0.5rem;
}
.displaydata
{
  text-align: start;
  justify-content: start;
  align-items: start;
  border:  1px solid var( --main-color-black);
column-gap: 2rem;
  /* margin-left: 2%; */
  margin-top: 2rem;
```

```css
}
.creatinternshipbutton
{
  margin-top: 10%;
  font-weight: var(--font-weight);
  padding: var(--padding);
  color: var(--main-color-white);
  background-color: var(--main-color-blue);


}
#aboutusimage
{
background-size: cover;
}
.contactus
{
  margin-left: 20%;
}
.viewcontactdetail
{
  text-align: start;
  justify-content: center;
  padding: 2rem;
  margin-left: 2%;
  margin-right: 2%;
  background-color:var(--main-color-blue);
  color: var(--main-color-white);
  display: flex;
  flex-direction: column;
  font-size: 30px;
  gap:1rem;
  border: 1px solid var( --main-color-black);
}
.contactus
{
  margin-left: 20%;
}
.dashbord-text-form-count
{
  color: var(--main-color-darkblue);
}
.view-job-applcation-detail
{
 color: var(--main-color-white);
 background-color: var(--main-color-blue);
 padding: var(--padding);
}
.reply-users
```

```css
{
  color: var(--main-color-white);
  background-color: var(--primary-color);
}
.create-internship
{
 color: var(--main-color-white);
 background-color: var(--main-color-blue);
 padding: var(--padding);
}
.creat-internship-form
{
  text-align: var(--text-align-center);
  font-weight: var(--font-weight);
}
.admin-login
{
  color: var(--main-color-white);
  background-color: var(--main-color-blue);
  padding: var(--padding);
}

  @media (max-width: 768px) {
    .hamburger {
      display: block;
      text-align: end;
      justify-content: end;
    }
    .menu {
      display:block;
      flex-direction: column;
      text-align: end;
      width: 100%;
    }
    .menu.open {
      display: flex;
      text-align: end;
    }
  }
```

Main section Code:-

```javascript
import React from 'react';
import { BrowserRouter as Router, Route, Routes } from 'react-router-dom';
// import 'bootstrap/dist/css/bootstrap.min.css';
import Home from './models/learn/Home';
```

```
import About from './models/learn/About';
import Aboutus from './models/learn/Aboutus';
import Dashbord from './models/learn/hr';
import Hrdata from './models/learn/hrdata';
import A from './models/learn/jobapplicationdata';
import Navbar from './models/learn/Navbar';
import Contact from './models/learn/contact';
import Contactus from './models/learn/contactus';
import Registationform from './models/learn/Registationform';
import RegistationDatads from './models/learn/RegistationData';
// import hrhomepage from './models/learn/hrhomepage';

const App: React.FC = () => {
  return (

    <Router>
      {/* <Navbar /> */}
      <Hrdata />
      <div>
        <Routes>
        {/* <Route path="" element={< singhup/>} /> */}
        {/* <Route path="" element={<Hrdata />} /> */}
        <Route path="" element={<Navbar />} />
          <Route path="home" element={<Home />} />
          <Route path="Registationform" element={<Registationform/>} />
          <Route path="about" element={<About />} />
          <Route path="hrdata" element={<Hrdata />} />
          <Route path="dashbord" element={<Dashbord />} />
          <Route path="aboutus" element={<Aboutus />} />
          <Route path="contact" element={<Contact/>} />
          <Route path="Contactus" element={<Contactus/>} />
          <Route path="RegistationDatads" element={<RegistationDatads />} />
          <Route path="a" element={<A />} />
        </Routes>
      </div>
    </Router>
  );
};

export default App;
```

Job Application data code:-

```tsx
import React, { useEffect, useState } from 'react';

import emailjs from 'emailjs-com';


const RegistrationData: React.FC = () => {

  const [IsEditFormVisible, setIsEditFormVisible] = useState<boolean>(false);

  const [isEditVisible, setIsEditVisible] = useState<boolean>(false);

  const toggleEditForm = () => {

    setIsEditFormVisible(prevState => !prevState);

  }

  const toggleForm = () => {

    setIsEditVisible(prevState => !prevState);

  }

  const [status, setStatus] = useState('');


  const handleChange = (e: React.ChangeEvent<HTMLInputElement>) => {

    setStatus(e.target.value);

    localStorage.setItem("status",e.target.value);

    const selectedStatus = e.target.value;

    setStatus(selectedStatus);

    if (selectedStatus === 'Status:-Selected') {

      sendEmail();

    }

  };

  // const handleChange = (event) => {

  //   const selectedStatus = event.target.value;

  //   setStatus(selectedStatus);

  //   if (selectedStatus === 'Status:-Selected') {

  //     sendEmail();

  //   }

  // };

  const sendEmail = () => {
```

```javascript
    const email = localStorage.getItem('jemailid');

    const fullName = localStorage.getItem('jfullname');


    const templateParams = {
     to_name: fullName,
     to_email: email,
     message: 'Congratulations! You have been selected.',
     // Add other necessary params here
    };
    emailjs.send('your_service_id', 'your_template_id', templateParams, 'your_user_id')
    .then((response) => {
     console.log('Email sent successfully!', response.status, response.text);
    })
    .catch((err) => {
     console.error('Failed to send email. Error:', err);
    });
 };


//date section
  const today = new Date();
  const formattedDate = today.toDateString();


  return (
   <div className="interndata">
    <div className='datalistintern'>
     <strong>Date</strong>
     <strong><b>Name</b></strong>
     <strong><b>Email</b></strong>
     <strong><b>Action</b></strong>
    </div>
    <div className='datalistjobpage'>
```

```jsx
<p>{formattedDate}</p>

<strong> {localStorage.getItem('jfullname')}</strong>

<strong> {localStorage.getItem('jemailid')}</strong>

<strong><button onClick={toggleEditForm} className='view-job-applcation-
detail'>view</button></strong>

</div>

{IsEditFormVisible && (

<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

    <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>
```

```
      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Company : {localStorage.getItem('jcompany')} </strong>

    </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}
```

```
            onChange={handleChange}

          /> Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
            value='Status:-Selected'
            checked={status === 'Status:-Selected'}
            onChange={handleChange}
          /> Select
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
            value='Status:-Rejected'
            checked={status === 'Status:-Rejected'}
            onChange={handleChange}
          /> Reject
        </div>
      </div>
    </div>
        </div>


    )}
      <div className='datalistjobpage'>
       <p>{formattedDate}</p>
      <strong> Raushan Kumar</strong>
      <strong> kumarraushan91628@gmail.com</strong>
```

```jsx
        <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

      </div>
```

```
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Role : {localStorage.getItem('jrole')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Job Role : {localStorage.getItem('jerole')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>year : {localStorage.getItem('jyear')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>State : {localStorage.getItem('jstate')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>District : {localStorage.getItem('jdistrict')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Experience : {localStorage.getItem('jexperience')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Company : {localStorage.getItem('jcompany')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Location : {localStorage.getItem('jlocation')}</strong>
  </div>
</div>
```

```jsx
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('jresume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter : {localStorage.getItem('jletter')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
        </div>
      </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
```

```jsx
<div className='col-lg-4 col-sm-12'>

  <input

    type='radio'

    name='status'

    value='Status:-Selected'

    checked={status === 'Status:-Selected'}

    onChange={handleChange}

  /> Select

</div>

<div className='col-lg-4 col-sm-12'>

  <input

    type='radio'

    name='status'

    value='Status:-Rejected'

    checked={status === 'Status:-Rejected'}

    onChange={handleChange}

  /> Reject

</div>

</div>

</div>

)}

<div className='datalistjobpage'>

  <p>{formattedDate}</p>

<strong> Abhishek kumar</strong>

<strong> {localStorage.getItem('jemailid')}</strong>

 <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

</div>

{isEditVisible && (
```

```jsx
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Fullname :Abhishek kumar </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>District : {localStorage.getItem('jdistrict')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Company : {localStorage.getItem('jcompany')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```
        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Letter : {localStorage.getItem('jletter')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

        </div>

      </div>

      <div className='status'>

    <div className='row d-flex'>

      <h1>Status</h1>

      <hr />

      <p>Match to job description</p>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Inprocess'

          checked={status === 'Status:-Inprocess'}

          onChange={handleChange}

        /> Inprocess

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'
```

```
      value='Status:-Selected'

      checked={status === 'Status:-Selected'}

      onChange={handleChange}

     /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

     <input

      type='radio'

      name='status'

      value='Status:-Rejected'

      checked={status === 'Status:-Rejected'}

      onChange={handleChange}

     /> Reject

    </div>

   </div>

  </div>

    </div>


    )}

    <div className='datalistjobpage'>

     <p>Tue Jun 11 2024</p>

    <strong> Abhishek kumar</strong>

    <strong> Abhishek656kumar@outlook.com</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>
```

```jsx
        <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :Abhishek kumar </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

      </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>
```

```jsx
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
        </div>
      </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
```

```jsx
        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>


    </div>

      </div>

      )}

      <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> Abhishek kumar</strong>

      <strong> abhishekkumar8778@gmail.com</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :Abhishek kumar </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>
```

```
    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Phone : {localStorage.getItem('jphone')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>College : {localStorage.getItem('jcollege')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Cource : {localStorage.getItem('jcource')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Field : {localStorage.getItem('jfield')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Role : {localStorage.getItem('jrole')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Job Role : {localStorage.getItem('jerole')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>year : {localStorage.getItem('jyear')} </strong>
  </div>
</div>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

     <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```jsx
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
      </div>
    </div>
    <div className='status'>
  <div className='row d-flex'>
    <h1>Status</h1>
    <hr />
    <p>Match to job description</p>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Inprocess'
        checked={status === 'Status:-Inprocess'}
        onChange={handleChange}
      /> Inprocess
    </div>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Selected'
        checked={status === 'Status:-Selected'}
        onChange={handleChange}
      /> Select
    </div>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
```

```jsx
        name='status'

        value='Status:-Rejected'

        checked={status === 'Status:-Rejected'}

        onChange={handleChange}

      /> Reject

    </div>

  </div>

</div>

    </div>


    )}
     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

       <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

       <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>

    </div>

    <div className='row d-flex'>
```

```
              <div className='col-lg-6 col-sm-12'>

                <strong>Phone : {localStorage.getItem('jphone')} </strong>

              </div>

             <div className='col-lg-6 col-sm-12'>

                <strong>College : {localStorage.getItem('jcollege')}</strong>

              </div>

            </div>

            <div className='row d-flex'>

             <div className='col-lg-6 col-sm-12'>

                <strong>Cource : {localStorage.getItem('jcource')} </strong>

              </div>

             <div className='col-lg-6 col-sm-12'>

                <strong>Field : {localStorage.getItem('jfield')}</strong>

              </div>

            </div>

            <div className='row d-flex'>

             <div className='col-lg-6 col-sm-12'>

                <strong>Role : {localStorage.getItem('jrole')} </strong>

              </div>

             <div className='col-lg-6 col-sm-12'>

                <strong>Job Role : {localStorage.getItem('jerole')}</strong>

              </div>

            </div>

            <div className='row d-flex'>

             <div className='col-lg-6 col-sm-12'>

                <strong>year : {localStorage.getItem('jyear')} </strong>

              </div>

             <div className='col-lg-6 col-sm-12'>

                <strong>State : {localStorage.getItem('jstate')}</strong>

              </div>

            </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```jsx
      </div>
      <div className='status'>
    <div className='row d-flex'>
     <h1>Status</h1>
     <hr />
     <p>Match to job description</p>
     <div className='col-lg-4 col-sm-12'>
       <input
         type='radio'
         name='status'
         value='Status:-Inprocess'
         checked={status === 'Status:-Inprocess'}
         onChange={handleChange}
       /> Inprocess
     </div>
     <div className='col-lg-4 col-sm-12'>
       <input
         type='radio'
         name='status'
         value='Status:-Selected'
         checked={status === 'Status:-Selected'}
         onChange={handleChange}
       /> Select
     </div>
     <div className='col-lg-4 col-sm-12'>
       <input
         type='radio'
         name='status'
         value='Status:-Rejected'
         checked={status === 'Status:-Rejected'}
         onChange={handleChange}
```

```
                    /> Reject
                </div>
            </div>


        </div>
            </div>
            )}
            <div className='datalistjobpage'>
            <p>Tue Jun 11 2024</p>
        <strong> {localStorage.getItem('jfullname')}</strong>
        <strong> {localStorage.getItem('jemailid')}</strong>
            <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>
            </div>
            {isEditVisible && (
            <div className='viewalldata'>
                <button onClick={toggleEditForm} className='editcross-button'>X</button>
                <h1 className='text-center'>Candidate Detail</h1><hr></hr>
            <div className='row d-flex'>
                <div className='col-lg-6 col-sm-12'>
                    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>
                </div>
                <div className='col-lg-6 col-sm-12'>
                    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>
                </div>
            </div>
            <div className='row d-flex'>
                <div className='col-lg-6 col-sm-12'>
                    <strong>Phone : {localStorage.getItem('jphone')} </strong>
                </div>
                <div className='col-lg-6 col-sm-12'>
```

```
        <strong>College : {localStorage.getItem('jcollege')}</strong>
      </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Cource : {localStorage.getItem('jcource')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Field : {localStorage.getItem('jfield')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Role : {localStorage.getItem('jrole')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Job Role : {localStorage.getItem('jerole')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>year : {localStorage.getItem('jyear')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>State : {localStorage.getItem('jstate')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>District : {localStorage.getItem('jdistrict')} </strong>
    </div>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

     <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Company : {localStorage.getItem('jcompany')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Resume : {localStorage.getItem('jresume')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Letter : {localStorage.getItem('jletter')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

    </div>

   </div>

   <div className='status'>

  <div className='row d-flex'>

   <h1>Status</h1>
```

```
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
        /> Reject
      </div>
    </div>
  </div>
```

```jsx
      </div>

      )}
      <div className='datalistjobpage'>
       <p>Tue Jun 11 2024</p>
      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>
      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

       <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

       </div>

       <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

       </div>

      </div>

      <div className='row d-flex'>

       <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

       </div>

       <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

       </div>

      </div>

      <div className='row d-flex'>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

  </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>

</div>

<div className='status'>

<div className='row d-flex'>

 <h1>Status</h1>

 <hr />

 <p>Match to job description</p>

 <div className='col-lg-4 col-sm-12'>

  <input
```

```
        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Rejected'

        checked={status === 'Status:-Rejected'}

        onChange={handleChange}

      /> Reject

    </div>

  </div>


</div>

    </div>

    )}

    <div className='datalistjobpage'>
```

```jsx
    <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>
```

```
          <strong>Field : {localStorage.getItem('jfield')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('jrole')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Job Role : {localStorage.getItem('jerole')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>year : {localStorage.getItem('jyear')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('jstate')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('jdistrict')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Experience : {localStorage.getItem('jexperience')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Company : {localStorage.getItem('jcompany')} </strong>
        </div>
```

```jsx
  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>

</div>

<div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Inprocess'

      checked={status === 'Status:-Inprocess'}
```

```jsx
          onChange={handleChange}

        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
        /> Reject
      </div>
    </div>
  </div>
    </div>

    )}
    <div className='datalistjobpage'>
      <p>Tue Jun 11 2024</p>
    <strong> {localStorage.getItem('jfullname')}</strong>
    <strong> {localStorage.getItem('jemailid')}</strong>
```

```jsx
        <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

     </div>

    </div>
```

```jsx
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Role : {localStorage.getItem('jrole')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Job Role : {localStorage.getItem('jerole')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>year : {localStorage.getItem('jyear')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>State : {localStorage.getItem('jstate')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>District : {localStorage.getItem('jdistrict')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Experience : {localStorage.getItem('jexperience')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Company : {localStorage.getItem('jcompany')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Location : {localStorage.getItem('jlocation')}</strong>
  </div>
</div>
```

```
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('jresume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter : {localStorage.getItem('jletter')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
          </div>
        </div>
        <div className='status'>
      <div className='row d-flex'>
        <h1>Status</h1>
        <hr />
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
            value='Status:-Inprocess'
            checked={status === 'Status:-Inprocess'}
            onChange={handleChange}
          /> Inprocess
        </div>
```

```jsx
        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Selected'

            checked={status === 'Status:-Selected'}

            onChange={handleChange}

          /> Select

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>

    </div>

    )}

    <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (
```

```
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

    <h1 className='text-center'>Candidate Detail</h1><hr></hr>
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>District : {localStorage.getItem('jdistrict')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Company : {localStorage.getItem('jcompany')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```
        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Letter : {localStorage.getItem('jletter')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

        </div>

      </div>

      <div className='status'>

    <div className='row d-flex'>

      <h1>Status</h1>

      <hr />

      <p>Match to job description</p>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Inprocess'

          checked={status === 'Status:-Inprocess'}

          onChange={handleChange}

        /> Inprocess

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'
```

```
        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Rejected'

        checked={status === 'Status:-Rejected'}

        onChange={handleChange}

      /> Reject

    </div>

  </div>

</div>

  </div>


  )}

   <div className='datalistjobpage'>

    <p>Tue Jun 11 2024</p>

  <strong> {localStorage.getItem('jfullname')}</strong>

  <strong> {localStorage.getItem('jemailid')}</strong>

   <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

  </div>

  {isEditVisible && (

  <div className='viewalldata'>

    <button onClick={toggleEditForm} className='editcross-button'>X</button>

    <h1 className='text-center'>Candidate Detail</h1><hr></hr>

  <div className='row d-flex'>
```

```jsx
        <div className='col-lg-6 col-sm-12'>

         <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

         <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

       </div>

       <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

         <strong>Phone : {localStorage.getItem('jphone')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

         <strong>College : {localStorage.getItem('jcollege')}</strong>

        </div>

       </div>

       <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

         <strong>Cource : {localStorage.getItem('jcource')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

         <strong>Field : {localStorage.getItem('jfield')}</strong>

        </div>

       </div>

       <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

         <strong>Role : {localStorage.getItem('jrole')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

         <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

       </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>
```

```jsx
      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

        </div>

      </div>

      <div className='status'>

    <div className='row d-flex'>

      <h1>Status</h1>

      <hr />

      <p>Match to job description</p>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Inprocess'

          checked={status === 'Status:-Inprocess'}

          onChange={handleChange}

        /> Inprocess

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select
```

```jsx
        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>


    </div>

      </div>

      )}

      <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

       <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

       </div>

       <div className='col-lg-6 col-sm-12'>
```

```
            <strong>Email Id :{localStorage.getItem('jemailid')}</strong>
        </div>
    </div>
    <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('jphone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('jcollege')}</strong>
        </div>
    </div>
    <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
            <strong>Cource : {localStorage.getItem('jcource')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('jfield')}</strong>
        </div>
    </div>
    <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('jrole')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
            <strong>Job Role : {localStorage.getItem('jerole')}</strong>
        </div>
    </div>
    <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
            <strong>year : {localStorage.getItem('jyear')} </strong>
        </div>
    </div>
```

```
    <div className='col-lg-6 col-sm-12'>

      <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Company : {localStorage.getItem('jcompany')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Resume : {localStorage.getItem('jresume')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Letter : {localStorage.getItem('jletter')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```jsx
      </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

    </div>

  </div>

  <div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Inprocess'

      checked={status === 'Status:-Inprocess'}

      onChange={handleChange}

    /> Inprocess

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Selected'

      checked={status === 'Status:-Selected'}

      onChange={handleChange}

    /> Select

  </div>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'
```

```jsx
            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>

    </div>

      </div>


      )}
       <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

         <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

         <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

        </div>

      </div>

      <div className='row d-flex'>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Role : {localStorage.getItem('jrole')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Job Role : {localStorage.getItem('jerole')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>year : {localStorage.getItem('jyear')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```jsx
      </div>
     <div className='status'>
    <div className='row d-flex'>
     <h1>Status</h1>
     <hr />
     <p>Match to job description</p>
     <div className='col-lg-4 col-sm-12'>
       <input
         type='radio'
         name='status'
         value='Status:-Inprocess'
         checked={status === 'Status:-Inprocess'}
         onChange={handleChange}
       /> Inprocess
     </div>
     <div className='col-lg-4 col-sm-12'>
       <input
         type='radio'
         name='status'
         value='Status:-Selected'
         checked={status === 'Status:-Selected'}
         onChange={handleChange}
       /> Select
     </div>
     <div className='col-lg-4 col-sm-12'>
       <input
         type='radio'
         name='status'
         value='Status:-Rejected'
         checked={status === 'Status:-Rejected'}
         onChange={handleChange}
```

```
      /> Reject

    </div>

  </div>


  </div>

    </div>

    )}

    <div className='datalistjobpage'>

    <p>Tue Jun 11 2024</p>

   <strong> {localStorage.getItem('jfullname')}</strong>

   <strong> {localStorage.getItem('jemailid')}</strong>

    <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>
```

```
          <strong>College : {localStorage.getItem('jcollege')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Cource : {localStorage.getItem('jcource')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('jfield')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('jrole')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Job Role : {localStorage.getItem('jerole')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>year : {localStorage.getItem('jyear')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('jstate')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('jdistrict')} </strong>
        </div>
```

```
    <div className='col-lg-6 col-sm-12'>

      <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Company : {localStorage.getItem('jcompany')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Resume : {localStorage.getItem('jresume')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Letter : {localStorage.getItem('jletter')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

    </div>

  </div>

  <div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>
```

```jsx
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
        /> Reject
      </div>
    </div>
  </div>
```

```jsx
        </div>


    )}
   <div className='datalistjobpage'>

    <p>Tue Jun 11 2024</p>

   <strong> {localStorage.getItem('jfullname')}</strong>

   <strong> {localStorage.getItem('jemailid')}</strong>

    <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>
```

```
  <div className='col-lg-6 col-sm-12'>

   <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>

</div>

<div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input
```

```jsx
      type='radio'

      name='status'

      value='Status:-Inprocess'

      checked={status === 'Status:-Inprocess'}

      onChange={handleChange}

     /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

     <input

      type='radio'

      name='status'

      value='Status:-Selected'

      checked={status === 'Status:-Selected'}

      onChange={handleChange}

     /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

     <input

      type='radio'

      name='status'

      value='Status:-Rejected'

      checked={status === 'Status:-Rejected'}

      onChange={handleChange}

     /> Reject

    </div>

   </div>


</div>

   </div>

   )}

    <div className='datalistjobpage'>
```

```jsx
    <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>
```

```
    <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>
```

```
      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}
```

```jsx
          onChange={handleChange}

        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
        /> Reject
      </div>
    </div>
  </div>

      </div>

  )}
   <div className='datalistjobpage'>
    <p>Tue Jun 11 2024</p>
  <strong> {localStorage.getItem('jfullname')}</strong>
  <strong> {localStorage.getItem('jemailid')}</strong>
```

```jsx
      <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

     </div>

    </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>
```

```jsx
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Resume : {localStorage.getItem('jresume')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Letter : {localStorage.getItem('jletter')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
      </div>
    </div>
    <div className='status'>
  <div className='row d-flex'>
    <h1>Status</h1>
    <hr />
    <p>Match to job description</p>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Inprocess'
        checked={status === 'Status:-Inprocess'}
        onChange={handleChange}
      /> Inprocess
    </div>
```

```jsx
        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Selected'

            checked={status === 'Status:-Selected'}

            onChange={handleChange}

          /> Select

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>


    </div>

      </div>

      )}

      <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (
```

```jsx
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

   <h1 className='text-center'>Candidate Detail</h1><hr></hr>
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>
```

```
        <div className='col-lg-6 col-sm-12'>

          <strong>Job Role : {localStorage.getItem('jerole')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>year : {localStorage.getItem('jyear')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>State : {localStorage.getItem('jstate')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>District : {localStorage.getItem('jdistrict')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Experience : {localStorage.getItem('jexperience')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Company : {localStorage.getItem('jcompany')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Location : {localStorage.getItem('jlocation')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```jsx
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter : {localStorage.getItem('jletter')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
        </div>
      </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
```

```
          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>

  </div>

    </div>


    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>
```

```
<div className='col-lg-6 col-sm-12'>

  <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>Phone : {localStorage.getItem('jphone')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>College : {localStorage.getItem('jcollege')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>Cource : {localStorage.getItem('jcource')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>Field : {localStorage.getItem('jfield')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>Role : {localStorage.getItem('jrole')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>Job Role : {localStorage.getItem('jerole')}</strong>

</div>

</div>
```

```
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>year : {localStorage.getItem('jyear')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>State : {localStorage.getItem('jstate')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>District : {localStorage.getItem('jdistrict')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Experience : {localStorage.getItem('jexperience')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Company : {localStorage.getItem('jcompany')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Location : {localStorage.getItem('jlocation')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Resume : {localStorage.getItem('jresume')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Letter : {localStorage.getItem('jletter')}</strong>
  </div>
```

```
  </div>
  <div className='row d-flex'>
   <div className='col-lg-6 col-sm-12'>
    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
   </div>
   <div className='col-lg-6 col-sm-12'>
    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
   </div>
  </div>
  <div className='status'>
 <div className='row d-flex'>
  <h1>Status</h1>
  <hr />
  <p>Match to job description</p>
  <div className='col-lg-4 col-sm-12'>
   <input
    type='radio'
    name='status'
    value='Status:-Inprocess'
    checked={status === 'Status:-Inprocess'}
    onChange={handleChange}
   /> Inprocess
  </div>
  <div className='col-lg-4 col-sm-12'>
   <input
    type='radio'
    name='status'
    value='Status:-Selected'
    checked={status === 'Status:-Selected'}
    onChange={handleChange}
   /> Select
```

```
        </div>

        <div className='col-lg-4 col-sm-12'>

         <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

         /> Reject

        </div>

       </div>


     </div>

        </div>

        )}

        <div className='datalistjobpage'>

         <p>Tue Jun 11 2024</p>

        <strong> {localStorage.getItem('jfullname')}</strong>

        <strong> {localStorage.getItem('jemailid')}</strong>

         <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

        </div>

        {isEditVisible && (

        <div className='viewalldata'>

          <button onClick={toggleEditForm} className='editcross-button'>X</button>

          <h1 className='text-center'>Candidate Detail</h1><hr></hr>

        <div className='row d-flex'>

         <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

         </div>

         <div className='col-lg-6 col-sm-12'>
```

```
            <strong>Email Id :{localStorage.getItem('jemailid')}</strong>
        </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Phone : {localStorage.getItem('jphone')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>College : {localStorage.getItem('jcollege')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Cource : {localStorage.getItem('jcource')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Field : {localStorage.getItem('jfield')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Role : {localStorage.getItem('jrole')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Job Role : {localStorage.getItem('jerole')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>year : {localStorage.getItem('jyear')} </strong>
      </div>
```

```
<div className='col-lg-6 col-sm-12'>

  <strong>State : {localStorage.getItem('jstate')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>District : {localStorage.getItem('jdistrict')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>Experience : {localStorage.getItem('jexperience')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>Company : {localStorage.getItem('jcompany')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>Location : {localStorage.getItem('jlocation')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>Resume : {localStorage.getItem('jresume')} </strong>

</div>

<div className='col-lg-6 col-sm-12'>

  <strong>Letter : {localStorage.getItem('jletter')}</strong>

</div>

</div>

<div className='row d-flex'>

<div className='col-lg-6 col-sm-12'>

  <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```jsx
      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'
```

```jsx
              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

            /> Reject

          </div>

        </div>

      </div>

        </div>


        )}

        <div className='datalistjobpage'>

          <p>Tue Jun 11 2024</p>

        <strong> {localStorage.getItem('jfullname')}</strong>

        <strong> {localStorage.getItem('jemailid')}</strong>

          <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

        </div>

        {isEditVisible && (

        <div className='viewalldata'>

          <button onClick={toggleEditForm} className='editcross-button'>X</button>

            <h1 className='text-center'>Candidate Detail</h1><hr></hr>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

            <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

          </div>

        </div>

        <div className='row d-flex'>
```

```
  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```
      </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
```

```jsx
          /> Reject

        </div>

      </div>


    </div>

      </div>

      )}

       <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>

       <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

       </div>

       <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

       </div>

      </div>

      <div className='row d-flex'>

       <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

       </div>

       <div className='col-lg-6 col-sm-12'>
```

```
              <strong>College : {localStorage.getItem('jcollege')}</strong>
        </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Cource : {localStorage.getItem('jcource')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Field : {localStorage.getItem('jfield')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Role : {localStorage.getItem('jrole')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Job Role : {localStorage.getItem('jerole')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>year : {localStorage.getItem('jyear')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>State : {localStorage.getItem('jstate')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>District : {localStorage.getItem('jdistrict')} </strong>
    </div>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

      <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Company : {localStorage.getItem('jcompany')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Resume : {localStorage.getItem('jresume')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Letter : {localStorage.getItem('jletter')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

    </div>

  </div>

  <div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>
```

```jsx
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
        /> Reject
      </div>
    </div>
  </div>
```

```jsx
      </div>


    )}
    <div className='datalistjobpage'>
     <p>Tue Jun 11 2024</p>
    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>
    {isEditVisible && (
    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>
    <div className='row d-flex'>
     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>
     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>
    </div>
    <div className='row d-flex'>
     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>
     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>
    </div>
    <div className='row d-flex'>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

     <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

   </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>

</div>

<div className='status'>

<div className='row d-flex'>

 <h1>Status</h1>

 <hr />

 <p>Match to job description</p>

 <div className='col-lg-4 col-sm-12'>

   <input
```

```jsx
          type='radio'

          name='status'

          value='Status:-Inprocess'

          checked={status === 'Status:-Inprocess'}

          onChange={handleChange}

        /> Inprocess

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>


</div>

    </div>

    )}

      <div className='datalistjobpage'>
```

```jsx
    <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>
```

```jsx
        <strong>Field : {localStorage.getItem('jfield')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Role : {localStorage.getItem('jrole')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Job Role : {localStorage.getItem('jerole')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>year : {localStorage.getItem('jyear')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>State : {localStorage.getItem('jstate')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>District : {localStorage.getItem('jdistrict')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Experience : {localStorage.getItem('jexperience')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Company : {localStorage.getItem('jcompany')} </strong>
      </div>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

      <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Resume : {localStorage.getItem('jresume')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Letter : {localStorage.getItem('jletter')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

      <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

      <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

    </div>

  </div>

  <div className='status'>
<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input

      type='radio'

      name='status'

      value='Status:-Inprocess'

      checked={status === 'Status:-Inprocess'}
```

```jsx
          onChange={handleChange}

        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
        /> Reject
      </div>
    </div>
  </div>
    </div>

  )}
    <div className='datalistjobpage'>
     <p>Tue Jun 11 2024</p>
    <strong> {localStorage.getItem('jfullname')}</strong>
    <strong> {localStorage.getItem('jemailid')}</strong>
```

```jsx
        <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>
```

```jsx
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('jresume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter : {localStorage.getItem('jletter')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
        </div>
      </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
```

```jsx
    <div className='col-lg-4 col-sm-12'>

     <input

      type='radio'

      name='status'

      value='Status:-Selected'

      checked={status === 'Status:-Selected'}

      onChange={handleChange}

     /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

     <input

      type='radio'

      name='status'

      value='Status:-Rejected'

      checked={status === 'Status:-Rejected'}

      onChange={handleChange}

     /> Reject

    </div>

   </div>

 </div>

   </div>

   )}

   <div className='datalistjobpage'>

    <p>Tue Jun 11 2024</p>

   <strong> {localStorage.getItem('jfullname')}</strong>

   <strong> {localStorage.getItem('jemailid')}</strong>

    <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

   </div>

   {isEditVisible && (
```

```jsx
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>
<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Phone : {localStorage.getItem('jphone')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>College : {localStorage.getItem('jcollege')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Cource : {localStorage.getItem('jcource')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Field : {localStorage.getItem('jfield')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Role : {localStorage.getItem('jrole')} </strong>

 </div>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

     <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```
      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'
```

```jsx
              value='Status:-Selected'

              checked={status === 'Status:-Selected'}

              onChange={handleChange}

            /> Select

          </div>

          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

            /> Reject

          </div>

        </div>

      </div>

        </div>


      )}

       <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (

      <div className='viewalldata'>

        <button onClick={toggleEditForm} className='editcross-button'>X</button>

        <h1 className='text-center'>Candidate Detail</h1><hr></hr>

      <div className='row d-flex'>
```

```
  <div className='col-lg-6 col-sm-12'>

   <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

  </div>

 </div>

 <div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

 </div>

 <div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

 </div>

 <div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

 </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>
```

```
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
      </div>
    </div>
    <div className='status'>
  <div className='row d-flex'>
    <h1>Status</h1>
    <hr />
    <p>Match to job description</p>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Inprocess'
        checked={status === 'Status:-Inprocess'}
        onChange={handleChange}
      /> Inprocess
    </div>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Selected'
        checked={status === 'Status:-Selected'}
        onChange={handleChange}
      /> Select
```

```
          </div>

          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

            /> Reject

          </div>

        </div>


      </div>

        </div>

        )}

        <div className='datalistjobpage'>

         <p>Tue Jun 11 2024</p>

        <strong> Golu Kumar</strong>

        <strong> {localStorage.getItem('jemailid')}</strong>

         <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

        </div>

        {isEditVisible && (

        <div className='viewalldata'>

          <button onClick={toggleEditForm} className='editcross-button'>X</button>

          <h1 className='text-center'>Candidate Detail</h1><hr></hr>

        <div className='row d-flex'>

         <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :Golu Kumar </strong>

         </div>

         <div className='col-lg-6 col-sm-12'>
```

```
          <strong>Email Id :{localStorage.getItem('jemailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('jphone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('jcollege')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Cource : {localStorage.getItem('jcource')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('jfield')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('jrole')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Job Role : {localStorage.getItem('jerole')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>year : {localStorage.getItem('jyear')} </strong>
        </div>
      </div>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

     <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```
          </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'
```

```jsx
                    name='status'

                    value='Status:-Rejected'

                    checked={status === 'Status:-Rejected'}

                    onChange={handleChange}

                  /> Reject

                </div>

              </div>

            </div>

              </div>


              )}
                <div className='datalistjobpage'>

                 <p>Tue Jun 11 2024</p>

                <strong> Golu Kumar</strong>

                <strong> Abhishekkumar@gmail.com</strong>

                 <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

                </div>

                {isEditVisible && (

                <div className='viewalldata'>

                  <button onClick={toggleEditForm} className='editcross-button'>X</button>

                  <h1 className='text-center'>Candidate Detail</h1><hr></hr>

                <div className='row d-flex'>

                 <div className='col-lg-6 col-sm-12'>

                  <strong>Fullname :Golu Kumar </strong>

                 </div>

                 <div className='col-lg-6 col-sm-12'>

                  <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

                 </div>

                </div>

                <div className='row d-flex'>
```

```jsx
  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```jsx
        </div>
      <div className='status'>
    <div className='row d-flex'>
      <h1>Status</h1>
      <hr />
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Inprocess'
          checked={status === 'Status:-Inprocess'}
          onChange={handleChange}
        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
```

```
              /> Reject

            </div>

          </div>


        </div>

          </div>

          )}

          <div className='datalistjobpage'>

           <p>Tue Jun 11 2024</p>

          <strong> Abhishek Kumar</strong>

          <strong> Abhishekkumar91776@yahoo.com</strong>

           <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

          </div>

          {isEditVisible && (

          <div className='viewalldata'>

            <button onClick={toggleEditForm} className='editcross-button'>X</button>

            <h1 className='text-center'>Candidate Detail</h1><hr></hr>

          <div className='row d-flex'>

           <div className='col-lg-6 col-sm-12'>

            <strong>Fullname :Golu Kumar </strong>

           </div>

           <div className='col-lg-6 col-sm-12'>

            <strong>Email Id :golukumar91776@yahoo.com</strong>

           </div>

          </div>

          <div className='row d-flex'>

           <div className='col-lg-6 col-sm-12'>

            <strong>Phone : {localStorage.getItem('jphone')} </strong>

           </div>

           <div className='col-lg-6 col-sm-12'>
```

```
        <strong>College : {localStorage.getItem('jcollege')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Cource : {localStorage.getItem('jcource')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Field : {localStorage.getItem('jfield')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Role : {localStorage.getItem('jrole')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Job Role : {localStorage.getItem('jerole')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>year : {localStorage.getItem('jyear')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>State : {localStorage.getItem('jstate')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>District : {localStorage.getItem('jdistrict')} </strong>
      </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>

       <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

       <strong>Company : {localStorage.getItem('jcompany')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

       <strong>Location : {localStorage.getItem('jlocation')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

       <strong>Resume : {localStorage.getItem('jresume')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

       <strong>Letter : {localStorage.getItem('jletter')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

       <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

       <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

     </div>

    </div>

    <div className='status'>

   <div className='row d-flex'>

    <h1>Status</h1>
```

```jsx
    <hr />
    <p>Match to job description</p>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Inprocess'
        checked={status === 'Status:-Inprocess'}
        onChange={handleChange}
      /> Inprocess
    </div>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Selected'
        checked={status === 'Status:-Selected'}
        onChange={handleChange}
      /> Select
    </div>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Rejected'
        checked={status === 'Status:-Rejected'}
        onChange={handleChange}
      /> Reject
    </div>
  </div>
</div>
```

```
      </div>


    )}
  <div className='datalistjobpage'>

   <p>Tue Jun 11 2024</p>

 <strong> {localStorage.getItem('jfullname')}</strong>

 <strong> golukumar91776@yahoo.com</strong>

  <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

  </div>

  {isEditVisible && (

  <div className='viewalldata'>

    <button onClick={toggleEditForm} className='editcross-button'>X</button>

    <h1 className='text-center'>Candidate Detail</h1><hr></hr>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>Email Id :golukumar91776@yahoo.com</strong>

   </div>

  </div>

  <div className='row d-flex'>

   <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

   </div>

   <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

   </div>

  </div>

  <div className='row d-flex'>
```

```
  <div className='col-lg-6 col-sm-12'>

   <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

   <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>
```

```jsx
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Company : {localStorage.getItem('jcompany')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Location : {localStorage.getItem('jlocation')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Resume : {localStorage.getItem('jresume')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Letter : {localStorage.getItem('jletter')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
  </div>
</div>
<div className='status'>
<div className='row d-flex'>
  <h1>Status</h1>
  <hr />
  <p>Match to job description</p>
  <div className='col-lg-4 col-sm-12'>
    <input
```

```
            type='radio'

            name='status'

            value='Status:-Inprocess'

            checked={status === 'Status:-Inprocess'}

            onChange={handleChange}

          /> Inprocess

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Selected'

            checked={status === 'Status:-Selected'}

            onChange={handleChange}

          /> Select

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>


</div>

      </div>

      )}

        <div className='datalistjobpage'>
```

```
    <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> golukumar91776@yahoo.com</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :golukumar91776@yahoo.com</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>
```

```
              <strong>Field : {localStorage.getItem('jfield')}</strong>

   </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

   </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

   </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

   </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

   </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

   </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

   </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

   </div>
```

```jsx
        <div className='col-lg-6 col-sm-12'>

          <strong>Location : {localStorage.getItem('jlocation')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Resume : {localStorage.getItem('jresume')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Letter : {localStorage.getItem('jletter')}</strong>

        </div>

      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

        </div>

      </div>

      <div className='status'>

    <div className='row d-flex'>

      <h1>Status</h1>

      <hr />

      <p>Match to job description</p>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Inprocess'

          checked={status === 'Status:-Inprocess'}
```

```jsx
              onChange={handleChange}

            /> Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input
              type='radio'
              name='status'
              value='Status:-Selected'
              checked={status === 'Status:-Selected'}
              onChange={handleChange}
            /> Select
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input
              type='radio'
              name='status'
              value='Status:-Rejected'
              checked={status === 'Status:-Rejected'}
              onChange={handleChange}
            /> Reject
          </div>
        </div>
      </div>


    )}
      <div className='datalistjobpage'>
       <p>Tue Jun 11 2024</p>
      <strong> {localStorage.getItem('jfullname')}</strong>
      <strong> golukumar91776@yahoo.com</strong>
```

```
    <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Cource : {localStorage.getItem('jcource')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Field : {localStorage.getItem('jfield')}</strong>

      </div>

    </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>
```

```jsx
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Resume : {localStorage.getItem('jresume')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Letter : {localStorage.getItem('jletter')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
      </div>
    </div>
    <div className='status'>
  <div className='row d-flex'>
    <h1>Status</h1>
    <hr />
    <p>Match to job description</p>
    <div className='col-lg-4 col-sm-12'>
      <input
        type='radio'
        name='status'
        value='Status:-Inprocess'
        checked={status === 'Status:-Inprocess'}
        onChange={handleChange}
      /> Inprocess
    </div>
```

```jsx
          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Selected'

              checked={status === 'Status:-Selected'}

              onChange={handleChange}

            /> Select

          </div>

          <div className='col-lg-4 col-sm-12'>

            <input

              type='radio'

              name='status'

              value='Status:-Rejected'

              checked={status === 'Status:-Rejected'}

              onChange={handleChange}

            /> Reject

          </div>

        </div>

      </div>

      </div>

      )}

      <div className='datalistjobpage'>

        <p>Tue Jun 11 2024</p>

      <strong> {localStorage.getItem('jfullname')}</strong>

      <strong> {localStorage.getItem('jemailid')}</strong>

       <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

      </div>

      {isEditVisible && (
```

```
<div className='viewalldata'>

  <button onClick={toggleEditForm} className='editcross-button'>X</button>

  <h1 className='text-center'>Candidate Detail</h1><hr></hr>
<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Phone : {localStorage.getItem('jphone')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>College : {localStorage.getItem('jcollege')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Cource : {localStorage.getItem('jcource')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Field : {localStorage.getItem('jfield')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Role : {localStorage.getItem('jrole')} </strong>

 </div>
```

```
    <div className='col-lg-6 col-sm-12'>

     <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>year : {localStorage.getItem('jyear')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>State : {localStorage.getItem('jstate')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>District : {localStorage.getItem('jdistrict')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Company : {localStorage.getItem('jcompany')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Resume : {localStorage.getItem('jresume')} </strong>
```

```jsx
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter : {localStorage.getItem('jletter')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
          </div>
        </div>
        <div className='status'>
      <div className='row d-flex'>
        <h1>Status</h1>
        <hr />
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
            value='Status:-Inprocess'
            checked={status === 'Status:-Inprocess'}
            onChange={handleChange}
          /> Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
```

```jsx
            value='Status:-Selected'

            checked={status === 'Status:-Selected'}

            onChange={handleChange}

          /> Select

        </div>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Rejected'

            checked={status === 'Status:-Rejected'}

            onChange={handleChange}

          /> Reject

        </div>

      </div>

    </div>

      </div>


    )}

     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>
```

```jsx
    <div className='col-lg-6 col-sm-12'>

     <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Phone : {localStorage.getItem('jphone')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>College : {localStorage.getItem('jcollege')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Cource : {localStorage.getItem('jcource')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Field : {localStorage.getItem('jfield')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Role : {localStorage.getItem('jrole')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Job Role : {localStorage.getItem('jerole')}</strong>

    </div>

   </div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>
```

```
      </div>

      <div className='row d-flex'>

        <div className='col-lg-6 col-sm-12'>

          <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

        </div>

        <div className='col-lg-6 col-sm-12'>

          <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

        </div>

      </div>

      <div className='status'>

    <div className='row d-flex'>

      <h1>Status</h1>

      <hr />

      <p>Match to job description</p>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Inprocess'

          checked={status === 'Status:-Inprocess'}

          onChange={handleChange}

        /> Inprocess

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

          type='radio'

          name='status'

          value='Status:-Selected'

          checked={status === 'Status:-Selected'}

          onChange={handleChange}

        /> Select
```

```
        </div>

        <div className='col-lg-4 col-sm-12'>

         <input

           type='radio'

           name='status'

           value='Status:-Rejected'

           checked={status === 'Status:-Rejected'}

           onChange={handleChange}

         /> Reject

        </div>

      </div>


    </div>

       </div>

       )}

        <div className='datalistjobpage'>

         <p>Tue Jun 11 2024</p>

        <strong> {localStorage.getItem('jfullname')}</strong>

        <strong> {localStorage.getItem('jemailid')}</strong>

         <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

        </div>

        {isEditVisible && (

        <div className='viewalldata'>

          <button onClick={toggleEditForm} className='editcross-button'>X</button>

          <h1 className='text-center'>Candidate Detail</h1><hr></hr>

        <div className='row d-flex'>

         <div className='col-lg-6 col-sm-12'>

          <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

         </div>

         <div className='col-lg-6 col-sm-12'>
```

```jsx
        <strong>Email Id :{localStorage.getItem('jemailid')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Phone : {localStorage.getItem('jphone')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>College : {localStorage.getItem('jcollege')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Cource : {localStorage.getItem('jcource')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Field : {localStorage.getItem('jfield')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Role : {localStorage.getItem('jrole')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Job Role : {localStorage.getItem('jerole')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>year : {localStorage.getItem('jyear')} </strong>
      </div>
    </div>
```

```
      <div className='col-lg-6 col-sm-12'>

        <strong>State : {localStorage.getItem('jstate')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>District : {localStorage.getItem('jdistrict')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Experience : {localStorage.getItem('jexperience')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Company : {localStorage.getItem('jcompany')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Location : {localStorage.getItem('jlocation')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Resume : {localStorage.getItem('jresume')} </strong>

      </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Letter : {localStorage.getItem('jletter')}</strong>

      </div>

    </div>

    <div className='row d-flex'>

      <div className='col-lg-6 col-sm-12'>

        <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
```

```jsx
        </div>

      <div className='col-lg-6 col-sm-12'>

        <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

      </div>

    </div>

    <div className='status'>

  <div className='row d-flex'>

    <h1>Status</h1>

    <hr />

    <p>Match to job description</p>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'
```

```jsx
          name='status'

          value='Status:-Rejected'

          checked={status === 'Status:-Rejected'}

          onChange={handleChange}

        /> Reject

      </div>

    </div>

  </div>

    </div>


    )}
     <div className='datalistjobpage'>

      <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>
```

```jsx
  <div className='col-lg-6 col-sm-12'>

    <strong>Phone : {localStorage.getItem('jphone')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>College : {localStorage.getItem('jcollege')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>
```

```jsx
      </div>
    <div className='status'>
  <div className='row d-flex'>
   <h1>Status</h1>
   <hr />
   <p>Match to job description</p>
   <div className='col-lg-4 col-sm-12'>
     <input
       type='radio'
       name='status'
       value='Status:-Inprocess'
       checked={status === 'Status:-Inprocess'}
       onChange={handleChange}
     /> Inprocess
   </div>
   <div className='col-lg-4 col-sm-12'>
     <input
       type='radio'
       name='status'
       value='Status:-Selected'
       checked={status === 'Status:-Selected'}
       onChange={handleChange}
     /> Select
   </div>
   <div className='col-lg-4 col-sm-12'>
     <input
       type='radio'
       name='status'
       value='Status:-Rejected'
       checked={status === 'Status:-Rejected'}
       onChange={handleChange}
```

```
                    /> Reject

                  </div>

                </div>



              </div>

                </div>

                )}

                 <div className='datalistjobpage'>

                  <p>Tue Jun 11 2024</p>

                <strong> {localStorage.getItem('jfullname')}</strong>

                <strong> {localStorage.getItem('jemailid')}</strong>

                 <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

                </div>

                {isEditVisible && (

                <div className='viewalldata'>

                   <button onClick={toggleEditForm} className='editcross-button'>X</button>

                    <h1 className='text-center'>Candidate Detail</h1><hr></hr>

                <div className='row d-flex'>

                  <div className='col-lg-6 col-sm-12'>

                    <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

                  </div>

                  <div className='col-lg-6 col-sm-12'>

                    <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

                  </div>

                </div>

                <div className='row d-flex'>

                  <div className='col-lg-6 col-sm-12'>

                    <strong>Phone : {localStorage.getItem('jphone')} </strong>

                  </div>

                  <div className='col-lg-6 col-sm-12'>
```

```
      <strong>College : {localStorage.getItem('jcollege')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Cource : {localStorage.getItem('jcource')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Field : {localStorage.getItem('jfield')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Role : {localStorage.getItem('jrole')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Job Role : {localStorage.getItem('jerole')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>year : {localStorage.getItem('jyear')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>State : {localStorage.getItem('jstate')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>District : {localStorage.getItem('jdistrict')} </strong>
    </div>
```

```
    <div className='col-lg-6 col-sm-12'>

     <strong>Experience : {localStorage.getItem('jexperience')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Company : {localStorage.getItem('jcompany')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Location : {localStorage.getItem('jlocation')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Resume : {localStorage.getItem('jresume')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Letter : {localStorage.getItem('jletter')}</strong>

    </div>

   </div>

   <div className='row d-flex'>

    <div className='col-lg-6 col-sm-12'>

     <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

    </div>

    <div className='col-lg-6 col-sm-12'>

     <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

    </div>

   </div>

   <div className='status'>

  <div className='row d-flex'>

   <h1>Status</h1>
```

```jsx
<hr />
<p>Match to job description</p>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Inprocess'
    checked={status === 'Status:-Inprocess'}
    onChange={handleChange}
  /> Inprocess
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Selected'
    checked={status === 'Status:-Selected'}
    onChange={handleChange}
  /> Select
</div>
<div className='col-lg-4 col-sm-12'>
  <input
    type='radio'
    name='status'
    value='Status:-Rejected'
    checked={status === 'Status:-Rejected'}
    onChange={handleChange}
  /> Reject
</div>
</div>
</div>
```

```
        </div>


    )}
    <div className='datalistjobpage'>
      <p>Tue Jun 11 2024</p>
    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>
    {isEditVisible && (
    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

       <h1 className='text-center'>Candidate Detail</h1><hr></hr>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>

       <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

      </div>
      <div className='col-lg-6 col-sm-12'>

       <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>

       <strong>Phone : {localStorage.getItem('jphone')} </strong>

      </div>
      <div className='col-lg-6 col-sm-12'>

       <strong>College : {localStorage.getItem('jcollege')}</strong>

      </div>
    </div>
    <div className='row d-flex'>
```

```jsx
  <div className='col-lg-6 col-sm-12'>

   <strong>Cource : {localStorage.getItem('jcource')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

   <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>Role : {localStorage.getItem('jrole')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Job Role : {localStorage.getItem('jerole')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>year : {localStorage.getItem('jyear')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>State : {localStorage.getItem('jstate')}</strong>

 </div>

</div>

<div className='row d-flex'>

 <div className='col-lg-6 col-sm-12'>

  <strong>District : {localStorage.getItem('jdistrict')} </strong>

 </div>

 <div className='col-lg-6 col-sm-12'>

  <strong>Experience : {localStorage.getItem('jexperience')}</strong>

 </div>

</div>
```

```jsx
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Resume : {localStorage.getItem('jresume')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Letter : {localStorage.getItem('jletter')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

  </div>

</div>

<div className='status'>

<div className='row d-flex'>

  <h1>Status</h1>

  <hr />

  <p>Match to job description</p>

  <div className='col-lg-4 col-sm-12'>

    <input
```

```jsx
        type='radio'

        name='status'

        value='Status:-Inprocess'

        checked={status === 'Status:-Inprocess'}

        onChange={handleChange}

      /> Inprocess

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Selected'

        checked={status === 'Status:-Selected'}

        onChange={handleChange}

      /> Select

    </div>

    <div className='col-lg-4 col-sm-12'>

      <input

        type='radio'

        name='status'

        value='Status:-Rejected'

        checked={status === 'Status:-Rejected'}

        onChange={handleChange}

      /> Reject

    </div>

  </div>


</div>

    </div>

    )}

    <div className='datalistjobpage'>
```

```jsx
    <p>Tue Jun 11 2024</p>

    <strong> {localStorage.getItem('jfullname')}</strong>

    <strong> {localStorage.getItem('jemailid')}</strong>

     <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>
```

```
      <strong>Field : {localStorage.getItem('jfield')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>
```

```jsx
          <div className='col-lg-6 col-sm-12'>

            <strong>Location : {localStorage.getItem('jlocation')}</strong>

          </div>

        </div>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Resume : {localStorage.getItem('jresume')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

            <strong>Letter : {localStorage.getItem('jletter')}</strong>

          </div>

        </div>

        <div className='row d-flex'>

          <div className='col-lg-6 col-sm-12'>

            <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>

          </div>

          <div className='col-lg-6 col-sm-12'>

            <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>

          </div>

        </div>

        <div className='status'>

      <div className='row d-flex'>

        <h1>Status</h1>

        <hr />

        <p>Match to job description</p>

        <div className='col-lg-4 col-sm-12'>

          <input

            type='radio'

            name='status'

            value='Status:-Inprocess'

            checked={status === 'Status:-Inprocess'}
```

```jsx
          onChange={handleChange}

        /> Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Selected'
          checked={status === 'Status:-Selected'}
          onChange={handleChange}
        /> Select
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input
          type='radio'
          name='status'
          value='Status:-Rejected'
          checked={status === 'Status:-Rejected'}
          onChange={handleChange}
        /> Reject
      </div>
    </div>
  </div>

      </div>


  )}
  <div className='datalistjobpage'>
   <p>Tue Jun 11 2024</p>
  <strong> {localStorage.getItem('jfullname')}</strong>
  <strong> {localStorage.getItem('jemailid')}</strong>
```

```jsx
    <strong><button onClick={toggleForm} className='view-job-applcation-
detail'>view</button></strong>

    </div>

    {isEditVisible && (

    <div className='viewalldata'>

      <button onClick={toggleEditForm} className='editcross-button'>X</button>

      <h1 className='text-center'>Candidate Detail</h1><hr></hr>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Fullname :{localStorage.getItem('jfullname')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Email Id :{localStorage.getItem('jemailid')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Phone : {localStorage.getItem('jphone')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>College : {localStorage.getItem('jcollege')}</strong>

     </div>

    </div>

    <div className='row d-flex'>

     <div className='col-lg-6 col-sm-12'>

      <strong>Cource : {localStorage.getItem('jcource')} </strong>

     </div>

     <div className='col-lg-6 col-sm-12'>

      <strong>Field : {localStorage.getItem('jfield')}</strong>

     </div>

    </div>
```

```
<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Role : {localStorage.getItem('jrole')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Job Role : {localStorage.getItem('jerole')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>year : {localStorage.getItem('jyear')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>State : {localStorage.getItem('jstate')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>District : {localStorage.getItem('jdistrict')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Experience : {localStorage.getItem('jexperience')}</strong>

  </div>

</div>

<div className='row d-flex'>

  <div className='col-lg-6 col-sm-12'>

    <strong>Company : {localStorage.getItem('jcompany')} </strong>

  </div>

  <div className='col-lg-6 col-sm-12'>

    <strong>Location : {localStorage.getItem('jlocation')}</strong>

  </div>
```

```jsx
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('jresume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter : {localStorage.getItem('jletter')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('jcurrent')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address : {localStorage.getItem('jparmanent')}</strong>
          </div>
        </div>
        <div className='status'>
      <div className='row d-flex'>
        <h1>Status</h1>
        <hr />
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
          <input
            type='radio'
            name='status'
            value='Status:-Inprocess'
            checked={status === 'Status:-Inprocess'}
            onChange={handleChange}
          /> Inprocess
        </div>
```

```jsx
      <div className='col-lg-4 col-sm-12'>

        <input

         type='radio'

         name='status'

         value='Status:-Selected'

         checked={status === 'Status:-Selected'}

         onChange={handleChange}

        /> Select

      </div>

      <div className='col-lg-4 col-sm-12'>

        <input

         type='radio'

         name='status'

         value='Status:-Rejected'

         checked={status === 'Status:-Rejected'}

         onChange={handleChange}

        /> Reject

      </div>

    </div>


   </div>

      </div>

      )}


   </div>


 );
};


export default RegistrationData;
```

Css code of application:-

```css
:root{
  --primary-color: #3498db;
  --secondary-color: #2ecc71;
  --main-color-black:black;
  --main-color-white:white;
  --main-color-red:red;
  --logout-button-bg-color: #ff0000;
  --logout-button-hover-bg-color: #cc0000;
  --main-color-blue:blue;
  --main-color-darkblue:darkblue;
  --main-color-green:green;
  --main-color-aque:aqua;
  --main-color-aquamarine: aquamarine;
  --main-color-purple-sm-white: rgb(236, 237, 238);
  --main-color-purple-bg-white: rgb(234, 234, 240);
  --main-color-purple-md-white:#b4acac;
  --text-align-center: center;
  --text-align-right: right;
  --text-align-left: left;
  --padding:0.3rem;
  --button-align-left: end;
  --font-weight: bold;
}


.navbar {
    display: flex;
    justify-content: space-between;
    /* align-items: center; */
    background:var( --main-color-black);
    padding: 2rem;
    text-decoration: none;
    color:var(--main-color-white);
    position: fixed;
    top: 0;
    width: 100%;
    z-index: 1000;
    margin-right: 200px;
  }
  .logout
  {
    color: var(--main-color-white);
    background-color: var(--logout-button-bg-color);
    padding: var(--padding);
  }
  .logout:hover
  {
```

```css
    color: var(--main-color-white);
    background-color: var(--logout-button-hover-bg-color);
}
.login
{
    color: var(--main-color-white);
    background-color: var(--main-color-blue);
    padding: var(--padding);
}
.login:hover
{
    color: var(--main-color-white);
    background-color: var(--main-color-darkblue);
}


.hamburger {
    display: none;
    cursor: pointer;
    font-size: 1.5rem;
    padding: 1rem;
    text-align: end;
    justify-content: end;
    text-align: end;
    color: var(--main-color-white);
}

.menu {
    display: flex;
    gap: 2rem;
    color: var(--main-color-white);
    margin-right: 35px;
    text-decoration: none;
    padding: 0.5rem;
}

.menu-link {
    text-decoration: none;
    color: var(--main-color-white);
    font-size: 1.2rem;
}
.link
{
    text-decoration: none;
    color: var(--main-color-white);
    gap: 2rem;
    margin-top: 10%;
}
```

```css
    .menu-link:hover {
      color:var( --main-color-green);
    }
    img{
      text-align: center;
      margin: auto;
      width: 400px;
    }
    .about,.home
    {
      text-align: center;
      justify-content: center;
      align-items: center;
      margin-top: 100px;
      margin-left: 20%;
    }
  .contact
{
  display: flex;
  flex-direction: column;
  width: 600px;
  gap:0.5rem;
  margin: auto;
  background-color: var( --main-color-purple-md-white);
  padding: 2rem;
  margin-top: 100px;
  border-radius: 10%;
  margin-right: 20%;
  font-weight: var(--font-weight);
}
.contact-heading
{
  text-align:var( --text-align-center) ;
}
.contactsubmitbutton
{
  text-align:var( --text-align-center) ;
  justify-content: var( --text-align-center);
   align-items: var( --text-align-center);
   color: var(--main-color-white);
   background-color: var(--main-color-blue);
   padding: var(--padding);
   position: var(--button-align-left);
}
.contacteditform
{
  display: flex;
```

```css
  flex-direction: column;
  text-align: start;
  width: 600px;
  gap:0.5rem;
  margin: auto;
  background-color: var( --main-color-purple-md-white);
  padding: 2rem;
  margin-top: 100px;
  margin-right: 30%;
  position: absolute;
  font-weight: var(--font-weight);
}
.esitnamesection
{
  color: var(--main-color-white);
  background-color: var( --secondary-color);
  padding: var(--padding);
}
.editformheading
{
  text-align:var( --text-align-center) ;
  font-weight: var(--font-weight);
}
.editprofile-button
{
  color: var(--main-color-white);
  background-color: var(--main-color-blue);
  padding: var(--padding);
}
.editcross-button
{
  color: var(--main-color-white);
  background-color: var(--main-color-red);
}
.internship-heading
{
  text-align:var( --text-align-center) ;
  font-weight: var(--font-weight);
  color: var(--main-color-darkblue);
}
.viewmore-button
{
  color: var(--main-color-green);
  text-align: var(--text-align-center);
  text-decoration: none;
  font-weight: var(--font-weight);
}
.apply-button-form
```

```css
{
  color: var(--main-color-white);
  background-color: var(--main-color-blue);
  padding: var(--padding);
}
/* button
{
  color: var(--main-color-white);
  background-color:var(--main-color-blue);
  padding: 1rem;
} */
.columnavbaritem {
  text-align:center;
  justify-content:center;
  align-items: center;
  display: flex;
  flex-direction: column;
  width: 20%;
  background-color:var( --main-color-black);
 color: var(--main-color-white);
  font-size: 20px;
  gap: 3rem;
  position: fixed;
  padding: 1rem;
  z-index: 1000;
  top: 0%;
  margin: auto;
  height: 100%;

}
.hrlogin-navbar
{
  text-align: start;
  justify-content: start;
  display: flex;
  flex-direction: column;
  width: 20%;
  background-color:var( --main-color-black);
 color: var(--main-color-white);
  font-size: 20px;
  gap: 1.2rem;
  position: fixed;
  padding: 1rem;
  z-index: 1000;
  top: 0%;
  margin: auto;
  height: 100%;

}
```

```css
.profilesection {
  text-align: start;
  justify-content: start;
  align-items: start;
  display: flex;
  flex-direction: column;
  margin-left: 8%;
}
.profile
{
  border: 1px solid var( --main-color-black);
  border-radius: 50%;
  padding: 2rem;
  width: 8%;
  height: 10%;
  background-color: var( --main-color-purple-md-white);
}
.registration
{
  margin-left: 22%;
  display: flex;
  flex-direction: column;
  /* width: 500px; */
}
.interndata
{
  margin-left: 20%;
}
.form
{
  display: flex;
  flex-direction: column;
}
.formsection
{
  background-color:var( --main-color-purple-md-white);
  padding: 2rem;
  margin-top: 2%;
  width: 50%;
  gap: 1rem;
}
.box
{
  text-align: start;
  justify-content: start;
  align-items: start;
  border:  1px solid var( --main-color-black);
  gap:2rem;
```

```css
    margin-bottom: 2rem;
}
.Aboutus
{
margin-left: 20%;
}
.datalistlogin
{
  display: flex;
  flex-direction: row;
  gap: 25%;
  padding: 1rem;
  background-color:  var( --main-color-purple-md-white);
}
.datalistintern
{
  display: flex;
  flex-direction: row;
  gap: 25%;
  padding: 1rem;
  background-color: var( --main-color-purple-md-white);
}
.datalistloginpage
{
  display: flex;
  flex-direction: row;
  gap: 15%;
  padding: 1rem;
}
.datalistjobpage
{
  display: flex;
  flex-direction: row;
  gap: 15%;
  padding: 1rem;
}
.loginandsinguform
{
  text-align: start;
  justify-content: center;
  align-items: center;
  display: flex;
  flex-direction: column;
  gap:1rem;
  background-color: var( --main-color-purple-md-white);
  width: 600px;
  margin: auto;
  margin-top: 5rem;
```

```css
    border-radius: 5%;
    padding: 3rem;
    font-weight: bold;
}
.input_space,input[type="text"],[type="email"],[type="Phone"],input[type="pass
word"],textarea
{
    width: 500Px;
    padding: 0.4rem;
}
.loginandsinghform
{
    margin-left: 20%;
    text-align: start;
    justify-content: center;
    align-items: center;
    display: flex;
    flex-direction: column;
    gap:1rem;
    background-color: var( --main-color-purple-md-white) ;
    width: 600px;
    margin: auto;
    margin-top: 5rem;
    border-radius: 5%;
    padding: 3rem;
    font-weight: bold;
}
.login-and-signup-button
{
    display: flex;
    gap: 1rem;
    background-color:var(--main-color-blue);
    padding: 1rem;
    font-weight: bold;
    border-radius: 10%;

}
.hrdashbord
{
    margin-left: 21%;
    margin-right: 1%;
    margin-top: 2%;
    text-align: center;
    justify-content: center;
    align-items: center;
    gap: 1rem;
    row-gap: 1rem;
}
```

```css
.row
{
  row-gap: 1rem;
  /* column-gap: 0.01rem; */
}
.divcol1
{
  border: 1px solid var( --main-color-black);
  column-gap: 1rem;
  border-radius: 10%;
  padding: 4rem;
  background-color: var( --main-color-aque);
}
.applicationcount
{
  font-weight: bold;
  font-size: 40px;
}
.applicationform-internship
{
  background-color: var( --main-color-aquamarine);
  position: absolute;
  text-align: start;
  padding: 2rem;
}
.job-application-form
{

  background-color: var( --main-color-aquamarine);
  position: absolute;
  text-align: start;
  padding: 2rem;
}
.headinginternship
{
  text-align: center;
}
.datalistjobpage
{
  padding: 2rem;
  position: relative;
  /* background-color: var(--main-color-aque); */
}
.viewalldata
{
  margin-left: 2%;
  margin-right: 2%;
  background-color: var( --main-color-aque);
```

```css
  padding: 3rem;
  gap: 2rem;
  font-size: 30px;
  border: 2px solid var( --main-color-black);
  color:var(--main-color-blue);
}
.status
{
  text-align: center;
  margin-top: 10px;
  color:var( --main-color-darkblue);
}
.admimform
{
  margin-left: 30%;
  display: flex;
  flex-direction: column;
  margin-top: 10%;
  position: absolute;
  background-color: var(  --main-color-purple-md-white);
  padding: 2rem;
  gap: 1rem;
}
.applicationstatus
{
  background-color:var(--main-color-blue);
  color: var(--main-color-white);
  /* border-radius: 40%; */
  padding: 0.5rem;
}
.displaydata
{
  text-align: start;
  justify-content: start;
  align-items: start;
  border:  1px solid var( --main-color-black);
column-gap: 2rem;
  /* margin-left: 2%; */
  margin-top: 2rem;
}
.creatinternshipbutton
{
  margin-top: 10%;
  font-weight: var(--font-weight);
  padding: var(--padding);
  color: var(--main-color-white);
  background-color: var(--main-color-blue);
```

```css
}
#aboutusimage
{
background-size: cover;
}
.contactus
{
  margin-left: 20%;
}
.viewcontactdetail
{
  text-align: start;
  justify-content: center;
  padding: 2rem;
  margin-left: 2%;
  margin-right: 2%;
  background-color:var(--main-color-blue);
  color: var(--main-color-white);
  display: flex;
  flex-direction: column;
  font-size: 30px;
  gap:1rem;
  border: 1px solid var( --main-color-black);
}
.contactus
{
  margin-left: 20%;
}
.dashbord-text-form-count
{
  color: var(--main-color-darkblue);
}
.view-job-applcation-detail
{
 color: var(--main-color-white);
 background-color: var(--main-color-blue);
 padding: var(--padding);
}
.reply-users
{
  color: var(--main-color-white);
  background-color: var(--primary-color);
}
.create-internship
{
 color: var(--main-color-white);
 background-color: var(--main-color-blue);
 padding: var(--padding);
```

```css
}
.creat-internship-form
{
  text-align: var(--text-align-center);
  font-weight: var(--font-weight);
}
.admin-login
{
  color: var(--main-color-white);
  background-color: var(--main-color-blue);
  padding: var(--padding);
}

  @media (max-width: 768px) {
    .hamburger {
      display: block;
      text-align: end;
      justify-content: end;
    }
    .menu {
      display:block;
      flex-direction: column;
      text-align: end;
      width: 100%;
    }
    .menu.open {
      display: flex;
      text-align: end;
    }
  }
```

Internship application form code:-

```tsx
import React, { useEffect, useState } from 'react';

const RegistrationData: React.FC = () => {
  const [isEditFormVisible, setIsEditFormVisible] = useState<boolean>(false);
  const [isFormVisible, setIsFormVisible] = useState<boolean>(false);
  const [isseeFormVisible, setIsseeFormVisible] = useState<boolean>(false);
  const toggleEditForm = () => {
    setIsEditFormVisible(prevState => !prevState);
  }
  const submitForm = () => {
    setIsFormVisible(prevState => !prevState);
  }
  const submitFormbutton = () => {
```

```
      setIsseeFormVisible(prevState => !prevState);
  }
  const resume = localStorage.getItem('fullname');
  const today = new Date();
  const formattedDate = today.toDateString();

  return (
    <div className="interndata">
        <div className='datalistintern'>
        <strong>Date</strong>
        <strong><b>Name</b></strong>
        <strong><b>Email</b></strong>
        <strong><b>Action</b></strong>
        </div>
        <div className='datalistjobpage'>
          <p>{formattedDate}</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
        <strong><button onClick={toggleEditForm} className='view-job-
applcation-detail'>view</button></strong>
        </div>
        {isEditFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
```

```
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
          {/* <img src={resume} alt="Logo" className='img-flud'
id="aboutusimage"/> */}
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
```

```jsx
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
            <div className='col-lg-4 col-sm-12'>
              <input type='checkbox' name="select"/>Select
            </div>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Reject
            </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>{formattedDate}</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
        <strong><button onClick={submitFormbutton} className='view-job-
applcation-detail'>view</button></strong>
        </div>
        {isseeFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
```

```jsx
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
```

```
        <input type='checkbox' name="Reject"/>Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="select"/>Select
      </div>
      <div className='col-lg-4 col-sm-12'>
      <input type='checkbox' name="Reject"/>Reject
      </div>
    </div>
    </div>
    </div>
    )}
    <div className='datalistjobpage'>
      <p>Tue Jun 11 2024</p>
    <strong>Abhishek kumar</strong>
    <strong>kumarabhishek@gmail.com</strong>
    <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
    </div>
    {isFormVisible && (
    <div className='viewalldata'>
        <h1 className='text-center'>Candidate Detail</h1><hr></hr>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>FullName : {localStorage.getItem('fullname')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong> Email id : {localStorage.getItem('Emailid')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Phone : {localStorage.getItem('Phone')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>College : {localStorage.getItem('college')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Course : {localStorage.getItem('course')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Skill : {localStorage.getItem('skill')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
```

```
                <strong>Field : {localStorage.getItem('field')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Role : {localStorage.getItem('role')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Year : {localStorage.getItem('year')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Semester : {localStorage.getItem('semester')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>State : {localStorage.getItem('state')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>District : {localStorage.getItem('district')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Current Address : {localStorage.getItem('current')}
</strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Resume : {localStorage.getItem('resume')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Letter :{localStorage.getItem('letter')}</strong>
            </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

            <h1>Status</h1><hr></hr>
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
```

```jsx
              <div className='col-lg-4 col-sm-12'>
                <input type='checkbox' name="select"/>Select
              </div>
              <div className='col-lg-4 col-sm-12'>
              <input type='checkbox' name="Reject"/>Reject
              </div>
          </div>
          </div>
          </div>
          )}
          <div className='datalistjobpage'>
             <p>Tue Jun 11 2024</p>
          <strong>Abhishek kumar</strong>
          <strong>kumarabhishek@gmail.com</strong>
           <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
          </div>
          {isFormVisible && (
          <div className='viewalldata'>
              <h1 className='text-center'>Candidate Detail</h1><hr></hr>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>FullName : Abhishek kumar </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong> Email id : kumarabhishek@gmail.com</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Phone : {localStorage.getItem('Phone')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>College : {localStorage.getItem('college')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Course : {localStorage.getItem('course')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Skill : {localStorage.getItem('skill')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Field : {localStorage.getItem('field')} </strong>
            </div>
```

```jsx
      <div className='col-lg-6 col-sm-12'>
        <strong>Role : {localStorage.getItem('role')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Year : {localStorage.getItem('year')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Semester : {localStorage.getItem('semester')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>State : {localStorage.getItem('state')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>District : {localStorage.getItem('district')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Current Address : {localStorage.getItem('current')}
</strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
      </div>
    </div>
    <div className='row d-flex'>
      <div className='col-lg-6 col-sm-12'>
        <strong>Resume : {localStorage.getItem('resume')} </strong>
      </div>
      <div className='col-lg-6 col-sm-12'>
        <strong>Letter :{localStorage.getItem('letter')}</strong>
      </div>
    </div>
    <div className='status'>
    <div className='row d-flex'>

      <h1>Status</h1><hr></hr>
      <p>Match to job description</p>
      <div className='col-lg-4 col-sm-12'>
      <input type='checkbox' name="Reject"/>Inprocess
      </div>
      <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="select"/>Select
```

```jsx
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>Abhishek kumar</strong>
        <strong>kumarabhishek@gmail.com</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : Abhishek kumar </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : kumarabhishek@gmail.com</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
```

```
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Year : {localStorage.getItem('year')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Semester : {localStorage.getItem('semester')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('state')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('district')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('current')}
</strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('resume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter :{localStorage.getItem('letter')}</strong>
        </div>
      </div>
      <div className='status'>
      <div className='row d-flex'>

        <h1>Status</h1><hr></hr>
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="select"/>Select
        </div>
        <div className='col-lg-4 col-sm-12'>
```

```jsx
          <input type='checkbox' name="Reject"/>Reject
        </div>
      </div>
      </div>
      </div>
      )}
      <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong>Abhishek kumar</strong>
      <strong>kumarabhishek@gmail.com</strong>
       <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : {localStorage.getItem('fullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : kumarabhishek@gmail.com</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
        </div>
      </div>
```

```jsx
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

        <h1>Status</h1><hr></hr>
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="select"/>Select
        </div>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Reject
        </div>
```

```jsx
            </div>
          </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>kumarabhishek@gmail.com</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
```

```
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
```

```jsx
        </div>
      )}
      <div className='datalistjobpage'>
        <p>Tue Jun 11 2024</p>
      <strong>{localStorage.getItem('fullname')}</strong>
      <strong>{localStorage.getItem('Emailid')}</strong>
       <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : {localStorage.getItem('fullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : {localStorage.getItem('Emailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Year : {localStorage.getItem('year')} </strong>
        </div>
```

```jsx
                <div className='col-lg-6 col-sm-12'>
                    <strong>Semester : {localStorage.getItem('semester')}</strong>
                </div>
            </div>
            <div className='row d-flex'>
                <div className='col-lg-6 col-sm-12'>
                    <strong>State : {localStorage.getItem('state')} </strong>
                </div>
                <div className='col-lg-6 col-sm-12'>
                    <strong>District : {localStorage.getItem('district')}</strong>
                </div>
            </div>
            <div className='row d-flex'>
                <div className='col-lg-6 col-sm-12'>
                    <strong>Current Address : {localStorage.getItem('current')}
</strong>
                </div>
                <div className='col-lg-6 col-sm-12'>
                    <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
                </div>
            </div>
            <div className='row d-flex'>
                <div className='col-lg-6 col-sm-12'>
                    <strong>Resume : {localStorage.getItem('resume')} </strong>
                </div>
                <div className='col-lg-6 col-sm-12'>
                    <strong>Letter :{localStorage.getItem('letter')}</strong>
                </div>
            </div>
            <div className='status'>
            <div className='row d-flex'>

                <h1>Status</h1><hr></hr>
                <p>Match to job description</p>
                <div className='col-lg-4 col-sm-12'>
                <input type='checkbox' name="Reject"/>Inprocess
                </div>
                <div className='col-lg-4 col-sm-12'>
                    <input type='checkbox' name="select"/>Select
                </div>
                <div className='col-lg-4 col-sm-12'>
                <input type='checkbox' name="Reject"/>Reject
                </div>
            </div>
            </div>
            </div>
        )}
```

```jsx
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
```

```
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
```

```jsx
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
        <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
          <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : {localStorage.getItem('fullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : {localStorage.getItem('Emailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Year : {localStorage.getItem('year')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Semester : {localStorage.getItem('semester')}</strong>
        </div>
      </div>
    </div>
```

```jsx
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
```

```jsx
        <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
```

```jsx
                <strong>State : {localStorage.getItem('state')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>District : {localStorage.getItem('district')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Current Address : {localStorage.getItem('current')}
</strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Resume : {localStorage.getItem('resume')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Letter :{localStorage.getItem('letter')}</strong>
            </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

            <h1>Status</h1><hr></hr>
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
            <div className='col-lg-4 col-sm-12'>
                <input type='checkbox' name="select"/>Select
            </div>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Reject
            </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
            <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
```

```jsx
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>FullName : {localStorage.getItem('fullname')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong> Email id : {localStorage.getItem('Emailid')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Phone : {localStorage.getItem('Phone')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>College : {localStorage.getItem('college')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Course : {localStorage.getItem('course')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Skill : {localStorage.getItem('skill')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Field : {localStorage.getItem('field')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Role : {localStorage.getItem('role')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Year : {localStorage.getItem('year')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Semester : {localStorage.getItem('semester')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>State : {localStorage.getItem('state')} </strong>
          </div>
```

```jsx
          <div className='col-lg-6 col-sm-12'>
            <strong>District : {localStorage.getItem('district')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
```

```jsx
<div className='viewalldata'>
    <h1 className='text-center'>Candidate Detail</h1><hr></hr>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>FullName : {localStorage.getItem('fullname')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong> Email id : {localStorage.getItem('Emailid')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Phone : {localStorage.getItem('Phone')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>College : {localStorage.getItem('college')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Course : {localStorage.getItem('course')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Skill : {localStorage.getItem('skill')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Field : {localStorage.getItem('field')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Role : {localStorage.getItem('role')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Year : {localStorage.getItem('year')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Semester : {localStorage.getItem('semester')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>State : {localStorage.getItem('state')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>District : {localStorage.getItem('district')}</strong>
```

```
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Current Address : {localStorage.getItem('current')}
</strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
            </div>
          </div>
          <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
              <strong>Resume : {localStorage.getItem('resume')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
              <strong>Letter :{localStorage.getItem('letter')}</strong>
            </div>
          </div>
          <div className='status'>
          <div className='row d-flex'>

            <h1>Status</h1><hr></hr>
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
            <div className='col-lg-4 col-sm-12'>
              <input type='checkbox' name="select"/>Select
            </div>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Reject
            </div>
          </div>
          </div>
          </div>
          )}
          <div className='datalistjobpage'>
            <p>Tue Jun 11 2024</p>
          <strong>{localStorage.getItem('fullname')}</strong>
          <strong>{localStorage.getItem('Emailid')}</strong>
           <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
          </div>
          {isFormVisible && (
          <div className='viewalldata'>
              <h1 className='text-center'>Candidate Detail</h1><hr></hr>
```

```jsx
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>FullName : {localStorage.getItem('fullname')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong> Email id : {localStorage.getItem('Emailid')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Phone : {localStorage.getItem('Phone')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>College : {localStorage.getItem('college')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Course : {localStorage.getItem('course')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Skill : {localStorage.getItem('skill')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Field : {localStorage.getItem('field')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Role : {localStorage.getItem('role')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>Year : {localStorage.getItem('year')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>Semester : {localStorage.getItem('semester')}</strong>
  </div>
</div>
<div className='row d-flex'>
  <div className='col-lg-6 col-sm-12'>
    <strong>State : {localStorage.getItem('state')} </strong>
  </div>
  <div className='col-lg-6 col-sm-12'>
    <strong>District : {localStorage.getItem('district')}</strong>
  </div>
</div>
```

```jsx
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Current Address : {localStorage.getItem('current')}
</strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
          </div>
        </div>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
            <strong>Resume : {localStorage.getItem('resume')} </strong>
          </div>
          <div className='col-lg-6 col-sm-12'>
            <strong>Letter :{localStorage.getItem('letter')}</strong>
          </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

          <h1>Status</h1><hr></hr>
          <p>Match to job description</p>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Inprocess
          </div>
          <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="select"/>Select
          </div>
          <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="Reject"/>Reject
          </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
          <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
         <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
          <div className='col-lg-6 col-sm-12'>
```

```
      <strong>FullName : {localStorage.getItem('fullname')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong> Email id : {localStorage.getItem('Emailid')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Phone : {localStorage.getItem('Phone')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>College : {localStorage.getItem('college')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Course : {localStorage.getItem('course')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Skill : {localStorage.getItem('skill')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Field : {localStorage.getItem('field')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Role : {localStorage.getItem('role')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>Year : {localStorage.getItem('year')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>Semester : {localStorage.getItem('semester')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
      <strong>State : {localStorage.getItem('state')} </strong>
    </div>
    <div className='col-lg-6 col-sm-12'>
      <strong>District : {localStorage.getItem('district')}</strong>
    </div>
  </div>
  <div className='row d-flex'>
    <div className='col-lg-6 col-sm-12'>
```

```
                <strong>Current Address : {localStorage.getItem('current')}
</strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Resume : {localStorage.getItem('resume')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Letter :{localStorage.getItem('letter')}</strong>
            </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

            <h1>Status</h1><hr></hr>
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
            <div className='col-lg-4 col-sm-12'>
                <input type='checkbox' name="select"/>Select
            </div>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Reject
            </div>
        </div>
        </div>
        </div>
        )}
        <div className='datalistjobpage'>
            <p>Tue Jun 11 2024</p>
        <strong>{localStorage.getItem('fullname')}</strong>
        <strong>{localStorage.getItem('Emailid')}</strong>
        <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
        </div>
        {isFormVisible && (
        <div className='viewalldata'>
            <h1 className='text-center'>Candidate Detail</h1><hr></hr>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>FullName : {localStorage.getItem('fullname')} </strong>
            </div>
```

```jsx
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : {localStorage.getItem('Emailid')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Year : {localStorage.getItem('year')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Semester : {localStorage.getItem('semester')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('state')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('district')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('current')}
</strong>
```

```jsx
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Resume : {localStorage.getItem('resume')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Letter :{localStorage.getItem('letter')}</strong>
        </div>
      </div>
      <div className='status'>
      <div className='row d-flex'>

        <h1>Status</h1><hr></hr>
        <p>Match to job description</p>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Inprocess
        </div>
        <div className='col-lg-4 col-sm-12'>
          <input type='checkbox' name="select"/>Select
        </div>
        <div className='col-lg-4 col-sm-12'>
        <input type='checkbox' name="Reject"/>Reject
        </div>
      </div>
      </div>
      </div>
      )}
      <div className='datalistjobpage'>
        <p>{formattedDate}</p>
      <strong>{localStorage.getItem('fullname')}</strong>
      <strong>{localStorage.getItem('Emailid')}</strong>
       <strong><button onClick={submitForm} className='view-job-applcation-
detail'>view</button></strong>
      </div>
      {isFormVisible && (
      <div className='viewalldata'>
         <h1 className='text-center'>Candidate Detail</h1><hr></hr>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>FullName : {localStorage.getItem('fullname')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong> Email id : {localStorage.getItem('Emailid')}</strong>
```

```jsx
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Phone : {localStorage.getItem('Phone')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>College : {localStorage.getItem('college')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Course : {localStorage.getItem('course')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Skill : {localStorage.getItem('skill')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Field : {localStorage.getItem('field')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Role : {localStorage.getItem('role')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Year : {localStorage.getItem('year')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>Semester : {localStorage.getItem('semester')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>State : {localStorage.getItem('state')} </strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
          <strong>District : {localStorage.getItem('district')}</strong>
        </div>
      </div>
      <div className='row d-flex'>
        <div className='col-lg-6 col-sm-12'>
          <strong>Current Address : {localStorage.getItem('current')}
</strong>
        </div>
        <div className='col-lg-6 col-sm-12'>
```

```
                    <strong>Parmanent Address :
{localStorage.getItem('permanent')}</strong>
            </div>
        </div>
        <div className='row d-flex'>
            <div className='col-lg-6 col-sm-12'>
                <strong>Resume : {localStorage.getItem('resume')} </strong>
            </div>
            <div className='col-lg-6 col-sm-12'>
                <strong>Letter :{localStorage.getItem('letter')}</strong>
            </div>
        </div>
        <div className='status'>
        <div className='row d-flex'>

            <h1>Status</h1><hr></hr>
            <p>Match to job description</p>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Inprocess
            </div>
            <div className='col-lg-4 col-sm-12'>
                <input type='checkbox' name="select"/>Select
            </div>
            <div className='col-lg-4 col-sm-12'>
            <input type='checkbox' name="Reject"/>Reject
            </div>
        </div>
        </div>
        </div>
        )}
    </div>
  );
};

export default RegistrationData;
```

Contact List

Name:

Email:

Message:

Submit

Internship Application form

Enter your Name:-

Enter your Email Id:-

Enter your Phone:-

Enter your Collage:-

Enter your Cource:-

Enter your Field:-

Enter your Role:-

Enter your Year:-

Enter your Semester:-

Enter your Skill:-

Enter your state:-

Enter your District:-

Enter your Resume:- Choose File No file chosen

Enter your Cover Letter:- Choose File No file chosen

Enter your Current Address:-

Enter your Parmanent Address:-

Submit

Job Application form

Enter your Name:-

Enter your Email Id:-

Enter your Phone:-

Enter your Collage:-

Enter your Cource:-

Enter your Field:-

Enter your Role:-

Enter your Year:-

Enter your state:-

Enter your District:-

Experience

How many year of experience:-

Enter your Role:-

Enter your Company Name:-

Enter your Job Location:-

Enter your Resume:- Choose File No file chosen

Enter your Cover Letter:- Choose File No file chosen

Enter your Current Address:-

Enter your Parmanent Address:-

Home

About

Contact

Feedback

Login LogOut

Welcome Raushan Kumar

Rausha

kumarr

Edit

Admin Login

Username

Password

Submit

Title:Raush

Skill:kumar

Location:h

Salary:10200

View more

Home

About

Contact

Feedback

Signup Form

Enter your Name:-

Name

Enter your Email Id:-

Email

Enter your Password:-

Password

Enter your Conform Password:-

Conform Password

Login   Sign Up

Inter Application

Login   LogOut

Home

About

Dashbord

Create Jobs

Login Data

Job Application

Contact Detail

Internship Application

LogOut

Freshers
1

Experience
1

Total
2

Home

About

Dashbord

Create Jobs

Login Data

Job Application

Contact Detail

Internship Application

LogOut

+ Create Internship

Internship

Title: React js development
Skill: React js, Bootstrap
Location: India
Salary: Skill based

Title: Salesforce Development Internship
Skill: Javascript , Typescript , Html ,Css ,Bootstrap
Location: India
Salary: Performance Based

+ Create Job

Job

Inter Application

Login LogOut

Home

About

Dashbord

Create Jobs

Login Data

Job Application

Contact Detail

Internship Application

LogOut

Date	Name	Email	Action
Tue Jun 25 2024	Raushan Kumar	kumarraushan91628@gmail.com	view
Tue Jun 25 2024	Raushan Kumar	kumarraushan91628@gmail.com	view
Tue Jun 25 2024	Abhishek kumar	kumarraushan91628@gmail.com	view
Tue Jun 11 2024	Abhishek kumar	Abhishek656kumar@outlook.com	view
Tue Jun 11 2024	Abhishek kumar	abhishekkumar8778@gmail.com	view
Tue Jun 11 2024	Raushan Kumar	kumarraushan91628@gmail.com	view

Screenshot 1

Inter Application

Login LogOut

Home

About

Dashbord

Create Jobs

Login Data

Job Application

Contact Detail

Internship Application

LogOut

Date	Name	Email	Action
Tue Jun 25 2024	Golu Kumar	kumarraushan91628@gmail.com	view
Tue Jun 25 2024	Golu Kumar	kumarraushan91628@gmail.com	view
Tue Jun 11 2024	Abhishek kumar	kumarabhishek@gmail.com	view
Tue Jun 11 2024	Abhishek kumar	kumarabhishek@gmail.com	view
Tue Jun 11 2024	Abhishek kumar	kumarabhishek@gmail.com	view
Tue Jun 11 2024	Abhishek kumar	kumarabhishek@gmail.com	view

Screenshot 2

Inter Application

Login LogOut

Home

About

Dashbord

Create Jobs

Login Data

Job Application

Contact Detail

Internship Application

LogOut

Date	Name	Email	Action
Tue Jun 25 2024	Raushan Kumar	kumarraushan91628@gmail.com	view

X

Candidate Detail

Fullname :Raushan Kumar

Email Id :kumarraushan91628@gmail.com

Phone : 08877742073

College : lnd

Cource : bca

Field : it

Role : iweb

Job Role : it

year : 2024

State : Bihar

District : east

Experience : 3

Company : AppyCrown

Location : motihari