

Safe On Route

CSS Design Guideline

Crash Detection Technology

Visual identity and component reference for web development.

Version	1.0
Platform	Web Desktop
Style	Clean & Minimalist
Date	May 2026

Table of Contents

- 1. Color Palette
- 2. Typography
- 3. Spacing System
- 4. Buttons
- 5. Form Inputs
- 6. Cards
- 7. Tables
- 8. Alerts & States
- 9. Iconography
- 10. Accessibility
- 11. CSS Variables Reference

1. Color Palette

The palette is intentionally restrained. The deep navy primary conveys trust and security, while the electric blue accent provides clear interactive affordance. Use color purposefully: neutral tones for content, accent for actions, semantic colors for feedback.

Primary

Primary #0A1628 --color-primary	Accent #2563EB --color-accent	Accent Light #DBEAFE --color-accent-light
--	--	--

Semantic

Success #16A34A --color-success	Warning #F59E0B --color-warning	Danger #DC2626 --color-danger
--	--	--

Neutrals

Gray 900 #111827 --gray-900	Gray 700 #374151 --gray-700	Gray 500 #6B7280 --gray-500	Gray 300 #D1D5DB --gray-300
	Gray 100 #F3F4F6 --gray-100	White #FFFFFF --white	

Usage Rules

- Use **Primary (#0A1628)** for headers, navigation backgrounds, and footer.
- Use **Accent (#2563EB)** exclusively for interactive elements: buttons, links, focus rings.
- Use **Gray 700** for body text, **Gray 500** for secondary/muted text.
- Use **Gray 100** for section backgrounds to create visual hierarchy without borders.

- Never use semantic colors (success, warning, danger) for decorative purposes.

2. Typography

The type system uses Inter as the primary font. It is a geometric sans-serif designed for screen readability. The scale follows a modular ratio of 1.25 (major third) for consistent visual rhythm.

Type Scale

Element	Size	Weight	Line Height	CSS Class
Display	36px	700	1.2	.text-display
H1	28px	700	1.25	h1
H2	22px	600	1.3	h2
H3	18px	600	1.35	h3
Body	16px	400	1.6	.text-body
Body Small	14px	400	1.5	.text-sm
Caption	12px	400	1.4	.text-caption
Overline	11px	600	1.4	.text-overline

Font Stack

```
font-family: 'Inter', -apple-system, BlinkMacSystemFont, 'Segoe UI', sans-serif;

For monospace (code, data): font-family: 'JetBrains Mono', 'Fira Code', monospace;
```

Rules

- Maximum line length: **75 characters** (for readability).
- Paragraph spacing: **1em** between paragraphs, no indentation.
- Use **semibold (600)** for headings, **regular (400)** for body, **medium (500)** for labels.
- Never use font sizes below **12px**.
- Use **uppercase + letter-spacing: 0.05em** only for overline/label elements.

3. Spacing System

Spacing follows a 4px base unit. All margins, paddings, and gaps must be multiples of 4px. This creates a consistent vertical and horizontal rhythm across the interface.

Token	Value	Usage
--space-1	4px	Tight inline spacing, icon gaps
--space-2	8px	Input padding (vertical), compact elements
--space-3	12px	Input padding (horizontal), small gaps
--space-4	16px	Default element spacing, card padding
--space-6	24px	Section padding, form group gaps
--space-8	32px	Card padding (large), section gaps
--space-10	40px	Page section separation
--space-12	48px	Large section breaks
--space-16	64px	Page-level vertical rhythm

Layout Grid

Use a 12-column grid with 24px gutters. Max content width: **1200px**, centered with auto margins. Sidebar: 260px fixed. Main content: fluid.

4. Buttons

Buttons are the primary interactive elements. They follow a strict hierarchy: one primary action per view, secondary for alternatives, ghost for tertiary actions.

Variant	Background	Text	Border	Use Case
Primary	#2563EB	#FFFFFF	none	Main CTA (1 per view)
Secondary	#FFFFFF	#2563EB	1px #2563EB	Alternative actions
Ghost	transparent	#6B7280	none	Tertiary, cancel, back
Danger	#DC2626	#FFFFFF	none	Destructive actions
Disabled	#F3F4F6	#D1D5DB	none	Inactive state

Specifications

- Height: **40px** (default), **36px** (small), **48px** (large).
- Padding: **12px 24px** (default), **8px 16px** (small), **16px 32px** (large).
- Border radius: **6px**.
- Font: **14px, weight 500**, no text transform.
- Transition: **all 150ms ease**.
- Hover (primary): darken to **#1D4ED8**.
- Focus: **2px offset ring** in accent color (outline: 2px solid #2563EB; outline-offset: 2px).
- Minimum width: **80px**. Never stretch buttons to full width except in mobile or modals.
- Icon + text buttons: **8px gap** between icon and label.

CSS Example

```
.btn-primary {
  background: var(--color-accent);
  color: white;
  border: none;
  border-radius: 6px;
  padding: 12px 24px;
  font-size: 14px;
  font-weight: 500;
  cursor: pointer;
  transition: all 150ms ease;
}
.btn-primary:hover { background: #1D4ED8; }
.btn-primary:focus-visible {
  outline: 2px solid var(--color-accent);
  outline-offset: 2px;
}
```


5. Form Inputs

Forms are critical for crash detection configuration. Inputs must be clearly readable with obvious interactive states.

- Height: **40px**.
- Padding: **8px 12px**.
- Border: **1px solid #D1D5DB** (--gray-300).
- Border radius: **6px**.
- Font size: **14px**.
- Placeholder color: **#6B7280** (--gray-500).
- Focus: border changes to **#2563EB**, add **box-shadow: 0 0 0 3px rgba(37, 99, 235, 0.15)**.
- Error: border changes to **#DC2626**, add **box-shadow: 0 0 0 3px rgba(220, 38, 38, 0.1)**.
- Disabled: background **#F3F4F6**, cursor **not-allowed**.
- Label: **14px, weight 500**, color **#374151**, margin-bottom **4px**.
- Helper text: **12px**, color **#6B7280**, margin-top **4px**.
- Error message: **12px**, color **#DC2626**, margin-top **4px**.

Input Types

Type	Notes
Text / Email / Password	Standard specs above
Select	Same height, add custom arrow icon (chevron-down)
Textarea	Min height 120px, resize: vertical only
Checkbox / Radio	18x18px, accent color for checked, 2px border
Toggle	44x24px track, 20px circle, accent when on

6. Cards

Cards group related content. In Safe On Route, cards display vehicle data, alert summaries, and configuration panels.

- Background: **#FFFFFF**.
- Border: **1px solid #D1D5DB**.
- Border radius: **8px**.
- Padding: **24px** (default), **16px** (compact).
- Shadow: **none** by default (minimalist). On hover (if interactive): **0 1px 3px rgba(0,0,0,0.08)**.
- Card title: **16px, weight 600**, color **#111827**.
- Card body text: **14px, weight 400**, color **#374151**.
- Card footer: separated by **1px solid #F3F4F6** top border, padding-top **16px**.
- Spacing between cards: **16px** (grid gap).

Card Variants

Variant	Difference from Default
Default	Standard border, no shadow
Interactive	cursor: pointer, hover shadow, hover border-color: #2563EB
Highlighted	Left border: 3px solid #2563EB (accent indicator)
Alert Card	Left border: 3px solid semantic color (success/warning/danger)

7. Tables

Data tables display vehicle events, crash logs, and user records. They must be scannable and clearly structured.

- Header: background **#F3F4F6**, font **12px weight 600 uppercase**, letter-spacing **0.05em**, color **#6B7280**.
- Row height: **48px** minimum.
- Cell padding: **12px 16px**.
- Font: **14px**, color **#374151**.
- Alternating rows: **#FFFFFF** and **#F9FAFB**.
- Hover row: **#F3F4F6**.
- Border: **1px solid #E5E7EB** (horizontal lines only, no vertical).
- Selected row: background **#DBEAFE**, left border **2px solid #2563EB**.
- Sortable column header: add sort icon, cursor pointer.
- Empty state: centered text **'No data available'**, color **#6B7280**, padding **48px**.

8. Alerts & States

Alerts communicate feedback. In a crash detection system, clear visual distinction between severity levels is critical.

State	Background	Border-Left	Icon Color	Text Color
Info	#DBEAFE	#2563EB	#2563EB	#1E40AF
Success	#DCFCE7	#16A34A	#16A34A	#166534
Warning	#FEF3C7	#F59E0B	#F59E0B	#92400E
Danger	#FEE2E2	#DC2626	#DC2626	#991B1B

Alert Specs

- Padding: **12px 16px**.
- Border-left: **4px solid** (semantic color).
- Border-radius: **6px**.
- Font: **14px**, weight **400** for body, **600** for title.
- Dismissible: add close icon (X) top-right, **20x20px**, color matches text.

Loading States

- Skeleton: **#E5E7EB** background, **border-radius: 4px**, animate with pulse (opacity 0.5 to 1).
- Spinner: **24px**, stroke **#2563EB**, track **#E5E7EB**.
- Full-page loader: centered spinner + text '**Loading...**', **14px**, color **#6B7280**.

9. Iconography

Use Lucide Icons (lucide.dev) as the icon library. They are clean, consistent, and match the minimalist style.

- Default size: **20px**.
- Small: **16px** (inline with text, table actions).
- Large: **24px** (navigation, empty states).
- Stroke width: **1.5px** (default Lucide).
- Color: inherit from parent text color. Never use colored icons except for semantic states.
- Interactive icons: add **8px padding** for hit area (total 36px touch target).
- Icon + text: always **8px gap**, vertically centered.

Recommended Icons

Context	Icons
Navigation	home, map, car, shield, settings, log-out
Actions	plus, pencil, trash-2, download, upload, search
Alerts	info, check-circle, alert-triangle, x-circle
Data	bar-chart-2, activity, clock, map-pin
Crash Detection	alert-octagon, siren, phone-call, navigation

10. Accessibility

WCAG 2.1 AA compliance is mandatory. Crash detection is safety-critical software; the interface must be usable by everyone.

- **Color contrast:** minimum **4.5:1** for body text, **3:1** for large text (18px+). All palette combinations have been verified.
- **Focus indicators:** every interactive element must have a visible focus ring. Use **outline: 2px solid #2563EB**; **outline-offset: 2px**. Never remove outlines without replacement.
- **Keyboard navigation:** all actions must be reachable via Tab, activated via Enter/Space. Modals trap focus. Escape closes modals.
- **ARIA labels:** icon-only buttons must have **aria-label**. Form inputs must have associated **label** elements.
- **Error messages:** use **aria-live='polite'** for dynamic error messages. Never rely on color alone to indicate errors (add text or icon).
- **Motion:** respect **prefers-reduced-motion**. Disable animations when this media query matches.
- **Touch targets:** minimum **44x44px** for interactive elements (even on desktop, good practice).

Contrast Verification

Combination	Ratio	Pass
Gray 900 on White	17.4:1	AAA
Gray 700 on White	9.8:1	AAA
Gray 500 on White	5.0:1	AA
Accent on White	4.6:1	AA
White on Primary	16.5:1	AAA
White on Accent	4.6:1	AA
White on Danger	4.6:1	AA

11. CSS Variables Reference

Copy this into your **:root** selector. All components reference these variables.

```
:root {  
  /* Colors */  
  --color-primary: #0A1628;  
  --color-accent: #2563EB;  
  --color-accent-hover: #1D4ED8;  
  --color-accent-light: #DBEAFE;  
  --color-success: #16A34A;  
  --color-warning: #F59E0B;  
  --color-danger: #DC2626;  
  
  /* Neutrals */  
  --gray-900: #111827;  
  --gray-700: #374151;  
  --gray-500: #6B7280;  
  --gray-300: #D1D5DB;  
  --gray-100: #F3F4F6;  
  --white: #FFFFFF;  
  
  /* Typography */  
  --font-family: 'Inter', -apple-system, BlinkMacSystemFont, 'Segoe UI', sans-serif;  
  --font-mono: 'JetBrains Mono', 'Fira Code', monospace;  
  --text-xs: 12px;  
  --text-sm: 14px;  
  --text-base: 16px;  
  --text-lg: 18px;  
  --text-xl: 22px;  
  --text-2xl: 28px;  
  --text-3xl: 36px;  
  
  /* Spacing */  
  --space-1: 4px;  
  --space-2: 8px;  
  --space-3: 12px;  
  --space-4: 16px;  
  --space-6: 24px;  
  --space-8: 32px;  
  --space-10: 40px;  
  --space-12: 48px;  
  --space-16: 64px;  
  
  /* Borders */  
  --radius-sm: 4px;  
  --radius-md: 6px;  
  --radius-lg: 8px;  
  --border-color: #D1D5DB;
```

```
/* Shadows */
--shadow-sm: 0 1px 2px rgba(0, 0, 0, 0.05);
--shadow-md: 0 1px 3px rgba(0, 0, 0, 0.08);

/* Transitions */
--transition-fast: 150ms ease;
--transition-normal: 250ms ease;
}
```