

Name, Surname:

You can add print screens. Make answers understandable for me ☺

Note: After finishing tasks change file name to

"User_Permissions_Yourname_Yoursurname.docx"

1. There is default group with name wheel. What is the difference from other groups that group? (*Wheel qrupu ilə digər qruplar arasında fərqlər nədir*)
2. Add new user with name "networker". Give sudo permission to that user. To do that you have to create new file under /etc/sudoers.d/ folder. Make new alias like "network_commands". User networker can only run those network commands with sudo access. ip address show, ip route, netstat, tcpdump commands can be aliased.
(*Networker adında istifadəçi yaradın. Ona sudo səlahiyyəti verin. Bunu yuxarıda qeyd edilən folderdə edin. Sudo üçün "network_commands" aliası yaradın və qeyd edilən əməlləri istifadə edin*)
3. Write simple script which shows ip address of host and open ports of host. Add user "scriptrunner" and give sudo access to run that script for scriptrunner user. Pay attention. No any other sudo access should be given to scriptrunner user.
(*İP adresi və açıq portları göstərən sadə script yazın. Qeyd edilən adda user yaradın və skripti işlətmək üçün sudo icazəsi versin. Diqqət edin istifadəçiyə başqa heç bir sudo icazəsi verilməsin*)
4. Add user lisa,lara,sara.
5. Set new passwords for these users.
6. Add new group "sales"
7. Make secondary group sales all the user which you created.
(*Bütün yaratdığınız userlərin ikinci əlavə qrupunu sales edin*)
8. Make new folder with name "myfolder" under /home directory with root user.
9. Change group owner of "myfolder" to sales, and give read, write and execute permission to group owner.
(*Qrup sahibini qeyd edilən qrup edin və read, write, execute icazələri verin*)

10. Login with lisa user.
11. Make new file under myfolder directory.
12. What is the group owner of new file?
13. Make "myfolder" shared folder so that any file created under this directory have same group owner. (this is called "Group colloboration")
(Qeyd edilən folderi paylaşılmış edin, bundan sonra həmin folderdə yaradılan bütün faylların qrup sahibi eyni olacaq)
14. Login with user lara.
15. In myfolder directory create new file.
16. What is the group owner of new file?
17. Login with root.
18. Make new directories under myfolder folder1/folder2/folder3/. How did you do? Write down command. (recursive creation of folders)
19. Make file "myfile" under folder1/folder2/folder3/.
20. With file access-list give permissions (read,write,exe) to wheel group
/...../.../folder1/folder2/folder3/
21. How did you do that, write down command? Pay attention not to make myfile executable file!!!
(20-ci sualın komandasın bura yazın. Faylları executable etmədiyinizə diqqət edin)
22. Apply command so under myfolder directory nobody can delete other user's file.
(Elə edin ki heç kim qeyd edilən folderin altında başqasının faylını silə bilməsin)
23. /...../.../folder1/folder2/folder3/myfile must be immutable file.
24. Backup "myfolder" folder's permission with getfacl and apply those permissions to
"/yourfolder" directory. (mkdir /yourfolder)
(Qeyd edilən komanda ilə fodlerin icazələrini backup edin və digər folderə apply edin)
25. What is the difference between logging in with "-" and without "-"? You can explain in your own language.
26. What does 555, 400 and 750(permissions) mean?
27. What is umask? Explain with own words.
28. Explain skel directory under etc folder.

29. Make a script which creates new file when it runs. Place this script under a folder which every new created users home directory also will have that script. Whenever user logouts, script must run.

(İşə salanda yeni fayl yaradan script yazın. Bu scripti elə yerdə yaradın ki, hər yeni user yarananda həmin userin home fodlerində olsun. User log out olanda script işə düşsün və faylı yaratsın. P.S. Bunu etmək çox sadədir, sadəcə bir az araşdırmaq lazımdır.)

30. Add user with your name which will expire last day of this year. (account will expire)

31. Make password policies for all users below:

Password will expire: 90 days

Minimum password lenth: 11

Minimum days password: 2

Warning day : 7