

1. Find Files Using Name in Current Directory

Find all the files whose name is **tecmint.txt** in a current working directory.

```
# find . -name tecmint.txt

./tecmint.txt
```

2. Find Files Under Home Directory

Find all the files under **/home** directory with the name **tecmint.txt**.

```
# find /home -name tecmint.txt

/home/tecmint.txt
```

3. Find Files Using Name and Ignoring Case

Find all the files whose name is **tecmint.txt** and contains both capital and small letters in **/home** directory.

```
# find /home -iname tecmint.txt

./tecmint.txt
./Tecmint.txt
```

4. Find Directories Using Name

Find all directories whose name is **Tecmint** in **/** directory.

```
# find / -type d -name Tecmint

/Tecmint
```

5. Find PHP Files Using Name

Find all **php** files whose name is **tecmint.php** in a current working directory.

```
# find . -type f -name tecmint.php

./tecmint.php
```

6. Find all PHP Files in the Directory

Find all **php** files in a directory.

```
# find . -type f -name "*.php"

./tecmint.php
./login.php
./index.php
```

Part II – Find Files Based on their Permissions

7. Find Files With 777 Permissions

Find all the files whose permissions are **777**.

```
# find . -type f -perm 0777 -print
```

8. Find Files Without 777 Permissions

Find all the files without permission **777**.

```
# find / -type f ! -perm 777
```

9. Find SGID Files with 644 Permissions

Find all the **SGID bit** files whose permissions are set to **644**.

```
# find / -perm 2644
```

10. Find Sticky Bit Files with 551 Permissions

Find all the **Sticky Bit** set files whose permission is **551**.

```
# find / -perm 1551
```

11. Find SUID Files

Find all **SUID** set files.

```
# find / -perm /u=s
```

12. Find SGID Files

Find all **SGID** set files.

```
# find / -perm /g=s
```

[You might also like: [How to Find Files With SUID and SGID Permissions in Linux](#)]

13. Find Read-Only Files

Find all **Read-Only** files.

```
# find / -perm /u=r
```

14. Find Executable Files

Find all **Executable** files.

```
# find / -perm /a=x
```

15. Find Files with 777 Permissions and Chmod to 644

Find all **777** permission files and use the **chmod** command to set permissions to **644**.

```
# find / -type f -perm 0777 -print -exec chmod 644 {} \;
```

16. Find Directories with 777 Permissions and Chmod to 755

Find all **777** permission directories and use the **chmod** command to set permissions to **755**.

```
# find / -type d -perm 777 -print -exec chmod 755 {} \;
```

17. Find and remove single File

To find a single file called **tecmint.txt** and remove it.

```
# find . -type f -name "tecmint.txt" -exec rm -f {} \;
```

18. Find and remove Multiple File

To find and remove multiple files such as **.mp3** or **.txt**, then use.

```
# find . -type f -name "*.txt" -exec rm -f {} \;
```

OR

```
# find . -type f -name "*.mp3" -exec rm -f {} \;
```

[You might also like: [4 Useful Tools to Find and Delete Duplicate Files in Linux](#)]

19. Find all Empty Files

To find all empty files under a certain path.

```
# find /tmp -type f -empty
```

20. Find all Empty Directories

To file all empty directories under a certain path.

```
# find /tmp -type d -empty
```

21. File all Hidden Files

To find all hidden files, use the below command.

```
# find /tmp -type f -name ".*"
```

Part III – Search Files Based On Owners and Groups

22. Find Single File Based on User

To find all or single files called **tecmint.txt** under / root directory of owner root.

```
# find / -user root -name tecmint.txt
```

23. Find all Files Based on User

To find all files that belong to user **Tecmint** under **/home** directory.

```
# find /home -user tecmint
```

24. Find all Files Based on Group

To find all files that belong to the group **Developer** under **/home** directory.

```
# find /home -group developer
```

25. Find Particular Files of User

To find all **.txt** files of user **Tecmint** under **/home** directory.

```
# find /home -user tecmint -iname "*.txt"
```

Part IV – Find Files and Directories Based on Date and Time

26. Find Last 50 Days Modified Files

To find all the files which are modified **50** days back.

```
# find / -mtime 50
```

27. Find Last 50 Days Accessed Files

To find all the files which are accessed **50** days back.

```
# find / -atime 50
```

28. Find Last 50-100 Days Modified Files

To find all the files which are modified more than **50** days back and less than **100** days.

```
# find / -mtime +50 -mtime -100
```

29. Find Changed Files in Last 1 Hour

To find all the files which are changed in the last **1 hour**.

```
# find / -cmin -60
```

30. Find Modified Files in Last 1 Hour

To find all the files which are modified in the last **1 hour**.

```
# find / -mmin -60
```

31. Find Accessed Files in Last 1 Hour

To find all the files which are accessed in the last **1 hour**.

```
# find / -amin -60
```

Part V – Find Files and Directories Based on Size

32. Find 50MB Files

To find all **50MB** files, use.

```
# find / -size 50M
```

33. Find Size between 50MB – 100MB

To find all the files which are greater than **50MB** and less than **100MB**.

```
# find / -size +50M -size -100M
```

34. Find and Delete 100MB Files

To find all **100MB** files and delete them using one single command.

```
# find / -type f -size 100M -exec rm -f {} \;
```

35. Find Specific Files and Delete

Find all **.mp3** files with more than **10MB** and delete them using one single command.

```
# find / -type f -name *.mp3 -size +10M -exec rm {} \;
```