RCM HOLDINGS

Brand Identity Manual

Guidelines for applying the RCM Holdings identity with clarity, precision and consistency — across every market we connect.



VERSION 1.0 · NOVEMBER 2026

GLOBAL TRADE. INTELLIGENTLY CONNECTED.

INTRODUCTION

Contents

This manual defines the RCM Holdings visual identity: what it stands for, how it is built, and how to apply it.

Every asset referenced here is supplied in the accompanying brand kit as production-ready SVG and PNG files, colour libraries and editable templates. When in doubt, choose clarity, generous space and fewer elements.

01 Brand Foundation

- Brand essence 03
- Personality & voice 04

02 Logo

- Primary logo 05
- The symbol 06
- Design development 07
- Logo versions 08
- Compact icon 09
- Clear space & minimum size 10
- Colour versions & backgrounds 11
- Logo misuse 12

03 Colour

- Colour palette 13
- Proportion & tints 14
- Accessible combinations 15

04 Typography

- Typefaces 16
- Typographic hierarchy 17

05 Visual Language

- Graphic devices 18
- Imagery 19
- Iconography 20

06 Corporate Applications

- Business cards 21
- Letterhead & envelope 22
- Digital & social 23
- Presentations & folder 24
- Shipping documentation 25
- Environmental & signage 26

07 Asset Library

- Files, formats & naming 27

BRAND ESSENCE

A Strategic Partner in Global Commerce.

RCM Holdings is a global freight forwarding and customs brokerage company delivering intelligent logistics solutions that connect markets, simplify complexity, and drive international trade forward.

PURPOSE

To keep global trade moving — reliably, compliantly and with complete clarity.

PROMISE

One accountable partner from origin to final destination.

TAGLINE

Global trade. Intelligently connected.

BRAND ATTRIBUTES

TRUSTWORTHY

We do what we say, and we say what we know.

PRECISE

Accurate documents, exact timings, no ambiguity.

GLOBAL

Local expertise, connected across borders.

EFFICIENT

The shortest sensible path from origin to destination.

PROFESSIONAL

Calm, prepared and accountable at every step.

AUTHORITATIVE

Deep regulatory knowledge, clearly explained.

RELIABLE

Consistent performance clients can plan around.

AGILE

Quick to adapt when markets, routes or rules change.

PERSONALITY & VOICE

Clear, confident and precise.

We write the way our best people talk to clients: knowledgeable, direct and calm under pressure. Complexity is our job — the client should never feel it.

BOILERPLATE

> RCM Holdings is a global freight forwarding and customs brokerage company. We deliver intelligent logistics solutions that connect markets, simplify complexity and drive international trade forward — managing ocean, air and road freight and customs compliance as one accountable partner.

VOICE PRINCIPLES

Clear — not complicated

Lead with the answer. Short sentences, plain words, one idea at a time.

WE SAY "Your shipment clears customs Thursday."

AVOID "Clearance is anticipated pending processing."

Confident — not arrogant

Speak from expertise and evidence, never from superlatives.

WE SAY "98% of our shipments arrive on schedule."

AVOID "The world's best logistics provider."

Precise — not technical for its own sake

Use exact figures, dates and terms — and explain them once.

WE SAY "Under FCA terms, risk transfers at our Newark facility."

AVOID Unexplained acronyms and jargon.

Partner-minded — not transactional

Write with the client, about their goals. Use "we" and "you".

WE SAY "Here's how we'll protect your launch date."

AVOID "Per our terms, delays are not our responsibility."

TAGLINE USAGE

Set "Global trade. Intelligently connected." in uppercase with wide tracking, as in the logo lockup — or in sentence case within copy. Never alter the wording.

WRITING THE NAME

"RCM Holdings" in text; "RCM" after first mention. Never "R.C.M.", "Rcm" or "RCM holdings".

PRIMARY LOGO

Our signature.

The horizontal logo is the primary expression of the brand. Use it whenever space allows. It is supplied as master artwork — never redraw, retype or rearrange it.



1 The symbol

Four quadrants of a diamond, divided by a cross channel. The lower-right quadrant in Orange Red marks forward momentum.

2 The wordmark

Custom extended capitals with softened corners — stable, wide and confident. Navy Blue only.

3 The descriptor

"HOLDINGS", widely tracked to the full width of the wordmark, in Graphite 75%.

4 The tagline lockup

Optional. An Orange Red rule and the tagline. Use only at large sizes (min. 50 mm / 200 px wide).

THE SYMBOL


Connection, direction and precision.

The symbol represents the core elements that drive global trade and logistics forward. Every proportion is fixed — use the master artwork only.

- **Four quadrants** — the four points of the compass: markets everywhere, connected through one partner.
- **The cross channel** — the routes and borders we move goods through, kept perfectly clear.
- **The open centre** — transparency: clients always see where their shipment stands.
- **The forward quadrant** — Orange Red, pointing down and onward: momentum and progress.

CONSTRUCTION

A square rotated 45°. The inner diamond is 56% of the outer; the channel is 13% of the half-diagonal. Inner corners carry a 10% radius for approachability; outer points stay sharp for precision.







DESIGN DEVELOPMENT

Brand symbol exploration.

Five routes explored how a single mark could express connection, direction and precision. “Origin” was selected: it is the most balanced, scales down cleanly to 16 px and holds its meaning in one colour. The other routes are archived here for reference only and must not be used.



01 · ORIGIN — SELECTED

The diamond divided by a clear channel. Balanced, legible, ownable.



02 · ROTATION

A pinwheel of quadrants. Dynamic, but read as circular rather than forward.



03 · COMPASS

An elongated compass point. Strong direction, weak at small sizes.



04 · LINKAGE

Interlocking chevrons and an arrow. Literal, and too complex to reproduce.



05 · FACET

Asymmetric weights. Interesting, but less stable and less trustworthy.

SECONDARY LOGO VARIATIONS

Logo versions.

Choose the version that best fits the available space. Each is a fixed lockup — the relationship between symbol and wordmark never changes.



Horizontal — primary
Default for documents, websites, email and most layouts.



Stacked
For square or narrow formats: social tiles, merchandise, signage blades.



Reverse
On Navy and dark imagery. The forward quadrant stays Orange Red.



Horizontal with tagline
Signature lockup for covers, hero placements, trade-show graphics and corporate signage.



Wordmark
Only where the symbol already appears nearby, e.g. app headers.

COMPACT ICON

The symbol, on its own.

The compact icon places the reverse symbol on a Navy rounded square. Use it where the brand is already established or the name appears nearby.

- App icons, social profile avatars and browser tabs.
- Corner radius 22.4% of the icon size; symbol 70% of the icon width.
- Supply the full-bleed square version to platforms that apply their own mask (iOS, Android, LinkedIn).
- Below 24 px use the favicon artwork: its wider channel stays open at small sizes.



APP ICON · 1024 PX MASTER



FAVICON & SMALL SIZES



SOCIAL AVATAR



LIGHT VARIANT

CLEAR SPACE

Room to lead.

Keep a minimum clear space of **X** on every side of the logo, where X equals the cap height of the RCM wordmark. No text, image or edge may enter this zone. More space is always better.



MINIMUM SIZE

Never reproduce the logo smaller than these sizes. Below them, the descriptor and channel lose definition.

VERSION	PRINT	DIGITAL	SHOWN AT DIGITAL MINIMUM
Horizontal	30 mm	120 px	RCM HOLDINGS
With tagline	50 mm	200 px	RCM HOLDINGS GLOBAL TRADE. INTELLIGENTLY CONNECTED.
Stacked	18 mm	72 px	RCM HOLDINGS
Symbol	6 mm	16 px	


PLACEMENT


Place the logo in a corner or on the left margin of the layout grid — top-left by default. Centre it only on covers, signage and formats with a strong central axis.


COLOUR VERSIONS & BACKGROUNDS


Always in contrast.

Use full colour on White, Stone and light neutrals; reverse on Navy, Graphite and dark imagery. Use one-colour versions only when printing limits colour — embroidery, engraving, single-colour forms, faxes.




















LOGO MISUSE

Protect the mark.

Consistency builds recognition and trust. Always use the supplied master files and never modify them. These examples show common errors to avoid.



DON'T stretch, squash or distort the logo.



DON'T rotate or set the logo at an angle.



DON'T recolour the logo outside the brand palette.



DON'T move the Orange Red quadrant.



DON'T add shadows, gradients, bevels or glows.



DON'T rearrange or resize the elements.



DON'T retype the wordmark in another font.



DON'T place the logo on low-contrast backgrounds.

COLOUR PALETTE

Navy-led. Orange-driven.

A disciplined palette: Navy Blue carries the brand, neutrals create calm and structure, and Orange Red is reserved for the moments that matter. Pantone and RAL references are nearest matches — always proof against a physical guide.




NAVY BLUE	GRAPHITE	STONE	ORANGE RED	WHITE
RGB 11 29 58	RGB 43 47 54	RGB 230 231 233	RGB 255 74 0	RGB 255 255 255
CMYK 100 78 30 60	CMYK 72 62 50 65	CMYK 8 5 5 0	CMYK 0 80 100 0	CMYK 0 0 0 0
PANTONE 289 C	PANTONE 433 C	PANTONE Cool Gray 1 C	PANTONE 1655 C	PANTONE —
RAL 5011	RAL 7021	RAL 9002	RAL 2004	RAL 9016
Primary brand colour. Logo, headlines, large fields of colour.	Body copy, secondary text and dark neutral backgrounds.	Panels, tables, dividers and quiet backgrounds.	Accent only: the forward quadrant, highlights, key data, calls to action.	Space and clarity — the base for documents and screens.

COLOUR USAGE

Proportion is identity.

Keep the balance of colour consistent across every layout. White is the canvas; the remaining colour follows this ratio.



- Orange Red is an accent: never more than about 10% of a layout.
- Never set body copy in Orange Red; use it for short labels, data highlights and rules.
- Never place Orange Red text on Orange-adjacent tints.

SUPPORTING TINTS

Tints extend the palette for charts, UI states and backgrounds. Use them sparingly and never as substitutes for the core colours in the logo.

NAVY	100 #0B1D3A	80 #3C4A61	60 #6D7789	40 #9DA5B0	20 #CED2D8	10 #E7E8EB
GRAPHITE	100 #2B2F36	75 #606368	50 #95979A	25 #CACBCD	10 #EAEAEB	
ORANGE RED	100 #FF4A00	80 #FF6E33	60 #FF9266	40 #FFB799	20 #FFDBCC	
STONE	100 #E6E7E9	50 #F2F3F4	Paper #F7F7F8			

DATA VISUALISATION



Plot series in Navy tints; highlight the single most important value in Orange Red.

ACCESSIBLE COMBINATIONS

Legible for everyone.

All text must meet WCAG 2.2 contrast requirements: 4.5:1 for body text (AA) and 3:1 for large text of 18.5 px bold / 24 px regular and above.

- **Navy, Graphite and White** pass AAA in every pairing — use them for all reading text.
- **Orange Red on White** passes for large text and graphics only. Use it for headline numerals, rules and icons — not for paragraphs.
- **Orange Red on Navy** passes AA — the strongest way to use the accent in text.

SAMPLE	TEXT	BACKGROUND	RATIO	RATING
Aa Global trade	White	Navy Blue	16.8 : 1	AAA
Aa Global trade	Stone	Navy Blue	13.6 : 1	AAA
Aa Global trade	Orange Red	Navy Blue	5.0 : 1	AA
Aa Global trade	Navy Blue	White	16.8 : 1	AAA
Aa Global trade	Graphite	White	13.4 : 1	AAA
Aa Global trade	Graphite 75%	White	6.0 : 1	AA
Aa Global trade	Navy Blue	Stone	13.6 : 1	AAA
Aa Global trade	White	Graphite	13.4 : 1	AAA
Aa Global trade	Orange Red	White	3.4 : 1	Large only
Aa Global trade	White	Orange Red	3.4 : 1	Large only
Aa Global trade	Navy Blue	Orange Red	5.0 : 1	AA

AAA ≥ 7:1 AA ≥ 4.5:1 Large text ≥ 3:1

PRIMARY TYPEFACE

Aa

AKTIV GROTESK

HEADLINES · BODY · PRINT · SIGNAGE

AKTIV GROTESK BOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789

AKTIV GROTESK REGULAR

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789

A contemporary grotesk with a precise, neutral character and broad language support — ideal for an international business. Use Regular, Medium and Bold.

SECONDARY TYPEFACE

Aa

INTER

DIGITAL · UI · OFFICE DOCUMENTS

INTER REGULAR

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789

Free and open source (SIL Open Font License). Use for web and product interfaces, presentations and everyday documents where Aktiv Grotesk is not available.

SYSTEM FALLBACK & LICENSING

Email and default office settings: **Arial**. Aktiv Grotesk is a commercial typeface by Dalton Maag — a licence is required for each user and for web embedding. Where it is not installed, this manual is set in Inter, its approved substitute.

TYPOGRAPHIC HIERARCHY

Structured, never shouted.


- Headlines in Bold, sentence case, tight leading. A closing full stop is part of the voice.
- Follow major headlines with the Orange Red accent bar.
- Eyebrows and labels: uppercase, SemiBold, tracked +18%.
- Align left. Never justify body text.
- Body text in Graphite; headlines in Navy.

DISPLAY BOLD · 56/60 · −2%	**Trade, connected.**
HEADLINE 1 BOLD · 36/42 · −1%	**A Strategic Partner in Global Commerce.**
HEADLINE 2 BOLD · 24/30	**Customs brokerage without surprises.**
EYEBROW SEMIBOLD · 10/14 · +18% · CAPS	OCEAN FREIGHT · AIR FREIGHT · CUSTOMS
BODY REGULAR · 12/18	We coordinate ocean, air and road freight with customs brokerage in a single, accountable workflow — so every shipment moves with clear ownership and full visibility from origin to final destination.
CAPTION REGULAR · 9/13	Transit performance measured across all active trade lanes, January–October 2026.
DATA BOLD · TABULAR FIGURES	**98.2% · 1,284 · 6.4 h**

GRAPHIC DEVICES

Built from the symbol.

Four simple devices, each derived from the symbol, give layouts movement and structure. Use one or two per layout — never all four.



The direction line

A single Orange Red hairline rising from lower left to upper right — progress. 1–4 pt, never more than one per layout.



The diagonal plane

A Navy triangle anchored to a corner, often paired with the direction line. It frames content without boxing it in.



The accent bar

A short Orange Red bar under headlines and key figures. Width 3–4× its height, aligned left with the text.




The diamond lattice

A quiet grid of diamonds and channels for backgrounds. Keep it under 10% opacity; never behind body text.


IMAGERY

Five visual themes.


Imagery is cool, deep and precise, lit by warm accents that echo Orange Red. The supplied illustrations set the tone; photography should follow the same direction.




GLOBAL CONNECTIONS




DIRECTION & MOVEMENT



PRECISION & STRUCTURE



INTELLIGENT LOGISTICS



SPEED & EFFICIENCY

PHOTOGRAPHY — DO

- Night aerials of ports, cities and trade routes with light trails.
- Real operations: terminals, cargo, people at work.
- Clean architecture with strong diagonal lines.

TREATMENT

- Cool blue grade, deep shadows, warm orange highlights.
- Leave negative space for headlines and the logo.
- Reverse logo on dark imagery only.

AVOID


- Clichés: handshakes, globes held in hands, staged smiles.
- Over-saturated colour, heavy filters, busy collages.
- Images of competitors' branded vessels or equipment.

ICONOGRAPHY

Clear at a glance.

A custom line icon set for services, features and data. Twelve icons are supplied in full-colour, reverse and one-colour versions.

- 24 × 24 px grid, 2 px padding.
- 1.75 px stroke, rounded caps and joins.
- Navy (or White on dark) with one Orange Red accent.
- Scale proportionally; minimum 16 px.
- New icons follow the same grid and stroke.





BUSINESS CARDS

First impressions.

SIZE	3.5 × 2 in (US) · 85 × 55 mm (EU)
BLEED	0.125 in / 3 mm (included in artwork)
STOCK	450 gsm uncoated or silk, matte laminate
FRONT	Navy flood, reverse logo, direction line
BACK	Name 11 pt Bold Navy; title 5.5 pt caps Orange Red; details 6.2 pt Graphite
FINISH	Optional spot UV on the symbol





STATIONERY

Letterhead & envelope.

FORMATS	US Letter and A4 letterhead; #10 envelope
LOGO	Horizontal, 150 pt wide, top-left at the margin
MARGINS	0.75 in / 19 mm left and right
BODY TEXT	Aktiv Grotesk (or Inter / Arial) 9.5 pt on 14.5 pt, Graphite
FOOTER	Company line in tracked caps; diagonal plane bottom-right

Editable SVG artwork is supplied; rebuild the letterhead as a Word/Google Docs template with the logo placed in the header.







DIGITAL & SOCIAL

Consistent on every screen.

EMAIL	HTML signature, Arial, logo PNG 150 px wide (hosted)
LINKEDIN	Banner 1584 × 396 px; avatar = compact icon
SOCIAL POSTS	1080 × 1080 px; headline Bold caps; accent bar
WEB	Favicon SVG + ICO; tokens in CSS, SCSS, JSON and Tailwind



LINKEDIN BANNER



EMAIL SIGNATURE




BROWSER TAB




PRESENTATIONS & FOLDER

Present with authority.

FORMAT	16:9 · 1920 × 1080 px
COVER	Navy with network graphic, reverse logo, title 84 px Bold
DIVIDER	White with diagonal plane and Orange Red section number
CONTENT	Eyebrow, headline, accent bar; logo bottom-right
FOLDER	9 × 12 in, Navy, reverse logo, direction line









SHIPPING DOCUMENTATION

Precision on paper.

Commercial invoices, packing lists, quotations and shipping instructions share one system so clients and authorities can find every field instantly.

- Horizontal logo top-left; document title top-right in Navy Bold caps.
- Field labels in tracked caps, Graphite 75%; values in Navy.
- Table headers on Navy; zebra rows in Paper (#F7F7F8).
- Orange Red only for the total and the header rule — never for data.
- Fully monochrome-safe: every element remains legible when faxed or printed in black.



RCM HOLDINGS

COMMERCIAL INVOICE

INVOICE NO. RCM-CI-2026-04812
DATE 10 Nov 2026
SHIPMENT REF. NYC-RTM-118204

EXPORTER / SHIPPER	CONSIGNEE	NOTIFY PARTY
Atlas Precision Components Inc. 480 Industrial Parkway Newark, NJ 07105 · USA EIN 00-0000000	**Northwind Industrial Supply B.V.** Waalhaven Oostzijde 12 3087 BM Rotterdam · Netherlands EORI NL000000000	**RCM Holdings — Customs Brokerage** 123 Harbor Boulevard, Suite 400 New York, NY 10004 · USA +1 212 555 0100
COUNTRY OF ORIGIN **United States**	COUNTRY OF DESTINATION **Netherlands**	INCOTERMS® 2020 **FCA Newark, NJ**
PORT OF LOADING **Port Newark, USNWK**	PORT OF DISCHARGE **Rotterdam, NLRTM**	VESSEL / VOYAGE **MSC SAMPLE · 046E**
BILL OF LADING **RCMU2026118204**	PACKAGES / GROSS WEIGHT **14 pallets · 6,420 kg**	CURRENCY / TERMS **USD · Net 30**

#	HS CODE	DESCRIPTION OF GOODS	QTY	UNIT	UNIT VALUE	TOTAL (USD)
1	8483.10.30	Precision drive shafts, alloy steel	1,200	PCS	42.50	51,000.00
2	8482.10.50	Radial ball bearings, 40 mm	8,000	PCS	3.85	30,800.00
3	8484.10.00	Metal gaskets, assorted sizes	5,500	PCS	1.20	6,600.00
4	7318.15.20	Hex bolts, stainless, M12	20,000	PCS	0.38	7,600.00
5	3926.90.99	Protective polymer end caps	9,200	PCS	0.22	2,024.00
					SUBTOTAL	98,024.00
					FREIGHT & INSURANCE	0.00
					TOTAL INVOICE VALUE (USD)	**98,024.00**

DECLARATION
I hereby certify that the information on this invoice is true and correct and that the contents of this shipment are as stated above. These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations.

REMARKS
Sample data for template illustration only. Marks & numbers: NW/RTM/01–14. Reason for export: Sale.

AUTHORISED SIGNATURE

NAME / TITLE / DATE

RCM HOLDINGS · GLOBAL FREIGHT FORWARDING & CUSTOMS BROKERAGE RCMHOLDINGS.COM

TEMPLATE

templates/documents/rcm-commercial-invoice.html — edit in any code editor and print to PDF (US Letter; switch to A4 in one line).



OFFICE SIGNAGE · DIMENSIONAL LETTERS ON CONCRETE



RECEPTION · REVERSE LOGO ON NAVY WALL



RECEPTION WALL — FRONT ELEVATION · SCALE 1:25 @ A3

Dimensional letters: 20 mm aluminium, powder-coated Navy (RAL 5011) and Orange Red (RAL 2004, match to PANTONE 1655 C), 25 mm stand-off.

ENVIRONMENTAL & SIGNAGE

Built to be seen.

- Dimensional letters: 20 mm aluminium, powder-coated to RAL matches; 25 mm stand-off.
- Centre the logo at 1550 mm above finished floor in reception areas.
- On Navy walls use the reverse logo; the forward quadrant may be illuminated.
- Approve physical colour samples before fabrication.

FILES, FORMATS & NAMING

Everything in one kit.

SVG	Master vector artwork. Web, apps, print (open in Illustrator, Figma, Affinity, Inkscape — save as PDF/EPS for printers who ask).
PNG	Transparent raster exports at multiple widths for Office, email and social.
ICO	Favicon bundle (16, 32, 48 px).
ASE / GPL	Colour libraries for Adobe apps and GIMP / Inkscape / Affinity.
CSS / SCSS / JSON	Design tokens; Tailwind preset for web projects.

```
rcm-holdings/
├── RCM-Holdings-Brand-Manual.pdf     this manual
├── logos/
│   ├── horizontal/  horizontal-tagline/  stacked/  wordmark/  symbol/
│   │      └── rcm-logo-horizontal-{fullcolor|reverse|navy|white|black}.svg
│   ├── app-icon/    rcm-app-icon*.svg · rcm-favicon.svg · favicon.ico
│   └── png/         transparent PNG exports
├── color/         rcm-colors.css · .scss · rcm-tokens.json · tailwind.rcm.cjs
│                  RCM-Holdings.ase · RCM-Holdings.gpl · rcm-palette.svg
├── graphics/      visual-language illustrations · lattice patterns
│                  symbol-exploration/
├── icons/         svg/ · svg-reverse/ · svg-mono/ · rcm-icon-sheet.svg
├── templates/
│   ├── print/        business cards · letterheads · envelope · folder
│   ├── digital/      LinkedIn banner · social post · email signature
│   ├── presentation/ cover · divider · content slides
│   ├── documents/    commercial invoice (HTML + PDF)
│   └── signage/      reception elevation
├── manual/        index.html · manual.css · img/
└── source/        generators — rebuild every asset from one geometry
```

NAMING CONVENTION

`rcm-[asset]-[variant]-[colourway]@[width]w.png`

e.g. rcm-logo-horizontal-reverse@1200w.png

RCM HOLDINGS

GLOBAL TRADE. INTELLIGENTLY CONNECTED.

For brand questions, approvals and additional assets, contact the RCM Holdings marketing team.
rcmholdings.com