RCM HOLDINGS

# Brand Identity Manual

Guidelines for applying the RCM Holdings identity with clarity, precision and consistency — across every market we connect.



VERSION 1.0 · NOVEMBER 2026

GLOBAL TRADE. INTELLIGENTLY CONNECTED.

INTRODUCTION

# Contents

This manual defines the RCM Holdings visual identity: what it stands for, how it is built, and how to apply it.

Every asset referenced here is supplied in the accompanying brand kit as production-ready SVG and PNG files, colour libraries and editable templates. When in doubt, choose clarity, generous space and fewer elements.


## 01 Brand Foundation

- Brand essence 03
- Personality & voice 04

## 02 Logo

- Primary logo 05
- The symbol 06
- Design development 07
- Logo versions 08
- Compact icon 09
- Clear space & minimum size 10
- Colour versions & backgrounds 11
- Logo misuse 12

## 03 Colour

- Colour palette 13
- Proportion & tints 14
- Accessible combinations 15

## 04 Typography

- Typefaces 16
- Typographic hierarchy 17

## 05 Visual Language

- Graphic devices 18
- Imagery 19
- Iconography 20

## 06 Corporate Applications

- Business cards 21
- Letterhead & envelope 22
- Digital & social 23
- Presentations & folder 24
- Shipping documentation 25
- Environmental & signage 26

## 07 Asset Library

- Files, formats & naming 27

BRAND ESSENCE

# A Strategic Partner in Global Commerce.

RCM Holdings is a global freight forwarding and customs brokerage company delivering intelligent logistics solutions that connect markets, simplify complexity, and drive international trade forward.

**PURPOSE**

To keep global trade moving — reliably, compliantly and with complete clarity.

**PROMISE**

One accountable partner from origin to final destination.

**TAGLINE**

Global trade. Intelligently connected.

BRAND ATTRIBUTES

**TRUSTWORTHY**

We do what we say, and we say what we know.

**PRECISE**

Accurate documents, exact timings, no ambiguity.

**GLOBAL**

Local expertise, connected across borders.

**EFFICIENT**

The shortest sensible path from origin to destination.

**PROFESSIONAL**

Calm, prepared and accountable at every step.

**AUTHORITATIVE**

Deep regulatory knowledge, clearly explained.

**RELIABLE**

Consistent performance clients can plan around.

**AGILE**

Quick to adapt when markets, routes or rules change.

PERSONALITY & VOICE

# Clear, confident and precise.

We write the way our best people talk to clients: knowledgeable, direct and calm under pressure. Complexity is our job — the client should never feel it.

BOILERPLATE

> RCM Holdings is a global freight forwarding and customs brokerage company. We deliver intelligent logistics solutions that connect markets, simplify complexity and drive international trade forward — managing ocean, air and road freight and customs compliance as one accountable partner.

VOICE PRINCIPLES

**Clear** — not complicated

Lead with the answer. Short sentences, plain words, one idea at a time.

WE SAY "Your shipment clears customs Thursday."

AVOID "Clearance is anticipated pending processing."

**Confident** — not arrogant

Speak from expertise and evidence, never from superlatives.

WE SAY "98% of our shipments arrive on schedule."

AVOID "The world's best logistics provider."

**Precise** — not technical for its own sake

Use exact figures, dates and terms — and explain them once.

WE SAY "Under FCA terms, risk transfers at our Newark facility."

AVOID Unexplained acronyms and jargon.

**Partner-minded** — not transactional

Write with the client, about their goals. Use "we" and "you".

WE SAY "Here's how we'll protect your launch date."

AVOID "Per our terms, delays are not our responsibility."

TAGLINE USAGE

Set "Global trade. Intelligently connected." in uppercase with wide tracking, as in the logo lockup — or in sentence case within copy. Never alter the wording.

WRITING THE NAME

"RCM Holdings" in text; "RCM" after first mention. Never "R.C.M.", "Rcm" or "RCM holdings".

PRIMARY LOGO

# Our signature.

The horizontal logo is the primary expression of the brand. Use it whenever space allows. It is supplied as master artwork — never redraw, retype or rearrange it.




### 1 The symbol

Four quadrants of a diamond, divided by a cross channel. The lower-right quadrant in Orange Red marks forward momentum.

### 2 The wordmark

Custom extended capitals with softened corners — stable, wide and confident. Navy Blue only.

### 3 The descriptor

"HOLDINGS", widely tracked to the full width of the wordmark, in Graphite 75%.

### 4 The tagline lockup

Optional. An Orange Red rule and the tagline. Use only at large sizes (min. 50 mm / 200 px wide).

THE SYMBOL


# Connection, direction and precision.

The symbol represents the core elements that drive global trade and logistics forward. Every proportion is fixed — use the master artwork only.

- **Four quadrants** — the four points of the compass: markets everywhere, connected through one partner.
- **The cross channel** — the routes and borders we move goods through, kept perfectly clear.
- **The open centre** — transparency: clients always see where their shipment stands.
- **The forward quadrant** — Orange Red, pointing down and onward: momentum and progress.

CONSTRUCTION

A square rotated 45°. The inner diamond is 56% of the outer; the channel is 13% of the half-diagonal. Inner corners carry a 10% radius for approachability; outer points stay sharp for precision.








DESIGN DEVELOPMENT

# Brand symbol exploration.

Five routes explored how a single mark could express connection, direction and precision. “Origin” was selected: it is the most balanced, scales down cleanly to 16 px and holds its meaning in one colour. The other routes are archived here for reference only and must not be used.



01 · ORIGIN — SELECTED

The diamond divided by a clear channel. Balanced, legible, ownable.



02 · ROTATION

A pinwheel of quadrants. Dynamic, but read as circular rather than forward.



03 · COMPASS

An elongated compass point. Strong direction, weak at small sizes.



04 · LINKAGE

Interlocking chevrons and an arrow. Literal, and too complex to reproduce.



05 · FACET

Asymmetric weights. Interesting, but less stable and less trustworthy.

SECONDARY LOGO VARIATIONS

# Logo versions.

Choose the version that best fits the available space. Each is a fixed lockup — the relationship between symbol and wordmark never changes.




**Horizontal — primary**
Default for documents, websites, email and most layouts.




**Stacked**
For square or narrow formats: social tiles, merchandise, signage blades.




**Reverse**
On Navy and dark imagery. The forward quadrant stays Orange Red.




**Horizontal with tagline**
Signature lockup for covers, hero placements, trade-show graphics and corporate signage.




**Wordmark**
Only where the symbol already appears nearby, e.g. app headers.

COMPACT ICON

# The symbol, on its own.

The compact icon places the reverse symbol on a Navy rounded square. Use it where the brand is already established or the name appears nearby.

- App icons, social profile avatars and browser tabs.
- Corner radius 22.4% of the icon size; symbol 70% of the icon width.
- Supply the full-bleed square version to platforms that apply their own mask (iOS, Android, LinkedIn).
- Below 24 px use the favicon artwork: its wider channel stays open at small sizes.



APP ICON · 1024 PX MASTER




FAVICON & SMALL SIZES



SOCIAL AVATAR



LIGHT VARIANT

CLEAR SPACE

# Room to lead.

Keep a minimum clear space of **X** on every side of the logo, where X equals the cap height of the RCM wordmark. No text, image or edge may enter this zone. More space is always better.




MINIMUM SIZE

Never reproduce the logo smaller than these sizes. Below them, the descriptor and channel lose definition.

| VERSION | PRINT | DIGITAL | SHOWN AT DIGITAL MINIMUM |
|---|---|---|---|
| **Horizontal** | 30 mm | 120 px | RCM HOLDINGS |
| **With tagline** | 50 mm | 200 px | RCM HOLDINGS GLOBAL TRADE. INTELLIGENTLY CONNECTED. |
| **Stacked** | 18 mm | 72 px | RCM HOLDINGS |
| **Symbol** | 6 mm | 16 px | |


PLACEMENT


Place the logo in a corner or on the left margin of the layout grid — top-left by default. Centre it only on covers, signage and formats with a strong central axis.


COLOUR VERSIONS & BACKGROUNDS


# Always in contrast.

Use full colour on White, Stone and light neutrals; reverse on Navy, Graphite and dark imagery. Use one-colour versions only when printing limits colour — embroidery, engraving, single-colour forms, faxes.





















LOGO MISUSE

# Protect the mark.

Consistency builds recognition and trust. Always use the supplied master files and never modify them. These examples show common errors to avoid.




**DON'T** stretch, squash or distort the logo.




**DON'T** rotate or set the logo at an angle.




**DON'T** recolour the logo outside the brand palette.




**DON'T** move the Orange Red quadrant.




**DON'T** add shadows, gradients, bevels or glows.




**DON'T** rearrange or resize the elements.




**DON'T** retype the wordmark in another font.




**DON'T** place the logo on low-contrast backgrounds.

COLOUR PALETTE

# Navy-led. Orange-driven.

A disciplined palette: Navy Blue carries the brand, neutrals create calm and structure, and Orange Red is reserved for the moments that matter. Pantone and RAL references are nearest matches — always proof against a physical guide.





| NAVY BLUE | GRAPHITE | STONE | ORANGE RED | WHITE |
|---|---|---|---|---|
| RGB 11 29 58 | RGB 43 47 54 | RGB 230 231 233 | RGB 255 74 0 | RGB 255 255 255 |
| CMYK 100 78 30 60 | CMYK 72 62 50 65 | CMYK 8 5 5 0 | CMYK 0 80 100 0 | CMYK 0 0 0 0 |
| PANTONE 289 C | PANTONE 433 C | PANTONE Cool Gray 1 C | PANTONE 1655 C | PANTONE — |
| RAL 5011 | RAL 7021 | RAL 9002 | RAL 2004 | RAL 9016 |
| Primary brand colour. Logo, headlines, large fields of colour. | Body copy, secondary text and dark neutral backgrounds. | Panels, tables, dividers and quiet backgrounds. | Accent only: the forward quadrant, highlights, key data, calls to action. | Space and clarity — the base for documents and screens. |

COLOUR USAGE

# Proportion is identity.

Keep the balance of colour consistent across every layout. White is the canvas; the remaining colour follows this ratio.




- Orange Red is an accent: never more than about 10% of a layout.
- Never set body copy in Orange Red; use it for short labels, data highlights and rules.
- Never place Orange Red text on Orange-adjacent tints.

SUPPORTING TINTS

Tints extend the palette for charts, UI states and backgrounds. Use them sparingly and never as substitutes for the core colours in the logo.

| | | | | | | |
|---|---|---|---|---|---|---|
| NAVY | 100 #0B1D3A | 80 #3C4A61 | 60 #6D7789 | 40 #9DA5B0 | 20 #CED2D8 | 10 #E7E8EB |
| GRAPHITE | 100 #2B2F36 | 75 #606368 | 50 #95979A | 25 #CACBCD | 10 #EAEAEB | |
| ORANGE RED | 100 #FF4A00 | 80 #FF6E33 | 60 #FF9266 | 40 #FFB799 | 20 #FFDBCC | |
| STONE | 100 #E6E7E9 | 50 #F2F3F4 | Paper #F7F7F8 | | | |

DATA VISUALISATION



Plot series in Navy tints; highlight the single most important value in Orange Red.

ACCESSIBLE COMBINATIONS

# Legible for everyone.

All text must meet WCAG 2.2 contrast requirements: 4.5:1 for body text (AA) and 3:1 for large text of 18.5 px bold / 24 px regular and above.

- **Navy, Graphite and White** pass AAA in every pairing — use them for all reading text.
- **Orange Red on White** passes for large text and graphics only. Use it for headline numerals, rules and icons — not for paragraphs.
- **Orange Red on Navy** passes AA — the strongest way to use the accent in text.

| SAMPLE | TEXT | BACKGROUND | RATIO | RATING |
|---|---|---|---|---|
| Aa Global trade | White | Navy Blue | 16.8 : 1 | AAA |
| Aa Global trade | Stone | Navy Blue | 13.6 : 1 | AAA |
| Aa Global trade | Orange Red | Navy Blue | 5.0 : 1 | AA |
| Aa Global trade | Navy Blue | White | 16.8 : 1 | AAA |
| Aa Global trade | Graphite | White | 13.4 : 1 | AAA |
| Aa Global trade | Graphite 75% | White | 6.0 : 1 | AA |
| Aa Global trade | Navy Blue | Stone | 13.6 : 1 | AAA |
| Aa Global trade | White | Graphite | 13.4 : 1 | AAA |
| Aa Global trade | Orange Red | White | 3.4 : 1 | Large only |
| Aa Global trade | White | Orange Red | 3.4 : 1 | Large only |
| Aa Global trade | Navy Blue | Orange Red | 5.0 : 1 | AA |

AAA ≥ 7:1 AA ≥ 4.5:1 Large text ≥ 3:1

PRIMARY TYPEFACE

Aa

## AKTIV GROTESK

HEADLINES · BODY · PRINT · SIGNAGE

AKTIV GROTESK BOLD

**ABCDEFGHIJKLMNOPQRSTUVWXYZ**

**abcdefghijklmnopqrstuvwxyz 0123456789**

AKTIV GROTESK REGULAR

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789

A contemporary grotesk with a precise, neutral character and broad language support — ideal for an international business. Use Regular, Medium and Bold.

SECONDARY TYPEFACE

Aa

## INTER

DIGITAL · UI · OFFICE DOCUMENTS

INTER REGULAR

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789

Free and open source (SIL Open Font License). Use for web and product interfaces, presentations and everyday documents where Aktiv Grotesk is not available.

SYSTEM FALLBACK & LICENSING

Email and default office settings: **Arial**. Aktiv Grotesk is a commercial typeface by Dalton Maag — a licence is required for each user and for web embedding. Where it is not installed, this manual is set in Inter, its approved substitute.

TYPOGRAPHIC HIERARCHY

# Structured, never shouted.


- Headlines in Bold, sentence case, tight leading. A closing full stop is part of the voice.
- Follow major headlines with the Orange Red accent bar.
- Eyebrows and labels: uppercase, SemiBold, tracked +18%.
- Align left. Never justify body text.
- Body text in Graphite; headlines in Navy.

| | |
|---|---|
| **DISPLAY**<br>BOLD · 56/60 · −2% | **Trade, connected.** |
| **HEADLINE 1**<br>BOLD · 36/42 · −1% | **A Strategic Partner in Global Commerce.** |
| **HEADLINE 2**<br>BOLD · 24/30 | **Customs brokerage without surprises.** |
| **EYEBROW**<br>SEMIBOLD · 10/14 · +18% · CAPS | OCEAN FREIGHT · AIR FREIGHT · CUSTOMS |
| **BODY**<br>REGULAR · 12/18 | We coordinate ocean, air and road freight with customs brokerage in a single, accountable workflow — so every shipment moves with clear ownership and full visibility from origin to final destination. |
| **CAPTION**<br>REGULAR · 9/13 | Transit performance measured across all active trade lanes, January–October 2026. |
| **DATA**<br>BOLD · TABULAR FIGURES | **98.2% · 1,284 · 6.4 h** |

GRAPHIC DEVICES

# Built from the symbol.

Four simple devices, each derived from the symbol, give layouts movement and structure. Use one or two per layout — never all four.



### The direction line

A single Orange Red hairline rising from lower left to upper right — progress. 1–4 pt, never more than one per layout.



### The diagonal plane

A Navy triangle anchored to a corner, often paired with the direction line. It frames content without boxing it in.




### The accent bar

A short Orange Red bar under headlines and key figures. Width 3–4× its height, aligned left with the text.




### The diamond lattice

A quiet grid of diamonds and channels for backgrounds. Keep it under 10% opacity; never behind body text.


IMAGERY

# Five visual themes.


Imagery is cool, deep and precise, lit by warm accents that echo Orange Red. The supplied illustrations set the tone; photography should follow the same direction.





GLOBAL CONNECTIONS




DIRECTION & MOVEMENT



PRECISION & STRUCTURE




INTELLIGENT LOGISTICS



SPEED & EFFICIENCY

**PHOTOGRAPHY — DO**

- Night aerials of ports, cities and trade routes with light trails.
- Real operations: terminals, cargo, people at work.
- Clean architecture with strong diagonal lines.

**TREATMENT**

- Cool blue grade, deep shadows, warm orange highlights.
- Leave negative space for headlines and the logo.
- Reverse logo on dark imagery only.

**AVOID**


- Clichés: handshakes, globes held in hands, staged smiles.
- Over-saturated colour, heavy filters, busy collages.
- Images of competitors' branded vessels or equipment.

ICONOGRAPHY

# Clear at a glance.

A custom line icon set for services, features and data. Twelve icons are supplied in full-colour, reverse and one-colour versions.

- 24 × 24 px grid, 2 px padding.
- 1.75 px stroke, rounded caps and joins.
- Navy (or White on dark) with one Orange Red accent.
- Scale proportionally; minimum 16 px.
- New icons follow the same grid and stroke.






BUSINESS CARDS

# First impressions.

| | |
|---|---|
| SIZE | 3.5 × 2 in (US) · 85 × 55 mm (EU) |
| BLEED | 0.125 in / 3 mm (included in artwork) |
| STOCK | 450 gsm uncoated or silk, matte laminate |
| FRONT | Navy flood, reverse logo, direction line |
| BACK | Name 11 pt Bold Navy; title 5.5 pt caps Orange Red; details 6.2 pt Graphite |
| FINISH | Optional spot UV on the symbol |





STATIONERY

# Letterhead & envelope.

| | |
|---|---|
| FORMATS | US Letter and A4 letterhead; #10 envelope |
| LOGO | Horizontal, 150 pt wide, top-left at the margin |
| MARGINS | 0.75 in / 19 mm left and right |
| BODY TEXT | Aktiv Grotesk (or Inter / Arial) 9.5 pt on 14.5 pt, Graphite |
| FOOTER | Company line in tracked caps; diagonal plane bottom-right |

Editable SVG artwork is supplied; rebuild the letterhead as a Word/Google Docs template with the logo placed in the header.





DIGITAL & SOCIAL

# Consistent on every screen.

| | |
|---|---|
| EMAIL | HTML signature, Arial, logo PNG 150 px wide (hosted) |
| LINKEDIN | Banner 1584 × 396 px; avatar = compact icon |
| SOCIAL POSTS | 1080 × 1080 px; headline Bold caps; accent bar |
| WEB | Favicon SVG + ICO; tokens in CSS, SCSS, JSON and Tailwind |




LINKEDIN BANNER




EMAIL SIGNATURE





BROWSER TAB



PRESENTATIONS & FOLDER


# Present with authority.

| | |
|---|---|
| FORMAT | 16:9 · 1920 × 1080 px |
| COVER | Navy with network graphic, reverse logo, title 84 px Bold |
| DIVIDER | White with diagonal plane and Orange Red section number |
| CONTENT | Eyebrow, headline, accent bar; logo bottom-right |
| FOLDER | 9 × 12 in, Navy, reverse logo, direction line |












SHIPPING DOCUMENTATION

# Precision on paper.

Commercial invoices, packing lists, quotations and shipping instructions share one system so clients and authorities can find every field instantly.

- Horizontal logo top-left; document title top-right in Navy Bold caps.
- Field labels in tracked caps, Graphite 75%; values in Navy.
- Table headers on Navy; zebra rows in Paper (#F7F7F8).
- Orange Red only for the total and the header rule — never for data.
- Fully monochrome-safe: every element remains legible when faxed or printed in black.



RCM HOLDINGS

**COMMERCIAL INVOICE**

INVOICE NO. RCM-CI-2026-04812
DATE 10 Nov 2026
SHIPMENT REF. NYC-RTM-118204

| EXPORTER / SHIPPER | CONSIGNEE | NOTIFY PARTY |
|---|---|---|
| **Atlas Precision Components Inc.**<br>480 Industrial Parkway<br>Newark, NJ 07105 · USA<br>EIN 00-0000000 | **Northwind Industrial Supply B.V.**<br>Waalhaven Oostzijde 12<br>3087 BM Rotterdam · Netherlands<br>EORI NL000000000 | **RCM Holdings — Customs Brokerage**<br>123 Harbor Boulevard, Suite 400<br>New York, NY 10004 · USA<br>+1 212 555 0100 |
| COUNTRY OF ORIGIN<br>**United States** | COUNTRY OF DESTINATION<br>**Netherlands** | INCOTERMS® 2020<br>**FCA Newark, NJ** |
| PORT OF LOADING<br>**Port Newark, USNWK** | PORT OF DISCHARGE<br>**Rotterdam, NLRTM** | VESSEL / VOYAGE<br>**MSC SAMPLE · 046E** |
| BILL OF LADING<br>**RCMU2026118204** | PACKAGES / GROSS WEIGHT<br>**14 pallets · 6,420 kg** | CURRENCY / TERMS<br>**USD · Net 30** |

| # | HS CODE | DESCRIPTION OF GOODS | QTY | UNIT | UNIT VALUE | TOTAL (USD) |
|---|---|---|---|---|---|---|
| 1 | 8483.10.30 | Precision drive shafts, alloy steel | 1,200 | PCS | 42.50 | 51,000.00 |
| 2 | 8482.10.50 | Radial ball bearings, 40 mm | 8,000 | PCS | 3.85 | 30,800.00 |
| 3 | 8484.10.00 | Metal gaskets, assorted sizes | 5,500 | PCS | 1.20 | 6,600.00 |
| 4 | 7318.15.20 | Hex bolts, stainless, M12 | 20,000 | PCS | 0.38 | 7,600.00 |
| 5 | 3926.90.99 | Protective polymer end caps | 9,200 | PCS | 0.22 | 2,024.00 |
| | | | | | SUBTOTAL | 98,024.00 |
| | | | | | FREIGHT & INSURANCE | 0.00 |
| | | | | | **TOTAL INVOICE VALUE (USD)** | **98,024.00** |

DECLARATION
I hereby certify that the information on this invoice is true and correct and that the contents of this shipment are as stated above. These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations.

REMARKS
Sample data for template illustration only. Marks & numbers: NW/RTM/01–14. Reason for export: Sale.

AUTHORISED SIGNATURE

NAME / TITLE / DATE

RCM HOLDINGS · GLOBAL FREIGHT FORWARDING & CUSTOMS BROKERAGE RCMHOLDINGS.COM

TEMPLATE

templates/documents/rcm-commercial-invoice.html — edit in any code editor and print to PDF (US Letter; switch to A4 in one line).




OFFICE SIGNAGE · DIMENSIONAL LETTERS ON CONCRETE




RECEPTION · REVERSE LOGO ON NAVY WALL




**RECEPTION WALL — FRONT ELEVATION · SCALE 1:25 @ A3**

Dimensional letters: 20 mm aluminium, powder-coated Navy (RAL 5011) and Orange Red (RAL 2004, match to PANTONE 1655 C), 25 mm stand-off.

ENVIRONMENTAL & SIGNAGE

# Built to be seen.

- Dimensional letters: 20 mm aluminium, powder-coated to RAL matches; 25 mm stand-off.
- Centre the logo at 1550 mm above finished floor in reception areas.
- On Navy walls use the reverse logo; the forward quadrant may be illuminated.
- Approve physical colour samples before fabrication.

FILES, FORMATS & NAMING

# Everything in one kit.

| | |
|---|---|
| SVG | Master vector artwork. Web, apps, print (open in Illustrator, Figma, Affinity, Inkscape — save as PDF/EPS for printers who ask). |
| PNG | Transparent raster exports at multiple widths for Office, email and social. |
| ICO | Favicon bundle (16, 32, 48 px). |
| ASE / GPL | Colour libraries for Adobe apps and GIMP / Inkscape / Affinity. |
| CSS / SCSS / JSON | Design tokens; Tailwind preset for web projects. |

```
rcm-holdings/
├── RCM-Holdings-Brand-Manual.pdf     this manual
├── RCM-Holdings-Manual-de-Marca.pdf  Spanish edition
├── logos/
│   ├── horizontal/  horizontal-tagline/  stacked/  wordmark/  symbol/
│   │      └── rcm-logo-horizontal-{fullcolor|reverse|navy|white|black}.svg
│   ├── app-icon/    rcm-app-icon*.svg · rcm-favicon.svg · favicon.ico
│   └── png/         transparent PNG exports
├── color/         rcm-colors.css · .scss · rcm-tokens.json · tailwind.rcm.cjs
│                  RCM-Holdings.ase · RCM-Holdings.gpl · rcm-palette.svg
├── graphics/      visual-language illustrations · lattice patterns
│                  symbol-exploration/
├── icons/         svg/ · svg-reverse/ · svg-mono/ · rcm-icon-sheet.svg
├── templates/     every template in English and Spanish (-es)
│   ├── print/        business cards · letterheads · envelope · folder
│   ├── digital/      LinkedIn banner · social post · email signature
│   ├── presentation/ cover · divider · content slides
│   ├── documents/    commercial invoice (HTML + PDF)
│   └── signage/      reception elevation
├── manual/        index.html (EN) · index.es.html (ES) · manual.css · img/
└── source/        generators — rebuild every asset from one geometry
```

NAMING CONVENTION

`rcm-[asset]-[variant]-[colourway]@[width]w.png`

e.g. rcm-logo-horizontal-reverse@1200w.png

# RCM HOLDINGS

GLOBAL TRADE. INTELLIGENTLY CONNECTED.

For brand questions, approvals and additional assets, contact the RCM Holdings marketing team.
rcmholdings.com